



Model BNRV100 Unit








**Battery Replacement**

1. Remove the screw with a small screwdriver.
2. Remove the battery, pull up at top edge by the white circle cut-out.
3. Install the battery with Barnes & Noble logo FACE UP.
4. Insert the bottom of the battery first, align two metal tabs on each end with the two openings in the battery compartment.
5. Insert and tighten the screw with a small screwdriver.



nook


micro

**BARNES & NOBLE**

750-222-2222

Model: 40000250J0





Battery Replacement

1. Remove the screws with a small screwdriver.
2. Remove the battery cover. Push at all four edges to the arms come out out.
3. Insert the battery with the battery cover. Push at all four edges to the arms come out out.
4. Insert the battery with the battery cover. Push at all four edges to the arms come out out.
5. Insert and tighten the screws with a small screwdriver.

nook

Model No. 9BS11GTFF  
Rating: 3.8V 1000mAh Li-ion Polymer


WARNING: Do not attempt to repair or modify the battery. The battery is not user serviceable. Do not attempt to disassemble, modify, or use the battery for any purpose other than intended. Do not use the battery for any purpose other than intended.

DO NOT DISPOSE OF BATTERIES IN FIRE OR WATER.

CE

P/N: 9BS11GTFF10B3


















MODEL NO. BN-AC-850

VH60-011

**BARNES & NOBLE**

AC ADAPTER 1013

INPUT: 100-240 VAC 0.15A 50/60Hz

OUTPUT: 5V  $\approx$  0.85A  $\nabla$



UL  
LISTED

US 10AG  
E212020



INDOOR USE ONLY





