FCC/IC RF Test Report

APPLICANT : NetComm Wireless Limited

EQUIPMENT : 4G WiFi M2M Router
BRAND NAME : NetComm Wireless

MODEL NAME : NTC-140W-01

MARKETING NAME : 4G WiFi M2M Router

FCC ID : XIA-NTC140W

IC : 8847A-NTC140W

STANDARD : 47 CFR Part 2, 22(H), 24(E), 27

IC RSS-130 issue 1 IC RSS-132 issue 3 IC RSS-133 issue 6 IC RSS-139 issue 2

CLASSIFICATION : PCS Licensed Transmitter (PCB)

The product was received on Apr. 11, 2014 and testing was completed on Jul. 19, 2014. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI / TIA / EIA-603-C-2004 and the testing has shown the tested sample to be in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

Reviewed by: Joseph Lin / Supervisor

Approved by: Jones Tsai / Manager

SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 1 of 474
Report Issued Date : Oct. 07, 2014

1190

Report No.: FG441109B

Report Version : Rev. 01

TABLE OF CONTENTS

| RE | VISIO | N HISTORY | 3 |
|----|-------|--|-----|
| SU | MMA | RY OF TEST RESULT | 4 |
| 1 | GEN | ERAL DESCRIPTION | 6 |
| | 1.1 | Applicant | 6 |
| | 1.2 | Manufacturer | 6 |
| | 1.3 | Product Feature of Equipment Under Test | 6 |
| | 1.4 | Product Specification subjective to this standard | 7 |
| | 1.5 | Modification of EUT | 7 |
| | 1.6 | Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator | 8 |
| | 1.7 | Testing Location | 11 |
| | 1.8 | Applicable Standards | 11 |
| 2 | TES | T CONFIGURATION OF EQUIPMENT UNDER TEST | 12 |
| | 2.1 | Test Mode | 12 |
| | 2.2 | Connection Diagram of Test System | 14 |
| | 2.3 | Support Unit used in test configuration and system | 14 |
| | 2.4 | Measurement Results Explanation Example | 14 |
| 3 | TES | T RESULT | 15 |
| | 3.1 | Conducted Output Power Measurement and ERP/EIRP Measurement | 15 |
| | 3.2 | Peak-to-Average Ratio | 43 |
| | 3.3 | Occupied Bandwidth | 62 |
| | 3.4 | Conducted Band Edge Measurement | 215 |
| | 3.5 | Conducted Spurious Emission Measurement | 321 |
| | 3.6 | Radiated Spurious Emission Measurement | 399 |
| | 3.7 | Frequency Stability Measurement | 465 |
| 4 | LIST | OF MEASURING EQUIPMENT | 473 |
| 5 | UNC | ERTAINTY OF EVALUATION | 474 |
| ΑP | PEND | DIX A. SETUP PHOTOGRAPHS | |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 2 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

REVISION HISTORY

| REPORT NO. | VERSION | DESCRIPTION | ISSUED DATE |
|------------|---------|-------------------------|---------------|
| FG441109B | Rev. 01 | Initial issue of report | Oct. 07, 2014 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 3 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

SUMMARY OF TEST RESULT

| Report Section | FCC Rule | IC Rule | Description | Limit | Result | Remark |
|--|-------------------------------|---|--|----------------|--------|--------|
| 3.1 | §2.1046 | RSS-Gen(4.8) RSS-130(4.4) RSS-132 (5.4) RSS-133 (6.4) RSS-139 (6.4) | Conducted Output Power | Reporting Only | PASS | - |
| | §22.913(a)(2) §27.50(b)(9) | RSS-132(5.4) SRSP-503(5.1.3) | Effective Radiated Power (Band 5) Effective Radiated Power | ERP < 7 Watt | PASS | |
| 3.1 | §27.50(c)(9) | N/A RSS-130(4.4) | (Band 13) (Band 17) Equivalent Isotropic Radiated Power | ERP < 30 Watt | | |
| 3.1 | §24.232(c) | RSS-133 (6.4) SRSP-510(5.1.2) | (Band 13) (Band 17) Equivalent Isotropic Radiated Power (Band 2)(Band 25) | EIRP < 2Watt | PASS | - |
| | §27.50(d)(4) | RSS-139 (6.4) SRSP-513(5.1.2) | Equivalent Isotropic Radiated Power (Band 4) | EIRP < 1Watt | 1 | |
| 3.2 | §24.232(d) | RSS-130(4.4) RSS-132 (5.4) RSS-133 (6.4) RSS-139 (6.4) | Peak-to-Average Ratio | <13 dB | PASS | - |
| \$2.1049 RSS-GEN(4.6 \$22.917(b) RSS-132 (3.7 \$24.238(b) RSS-133 (3.7 | | RSS-GEN(4.6.1) RSS-132 (3.1) RSS-133 (3.1) RSS-139 (3.1) | Occupied Bandwidth | Reporting Only | PASS | - |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 4 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

| Report Section | FCC Rule | IC Rule | Description | Limit | Result | Remark |
|-------------------|--------------------|-----------------|-----------------------------|-------------------------------------|--------|-------------|
| | §2.1051 | | | | | |
| | §22.917(a) | RSS-GEN(4.9) | Conducted Band Edge | | | |
| | §24.238(a) | RSS-132 (5.5) | Measurement | | | |
| 3.4 | §27.53(c)(2) | RSS-133 (6.5.1) | (Band 2) (Band 4) (Band 5) | < 43+10log ₁₀ (P[Watt]) | PASS | - |
| | §27.53(c)(4) | RSS-130(4.6) | (Band 13) (Band 17) | | | |
| | §27.53(g) | RSS-139 (6.5) | (Band 25) | | | |
| | §27.53(h) | | | | | |
| | §2.1051 | | | | | |
| | §22.917(a) | RSS-GEN(4.9) | Conducted Courious Emission | | | |
| | §24.238(a) | RSS-132 (5.5) | Conducted Spurious Emission | | | |
| 3.5 | §27.53(c)(2) | RSS-133 (6.5.1) | (Band 2) (Band 4) (Band 5) | < 43+10log ₁₀ (P[Watts]) | PASS | - |
| | §27.53(f) | RSS-130(4.6) | (Band 13) (Band 17) | | | |
| | §27.53(g) | RSS-139 (6.5) | (Band 25) | | | |
| | §27.53(h) | | | | | |
| | §2.1053 | | | | | |
| | §22.917(a) | RSS-GEN(4.9) | Dadiated Courieus Essiasias | | | Under limit |
| | §24.238(a) | RSS-132 (5.5) | Radiated Spurious Emission | | | 8.83 dB at |
| 3.6 | §27.53(c)(2) | RSS-133 (6.5.1) | (Band 2) (Band 4) (Band 5) | < 43+10log ₁₀ (P[Watts]) | PASS | 1559.000 |
| | §27.53(f) | RSS-130(4.6) | (Band 13) (Band 17) | | | MHz |
| | §27.53(g) | RSS-139 (6.5) | (Band 25) | | | |
| | §27.53(h) | | | | | |
| | \$2.10EE | RSS-GEN(4.7) | | | | |
| | §2.1055 | RSS-132(5.3) | Frequency Stability | | | |
| 3.7 | §22.355 §24.235 | RSS-133(6.3) | Temperature & Voltage | < 2.5 ppm | PASS | |
| | - | RSS-130(4.3) | remperature & voltage | | | |
| | §27.54 | DSC 120 (6.2) | | | | |

RSS-139 (6.3)

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 5 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

1 General Description

1.1 Applicant

NetComm Wireless Limited

Level 2, 18-20 Orion Road Lane Cove NSW Australia

1.2 Manufacturer

NetComm Wireless Limited

Level 2, 18-20 Orion Road Lane Cove NSW Australia

1.3 Product Feature of Equipment Under Test

| | Product Feature |
|---------------------------------|-------------------------------------|
| Equipment | 4G WiFi M2M Router |
| Brand Name | NetComm Wireless |
| Model Name | NTC-140W-01 |
| Marketing Name | 4G WiFi M2M Router |
| FCC ID | XIA-NTC140W |
| IC | 8847A-NTC140W |
| EUT cumperto Badico application | CDMA/EV-DO/GSM/EGPRS/WCDMA/HSPA/LTE |
| EUT supports Radios application | WLAN 11b/g/n HT20/HT40 |
| HW Version | V1.0 |
| SW Version | v2.0.5.0 |
| EUT Stage | Identical Prototype |

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 6 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

1.4 Product Specification subjective to this standard

| Pro | duct Specification subjective to this standard |
|----------------------|--|
| | LTE Band 2: 1850.7 MHz ~ 1909.3 MHz |
| | LTE Band 4: 1710.7 MHz ~ 1754.3 MHz |
| Tx Frequency | LTE Band 5: 824.7 MHz ~ 848.3 MHz |
| 1 x 1 requericy | LTE Band 13: 779.5 MHz ~ 784.5 MHz |
| | LTE Band 17: 706.5 MHz ~ 713.5 MHz |
| | LTE Band 25: 1850.7MHz ~ 1914.3 MHz |
| | LTE Band 2: 1930.7 MHz ~ 1989.3 MHz |
| | LTE Band 4: 2110.7 MHz ~ 2154.3 MHz |
| Rx Frequency | LTE Band 5: 869.7 MHz ~ 893.3 MHz |
| itx i requeitey | LTE Band 13: 748.5 MHz ~ 753.5 MHz |
| | LTE Band 17: 736.5 MHz ~ 743.5 MHz |
| | LTE Band 25: 1930.7MHz ~ 1994.3 MHz |
| | LTE Band 2: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz |
| | LTE Band 4: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz |
| Bandwidth | LTE Band 5: 1.4MHz/3MHz/5MHz/10MHz |
| Bandwidth | LTE Band 13: 5MHz / 10MHz |
| | LTE Band 17: 5MHz / 10MHz |
| | LTE Band 25: 1.4MHz/3MHz/5MHz/10MHz/15MHz/20MHz |
| | LTE Band 2: 22.17 dBm |
| | LTE Band 4: 22.23 dBm |
| Maximum Output Power | LTE Band 5: 22.00 dBm |
| to Antenna | LTE Band 13 : 22.01 dBm |
| | LTE Band 17 : 22.05 dBm |
| | LTE Band 25 : 22.20 dBm |
| Antenna Type | Dipole Antenna |
| | LTE Band 2: 1.96 dBi |
| | LTE Band 4: 3.03 dBi |
| Antenna Gain | LTE Band 5: -1.39 dBi |
| Antenna Gam | LTE Band 13 : 1.44 dBi |
| | LTE Band 17 : 0.71 dBi |
| | LTE Band 25 : 1.98 dBi |
| Type of Modulation | QPSK / 16QAM (Uplink) |
| Type of Modulation | 64QAM (Downlink) |

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 7 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

| FCC Rule | System | Type of Modulation | BW | Emission Designator | Frequency Tolerance (ppm) | Maximum ERP/EIRP |
|----------|------------|--------------------|---------|------------------------|---------------------------------|---------------------|
| Part 22 | LTE Band 5 | QPSK | 1.4 MHz | 1M10G7D | - | 0.068 W |
| Part 22 | LTE Band 5 | 16QAM | 1.4 MHz | 1M10D7W | - | 0.055 W |
| Part 22 | LTE Band 5 | QPSK | 3 MHz | 2M72G7D | - | 0.069 W |
| Part 22 | LTE Band 5 | 16QAM | 3 MHz | 2M73D7W | - | 0.055 W |
| Part 22 | LTE Band 5 | QPSK | 5 MHz | 4M49G7D | - | 0.069 W |
| Part 22 | LTE Band 5 | 16QAM | 5 MHz | 4M49D7W | - | 0.056 W |
| Part 22 | LTE Band 5 | QPSK | 10 MHz | 9M06G7D | 0.0079 ppm | 0.070 W |
| Part 22 | LTE Band 5 | 16QAM | 10 MHz | 9M02D7W | - | 0.056 W |
| Part 24 | LTE Band 2 | QPSK | 1.4 MHz | 1M10G7D | - | 0.258 W |
| Part 24 | LTE Band 2 | 16QAM | 1.4 MHz | 1M10D7W | - | 0.203 W |
| Part 24 | LTE Band 2 | QPSK | 3 MHz | 2M73G7D | - | 0.252 W |
| Part 24 | LTE Band 2 | 16QAM | 3 MHz | 2M74D7W | - | 0.203 W |
| Part 24 | LTE Band 2 | QPSK | 5 MHz | 4M51G7D | - | 0.254 W |
| Part 24 | LTE Band 2 | 16QAM | 5 MHz | 4M51D7W | - | 0.199 W |
| Part 24 | LTE Band 2 | QPSK | 10 MHz | 9M08G7D | 0.0155 ppm | 0.250 W |
| Part 24 | LTE Band 2 | 16QAM | 10 MHz | 9M06D7W | - | 0.205 W |
| Part 24 | LTE Band 2 | QPSK | 15 MHz | 13M5G7D | - | 0.250 W |
| Part 24 | LTE Band 2 | 16QAM | 15 MHz | 13M5D7W | - | 0.202 W |
| Part 24 | LTE Band 2 | QPSK | 20 MHz | 18M6G7D | - | 0.259 W |
| Part 24 | LTE Band 2 | 16QAM | 20 MHz | 18M6D7W | - | 0.207 W |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 8 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.1 Report Template No.: BU5-CGLTE Version 1.1

| FCC Rule | System | Type of Modulation | BW | Emission Designator | Frequency Tolerance (ppm) | Maximum ERP/EIRP |
|----------|-------------|--------------------|---------|------------------------|---------------------------------|---------------------|
| Part 24 | LTE Band 25 | QPSK | 1.4 MHz | 1M10G7D | - | 0.254 W |
| Part 24 | LTE Band 25 | 16QAM | 1.4 MHz | 1M10D7W | - | 0.199 W |
| Part 24 | LTE Band 25 | QPSK | 3 MHz | 2M73G7D | - | 0.257 W |
| Part 24 | LTE Band 25 | 16QAM | 3 MHz | 2M73D7W | - | 0.203 W |
| Part 24 | LTE Band 25 | QPSK | 5 MHz | 4M51G7D | - | 0.251 W |
| Part 24 | LTE Band 25 | 16QAM | 5 MHz | 4M50D7W | - | 0.206 W |
| Part 24 | LTE Band 25 | QPSK | 10 MHz | 9M08G7D | 0.0140 ppm | 0.256 W |
| Part 24 | LTE Band 25 | 16QAM | 10 MHz | 9M04D7W | - | 0.203 W |
| Part 24 | LTE Band 25 | QPSK | 15 MHz | 13M5G7D | - | 0.258 W |
| Part 24 | LTE Band 25 | 16QAM | 15 MHz | 13M5D7W | - | 0.206 W |
| Part 24 | LTE Band 25 | QPSK | 20 MHz | 18M6G7D | - | 0.262 W |
| Part 24 | LTE Band 25 | 16QAM | 20 MHz | 18M6D7W | - | 0.207 W |

Page Number : 9 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| FCC Rule | System | Type of BW Modulation | | Emission Designator | Frequency Tolerance (ppm) | Maximum ERP | Maximum EIRP |
|----------|-------------|-----------------------|---------|------------------------|---------------------------|----------------|-----------------|
| Part 27 | LTE Band 4 | QPSK | 1.4 MHz | 1M10G7D | - | 0.330 W | - |
| Part 27 | LTE Band 4 | 16QAM | 1.4 MHz | 1M10D7W | - | 0.264 W | - |
| Part 27 | LTE Band 4 | QPSK | 3 MHz | 2M72G7D | - | 0.321 W | - |
| Part 27 | LTE Band 4 | 16QAM | 3 MHz | 2M73D7W | - | 0.269 W | - |
| Part 27 | LTE Band 4 | QPSK | 5MHz | 4M50G7D | - | 0.333 W | - |
| Part 27 | LTE Band 4 | 16QAM | 5MHz | 4M50D7W | - | 0.267 W | - |
| Part 27 | LTE Band 4 | QPSK | 10MHz | 9M08G7D | 0.0050 ppm | 0.330 W | - |
| Part 27 | LTE Band 4 | 16QAM | 10MHz | 9M04D7W | - | 0.264 W | - |
| Part 27 | LTE Band 4 | QPSK | 15MHz | 13M5G7D | - | 0.334 W | - |
| Part 27 | LTE Band 4 | 16QAM | 15MHz | 13M5D7W | - | 0.267 W | - |
| Part 27 | LTE Band 4 | QPSK | 20MHz | 18M5G7D | - | 0.336 W | - |
| Part 27 | LTE Band 4 | 16QAM | 20MHz | 18M6D7W | - | 0.269 W | - |
| Part 27 | LTE Band 13 | QPSK | 5MHz | 4M50G7D | - | 0.132 W | 0.216 W |
| Part 27 | LTE Band 13 | 16QAM | 5MHz | 4M50D7W | - | 0.108 W | 0.176 W |
| Part 27 | LTE Band 13 | QPSK | 10MHz | 9M00G7D | 0.0074 ppm | 0.135 W | 0.221 W |
| Part 27 | LTE Band 13 | 16QAM | 10MHz | 8M98D7W | - | 0.109 W | 0.179 W |
| Part 27 | LTE Band 17 | QPSK | 5MHz | 4M51G7D | - | 0.113 W | 0.185 W |
| Part 27 | LTE Band 17 | 16QAM | 5MHz | 4M51D7W | - | 0.091 W | 0.150 W |
| Part 27 | LTE Band 17 | QPSK | 10MHz | 9M08G7D | 0.0101 ppm | 0.115 W | 0.189 W |
| Part 27 | LTE Band 17 | 16QAM | 10MHz | 9M04D7W | - | 0.092 W | 0.150 W |

Page Number : 10 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

1.7 Testing Location

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code: 1190) and the FCC designation No. TW1022 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC Test.

| Test Site | SPORTON INTERNAT | SPORTON INTERNATIONAL INC. | | | | | | | |
|--------------------|---|----------------------------|---------|--|--|--|--|--|--|
| | No. 52, Hwa Ya 1 st Rd., Hwa Ya Technology Park, | | | | | | | | |
| Toot Site Leastian | Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C. | | | | | | | | |
| Test Site Location | TEL: +886-3-327-3456 | | | | | | | | |
| | FAX: +886-3-328-4978 | | | | | | | | |
| Toot Site No | Sporton | IC Registration No. | | | | | | | |
| Test Site No. | TH02-HY | 03CH07-HY | 4086B-1 | | | | | | |

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR Part 2, 22(H), 24(E), 27
- ANSI / TIA / EIA-603-C-2004
- FCC KDB 971168 D01 Power Meas. License Digital Systems v02r01
- FCC KDB 412172 D01 Determining ERP and EIRP v01
- IC RSS-130 Issue1
- IC RSS-132 Issue 3
- IC RSS-133 Issue 6
- IC RSS-139 Issue 2
- IC RSS-Gen Issue 3
- NOTICE 2012-DRS0126

Remark:

- 1. All test items were verified and recorded according to the standards and without any deviation during the test.
- 2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.
- 3. Per the section 2.2.3 of Notice of 2012-DRS0126, "Receivers Excluded from Industry Canada Requirements", only radiocommunication receivers operating in stand-alone mode within the band 30-960 MHz and scanner receivers are subject to Industry Canada requirements.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 11 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v02r01 with maximum output power.

| | | | | andwid | | | | Modu | ulation | | RB# | | Test Channel | | |
|-----------------|------|-----|---|--------|----|----|----|------|---------|---|------|------|--------------|---|---|
| Test Items | Band | 1.4 | 3 | 5 | 10 | 15 | 20 | QPSK | 16QAM | 1 | Half | Full | L | М | н |
| | 2 | V | ٧ | V | V | V | V | V | v | ٧ | v | v | V | V | V |
| | 4 | v | V | V | V | V | V | v | V | V | V | v | V | y | V |
| Max. Output | 5 | V | V | V | V | - | • | V | V | V | V | v | V | V | V |
| Power | 13 | - | • | V | V | - | • | V | V | V | V | v | V | V | V |
| | 17 | - | • | V | V | - | • | V | V | V | V | v | V | ٧ | V |
| | 25 | V | V | V | V | V | V | V | V | V | V | v | V | V | V |
| | 2 | | | | | | V | | V | V | | v | V | ٧ | v |
| | 4 | | | | | | V | | V | V | | v | V | ٧ | V |
| Peak-to-Average | 5 | | | | ٧ | - | • | | V | V | | v | V | ٧ | V |
| Ratio | 13 | - | - | | ٧ | - | • | | V | V | | v | V | ٧ | V |
| | 17 | - | - | | ٧ | - | - | | v | V | | v | V | ٧ | v |
| | 25 | | | | | | V | | V | V | | v | V | ٧ | V |
| | 2 | V | V | V | V | V | V | v | V | | | v | V | V | v |
| | 4 | v | V | v | V | V | v | V | v | | | v | V | ٧ | v |
| 26dB and 99% | 5 | v | V | v | ٧ | - | - | V | v | | | v | V | ٧ | v |
| Bandwidth | 13 | - | - | v | ٧ | - | - | V | V | | | v | V | ٧ | v |
| | 17 | - | - | V | ٧ | - | - | V | V | | | v | V | ٧ | V |
| | 25 | V | V | V | V | V | V | V | V | | | v | V | V | V |
| | 2 | v | V | v | V | V | V | v | V | V | | v | V | | V |
| | 4 | v | V | V | V | V | V | V | V | V | | v | V | | v |
| Conducted | 5 | v | V | v | V | - | - | V | v | V | | v | V | | v |
| Band Edge | 13 | - | 1 | v | V | - | 1 | V | v | V | | v | V | | v |
| | 17 | - | ı | V | V | - | 1 | V | V | V | | v | V | | v |
| | 25 | V | V | V | V | V | V | V | v | V | | v | V | | V |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 12 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B


| | | | В | andwic | ith (MH | z) | | Modi | ulation | | RB# | | Те | st Chan | nel |
|----------------------|---|-----|---|--------|---------|----|----|------|---------|---|------|------|----|---------|-----|
| Test Items | Band | 1.4 | 3 | 5 | 10 | 15 | 20 | QPSK | 16QAM | 1 | Half | Full | L | М | Н |
| | 2 | v | V | v | V | V | V | v | v | V | | | v | v | v |
| 0 | 4 | v | v | V | V | V | v | v | V | V | | | v | v | v |
| Conducted | 5 | v | v | V | v | - | - | v | v | v | | | v | v | v |
| Spurious Emission | 13 | - | - | V | V | - | - | v | V | V | | | v | V | v |
| Lillission | 17 | - | - | V | v | - | - | v | V | V | | | v | v | v |
| | 25 | v | V | V | V | V | v | v | V | V | | | v | V | v |
| | 2 | | | | V | | | V | | | | V | | V | |
| | 4 | | | | ٧ | | | V | | | | V | | V | |
| Frequency | 5 | | | | ٧ | - | - | v | | | | V | | V | |
| Stability | 13 | - | - | | V | - | - | v | | | | ٧ | | V | |
| | 17 | - | - | | V | - | - | v | | | | ٧ | | V | |
| | 25 | | | | V | | | v | | | | ٧ | | V | |
| | 2 | V | v | ٧ | ٧ | v | v | v | v | v | | | v | V | v |
| | 4 | V | v | ٧ | ٧ | v | v | v | v | v | | | v | V | v |
| E.R.P./ E.I.R.P. | 5 | V | v | ٧ | ٧ | - | - | v | v | v | | | v | V | v |
| E.K.P./ E.I.K.P. | 13 | - | - | > | V | - | - | v | v | v | | | ٧ | v | v |
| | 17 | - | - | ٧ | v | - | - | v | v | v | | | v | V | v |
| | 25 | v | V | > | ٧ | v | v | v | v | v | | | > | v | v |
| | 2 | v | v | v | V | V | V | ٧ | | v | | | v | v | v |
| Dadista d | 4 | v | v | v | ٧ | V | V | ٧ | | v | | | v | v | v |
| Radiated Spurious | 5 | v | V | v | ٧ | - | - | v | | v | | | v | V | v |
| Emission | 13 | - | - | V | V | - | - | v | | v | | | ٧ | v | v |
| Lillission | 17 | - | - | V | v | - | - | v | | v | | | v | v | v |
| | 25 | v | v | V | v | v | v | v | | v | | | v | V | v |
| Note | The mark "v" means that this configuration is chosen for testing The mark "-" means that this bandwidth is not supported. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported. | | | | | | | | | | | | | | |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 13 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

| ltem | Equipment | Trade Name | Model No. | FCC ID | Data Cable | Power Cord |
|------|------------------|------------|-----------|--------|------------|-------------------|
| 1. | LTE Base Station | Anritsu | MT8820C | N/A | N/A | Unshielded, 1.8 m |

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

Example:

 $Offset(dB) = RF \ cable \ loss(dB) + attenuator \ factor(dB).$

= 4.2 + 10 = 14.2 (dB)

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 14 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

3 Test Result

3.1 Conducted Output Power Measurement and ERP/EIRP Measurement

Report No.: FG441109B

: 15 of 474

: Rev. 01

Report Issued Date: Oct. 07, 2014

Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

Page Number

Report Version

3.1.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5.

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13 and Band 17. (FCC Only)

The EIRP of mobile transmitters must not exceed 5 Watts for LTE Band 12, Band 13 and Band 17. (IC Only)

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2 and Band 25 and Band 7.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4.

According to KDB 412172 D01 Power Approach,

 $EIRP = P_T + G_T - L_C$, ERP = EIRP - 2.15, where

 P_T = transmitter output power in dBm

 G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB


3.1.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.1.3 Test Procedures

- 1. The transmitter output port was connected to the system simulator.
- 2. Set EUT at maximum power through the system simulator.
- 3. Select lowest, middle, and highest channels for each band and different modulation.
- 4. Measure and record the power level from the system simulator.

3.1.4 Test Setup



TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 16 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

3.1.5 Test Result of Conducted Output Power

<LTE Band 5 Conducted Power>

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 20450 | 20525 | 20600 |
| | Frequen | cy (MHz) | | 829 | 836.5 | 844 |
| 10 | QPSK | 1 | 0 | 21.95 | <mark>22.00</mark> | 21.96 |
| 10 | QPSK | 1 | 24 | 21.80 | 21.93 | 21.92 |
| 10 | QPSK | 1 | 49 | 21.92 | 21.99 | 21.74 |
| 10 | QPSK | 25 | 0 | 20.80 | 20.88 | 20.88 |
| 10 | QPSK | 25 | 12 | 20.79 | 20.85 | 20.84 |
| 10 | QPSK | 25 | 24 | 20.82 | 20.81 | 20.77 |
| 10 | QPSK | 50 | 0 | 20.74 | 20.78 | 20.75 |
| 10 | 16QAM | 1 | 0 | 20.81 | 20.93 | 21.03 |
| 10 | 16QAM | 1 | 24 | 20.88 | 21.00 | 20.95 |
| 10 | 16QAM | 1 | 49 | 20.94 | 20.99 | 20.75 |
| 10 | 16QAM | 25 | 0 | 19.72 | 19.82 | 19.89 |
| 10 | 16QAM | 25 | 12 | 19.73 | 19.76 | 19.81 |
| 10 | 16QAM | 25 | 24 | 19.77 | 19.79 | 19.78 |
| 10 | 16QAM | 50 | 0 | 19.68 | 19.77 | 19.69 |
| | Cha | nnel | | 20425 | 20525 | 20625 |
| | Frequen | cy (MHz) | | 826.5 | 836.5 | 846.5 |
| 5 | QPSK | 1 | 0 | 21.59 | 21.68 | 21.85 |
| 5 | QPSK | 1 | 12 | 21.80 | 21.89 | 21.85 |
| 5 | QPSK | 1 | 24 | 21.76 | 21.95 | 21.54 |
| 5 | QPSK | 12 | 0 | 20.68 | 20.84 | 20.78 |
| 5 | QPSK | 12 | 6 | 20.66 | 20.79 | 20.75 |
| 5 | QPSK | 12 | 11 | 20.79 | 20.63 | 20.68 |
| 5 | QPSK | 25 | 0 | 20.55 | 20.74 | 20.67 |
| 5 | 16QAM | 1 | 0 | 20.71 | 20.93 | 21.00 |
| 5 | 16QAM | 1 | 12 | 20.82 | 20.94 | 20.85 |
| 5 | 16QAM | 1 | 24 | 20.85 | 20.84 | 20.66 |
| 5 | 16QAM | 12 | 0 | 19.56 | 19.75 | 19.77 |
| 5 | 16QAM | 12 | 6 | 19.53 | 19.67 | 19.75 |
| 5 | 16QAM | 12 | 11 | 19.76 | 19.77 | 19.58 |
| 5 | 16QAM | 25 | 0 | 19.63 | 19.66 | 19.56 |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 17 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 20415 | 20525 | 20635 |
| | Frequen | cy (MHz) | | 825.5 | 836.5 | 847.5 |
| 3 | QPSK | 1 | 0 | 21.78 | 21.86 | 21.91 |
| 3 | QPSK | 1 | 7 | 21.61 | 21.86 | 21.79 |
| 3 | QPSK | 1 | 14 | 21.89 | 21.92 | 21.70 |
| 3 | QPSK | 8 | 0 | 20.64 | 20.82 | 20.86 |
| 3 | QPSK | 8 | 4 | 20.66 | 20.85 | 20.64 |
| 3 | QPSK | 8 | 7 | 20.68 | 20.66 | 20.62 |
| 3 | QPSK | 15 | 0 | 20.69 | 20.65 | 20.73 |
| 3 | 16QAM | 1 | 0 | 20.78 | 20.88 | 20.87 |
| 3 | 16QAM | 1 | 7 | 20.82 | 20.92 | 20.91 |
| 3 | 16QAM | 1 | 14 | 20.78 | 20.86 | 20.56 |
| 3 | 16QAM | 8 | 0 | 19.68 | 19.72 | 19.78 |
| 3 | 16QAM | 8 | 4 | 19.66 | 19.72 | 19.76 |
| 3 | 16QAM | 8 | 7 | 19.63 | 19.61 | 19.72 |
| 3 | 16QAM | 15 | 0 | 19.51 | 19.72 | 19.62 |
| | Cha | nnel | | 20407 | 20525 | 20643 |
| | Frequen | cy (MHz) | | 824.7 | 836.5 | 848.3 |
| 1.4 | QPSK | 1 | 0 | 21.62 | 21.74 | 21.76 |
| 1.4 | QPSK | 1 | 2 | 21.62 | 21.85 | 21.72 |
| 1.4 | QPSK | 1 | 5 | 21.84 | 21.81 | 21.57 |
| 1.4 | QPSK | 3 | 0 | 21.79 | 21.87 | 21.88 |
| 1.4 | QPSK | 3 | 1 | 21.63 | 21.85 | 21.82 |
| 1.4 | QPSK | 3 | 2 | 21.63 | 21.62 | 21.77 |
| 1.4 | QPSK | 6 | 0 | 20.57 | 20.71 | 20.57 |
| 1.4 | 16QAM | 1 | 0 | 20.68 | 20.88 | 20.97 |
| 1.4 | 16QAM | 1 | 2 | 20.69 | 20.97 | 20.95 |
| 1.4 | 16QAM | 1 | 5 | 20.90 | 20.82 | 20.61 |
| 1.4 | 16QAM | 3 | 0 | 20.63 | 20.63 | 20.81 |
| 1.4 | 16QAM | 3 | 1 | 20.57 | 20.67 | 20.69 |
| 1.4 | 16QAM | 3 | 2 | 20.67 | 20.75 | 20.75 |
| 1.4 | 16QAM | 6 | 0 | 19.67 | 19.76 | 19.50 |

Page Number : 18 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

<LTE Band 2 Conducted Power>

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 18700 | 18900 | 19100 |
| | Frequen | cy (MHz) | | 1860 | 1880 | 1900 |
| 20 | QPSK | 1 | 0 | <mark>22.17</mark> | 21.98 | 22.11 |
| 20 | QPSK | 1 | 49 | 22.16 | 21.90 | 21.95 |
| 20 | QPSK | 1 | 99 | 21.93 | 21.81 | 22.10 |
| 20 | QPSK | 50 | 0 | 21.01 | 20.83 | 20.75 |
| 20 | QPSK | 50 | 24 | 20.93 | 20.82 | 20.76 |
| 20 | QPSK | 50 | 49 | 20.84 | 20.77 | 20.77 |
| 20 | QPSK | 100 | 0 | 20.86 | 20.78 | 20.84 |
| 20 | 16QAM | 1 | 0 | 21.08 | 21.03 | 20.95 |
| 20 | 16QAM | 1 | 49 | 21.19 | 20.93 | 20.97 |
| 20 | 16QAM | 1 | 99 | 20.94 | 20.88 | 21.12 |
| 20 | 16QAM | 50 | 0 | 19.97 | 19.82 | 19.72 |
| 20 | 16QAM | 50 | 24 | 19.92 | 19.77 | 19.74 |
| 20 | 16QAM | 50 | 49 | 19.81 | 19.75 | 19.71 |
| 20 | 16QAM | 100 | 0 | 19.83 | 19.84 | 19.82 |
| | Cha | nnel | | 18675 | 18900 | 19125 |
| | Frequen | cy (MHz) | | 1857.5 | 1880 | 1902.5 |
| 15 | QPSK | 1 | 0 | 22.01 | 21.91 | 21.77 |
| 15 | QPSK | 1 | 37 | 22.02 | 21.71 | 21.95 |
| 15 | QPSK | 1 | 74 | 21.73 | 21.64 | 21.93 |
| 15 | QPSK | 36 | 0 | 20.96 | 20.71 | 20.63 |
| 15 | QPSK | 36 | 18 | 20.77 | 20.74 | 20.56 |
| 15 | QPSK | 36 | 37 | 20.83 | 20.66 | 20.63 |
| 15 | QPSK | 75 | 0 | 20.79 | 20.59 | 20.73 |
| 15 | 16QAM | 1 | 0 | 21.02 | 20.83 | 20.76 |
| 15 | 16QAM | 1 | 37 | 21.09 | 20.93 | 20.92 |
| 15 | 16QAM | 1 | 74 | 20.94 | 20.77 | 21.08 |
| 15 | 16QAM | 36 | 0 | 19.82 | 19.74 | 19.68 |
| 15 | 16QAM | 36 | 18 | 19.83 | 19.66 | 19.73 |
| 15 | 16QAM | 36 | 37 | 19.62 | 19.66 | 19.58 |
| 15 | 16QAM | 75 | 0 | 19.77 | 19.64 | 19.64 |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 19 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 18650 | 18900 | 19150 |
| | Frequen | cy (MHz) | | 1855 | 1880 | 1905 |
| 10 | QPSK | 1 | 0 | 21.91 | 21.92 | 21.75 |
| 10 | QPSK | 1 | 24 | 22.02 | 21.71 | 21.80 |
| 10 | QPSK | 1 | 49 | 21.80 | 21.64 | 21.96 |
| 10 | QPSK | 25 | 0 | 20.91 | 20.66 | 20.63 |
| 10 | QPSK | 25 | 12 | 20.76 | 20.79 | 20.59 |
| 10 | QPSK | 25 | 24 | 20.72 | 20.61 | 20.62 |
| 10 | QPSK | 50 | 0 | 20.81 | 20.59 | 20.84 |
| 10 | 16QAM | 1 | 0 | 21.04 | 21.01 | 20.82 |
| 10 | 16QAM | 1 | 24 | 21.16 | 20.74 | 20.81 |
| 10 | 16QAM | 1 | 49 | 20.83 | 20.70 | 21.05 |
| 10 | 16QAM | 25 | 0 | 19.95 | 19.72 | 19.70 |
| 10 | 16QAM | 25 | 12 | 19.91 | 19.73 | 19.68 |
| 10 | 16QAM | 25 | 24 | 19.61 | 19.74 | 19.62 |
| 10 | 16QAM | 50 | 0 | 19.82 | 19.80 | 19.78 |
| | Cha | nnel | | 18625 | 18900 | 19175 |
| | Frequen | cy (MHz) | | 1852.5 | 1880 | 1907.5 |
| 5 | QPSK | 1 | 0 | 21.95 | 21.80 | 21.88 |
| 5 | QPSK | 1 | 12 | 22.09 | 21.74 | 21.83 |
| 5 | QPSK | 1 | 24 | 21.73 | 21.75 | 22.07 |
| 5 | QPSK | 12 | 0 | 20.92 | 20.72 | 20.74 |
| 5 | QPSK | 12 | 6 | 20.87 | 20.69 | 20.62 |
| 5 | QPSK | 12 | 11 | 20.70 | 20.76 | 20.72 |
| 5 | QPSK | 25 | 0 | 20.66 | 20.61 | 20.81 |
| 5 | 16QAM | 1 | 0 | 20.92 | 21.02 | 20.79 |
| 5 | 16QAM | 1 | 12 | 20.99 | 20.78 | 20.78 |
| 5 | 16QAM | 1 | 24 | 20.92 | 20.74 | 21.02 |
| 5 | 16QAM | 12 | 0 | 19.97 | 19.74 | 19.62 |
| 5 | 16QAM | 12 | 6 | 19.73 | 19.62 | 19.65 |
| 5 | 16QAM | 12 | 11 | 19.76 | 19.66 | 19.54 |
| 5 | 16QAM | 25 | 0 | 19.65 | 19.72 | 19.79 |

Page Number : 20 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 18615 | 18900 | 19185 |
| | Frequen | cy (MHz) | | 1851.5 | 1880 | 1908.5 |
| 3 | QPSK | 1 | 0 | 22.06 | 21.94 | 21.75 |
| 3 | QPSK | 1 | 7 | 22.06 | 21.82 | 21.82 |
| 3 | QPSK | 1 | 14 | 21.76 | 21.79 | 22.02 |
| 3 | QPSK | 8 | 0 | 20.97 | 20.69 | 20.71 |
| 3 | QPSK | 8 | 4 | 20.87 | 20.79 | 20.57 |
| 3 | QPSK | 8 | 7 | 20.64 | 20.59 | 20.64 |
| 3 | QPSK | 15 | 0 | 20.85 | 20.77 | 20.66 |
| 3 | 16QAM | 1 | 0 | 20.91 | 21.00 | 20.92 |
| 3 | 16QAM | 1 | 7 | 21.12 | 20.86 | 20.95 |
| 3 | 16QAM | 1 | 14 | 20.86 | 20.82 | 20.94 |
| 3 | 16QAM | 8 | 0 | 19.84 | 19.67 | 19.62 |
| 3 | 16QAM | 8 | 4 | 19.77 | 19.76 | 19.63 |
| 3 | 16QAM | 8 | 7 | 19.68 | 19.57 | 19.65 |
| 3 | 16QAM | 15 | 0 | 19.70 | 19.70 | 19.75 |
| | Cha | nnel | | 18607 | 18900 | 19193 |
| | Frequen | cy (MHz) | | 1850.7 | 1880 | 1909.3 |
| 1.4 | QPSK | 1 | 0 | 22.02 | 21.95 | 21.78 |
| 1.4 | QPSK | 1 | 2 | 22.16 | 21.70 | 21.87 |
| 1.4 | QPSK | 1 | 5 | 21.75 | 21.80 | 22.07 |
| 1.4 | QPSK | 3 | 0 | 21.81 | 21.73 | 21.58 |
| 1.4 | QPSK | 3 | 1 | 21.84 | 21.82 | 21.66 |
| 1.4 | QPSK | 3 | 2 | 21.74 | 21.65 | 21.70 |
| 1.4 | QPSK | 6 | 0 | 20.86 | 20.72 | 20.80 |
| 1.4 | 16QAM | 1 | 0 | 21.00 | 20.84 | 20.89 |
| 1.4 | 16QAM | 1 | 2 | 21.07 | 20.84 | 20.79 |
| 1.4 | 16QAM | 1 | 5 | 20.91 | 20.76 | 21.12 |
| 1.4 | 16QAM | 3 | 0 | 20.84 | 20.72 | 20.65 |
| 1.4 | 16QAM | 3 | 1 | 20.79 | 20.67 | 20.55 |
| | | _ | _ | | | |

2

0

20.65

19.78

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W

1.4

1.4

16QAM

16QAM

3

6

Page Number : 21 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

20.67

19.64

20.57

19.65

Report No.: FG441109B

<LTE Band 25 Conducted Power>

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 26140 | 26340 | 26590 |
| | Frequen | cy (MHz) | | 1860 | 1880 | 1905 |
| 20 | QPSK | 1 | 0 | 22.14 | 21.97 | <mark>22.20</mark> |
| 20 | QPSK | 1 | 49 | 22.04 | 21.92 | 21.91 |
| 20 | QPSK | 1 | 99 | 21.90 | 21.84 | 22.12 |
| 20 | QPSK | 50 | 0 | 20.88 | 20.82 | 20.76 |
| 20 | QPSK | 50 | 24 | 20.86 | 20.72 | 20.72 |
| 20 | QPSK | 50 | 49 | 20.87 | 20.68 | 20.82 |
| 20 | QPSK | 100 | 0 | 20.86 | 20.80 | 20.90 |
| 20 | 16QAM | 1 | 0 | 21.17 | 21.04 | 20.92 |
| 20 | 16QAM | 1 | 49 | 21.09 | 20.99 | 20.97 |
| 20 | 16QAM | 1 | 99 | 20.95 | 20.89 | 21.10 |
| 20 | 16QAM | 50 | 0 | 19.78 | 19.80 | 19.68 |
| 20 | 16QAM | 50 | 24 | 19.85 | 19.73 | 19.73 |
| 20 | 16QAM | 50 | 49 | 19.83 | 19.66 | 19.83 |
| 20 | 16QAM | 100 | 0 | 19.84 | 19.78 | 19.90 |
| | Cha | nnel | | 26115 | 26340 | 26615 |
| | Frequen | cy (MHz) | | 1857.5 | 1880 | 1907.5 |
| 15 | QPSK | 1 | 0 | 22.14 | 21.93 | 21.86 |
| 15 | QPSK | 1 | 37 | 22.02 | 21.89 | 21.79 |
| 15 | QPSK | 1 | 74 | 21.75 | 21.78 | 21.97 |
| 15 | QPSK | 36 | 0 | 20.68 | 20.77 | 20.63 |
| 15 | QPSK | 36 | 18 | 20.85 | 20.56 | 20.59 |
| 15 | QPSK | 36 | 37 | 20.78 | 20.49 | 20.63 |
| 15 | QPSK | 75 | 0 | 20.80 | 20.77 | 20.74 |
| 15 | 16QAM | 1 | 0 | 21.16 | 20.96 | 20.84 |
| 15 | 16QAM | 1 | 37 | 20.89 | 20.82 | 20.89 |
| 15 | 16QAM | 1 | 74 | 20.77 | 20.89 | 21.09 |
| 15 | 16QAM | 36 | 0 | 19.75 | 19.77 | 19.50 |
| 15 | 16QAM | 36 | 18 | 19.77 | 19.60 | 19.67 |
| 15 | 16QAM | 36 | 37 | 19.67 | 19.64 | 19.82 |
| 15 | 16QAM | 75 | 0 | 19.75 | 19.68 | 19.84 |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 22 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 26090 | 26340 | 26640 |
| | Frequen | cy (MHz) | | 1855 | 1880 | 1910 |
| 10 | QPSK | 1 | 0 | 22.10 | 21.93 | 21.82 |
| 10 | QPSK | 1 | 24 | 21.98 | 21.75 | 21.79 |
| 10 | QPSK | 1 | 49 | 21.76 | 21.78 | 22.05 |
| 10 | QPSK | 25 | 0 | 20.75 | 20.78 | 20.74 |
| 10 | QPSK | 25 | 12 | 20.82 | 20.66 | 20.70 |
| 10 | QPSK | 25 | 24 | 20.86 | 20.58 | 20.65 |
| 10 | QPSK | 50 | 0 | 20.68 | 20.67 | 20.75 |
| 10 | 16QAM | 1 | 0 | 21.05 | 21.01 | 20.78 |
| 10 | 16QAM | 1 | 24 | 20.92 | 20.98 | 20.88 |
| 10 | 16QAM | 1 | 49 | 20.81 | 20.78 | 21.10 |
| 10 | 16QAM | 25 | 0 | 19.59 | 19.70 | 19.67 |
| 10 | 16QAM | 25 | 12 | 19.69 | 19.62 | 19.71 |
| 10 | 16QAM | 25 | 24 | 19.75 | 19.57 | 19.65 |
| 10 | 16QAM | 50 | 0 | 19.68 | 19.61 | 19.81 |
| | Cha | nnel | | 26065 | 26340 | 26665 |
| | Frequen | cy (MHz) | | 1852.5 | 1880 | 1912.5 |
| 5 | QPSK | 1 | 0 | 22.01 | 21.83 | 21.89 |
| 5 | QPSK | 1 | 12 | 21.94 | 21.91 | 21.77 |
| 5 | QPSK | 1 | 24 | 21.70 | 21.65 | 22.00 |
| 5 | QPSK | 12 | 0 | 20.73 | 20.79 | 20.67 |
| 5 | QPSK | 12 | 6 | 20.71 | 20.54 | 20.69 |
| 5 | QPSK | 12 | 11 | 20.86 | 20.52 | 20.62 |
| 5 | QPSK | 25 | 0 | 20.77 | 20.65 | 20.73 |
| 5 | 16QAM | 1 | 0 | 21.15 | 21.04 | 20.90 |
| 5 | 16QAM | 1 | 12 | 20.93 | 20.87 | 20.80 |
| 5 | 16QAM | 1 | 24 | 20.93 | 20.72 | 20.91 |
| 5 | 16QAM | 12 | 0 | 19.77 | 19.64 | 19.63 |
| 5 | 16QAM | 12 | 6 | 19.70 | 19.62 | 19.69 |
| 5 | 16QAM | 12 | 11 | 19.66 | 19.55 | 19.68 |
| 5 | 16QAM | 25 | 0 | 19.84 | 19.67 | 19.78 |

Page Number : 23 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 26055 | 26340 | 26675 |
| | Frequen | cy (MHz) | | 1851.5 | 1880 | 1913.5 |
| 3 | QPSK | 1 | 0 | 22.11 | 21.81 | 21.76 |
| 3 | QPSK | 1 | 7 | 21.95 | 21.77 | 21.89 |
| 3 | QPSK | 1 | 14 | 21.85 | 21.65 | 22.12 |
| 3 | QPSK | 8 | 0 | 20.85 | 20.72 | 20.75 |
| 3 | QPSK | 8 | 4 | 20.73 | 20.57 | 20.64 |
| 3 | QPSK | 8 | 7 | 20.79 | 20.60 | 20.77 |
| 3 | QPSK | 15 | 0 | 20.85 | 20.60 | 20.71 |
| 3 | 16QAM | 1 | 0 | 21.00 | 20.95 | 20.74 |
| 3 | 16QAM | 1 | 7 | 21.08 | 20.88 | 20.92 |
| 3 | 16QAM | 1 | 14 | 20.95 | 20.82 | 21.10 |
| 3 | 16QAM | 8 | 0 | 19.71 | 19.64 | 19.58 |
| 3 | 16QAM | 8 | 4 | 19.66 | 19.68 | 19.59 |
| 3 | 16QAM | 8 | 7 | 19.76 | 19.54 | 19.73 |
| 3 | 16QAM | 15 | 0 | 19.77 | 19.69 | 19.80 |
| | Cha | nnel | | 26047 | 26340 | 26683 |
| | Frequen | cy (MHz) | | 1850.7 | 1880 | 1914.3 |
| 1.4 | QPSK | 1 | 0 | 21.99 | 21.92 | 21.79 |
| 1.4 | QPSK | 1 | 2 | 21.99 | 21.84 | 21.90 |
| 1.4 | QPSK | 1 | 5 | 21.79 | 21.65 | 22.06 |
| 1.4 | QPSK | 3 | 0 | 21.76 | 21.63 | 21.62 |
| 1.4 | QPSK | 3 | 1 | 21.74 | 21.55 | 21.54 |
| 1.4 | QPSK | 3 | 2 | 21.67 | 21.59 | 21.78 |
| 1.4 | QPSK | 6 | 0 | 20.82 | 20.75 | 20.84 |
| 1.4 | 16QAM | 1 | 0 | 21.01 | 20.89 | 20.90 |
| 1.4 | 16QAM | 1 | 2 | 21.01 | 20.99 | 20.86 |
| 1.4 | 16QAM | 1 | 5 | 20.93 | 20.79 | 20.90 |
| 1.4 | 16QAM | 3 | 0 | 20.75 | 20.74 | 20.59 |
| 1.4 | 16QAM | 3 | 1 | 20.71 | 20.74 | 20.60 |
| 1.4 | 16QAM | 3 | 2 | 20.75 | 20.60 | 20.80 |
| 1.4 | 16QAM | 6 | 0 | 19.77 | 19.78 | 19.73 |

Page Number : 24 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

<LTE Band 4 Conducted Power>

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 20050 | 20175 | 20300 |
| | Frequen | cy (MHz) | | 1720 | 1732.5 | 1745 |
| 20 | QPSK | 1 | 0 | <mark>22.23</mark> | 22.17 | 22.19 |
| 20 | QPSK | 1 | 49 | 22.22 | 22.16 | 22.14 |
| 20 | QPSK | 1 | 99 | 22.12 | 22.16 | 22.03 |
| 20 | QPSK | 50 | 0 | 20.97 | 20.95 | 21.01 |
| 20 | QPSK | 50 | 24 | 21.01 | 20.93 | 20.94 |
| 20 | QPSK | 50 | 49 | 20.94 | 21.01 | 20.84 |
| 20 | QPSK | 100 | 0 | 20.98 | 21.00 | 20.96 |
| 20 | 16QAM | 1 | 0 | 21.14 | 21.20 | 21.26 |
| 20 | 16QAM | 1 | 49 | 21.27 | 21.13 | 21.20 |
| 20 | 16QAM | 1 | 99 | 21.15 | 21.16 | 21.09 |
| 20 | 16QAM | 50 | 0 | 19.99 | 19.92 | 20.01 |
| 20 | 16QAM | 50 | 24 | 19.98 | 19.90 | 19.90 |
| 20 | 16QAM | 50 | 49 | 19.90 | 19.96 | 19.83 |
| 20 | 16QAM | 100 | 0 | 19.92 | 19.93 | 19.96 |
| | Cha | nnel | | 20025 | 20175 | 20325 |
| | Frequen | cy (MHz) | | 1717.5 | 1732.5 | 1747.5 |
| 15 | QPSK | 1 | 0 | 22.07 | 22.13 | 22.02 |
| 15 | QPSK | 1 | 37 | 22.21 | 22.16 | 22.11 |
| 15 | QPSK | 1 | 74 | 22.00 | 22.08 | 22.02 |
| 15 | QPSK | 36 | 0 | 20.81 | 20.75 | 21.01 |
| 15 | QPSK | 36 | 18 | 20.99 | 20.73 | 20.86 |
| 15 | QPSK | 36 | 37 | 20.84 | 20.92 | 20.79 |
| 15 | QPSK | 75 | 0 | 20.79 | 20.91 | 20.95 |
| 15 | 16QAM | 1 | 0 | 21.08 | 21.08 | 21.08 |
| 15 | 16QAM | 1 | 37 | 21.23 | 21.08 | 21.10 |
| 15 | 16QAM | 1 | 74 | 20.97 | 21.04 | 20.90 |
| 15 | 16QAM | 36 | 0 | 19.89 | 19.90 | 19.92 |
| 15 | 16QAM | 36 | 18 | 19.89 | 19.83 | 19.86 |
| 15 | 16QAM | 36 | 37 | 19.75 | 19.91 | 19.72 |
| 15 | 16QAM | 75 | 0 | 19.86 | 19.89 | 19.93 |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 25 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 20000 | 20175 | 20350 |
| | Frequen | cy (MHz) | | 1715 | 1732.5 | 1750 |
| 10 | QPSK | 1 | 0 | 22.12 | 21.99 | 22.12 |
| 10 | QPSK | 1 | 24 | 22.06 | 21.97 | 22.09 |
| 10 | QPSK | 1 | 49 | 21.97 | 22.15 | 21.94 |
| 10 | QPSK | 25 | 0 | 20.93 | 20.91 | 20.98 |
| 10 | QPSK | 25 | 12 | 21.00 | 20.78 | 20.85 |
| 10 | QPSK | 25 | 24 | 20.89 | 20.84 | 20.74 |
| 10 | QPSK | 50 | 0 | 20.87 | 21.00 | 20.89 |
| 10 | 16QAM | 1 | 0 | 21.04 | 21.06 | 21.11 |
| 10 | 16QAM | 1 | 24 | 21.16 | 20.95 | 21.19 |
| 10 | 16QAM | 1 | 49 | 20.95 | 21.12 | 21.04 |
| 10 | 16QAM | 25 | 0 | 19.88 | 19.79 | 19.93 |
| 10 | 16QAM | 25 | 12 | 19.91 | 19.79 | 19.78 |
| 10 | 16QAM | 25 | 24 | 19.77 | 19.87 | 19.68 |
| 10 | 16QAM | 50 | 0 | 19.84 | 19.85 | 19.87 |
| | Cha | nnel | | 19975 | 20175 | 20375 |
| | Frequen | cy (MHz) | | 1712.5 | 1732.5 | 1752.5 |
| 5 | QPSK | 1 | 0 | 21.96 | 22.05 | 22.11 |
| 5 | QPSK | 1 | 12 | 22.20 | 22.13 | 22.05 |
| 5 | QPSK | 1 | 24 | 21.94 | 22.05 | 22.01 |
| 5 | QPSK | 12 | 0 | 20.85 | 20.79 | 21.01 |
| 5 | QPSK | 12 | 6 | 20.84 | 20.76 | 20.92 |
| 5 | QPSK | 12 | 11 | 20.90 | 21.00 | 20.69 |
| 5 | QPSK | 25 | 0 | 20.93 | 20.91 | 20.79 |
| 5 | 16QAM | 1 | 0 | 21.11 | 21.18 | 21.23 |
| 5 | 16QAM | 1 | 12 | 21.16 | 21.00 | 21.06 |
| 5 | 16QAM | 1 | 24 | 21.05 | 21.05 | 21.07 |
| 5 | 16QAM | 12 | 0 | 19.94 | 19.77 | 19.82 |
| 5 | 16QAM | 12 | 6 | 19.86 | 19.80 | 19.83 |
| 5 | 16QAM | 12 | 11 | 19.84 | 19.87 | 19.79 |
| 5 | 16QAM | 25 | 0 | 19.79 | 19.83 | 19.89 |

Page Number : 26 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 19965 | 20175 | 20385 |
| | Frequen | cy (MHz) | | 1711.5 | 1732.5 | 1753.5 |
| 3 | QPSK | 1 | 0 | 22.05 | 22.10 | 22.11 |
| 3 | QPSK | 1 | 7 | 22.04 | 22.14 | 21.98 |
| 3 | QPSK | 1 | 14 | 21.97 | 22.09 | 21.96 |
| 3 | QPSK | 8 | 0 | 20.94 | 20.85 | 20.85 |
| 3 | QPSK | 8 | 4 | 20.92 | 20.83 | 20.79 |
| 3 | QPSK | 8 | 7 | 20.78 | 20.85 | 20.80 |
| 3 | QPSK | 15 | 0 | 20.92 | 20.96 | 20.81 |
| 3 | 16QAM | 1 | 0 | 21.03 | 21.06 | 21.26 |
| 3 | 16QAM | 1 | 7 | 21.16 | 21.07 | 21.04 |
| 3 | 16QAM | 1 | 14 | 21.09 | 21.12 | 21.02 |
| 3 | 16QAM | 8 | 0 | 19.89 | 19.77 | 19.82 |
| 3 | 16QAM | 8 | 4 | 19.87 | 19.88 | 19.80 |
| 3 | 16QAM | 8 | 7 | 19.72 | 19.92 | 19.82 |
| 3 | 16QAM | 15 | 0 | 19.76 | 19.73 | 19.78 |
| | Cha | nnel | | 19957 | 20175 | 20393 |
| | Frequen | cy (MHz) | | 1710.7 | 1732.5 | 1754.3 |
| 1.4 | QPSK | 1 | 0 | 21.94 | 22.02 | 22.02 |
| 1.4 | QPSK | 1 | 2 | 22.16 | 22.14 | 22.04 |
| 1.4 | QPSK | 1 | 5 | 22.03 | 22.05 | 21.83 |
| 1.4 | QPSK | 3 | 0 | 21.85 | 21.79 | 21.92 |
| 1.4 | QPSK | 3 | 1 | 21.91 | 21.81 | 21.93 |
| 1.4 | QPSK | 3 | 2 | 21.79 | 21.84 | 21.74 |
| 1.4 | QPSK | 6 | 0 | 20.81 | 20.91 | 20.79 |
| 1.4 | 16QAM | 1 | 0 | 21.06 | 21.08 | 21.15 |
| 1.4 | 16QAM | 1 | 2 | 21.18 | 21.08 | 21.06 |
| 1.4 | 16QAM | 1 | 5 | 21.03 | 21.00 | 20.96 |
| 1.4 | 16QAM | 3 | 0 | 20.99 | 20.81 | 20.88 |
| 1.4 | 16QAM | 3 | 1 | 20.84 | 20.90 | 20.71 |
| 1.4 | 16QAM | 3 | 2 | 20.81 | 20.95 | 20.75 |
| 1.4 | 16QAM | 6 | 0 | 19.81 | 19.78 | 19.87 |

Page Number : 27 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

<LTE Band 13 Conducted Power>

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | | 23230 | |
| | Frequen | cy (MHz) | | | 782 | |
| 10 | QPSK | 1 | 0 | | <mark>22.01</mark> | |
| 10 | QPSK | 1 | 24 | | 22.00 | |
| 10 | QPSK | 1 | 49 | | 21.75 | |
| 10 | QPSK | 25 | 0 | | 20.81 | |
| 10 | QPSK | 25 | 12 | | 20.99 | |
| 10 | QPSK | 25 | 24 | | 20.88 | |
| 10 | QPSK | 50 | 0 | | 20.87 | |
| 10 | 16QAM | 1 | 0 | | 20.66 | |
| 10 | 16QAM | 1 | 24 | | 21.08 | |
| 10 | 16QAM | 1 | 49 | | 20.87 | |
| 10 | 16QAM | 25 | 0 | | 19.81 | |
| 10 | 16QAM | 25 | 12 | | 19.94 | |
| 10 | 16QAM | 25 | 24 | | 19.91 | |
| 10 | 16QAM | 50 | 0 | | 19.85 | |
| | Cha | nnel | | 23205 | 23230 | 23255 |
| | Frequen | cy (MHz) | | 779.5 | 782 | 784.5 |
| 5 | QPSK | 1 | 0 | 21.85 | 21.67 | 21.70 |
| 5 | QPSK | 1 | 12 | 21.84 | 21.91 | 21.81 |
| 5 | QPSK | 1 | 24 | 21.59 | 21.66 | 21.70 |
| 5 | QPSK | 12 | 0 | 20.72 | 20.69 | 20.61 |
| 5 | QPSK | 12 | 6 | 20.89 | 20.97 | 20.81 |
| 5 | QPSK | 12 | 11 | 20.75 | 20.85 | 20.75 |
| 5 | QPSK | 25 | 0 | 20.82 | 20.70 | 20.83 |
| 5 | 16QAM | 1 | 0 | 20.63 | 20.62 | 20.64 |
| 5 | 16QAM | 1 | 12 | 21.03 | 20.97 | 21.01 |
| 5 | 16QAM | 1 | 24 | 20.67 | 20.81 | 20.86 |
| 5 | 16QAM | 12 | 0 | 19.68 | 19.76 | 19.76 |
| 5 | 16QAM | 12 | 6 | 19.91 | 19.81 | 19.94 |
| 5 | 16QAM | 12 | 11 | 19.78 | 19.87 | 19.85 |
| 5 | 16QAM | 25 | 0 | 19.72 | 19.68 | 19.77 |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 28 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

<LTE Band 17 Conducted Power>

| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
|-------------|-----------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| | Cha | nnel | | 23780 | 23790 | 23800 |
| | Frequency (MHz) | | | | 710 | 711 |
| 10 | QPSK | 1 | 0 | <mark>22.05</mark> | <mark>22.05</mark> | 21.82 |
| 10 | QPSK | 1 | 24 | 22.03 | 22.04 | 21.82 |
| 10 | QPSK | 1 | 49 | 21.58 | 21.58 | 21.42 |
| 10 | QPSK | 25 | 0 | 20.84 | 20.94 | 20.93 |
| 10 | QPSK | 25 | 12 | 20.93 | 20.90 | 20.74 |
| 10 | QPSK | 25 | 24 | 20.79 | 20.74 | 20.66 |
| 10 | QPSK | 50 | 0 | 20.75 | 20.69 | 20.63 |
| 10 | 16QAM | 1 | 0 | 20.62 | 20.78 | 20.85 |
| 10 | 16QAM | 1 | 24 | 21.06 | 21.04 | 20.82 |
| 10 | 16QAM | 1 | 49 | 20.58 | 20.55 | 20.48 |
| 10 | 16QAM | 25 | 0 | 19.80 | 19.84 | 19.86 |
| 10 | 16QAM | 25 | 12 | 19.85 | 19.89 | 19.79 |
| 10 | 16QAM | 25 | 24 | 19.77 | 19.71 | 19.68 |
| 10 | 16QAM | 50 | 0 | 19.71 | 19.65 | 19.65 |
| | Cha | nnel | | 23755 | 23790 | 23825 |
| | Frequen | cy (MHz) | | 706.5 | 710 | 713.5 |
| 5 | QPSK | 1 | 0 | 21.57 | 21.46 | 21.50 |
| 5 | QPSK | 1 | 12 | 21.94 | 21.97 | 21.96 |
| 5 | QPSK | 1 | 24 | 21.53 | 21.47 | 21.45 |
| 5 | QPSK | 12 | 0 | 20.82 | 20.83 | 20.65 |
| 5 | QPSK | 12 | 6 | 20.74 | 20.92 | 20.87 |
| 5 | QPSK | 12 | 11 | 20.67 | 20.64 | 20.68 |
| 5 | QPSK | 25 | 0 | 20.75 | 20.55 | 20.62 |
| 5 | 16QAM | 1 | 0 | 20.62 | 20.61 | 20.45 |
| 5 | 16QAM | 1 | 12 | 21.00 | 20.89 | 21.04 |
| 5 | 16QAM | 1 | 24 | 20.45 | 20.58 | 20.56 |
| 5 | 16QAM | 12 | 0 | 19.61 | 19.74 | 19.75 |
| 5 | 16QAM | 12 | 6 | 19.75 | 19.84 | 19.84 |
| 5 | 16QAM | 12 | 11 | 19.71 | 19.75 | 19.57 |
| 5 | 16QAM | 25 | 0 | 19.51 | 19.58 | 19.56 |

Note: maximum average power for LTE.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 29 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

3.1.6 Test Result of Conducted Output Power and ERP/EIRP

| | Cellular Band (G _T - L _C = -1.39 dB) | | | | | | | |
|--|--|-----------------|--------------|-------------|-----------------|--------------|--|--|
| Modes | LTE B | and 5 (QPSK,BW= | =1.4M) | LTE Ba | and 5 (16QAM,BW | (=1.4M) | | |
| Channel | 20407 (Low) | 20525 (Mid) | 20643 (High) | 20407 (Low) | 20525 (Mid) | 20643 (High) | | |
| Frequency (MHz) | 824.7 | 836.5 | 848.3 | 824.7 | 836.5 | 848.3 | | |
| Conducted Power P _T (dBm) | 21.79 | 21.87 | 21.88 | 20.68 | 20.88 | 20.97 | | |
| Conducted Power P _T (Watts) | 0.15 | 0.15 | 0.15 | 0.12 | 0.12 | 0.13 | | |
| ERP(dBm) | 18.25 | 18.33 | 18.34 | 17.14 | 17.34 | 17.43 | | |
| ERP(Watts) | 0.067 | 0.068 | 0.068 | 0.052 | 0.054 | 0.055 | | |

| | Cellular Band (G _T - L _C = -1.39 dB) | | | | | | | | |
|--|--|-----------------|--------------|-------------|--------------------------|--------------|--|--|--|
| Modes | LTE E | Band 5 (QPSK,BW | /=3M) | LTE B | LTE Band 5 (16QAM,BW=3M) | | | | |
| Channel | 20415 (Low) | 20525 (Mid) | 20635 (High) | 20415 (Low) | 20525 (Mid) | 20635 (High) | | | |
| Frequency (MHz) | 825.5 | 836.5 | 847.5 | 825.5 | 836.5 | 847.5 | | | |
| Conducted Power P _T (dBm) | 21.89 | 21.92 | 21.7 | 20.82 | 20.92 | 20.91 | | | |
| Conducted Power P _T (Watts) | 0.15 | 0.16 | 0.15 | 0.12 | 0.12 | 0.12 | | | |
| ERP(dBm) | 18.35 | 18.38 | 18.16 | 17.28 | 17.38 | 17.37 | | | |
| ERP(Watts) | 0.068 | 0.069 | 0.065 | 0.053 | 0.055 | 0.055 | | | |

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 30 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

| | Cellular Band (G _T - L _C = -1.39 dB) | | | | | | | |
|--|--|-------------|--------------|-------------|-----------------|--------------|--|--|
| Modes | LTE Band 5 (QPSK,BW=5M) | | | LTE B | and 5 (16QAM,BV | V=5M) | | |
| Channel | 20425 (Low) | 20525 (Mid) | 20625 (High) | 20425 (Low) | 20525 (Mid) | 20625 (High) | | |
| Frequency (MHz) | 826.5 | 836.5 | 846.5 | 826.5 | 836.5 | 846.5 | | |
| Conducted Power P _T (dBm) | 21.76 | 21.95 | 21.54 | 20.71 | 20.93 | 21.00 | | |
| Conducted Power P _T (Watts) | 0.15 | 0.16 | 0.14 | 0.12 | 0.12 | 0.13 | | |
| ERP(dBm) | 18.22 | 18.41 | 18.00 | 17.17 | 17.39 | 17.46 | | |
| ERP(Watts) | 0.066 | 0.069 | 0.063 | 0.052 | 0.055 | 0.056 | | |

| | Cellular Band (G _T - L _C = -1.39 dB) | | | | | | | | |
|--|--|-------------|--------------|---------------------------|-------------|--------------|--|--|--|
| Modes | LTE Band 5 (QPSK,BW=10M) | | | LTE Band 5 (16QAM,BW=10M) | | | | | |
| Channel | 20450 (Low) | 20525 (Mid) | 20600 (High) | 20450 (Low) | 20525 (Mid) | 20600 (High) | | | |
| Frequency (MHz) | 829 | 836.5 | 844 | 829 | 836.5 | 844 | | | |
| Conducted Power P _T (dBm) | 21.95 | 22 | 21.96 | 20.81 | 20.93 | 21.03 | | | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.16 | 0.12 | 0.12 | 0.13 | | | |
| ERP(dBm) | 18.41 | 18.46 | 18.42 | 17.27 | 17.39 | 17.49 | | | |
| ERP(Watts) | 0.069 | 0.070 | 0.070 | 0.053 | 0.055 | 0.056 | | | |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 31 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.1 Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band ($G_T - L_C = 1.96 \text{ dB}$) | | | | | | | |
|--|--|-----------------|--------------|------------|-----------------|--------------|--|--|
| Modes | LTE B | and 2 (QPSK,BW: | =1.4M) | LTE Ba | and 2 (16QAM,BW | =1.4M) | | |
| Channel | 18607(Low) | 18900 (Mid) | 19193 (High) | 18607(Low) | 18900 (Mid) | 19193 (High) | | |
| Frequency (MHz) | 1850.7 | 1880 | 1909.3 | 1850.7 | 1880 | 1909.3 | | |
| Conducted Power P _T (dBm) | 22.16 | 21.7 | 21.87 | 20.91 | 20.76 | 21.12 | | |
| Conducted Power P _T (Watts) | 0.16 | 0.15 | 0.15 | 0.12 | 0.12 | 0.13 | | |
| EIRP(dBm) | 24.12 | 23.66 | 23.83 | 22.87 | 22.72 | 23.08 | | |
| EIRP(Watts) | 0.258 | 0.232 | 0.242 | 0.194 | 0.187 | 0.203 | | |

| | PCS Band (G _T - L _C = 1.96 dB) | | | | | | | | |
|--|--|-----------------|--------------|------------|--------------------------|--------------|--|--|--|
| Modes | LTE E | Band 2 (QPSK,BW | /=3M) | LTE B | LTE Band 2 (16QAM,BW=3M) | | | | |
| Channel | 18615(Low) | 18900 (Mid) | 19185 (High) | 18615(Low) | 18900 (Mid) | 19185 (High) | | | |
| Frequency (MHz) | 1851.5 | 1880 | 1908.5 | 1851.5 | 1880 | 1908.5 | | | |
| Conducted Power P _T (dBm) | 22.06 | 21.82 | 21.82 | 21.12 | 20.86 | 20.95 | | | |
| Conducted Power P _T (Watts) | 0.16 | 0.15 | 0.15 | 0.13 | 0.12 | 0.12 | | | |
| EIRP(dBm) | 24.02 | 23.78 | 23.78 | 23.08 | 22.82 | 22.91 | | | |
| EIRP(Watts) | 0.252 | 0.239 | 0.239 | 0.203 | 0.191 | 0.195 | | | |

Page Number : 32 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band (G _T - L _C = 1.96 dB) | | | | | | | | |
|--|--|-------------|--------------|------------|-----------------|--------------|--|--|--|
| Modes | LTE Band 2 (QPSK,BW=5M) | | | LTE B | and 2 (16QAM,BV | V=5M) | | | |
| Channel | 18625(Low) | 18900 (Mid) | 19175 (High) | 18625(Low) | 18900 (Mid) | 19175 (High) | | | |
| Frequency (MHz) | 1852.5 | 1880 | 1907.5 | 1852.5 | 1880 | 1907.5 | | | |
| Conducted Power P _T (dBm) | 22.09 | 21.74 | 21.83 | 20.92 | 21.02 | 20.79 | | | |
| Conducted Power P _T (Watts) | 0.16 | 0.15 | 0.15 | 0.12 | 0.13 | 0.12 | | | |
| EIRP(dBm) | 24.05 | 23.70 | 23.79 | 22.88 | 22.98 | 22.75 | | | |
| EIRP(Watts) | 0.254 | 0.234 | 0.239 | 0.194 | 0.199 | 0.188 | | | |

| | PCS Band ($G_T - L_C = 1.96 \text{ dB}$) | | | | | | | | | |
|--|--|-------------|--------------|---------------------------|-------------|--------------|--|--|--|--|
| Modes | LTE Band 2 (QPSK,BW=10M) | | | LTE Band 2 (16QAM,BW=10M) | | | | | | |
| Channel | 18650(Low) | 18900 (Mid) | 19150 (High) | 18650(Low) | 18900 (Mid) | 19150 (High) | | | | |
| Frequency (MHz) | 1855 | 1880 | 1905 | 1855 | 1880 | 1905 | | | | |
| Conducted Power P _T (dBm) | 22.02 | 21.71 | 21.8 | 21.16 | 20.74 | 20.81 | | | | |
| Conducted Power P _T (Watts) | 0.16 | 0.15 | 0.15 | 0.13 | 0.12 | 0.12 | | | | |
| EIRP(dBm) | 23.98 | 23.67 | 23.76 | 23.12 | 22.7 | 22.77 | | | | |
| EIRP(Watts) | 0.250 | 0.233 | 0.238 | 0.205 | 0.186 | 0.189 | | | | |

Page Number : 33 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band (G _T - L _C = 1.96 dB) | | | | | | | |
|--|--|----------------|--------------|------------|---------------------------|--------------|--|--|
| Modes | LTE B | and 2 (QPSK,BW | =15M) | LTE B | LTE Band 2 (16QAM,BW=15M) | | | |
| Channel | 18675(Low) | 18900 (Mid) | 19125 (High) | 18675(Low) | 18900 (Mid) | 19125 (High) | | |
| Frequency (MHz) | 1857.5 | 1880 | 1902.5 | 1857.5 | 1880 | 1902.5 | | |
| Conducted Power P _T (dBm) | 22.02 | 21.71 | 21.95 | 21.09 | 20.93 | 20.92 | | |
| Conducted Power P _T (Watts) | 0.16 | 0.15 | 0.16 | 0.13 | 0.12 | 0.12 | | |
| EIRP(dBm) | 23.98 | 23.67 | 23.91 | 23.05 | 22.89 | 22.88 | | |
| EIRP(Watts) | 0.250 | 0.233 | 0.246 | 0.202 | 0.195 | 0.194 | | |

| | PCS Band ($G_T - L_C = 1.96 \text{ dB}$) | | | | | | | | |
|--|--|-----------------|--------------|---------------------------|-------------|--------------|--|--|--|
| Modes | LTE B | and 2 (QPSK,BW: | =20M) | LTE Band 2 (16QAM,BW=20M) | | | | | |
| Channel | 18700(Low) | 18900 (Mid) | 19100 (High) | 18700(Low) | 18900 (Mid) | 19100 (High) | | | |
| Frequency (MHz) | 1860 | 1880 | 1900 | 1860 | 1880 | 1900 | | | |
| Conducted Power P _T (dBm) | 22.17 | 21.98 | 22.11 | 21.19 | 20.93 | 20.97 | | | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.16 | 0.13 | 0.12 | 0.13 | | | |
| EIRP(dBm) | 24.13 | 23.94 | 24.07 | 23.15 | 22.89 | 22.93 | | | |
| EIRP(Watts) | 0.259 | 0.248 | 0.255 | 0.207 | 0.195 | 0.196 | | | |

Page Number : 34 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| PCS Band (G _T - L _C = 1.98 dB) | | | | | | | |
|--|----------------------------|-------------|--------------|-----------------------------|-------------|--------------|--|
| Modes | LTE Band 25 (QPSK,BW=1.4M) | | | LTE Band 25 (16QAM,BW=1.4M) | | | |
| Channel | 26047 (Low) | 26340 (Mid) | 26683 (High) | 26047 (Low) | 26340 (Mid) | 26683 (High) | |
| Frequency (MHz) | 1850.7 | 1880 | 1914.3 | 1850.7 | 1880 | 1914.3 | |
| Conducted Power P _T (dBm) | 21.79 | 21.65 | 22.06 | 21.01 | 20.89 | 20.9 | |
| Conducted Power P _T (Watts) | 0.15 | 0.15 | 0.16 | 0.13 | 0.12 | 0.12 | |
| EIRP(dBm) | 23.77 | 23.63 | 24.04 | 22.99 | 22.87 | 22.88 | |
| EIRP(Watts) | 0.238 | 0.231 | 0.254 | 0.199 | 0.194 | 0.194 | |

| PCS Band (G _T - L _C = 1.98 dB) | | | | | | |
|--|--------------------------|-------------|--------------|---------------------------|-------------|--------------|
| Modes | LTE Band 25 (QPSK,BW=3M) | | | LTE Band 25 (16QAM,BW=3M) | | |
| Channel | 26055 (Low) | 26340 (Mid) | 26675 (High) | 26055 (Low) | 26340 (Mid) | 26675 (High) |
| Frequency (MHz) | 1851.5 | 1880 | 1913.5 | 1851.5 | 1880 | 1913.5 |
| Conducted Power P _T (dBm) | 21.85 | 21.65 | 22.12 | 20.95 | 20.82 | 21.1 |
| Conducted Power P _T (Watts) | 0.15 | 0.15 | 0.16 | 0.12 | 0.12 | 0.13 |
| EIRP(dBm) | 23.83 | 23.63 | 24.10 | 22.93 | 22.80 | 23.08 |
| EIRP(Watts) | 0.242 | 0.231 | 0.257 | 0.196 | 0.191 | 0.203 |

Page Number : 35 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report No.: FG441109B

| PCS Band (G _T - L _C = 1.98 dB) | | | | | | | |
|--|--------------------------|-------------|--------------|---------------------------|-------------|--------------|--|
| Modes | LTE Band 25 (QPSK,BW=5M) | | | LTE Band 25 (16QAM,BW=5M) | | | |
| Channel | 26065 (Low) | 26340 (Mid) | 26665 (High) | 26065 (Low) | 26340 (Mid) | 26665 (High) | |
| Frequency (MHz) | 1852.5 | 1880 | 1912.5 | 1852.5 | 1880 | 1912.5 | |
| Conducted Power P _T (dBm) | 22.01 | 21.83 | 21.89 | 21.15 | 21.04 | 20.9 | |
| Conducted Power P _T (Watts) | 0.16 | 0.15 | 0.15 | 0.13 | 0.13 | 0.12 | |
| EIRP(dBm) | 23.99 | 23.81 | 23.87 | 23.13 | 23.02 | 22.88 | |
| EIRP(Watts) | 0.251 | 0.240 | 0.244 | 0.206 | 0.200 | 0.194 | |

| PCS Band (G _T - L _C = 1.98 dB) | | | | | | | |
|--|---------------------------|-------------|--------------|----------------------------|-------------|--------------|--|
| Modes | LTE Band 25 (QPSK,BW=10M) | | | LTE Band 25 (16QAM,BW=10M) | | | |
| Channel | 26090 (Low) | 26340 (Mid) | 26640 (High) | 26090 (Low) | 26340 (Mid) | 26640 (High) | |
| Frequency (MHz) | 1855 | 1880 | 1910 | 1855 | 1880 | 1910 | |
| Conducted Power P _T (dBm) | 22.1 | 21.93 | 21.82 | 20.81 | 20.78 | 21.1 | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.15 | 0.12 | 0.12 | 0.13 | |
| EIRP(dBm) | 24.08 | 23.91 | 23.8 | 22.79 | 22.76 | 23.08 | |
| EIRP(Watts) | 0.256 | 0.246 | 0.240 | 0.190 | 0.189 | 0.203 | |

Page Number : 36 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band (G _T - L _C = 1.98 dB) | | | | | | |
|--|--|-------------|--------------|-------------|-----------------|--------------|--|
| Modes | LTE Band 25 (QPSK,BW=15M) | | | LTE Ba | nd 25 (16QAM,BV | V=15M) | |
| Channel | 26115 (Low) | 26340 (Mid) | 26615 (High) | 26115 (Low) | 26340 (Mid) | 26615 (High) | |
| Frequency (MHz) | 1857.5 | 1880 | 1907.5 | 1857.5 | 1880 | 1907.5 | |
| Conducted Power P _T (dBm) | 22.14 | 21.93 | 21.86 | 21.16 | 20.96 | 20.84 | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.15 | 0.13 | 0.12 | 0.12 | |
| EIRP(dBm) | 24.12 | 23.91 | 23.84 | 23.14 | 22.94 | 22.82 | |
| EIRP(Watts) | 0.258 | 0.246 | 0.242 | 0.206 | 0.197 | 0.191 | |

| | PCS Band ($G_T - L_C = 1.98 \text{ dB}$) | | | | | | |
|--|--|-----------------|--------------|-------------|-----------------|--------------|--|
| Modes | LTE B | and 25 (QPSK,BW | /=20M) | LTE Ba | nd 25 (16QAM,BV | V=20M) | |
| Channel | 26140 (Low) | 26340 (Mid) | 26590 (High) | 26140 (Low) | 26340 (Mid) | 26590 (High) | |
| Frequency (MHz) | 1860 | 1880 | 1905 | 1860 | 1880 | 1905 | |
| Conducted Power P _T (dBm) | 22.14 | 21.97 | 22.2 | 21.17 | 21.04 | 20.92 | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.17 | 0.13 | 0.13 | 0.12 | |
| EIRP(dBm) | 24.12 | 23.95 | 24.18 | 23.15 | 23.02 | 22.9 | |
| EIRP(Watts) | 0.258 | 0.248 | 0.262 | 0.207 | 0.200 | 0.195 | |

Page Number : 37 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band (G _T - LC = 3.03 dB) | | | | | | |
|--|--|-----------------|--------------|-------------|-----------------|--------------|--|
| Modes | LTE B | and 4 (QPSK,BW: | =1.4M) | LTE Ba | and 4 (16QAM,BW | =1.4M) | |
| Channel | 19957 (Low) | 20175 (Mid) | 20393 (High) | 19957 (Low) | 20175 (Mid) | 20393 (High) | |
| Frequency (MHz) | 1710.7 | 1732.5 | 1754.3 | 1710.7 | 1732.5 | 1754.3 | |
| Conducted Power P _T (dBm) | 22.16 | 22.14 | 22.04 | 21.18 | 21.08 | 21.06 | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.16 | 0.13 | 0.13 | 0.13 | |
| EIRP(dBm) | 25.19 | 25.17 | 25.07 | 24.21 | 24.11 | 24.09 | |
| EIRP(Watts) | 0.330 | 0.329 | 0.321 | 0.264 | 0.258 | 0.256 | |

| | PCS Band ($G_T - L_C = 3.03 \text{ dB}$) | | | | | | |
|--|--|-------------|--------------|------------|-----------------|--------------|--|
| Modes | LTE Band 4 (QPSK,BW=3M) | | | LTE B | and 4 (16QAM,BV | V=3M) | |
| Channel | 19965(Low) | 20175 (Mid) | 20385 (High) | 19965(Low) | 20175 (Mid) | 20385 (High) | |
| Frequency (MHz) | 1711.5 | 1732.5 | 1753.5 | 1711.5 | 1732.5 | 1753.5 | |
| Conducted Power P _T (dBm) | 22.04 | 22.14 | 21.98 | 21.03 | 21.06 | 21.26 | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.16 | 0.13 | 0.13 | 0.13 | |
| EIRP(dBm) | 25.07 | 25.17 | 25.01 | 24.06 | 24.09 | 24.29 | |
| EIRP(Watts) | 0.321 | 0.329 | 0.317 | 0.255 | 0.256 | 0.269 | |

Page Number : 38 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band ($G_T - L_C = 3.03 \text{ dB}$) | | | | | | |
|--|--|-------------|--------------|------------|-----------------|--------------|--|
| Modes | LTE Band 4 (QPSK,BW=5M) | | | LTE B | and 4 (16QAM,BV | V=5M) | |
| Channel | 19975(Low) | 20175 (Mid) | 20375 (High) | 19975(Low) | 20175 (Mid) | 20375 (High) | |
| Frequency (MHz) | 1712.5 | 1732.5 | 1752.5 | 1712.5 | 1732.5 | 1752.5 | |
| Conducted Power P _T (dBm) | 22.2 | 22.13 | 22.05 | 21.11 | 21.18 | 21.23 | |
| Conducted Power P _T (Watts) | 0.17 | 0.16 | 0.16 | 0.13 | 0.13 | 0.13 | |
| EIRP(dBm) | 25.23 | 25.16 | 25.08 | 24.14 | 24.21 | 24.26 | |
| EIRP(Watts) | 0.333 | 0.328 | 0.322 | 0.259 | 0.264 | 0.267 | |

| | PCS Band (G _T - L _C = 3.03 dB) | | | | | | |
|--|--|-------------|--------------|-------------|---------------------------|--------------|--|
| Modes | LTE Band 4 (QPSK,BW=10M) | | | LTE B | LTE Band 4 (16QAM,BW=10M) | | |
| Channel | 20000 (Low) | 20175 (Mid) | 20350 (High) | 20000 (Low) | 20175 (Mid) | 20350 (High) | |
| Frequency (MHz) | 1715 | 1732.5 | 1750 | 1715 | 1732.5 | 1750 | |
| Conducted Power P _T (dBm) | 21.97 | 22.15 | 21.94 | 21.16 | 20.95 | 21.19 | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.16 | 0.13 | 0.12 | 0.13 | |
| EIRP(dBm) | 25 | 25.18 | 24.97 | 24.19 | 23.98 | 24.22 | |
| EIRP(Watts) | 0.316 | 0.330 | 0.314 | 0.262 | 0.250 | 0.264 | |

Page Number : 39 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| | PCS Band (G _T - L _C = 3.03 dB) | | | | | | |
|--|--|-------------|--------------|-------------|---------------------------|--------------|--|
| Modes | LTE Band 4 (QPSK,BW=15M) | | | LTE B | LTE Band 4 (16QAM,BW=15M) | | |
| Channel | 20025 (Low) | 20175 (Mid) | 20325 (High) | 20025 (Low) | 20175 (Mid) | 20325 (High) | |
| Frequency (MHz) | 1717.5 | 1732.5 | 1747.5 | 1717.5 | 1732.5 | 1747.5 | |
| Conducted Power P _T (dBm) | 22.21 | 22.16 | 22.11 | 21.23 | 21.08 | 21.1 | |
| Conducted Power P _T (Watts) | 0.17 | 0.16 | 0.16 | 0.13 | 0.13 | 0.13 | |
| EIRP(dBm) | 25.24 | 25.19 | 25.14 | 24.26 | 24.11 | 24.13 | |
| EIRP(Watts) | 0.334 | 0.330 | 0.327 | 0.267 | 0.258 | 0.259 | |

| | PCS Band ($G_T - L_C = 3.03 \text{ dB}$) | | | | | | | |
|--|--|-------------|--------------|-------------|-----------------|--------------|--|--|
| Modes | LTE Band 4 (QPSK,BW=20M) | | | LTE B | and 4 (16QAM,BW | /=20M) | | |
| Channel | 20050 (Low) | 20175 (Mid) | 20300 (High) | 20050 (Low) | 20175 (Mid) | 20300 (High) | | |
| Frequency (MHz) | 1720 | 1732.5 | 1745 | 1720 | 1732.5 | 1745 | | |
| Conducted Power P _T (dBm) | 22.23 | 22.17 | 22.19 | 21.27 | 21.13 | 21.2 | | |
| Conducted Power P _T (Watts) | 0.17 | 0.16 | 0.17 | 0.13 | 0.13 | 0.13 | | |
| EIRP(dBm) | 25.26 | 25.2 | 25.22 | 24.3 | 24.16 | 24.23 | | |
| EIRP(Watts) | 0.336 | 0.331 | 0.333 | 0.269 | 0.261 | 0.265 | | |

Page Number : 40 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1

Report Template No.: BU5-CGLTE Version 1.1

| | Cellular Band (G _T - L _C = 1.44 dB) | | | | | | |
|--|---|--------------------------|--------------|-------------|---------------------------|--------------|--|
| Modes | LTE B | LTE Band 13 (QPSK,BW=5M) | | | LTE Band 13 (16QAM,BW=5M) | | |
| Channel | 23205 (Low) | 23230 (Mid) | 23255 (High) | 23205 (Low) | 23230 (Mid) | 23255 (High) | |
| Frequency (MHz) | 779.5 | 782 | 784.5 | 779.5 | 782 | 784.5 | |
| Conducted Power P _T (dBm) | 21.84 | 21.91 | 21.81 | 21.03 | 20.97 | 21.01 | |
| Conducted Power P _T (Watts) | 0.15 | 0.16 | 0.15 | 0.13 | 0.13 | 0.13 | |
| ERP(dBm) | 21.13 | 21.20 | 21.10 | 20.32 | 20.26 | 20.30 | |
| ERP(Watts) | 0.130 | 0.132 | 0.129 | 0.108 | 0.106 | 0.107 | |
| EIRP(dBm) | 23.28 | 23.35 | 23.25 | 22.47 | 22.41 | 22.45 | |
| EIRP(Watts) | 0.213 | 0.216 | 0.211 | 0.177 | 0.174 | 0.176 | |

| | Cellular Band (G _T - L _C = 1.44 dB) | | | | | | | |
|--|---|----------------------------|--|--|--|--|--|--|
| Modes | LTE Band 13 (QPSK,BW=10M) | LTE Band 13 (16QAM,BW=10M) | | | | | | |
| Channel | 23230 (Mid) | 23230 (Mid) | | | | | | |
| Frequency (MHz) | 782 | 782 | | | | | | |
| Conducted Power P _T (dBm) | 22.01 | 21.08 | | | | | | |
| Conducted Power P _T (Watts) | 0.16 | 0.13 | | | | | | |
| ERP(dBm) | 21.3 | 20.37 | | | | | | |
| ERP(Watts) | 0.135 | 0.109 | | | | | | |
| EIRP(dBm) | 23.45 | 22.52 | | | | | | |
| EIRP(Watts) | 0.221 | 0.179 | | | | | | |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 41 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

| | Cellular Band (G _T - L _C = 0.71 dB) | | | | | | | |
|--|---|-----------------|--------------|------------|------------------|--------------|--|--|
| Modes | LTE B | and 17 (QPSK,BV | V=5M) | LTE B | and 17 (16QAM,B) | W=5M) | | |
| Channel | 23755(Low) | 23790 (Mid) | 23825 (High) | 23755(Low) | 23790 (Mid) | 23825 (High) | | |
| Frequency (MHz) | 706.5 | 710 | 713.5 | 706.5 | 710 | 713.5 | | |
| Conducted Power P _T (dBm) | 21.94 | 21.97 | 21.96 | 21.00 | 20.89 | 21.04 | | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.16 | 0.13 | 0.12 | 0.13 | | |
| ERP(dBm) | 20.50 | 20.53 | 20.52 | 19.56 | 19.45 | 19.60 | | |
| ERP(Watts) | 0.112 | 0.113 | 0.113 | 0.090 | 0.088 | 0.091 | | |
| EIRP(dBm) | 22.65 | 22.68 | 22.67 | 21.71 | 21.60 | 21.75 | | |
| EIRP(Watts) | 0.184 | 0.185 | 0.185 | 0.148 | 0.145 | 0.150 | | |

| | Cellular Band (G _T - L _C = 0.71 dB) | | | | | | | |
|--|---|-----------------|--------------|------------|-----------------|--------------|--|--|
| Modes | LTE B | and 17 (QPSK,BW | /=10M) | LTE Ba | nd 17 (16QAM,BV | V=10M) | | |
| Channel | 23780(Low) | 23790 (Mid) | 23800 (High) | 23780(Low) | 23790 (Mid) | 23800 (High) | | |
| Frequency (MHz) | 709 | 710 | 711 | 709 | 710 | 711 | | |
| Conducted Power P _T (dBm) | 22.05 | 22.05 | 21.82 | 21.06 | 21.04 | 20.82 | | |
| Conducted Power P _T (Watts) | 0.16 | 0.16 | 0.15 | 0.13 | 0.13 | 0.12 | | |
| ERP(dBm) | 20.61 | 20.61 | 20.38 | 19.62 | 19.6 | 19.38 | | |
| ERP(Watts) | 0.115 | 0.115 | 0.109 | 0.092 | 0.091 | 0.087 | | |
| EIRP(dBm) | 22.76 | 22.76 | 22.53 | 21.77 | 21.75 | 21.53 | | |
| EIRP(Watts) | 0.189 | 0.189 | 0.179 | 0.150 | 0.150 | 0.142 | | |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 42 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

3.2 Peak-to-Average Ratio

3.2.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.


3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.2.3 Test Procedures

- 1. The EUT was connected to spectrum and system simulator via a power divider.
- 2. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
- 3. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
- 4. Record the deviation as Peak to Average Ratio.

3.2.4 Test Setup



SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 43 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

3.2.5 Test Result of Peak-to-Average Ratio

| | | | LTE | Band 5 | | |
|-----------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
| Channel | | | | 20450 | 20525 | 20600 |
| Frequency (MHz) | | | | 829 | 836.5 | 844 |
| 10 | 16QAM | 1 | 0 | 9.02 | 9.02 | 9.02 |
| 10 | 16QAM | 50 | 0 | 10.08 | 10.06 | 10.06 |

| | | | LTE | Band 2 | | |
|-----------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
| Channel | | | | 18700 | 18900 | 19100 |
| Frequency (MHz) | | | | 1860 | 1880 | 1900 |
| 20 | 16QAM | 1 | 0 | 5.99 | 5.87 | 6.35 |
| 20 | 16QAM | 100 | 0 | 6.54 | 6.76 | 6.70 |

| | | | LTE E | Band 25 | | |
|-----------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
| Channel | | | | 26140 | 26340 | 26590 |
| Frequency (MHz) | | | | 1860 | 1880 | 1905 |
| 20 | 16QAM | 1 | 0 | 5.99 | 5.87 | 5.83 |
| 20 | 16QAM | 100 | 0 | 6.54 | 6.76 | 6.63 |

| | | | LTE | Band 4 | | |
|-------------|--------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
| | Channel | | | 20050 | 20175 | 20300 |
| | Frequency (M | ИHz) | | 1720 | 1732.5 | 1745 |
| 20 | 16QAM | 1 | 0 | 5.00 | 4.97 | 6.19 |
| 20 | 16QAM | 100 | 0 | 6.06 | 6.54 | 6.67 |

| | | | LTE E | Band 13 | | |
|-----------------|------------|------------|--------------|-----------------------------------|--------------------------------------|------------------------------------|
| BW [MHz] | Modulation | RB Size | RB Offset | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
| | Channel | | | | 23230 | |
| Frequency (MHz) | | | | | 782 | |
| 10 | 16QAM | 1 | 0 | | 5.77 | |
| 10 | 16QAM | 50 | 0 | | 5.93 | |

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 44 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

| | | | LTE E | Band 17 | | |
|---------------------------------|--------------|------|-------|-----------------------------------|--------------------------------------|------------------------------------|
| BW Modulation RB RB Size Offset | | | | Power (dBm) Low Ch. / Freq. | Power (dBm) Middle Ch. / Freq. | Power (dBm) High Ch. / Freq. |
| | Channel | | | 23780 | 23790 | 23800 |
| | Frequency (M | ИHz) | | 709 | 710 | 711 |
| 10 | 16QAM | 1 | 0 | 6.63 | 5.87 | 5.74 |
| 10 | 16QAM | 50 | 0 | 6.44 | 6.47 | 6.57 |


Page Number : 45 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.1 Report Template No.: BU5-CGLTE Version 1.1

3.2.6 Peak to Average Power Ratio

Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20450 (1RB Size)




Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz

| | e I |
|-------|-----|
| Mean | dBm |
| Peak | dBm |
| Crest | dВ |
| | |
| 10 % | dB |
| 1 % | dB |
| .1 % | dB |
| .01 % | dB |
| .1 % | dВ |

Date: 8.JUN.2014 11:06:26

Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20525 (1RB Size)



Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz

Mean 21.02 dBm Peak 28.03 dBm Crest 7.01 dB 10 % 2.92 dB 1 % 5.58 dB .1 % 6.28 dB .01 % 6.79 dB

Date: 8.JUN.2014 11:06:59

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 46 of 474
Report Issued Date : Oct. 07, 2014

Report No.: FG441109B

Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20600 (1RB Size)




Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz

| Mean Peak Crest | 20.95 27.08 6.12 | dBm dBm |
|-----------------------|------------------------------|------------|
| 10 % 1 % .1 % | 2.92 5.06 5.74 6.03 | dB dB |

Date: 8.JUN.2014 11:07:35

Peak-to-Average Ratio on LTE Band 5

10MHz / 16QAM in Ch. 20450 (50RB Size)



Complementary Cumulative Distribution Function

Trace 1

| 10 % 3.01 dB | Mean | 19.82 dBm |
|--------------|-------|-----------|
| 1 % 5.26 dB | Peak | 28.08 dBm |
| .1 % 6.57 dB | Crest | 8.26 dB |
| | 1 % | 5.26 dB |

Date: 8.JUN.2014 11:06:42


SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 47 of 474
Report Issued Date : Oct. 07, 2014

Report No.: FG441109B


Report Version : Rev. 01

Peak-to-Average Ratio on LTE Band 5 10MHz / 16QAM in Ch. 20525 (50RB Size)



Date: 8.JUN.2014 11:07:16

Peak-to-Average Ratio on LTE Band 5 10MHz / 16QAM in Ch. 20600 (50RB Size)




Date: 8.JUN.2014 11:07:52

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 48 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 2 20MHz / 16QAM in Ch. 18700 (1RB Size)



Date: 6.JUN.2014 23:44:31

Peak-to-Average Ratio on LTE Band 2 20MHz / 16QAM in Ch. 18900 (1RB Size)




Date: 6.JUN.2014 23:45:12

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 49 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 2 20MHz / 16QAM in Ch. 19100 (1RB Size)



Peak 27.93 GBr Crest 6.84 dB 10 % 3.08 dB 1 % 5.67 dB .1 % 6.35 dB .01 % 6.73 dB

Date: 6.JUN.2014 23:46:05

Peak-to-Average Ratio on LTE Band 2

20MHz / 16QAM in Ch. 18700 (100RB Size)



Trace 1 Mean 20.25 dBm Peak 28.27 dBm Crest 8.02 dB 10 % 3.08 dB 1 % 5.26 dB 1 % 6.54 dB .01 % 7.44 dB

Date: 6.JUN.2014 23:44:47

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 50 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 2

20MHz / 16QAM in Ch. 18900 (100RB Size)



Trace 1
Mean 20.21 dBm
Peak 28.37 dBm
Crest 8.16 dB

10 % 3.11 dB
1 % 5.35 dB
1 % 6.76 dB
.01 % 7.66 dB

Date: 6.JUN.2014 23:45:31

Peak-to-Average Ratio on LTE Band 2

20MHz / 16QAM in Ch. 19100 (100RB Size)



Trace 1
Mean 20.12 dBm
Peak 28.14 dBm
Crest 8.02 dB

10 % 3.11 dB
1 % 5.32 dB
1 % 6.70 dB
.01 % 7.44 dB

Date: 6.JUN.2014 23:47:21


SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 51 of 474
Report Issued Date : Oct. 07, 2014

Report No.: FG441109B


Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

Peak-to-Average Ratio on LTE Band 25 20MHz / 16QAM in Ch. 26140 (1RB Size)



Date: 6.JUN.2014 23:44:31

Peak-to-Average Ratio on LTE Band 25 20MHz / 16QAM in Ch. 26340 (1RB Size)




Date: 6.JUN.2014 23:45:12

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 52 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Peak-to-Average Ratio on LTE Band 25 20MHz / 16QAM in Ch. 26590 (1RB Size)



Date: 18.JUN.2014 19:28:31

Peak-to-Average Ratio on LTE Band 25 20MHz / 16QAM in Ch. 26140 (100RB Size)

5.26 dB 6.54 dB 7.44 dB



Date: 6.JUN.2014 23:44:47


1 % .1 % .01 %

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 53 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 25 20MHz / 16QAM in Ch. 26340 (100RB Size)



Date: 6.JUN.2014 23:45:31

Peak-to-Average Ratio on LTE Band 25 20MHz / 16QAM in Ch. 26590 (100RB Size)




Date: 18.JUN.2014 19:27:10

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 54 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 4 20MHz / 16QAM in Ch. 20050 (1RB Size)



Date: 7.JUN.2014 01:48:56

Peak-to-Average Ratio on LTE Band 4 20MHz / 16QAM in Ch. 20175 (1RB Size)




Date: 7.JUN.2014 01:49:28

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 55 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 4 20MHz / 16QAM in Ch. 20300 (1RB Size)



Date: 7.JUN.2014 01:49:59

Peak-to-Average Ratio on LTE Band 4 20MHz / 16QAM in Ch. 20500 (100RB Size)




Date: 7.JUN.2014 01:49:12

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 56 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 4



Date: 7.JUN.2014 01:49:43

Peak-to-Average Ratio on LTE Band 4 20MHz / 16QAM in Ch. 20300 (100RB Size)



Date: 7.JUN.2014 01:50:23


SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 57 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 13

10MHz / 16QAM in Ch. 23230 (1RB Size)



Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz


Trace 1
Mean 22.02 dBm
Peak 28.47 dBm
Crest 6.45 dB

10 % 2.92 dB
1 % 5.03 dB
1 % 5.77 dB
.01 % 6.31 dB

Date: 18.JUN.2014 19:30:00

Peak-to-Average Ratio on LTE Band 13

10MHz / 16QAM in Ch. 23230 (50RB Size)



Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz

Trace 1
Mean 21.17 dBm
Peak 28.19 dBm
Crest 7.01 dB

10 % 3.01 dB
1 % 4.87 dB
1 % 5.93 dB
.01 % 6.57 dB


Date: 18.JUN.2014 19:30:33

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 58 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 17 10MHz / 16QAM in Ch. 23780 (1RB Size)




Crest 7.32 dB 10 % 3.11 dB 1 % 5.58 dB .1 % 6.63 dB .01 % 7.18 dB

Date: 8.JUN.2014 12:02:28

Peak-to-Average Ratio on LTE Band 17

10MHz / 16QAM in Ch. 23790 (1RB Size)



Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz

Trace 1
Mean 21.09 dBm
Peak 27.31 dBm
Crest 6.21 dB

10 % 3.01 dB
1 % 5.19 dB
1 % 5.87 dB
.01 % 6.12 dB

Date: 8.JUN.2014 12:03:09


SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 59 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

Peak-to-Average Ratio on LTE Band 17

10MHz / 16QAM in Ch. 23800 (1RB Size)



Complementary Cumulative Distribution Function NOF samples: 100000, Usable BW: 11.2MHz


Trace 1
Mean 21.15 dBm
Peak 27.39 dBm
Crest 6.24 dB

10 % 2.95 dB
1 % 5.00 dB
1 % 5.74 dB
.01 % 6.09 dB

Date: 8.JUN.2014 12:03:50

Peak-to-Average Ratio on LTE Band 17

10MHz / 16QAM in Ch. 23780 (50RB Size)



Complementary Cumulative Distribution Function

Trace 1
Mean 19.95 dBm
Peak 27.86 dBm
Crest 7.92 dB

10 % 3.04 dB
1 % 5.22 dB
1 % 6.44 dB
.01 % 7.37 dB

Date: 8.JUN.2014 12:02:44


SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 60 of 474
Report Issued Date : Oct. 07, 2014

Report No.: FG441109B


Report Version : Rev. 01

Peak-to-Average Ratio on LTE Band 17 10MHz / 16QAM in Ch. 23790 (50RB Size)



Date: 8.JUN.2014 12:03:25

Peak-to-Average Ratio on LTE Band 17 10MHz / 16QAM in Ch. 23800 (50RB Size)



Date: 8.JUN.2014 12:04:07

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 61 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

3.3 Occupied Bandwidth

3.3.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.


3.3.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.3.3 Test Procedures

- 1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
- The 26dB and 99% occupied bandwidth (BW) of the middle channel for the highest RF power with full RB sizes were measured.

3.3.4 Test Setup




TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 62 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B

3.3.5 Test Result (Plots) of Occupied Bandwidth


| Band: LTE Band 5 BW / Mod.: 1.4MHz / QPSK |
|---|
|---|

99% Occupied Bandwidth Plot on Channel 20407



Date: 8.JUN.2014 11:10:26

26dB Bandwidth Plot on Channel 20407




Date: 8.JUN.2014 09:59:42

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 63 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

99% Occupied Bandwidth Plot on Channel 20525



Date: 8.JUN.2014 11:11:01

26dB Bandwidth Plot on Channel 20525




Date: 8.JUN.2014 10:06:01

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 64 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

99% Occupied Bandwidth Plot on Channel 20643



Date: 8.JUN.2014 11:11:37

26dB Bandwidth Plot on Channel 20643



Date: 8.JUN.2014 10:09:21

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 65 of 474
Report Issued Date : Oct. 07, 2014

Report Version


Report No.: FG441109B

Report Template No.: BU5-FGLTE Version 1.1 Report Template No.: BU5-CGLTE Version 1.1

: Rev. 01


Band: LTE Band 5 **BW / Mod.**: 1.4MHz / 16QAM

99% Occupied Bandwidth Plot on Channel 20407



Date: 8.JUN.2014 11:10:44

26dB Bandwidth Plot on Channel 20407




Date: 8.JUN.2014 09:59:22

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 66 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

99% Occupied Bandwidth Plot on Channel 20525



Date: 8.JUN.2014 11:11:19

26dB Bandwidth Plot on Channel 20525




Date: 8.JUN.2014 10:06:21

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 67 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

99% Occupied Bandwidth Plot on Channel 20643



Date: 8.JUN.2014 11:11:55

26dB Bandwidth Plot on Channel 20643




Date: 8.JUN.2014 10:09:41

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 68 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 5 BW / Mod.: 3MHz / QPSK

99% Occupied Bandwidth Plot on Channel 20415



Date: 8.JUN.2014 10:15:26

26dB Bandwidth Plot on Channel 20415




Date: 8.JUN.2014 10:16:04

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 69 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

99% Occupied Bandwidth Plot on Channel 20525



Date: 8.JUN.2014 10:22:06

26dB Bandwidth Plot on Channel 20525




Date: 8.JUN.2014 10:22:44

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 70 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report No.: FG441109B

99% Occupied Bandwidth Plot on Channel 20635



Date: 8.JUN.2014 10:25:26

26dB Bandwidth Plot on Channel 20635




Date: 8.JUN.2014 10:26:04

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 71 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 5 BW / Mod.: 3MHz / 16QAM

99% Occupied Bandwidth Plot on Channel 20415



Date: 8.JUN.2014 10:15:44

26dB Bandwidth Plot on Channel 20415




Date: 8.JUN.2014 10:16:24

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 72 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:22:24


26dB Bandwidth Plot on Channel 20525



Date: 8.JUN.2014 10:23:03


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 73 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:25:44

26dB Bandwidth Plot on Channel 20635




Date: 8.JUN.2014 10:26:24

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 74 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 5 BW / Mod.: 5MHz / QPSK

99% Occupied Bandwidth Plot on Channel 20425



Date: 8.JUN.2014 10:32:09

26dB Bandwidth Plot on Channel 20425




Date: 8.JUN.2014 10:32:47

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 75 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:38:48

26dB Bandwidth Plot on Channel 20525




Date: 8.JUN.2014 10:39:26

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 76 of 474
Report Issued Date : Oct. 07, 2014


Report No.: FG441109B

Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1



Date: 8.JUN.2014 10:42:08

26dB Bandwidth Plot on Channel 20625




Date: 8.JUN.2014 10:42:46

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 77 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 5 BW / Mod.: 5MHz / 16QAM

99% Occupied Bandwidth Plot on Channel 20425



Date: 8.JUN.2014 10:32:27

26dB Bandwidth Plot on Channel 20425




Date: 8.JUN.2014 10:33:07

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 78 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:39:06


26dB Bandwidth Plot on Channel 20525



Date: 8.JUN.2014 10:39:46


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 79 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:42:26

26dB Bandwidth Plot on Channel 20625




Date: 8.JUN.2014 10:43:06

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 80 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 5 BW / Mod.: 10MHz / QPSK

99% Occupied Bandwidth Plot on Channel 20450



Date: 8.JUN.2014 10:48:52

26dB Bandwidth Plot on Channel 20450




Date: 8.JUN.2014 10:49:31

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 81 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:55:35

26dB Bandwidth Plot on Channel 20525




Date: 8.JUN.2014 10:56:13

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 82 of 474
Report Issued Date : Oct. 07, 2014


Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.1
Report Template No.: BU5-CGLTE Version 1.1

Report No.: FG441109B



Date: 8.JUN.2014 10:58:56

26dB Bandwidth Plot on Channel 20600




Date: 8.JUN.2014 10:59:34

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 83 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 5 BW / Mod.: 10MHz / 16QAM

99% Occupied Bandwidth Plot on Channel 20450



Date: 8.JUN.2014 10:49:10

26dB Bandwidth Plot on Channel 20450




Date: 8.JUN.2014 10:49:53

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 84 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 8.JUN.2014 10:55:53

26dB Bandwidth Plot on Channel 20525




Date: 8.JUN.2014 10:56:33

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 85 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01


Report Template No.: BU5-FGLTE Version 1.1 Report Template No.: BU5-CGLTE Version 1.1

Report No.: FG441109B



Date: 8.JUN.2014 10:59:14

26dB Bandwidth Plot on Channel 20600




Date: 8.JUN.2014 10:59:54

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 86 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 2 BW / Mod.: 1.4MHz / QPSK

99% Occupied Bandwidth Plot on Channel 18607



Date: 6.JUN.2014 22:04:06

26dB Bandwidth Plot on Channel 18607




Date: 6.JUN.2014 22:04:43

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 87 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:10:40


26dB Bandwidth Plot on Channel 18900



Date: 6.JUN.2014 22:11:17


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 88 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:13:58

26dB Bandwidth Plot on Channel 19193




Date: 6.JUN.2014 22:14:35

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 89 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 2 BW / Mod.: 1.4MHz / 16QAM

99% Occupied Bandwidth Plot on Channel 18607



Date: 6.JUN.2014 22:04:24

26dB Bandwidth Plot on Channel 18607




Date: 6.JUN.2014 22:05:02

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 90 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:10:58


26dB Bandwidth Plot on Channel 18900



Date: 6.JUN.2014 22:11:37


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 91 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:14:16

26dB Bandwidth Plot on Channel 19193




Date: 6.JUN.2014 22:14:54

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 92 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 2 BW / Mod.: 3MHz / QPSK

99% Occupied Bandwidth Plot on Channel 18615



Date: 6.JUN.2014 22:20:36

26dB Bandwidth Plot on Channel 18615




Date: 6.JUN.2014 22:21:13

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 93 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:27:10


26dB Bandwidth Plot on Channel 18900



Date: 6.JUN.2014 22:27:47


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 94 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:30:28

26dB Bandwidth Plot on Channel 19185



Date: 6.JUN.2014 22:31:05

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 95 of 474
Report Issued Date : Oct. 07, 2014

Report Version


Report No.: FG441109B

Report Template No.: BU5-FGLTE Version 1.1 Report Template No.: BU5-CGLTE Version 1.1

: Rev. 01


Band: LTE Band 2 BW / Mod.: 3MHz / 16QAM

99% Occupied Bandwidth Plot on Channel 18615



Date: 6.JUN.2014 22:20:54

26dB Bandwidth Plot on Channel 18615




Date: 6.JUN.2014 22:21:33

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 96 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:27:28


26dB Bandwidth Plot on Channel 18900



Date: 6.JUN.2014 22:28:06


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 97 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:30:46

26dB Bandwidth Plot on Channel 19185




Date: 6.JUN.2014 22:31:25

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 98 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B


Band: LTE Band 2 BW / Mod.: 5MHz / QPSK

99% Occupied Bandwidth Plot on Channel 18625



Date: 6.JUN.2014 22:37:07

26dB Bandwidth Plot on Channel 18625




Date: 6.JUN.2014 22:37:44

SPORTON INTERNATIONAL INC.


TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 99 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B



Date: 6.JUN.2014 22:43:41

26dB Bandwidth Plot on Channel 18900



Date: 6.JUN.2014 22:44:18

TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC ID: XIA-NTC140W IC: 8847A-NTC140W Page Number : 100 of 474
Report Issued Date : Oct. 07, 2014
Report Version : Rev. 01

Report No.: FG441109B