





Informe de ensayo nº: Test report No:

NIE: 46495REM.002A4

Test Report (Modification 4)

FCC Rules and Regulations 47 CFR Chapter I Part 15 Subpart B (10-01-13 Edition); ICES-003 ISSUE 5 (2012)

Identification of item tested:	MySignals
	This device receives data from sensors and sends information with its wireless radio. It is 7V DC powered using a 220/7 AC/DC converter and can be easily programmed.
Trademark:	Libelium
Model and /or type reference:	MySignals Sensor Platform V3
Other identification of the product:	S/N: EMC
Final HW version:	1.0
Final SW version:	1.0
FCC ID:	FCC ID (MySignals): XKM-MYSIGNAL-V1 FCC ID (WiFi Chipset): 2AC7Z-ESPWROOM02 FCC ID (BLE Chipset): 5123A-BGTBLE112
IC:	IC (MySignals): 8472A-MYSIGNALV1
Features:	This device sends data via WiFi and Bluetooth Low Energy.
Manufacturer:	LIBELIUM COMUNICACIONES DISTRIBUIDAS, S.L. C/ Escatrón, 16. (Edificio Libelium), C.P.: 50014 Zaragoza. Spain.
Test method requested, standard:	FCC Rules and Regulations 47 CFR Chapter I Part 15 Subpart B (10-01-13 Edition); ICES-003 ISSUE 5 (2012)
Summary:	IN COMPLIANCE
Approved by (name / position & signature):	Francisco Cañas Regulatory Lab Director
Date of issue:	2016-10-11
Report template No:	FDT11_18

AT4 wireless, S.A.U.
Parque Tecnológico de Andalucía,
c/ Severo Ochoa nº 2 ⋅ 29590 Campanillas ⋅ Málaga ⋅ España
www.at4wireless.com ⋅ C.I.F. A29 507 456





Index

Competences and guarantees	3
General conditions	3
Usage of samples	4
Test sample description	4
Identification of the client	4
Testing period	4
Environmental conditions	5
Modifications to the reference test report	6
Remarks and comments	6
Testing verdicts (Legend)	6
List of equipment used during the test	6
Appendix A – Test result	7





Competences and guarantees

AT4 wireless is a testing laboratory accredited by the National Accreditation Body (ENAC -Entidad Nacional de Acreditación), to perform the tests indicated in the Certificate No. 51/LE 147.

In order to assure the traceability to other national and international laboratories, AT4 wireless has a calibration and maintenance program for its measurement equipment.

AT4 wireless guarantees the reliability of the data presented in this report, which is the result of the measurements and the tests performed to the item under test on the date and under the conditions stated on the report and, it is based on the knowledge and technical facilities available at AT4 wireless at the time of performance of the test.

AT4 wireless is liable to the client for the maintenance of the confidentiality of all information related to the item under test and the results of the test.

The results presented in this Test Report apply only to the particular item under test established in this document.

IMPORTANT: No parts of this report may be reproduced or quoted out of context, in any form or by any means, except in full, without the previous written permission of AT4 wireless, S.A.

General conditions

- 1. This report is only referred to the item that has undergone the test.
- 2. This report does not constitute or imply on its own an approval of the product by the Certification Bodies or competent Authorities.
- 3. This document is only valid if complete; no partial reproduction can be made without previous written permission of AT4 wireless.
- 4. This test report cannot be used partially or in full for publicity and/or promotional purposes without previous written permission of AT4 wireless and the Accreditation Bodies.

Uncertainty

Uncertainty (factor k=2) was calculated according to the AT4 wireless internal document PODT000.





Usage of samples

Samples under test have been selected by: the Client.

Sample S/01 is composed of the following elements:

Control No	Description	Model	Serial number	Reception date
46495/001	Central node	MySignals	EMC	2015-11-16
46495/002	AC/DC Adapter	3A-186DB07	T5001ST	2015-11-16
46495/003	AC cable			2015-11-16
46495/004	Peak flow meter	MSA100	PFM150808	2015-11-16
46495/005	USB-Jack cable			2015-11-16
46495/006	SP02 meter	CMS50D+	DU1407100650	2015-11-16
46495/007	USB-Jack cable			2015-11-16
46495/008	Blood pressure	KD-2C2G	2G1507000009	2015-11-16
46495/009	USB-Jack cable			2015-11-16
46495/010	ECG Sensor			2015-11-16
46495/011	EMG Sensor			2015-11-16
46495/012	GSR Sensor			2015-11-16
46495/013	SNORE sensor			2015-11-16
46495/014	Glucose meter			2015-11-16
46495/015	Jack-miniJack cable			2015-11-16
46495/016	Air flow sensor			2015-11-16
46495/017	Temperature sensor			2015-11-16
46495/018	Position sensor			2015-11-16
46495/019	USB-micro USB cable			2015-11-16

Sample S/03 incorporates the next modifications:

The snore sensor cable with the button is moved to a real position near the snore sensor cable of the neck; It was added a ferrite with the code WÜRTH 742 711 11 to the DC power cable, near to the equipment.

Sample S/04 is the sample S/03 replacing the AC/DC adapter (46495/002) by the next one:

Control Nº	Description	Model	Serial number	Reception date
46495/021	AC/DC Adapter	3A-186DB07		2015-11-16

Auxiliary PC for Operation Mode 03: Dell Latitude E6440 (CTC-1230-D)

Test sample description

MySignals Sensor Platform. This device receives data from sensors and sends information with its wireless radio. It is 7Vdc powered using a 220/7 AC/DC converter and can be easily programmed.

Identification of the client

LIBELIUM COMUNICACIONES DISTRIBUIDAS, S.L. C/ Escatrón, 16. (Edificio Libelium), C.P.: 50014 Zaragoza. Spain.

Testing period

The performed test started on 2015-11-16 and finished on 2015-11-27. The tests have been performed at AT4 wireless.





Environmental conditions

In the control chamber, the following limits were not exceeded during the test:

Temperature	Min. = 15 °C Max. = 35 °C
Relative humidity	Min. = 20 % Max. = 80 %
Shielding effectiveness	> 100 dB
Reference resistance to earth	<1Ω

In the semianechoic chamber, the following limits were not exceeded during the test.

Temperature	Min. = 15 °C Max. = 30 °C
Relative humidity	Min. = 45 % Max. = 60 %
Air pressure	Min. = 860 mbar Max. = 1060 mbar
Shielding effectiveness	> 100 dB
Reference resistance to earth	<1Ω
Normal site attenuation (NSA)	< ±4 dB at 10 m distance between item under test and receiver antenna, (30 MHz to 1000 MHz)
Site VSWR	< ±6 dB at 3m distance between item under test and receiver antenna, (1 GHz to 18 GHz)
Field homogeneity	More than 75% of illuminated surface is between 0 and 6 dB (26 MHz to 18 GHz).

In the chamber for conducted measurements, the following limits were not exceeded during the test:

Temperature	Min. = 15 °C Max. = 30 °C
Relative humidity	Min. = 45 % Max. = 60 %
Air pressure	Min. = 860 mbar Max. = 1060 mbar
Shielding effectiveness	> 100 dB
Reference resistance to earth	< 1 Ω





Modifications to the reference test report

It was introduced the following modifications in respect to the test report number 46495REM.002 related with the same samples, in the next clauses and sub-clauses:

- By client requirement it was modified the commercial name, FCC ID and IC fields.
- Also was replaced "MyHospital" and "eHealth" by "MySignals".
- The Operation Mode 03 defined as "programming mode connected by USB cable to an auxiliary PC" is included in the report. The measurement results for this mode are added.

This modification test report cancels and replaces the test report 46495REM.002, 46495REM.002A1, 46495REM.002A2 and 46495REM.002A3.

Remarks and comments

The tests have been performed by the technical personnel: Pedro Manuel Valenzuela & José Manuel Márquez.

The total uncertainty of the measurement system for the measured radio disturbance characteristics of EUT from 30 MHz to 1000 MHz is $I = \pm 4,37$ dB for quasi-peak measurements, $I = \pm 4,28$ dB for peak measurements (k = 2).

The total uncertainty of the measurement system for the measured radio disturbance characteristics of EUT from 1000 MHz to 26GHz is $I = \pm 2,62$ dB for peaks and average measurements (k = 2).

Testing verdicts (Legend)

Not applicable:	N/A
Pass:	P
Fail::	F
Not measured:	N/M

List of equipment used during the test					
CONTROL NUMBER	DESCRIPTION	MANUFACTURER	MODEL	LAST CALIBRATION	NEXT CALIBRATION
1999	EMI Receptor	ROHDE & SCHWARZ	ESIB 26	2015-06-16	2017-06-16
2932	Bilog Hybrid Antenna	SUNOL	JB6	2014-05-11	2017-05-11
4612	Horn Antenna	SCHWARZBECK MESS- ELEKTRONIK	BBHA 9120D	2013-12-29	2016-12-29
4658	RF Amplifier	SCHWARZBECK	BBV9743	2015-03-19	2016-03-19
4662	Transient limiter	SCHWARZBECK	VTSD 9561-D	2014-02-12	2016-02-12
4659	RF Amplifier	SCHWARZBECK	BBV 9718	2015-09-29	2016-09-29
4729	RF Amplifier	BONN ELEKTRONIK	BLMA 1840-1M	2015-12-02	2017-12-02
3545	Temperature and humidity probe	PICO TECHNOLOGY	HUMIDIPROBE	2015-03-04	2016-03-04
3556	Digital termohigrometer	T&D	TR-72W	2015-04-16	2016-04-16
4657	Horn Antenna	SCHWARZBECK	BBHA 9170	2014-03-28	2017-03-28
0224	Artificial network	ROHDE & SCHWARZ	ESH2-Z5	2015-02-06	2017-02-06

AT4 wireless, S.A.U.
Parque Tecnológico de Andalucía,
c/ Severo Ochoa nº 2 ⋅ 29590 Campanillas ⋅ Málaga ⋅ España
www.at4wireless.com ⋅ C.I.F. A29 507 456





Appendix A – Test result





CONTENT

DESCRIPTION OF THE OPERATION MODES	9
RADIATED EMISSION. ELECTROMAGNETIC FIELD MEASURE	10
CONTINUOUS CONDUCTED EMISSION ON POWER LEADS	17





DESCRIPTION OF THE OPERATION MODES

The operation modes described in this paragraph constitute a functionality of the sample under test for itself. Every operation mode takes a failure criteria for the immunity test that they were applying to it and a monitoring to guarantee performance of the same ones.

The operation modes used by the samples to which the present report refers, are shown in the following table:

OPERATION MODE	DESCRIPTION
OM#01	EUT ON. IDLE WiFi. Bluetooth in IDLE mode. All sensors connected and working.
0.1.2 0.1	Power supply: 115Vac.
OM#02	EUT ON. WiFi in transmission mode. Bluetooth in transmission mode. All sensors connected and working. Power supply: 115Vac.
OM#03	EUT ON. Equipment in programming mode connected by USB cable to an auxiliary PC. Power supply: 115Vac.






RADIATED EMISSION. ELECTROMAGNETIC FIELD MEASURE

Product standard	D., J., 4 ,4 ,. J., J.	FCC RULES AND REGULATIONS 47 CFR PART 15, SUBPART B (10-01-13
	Product standard:	Edition); ICES-003 ISSUE 5 (2012)
LIMITS.	Test standard:	FCC RULES AND REGULATIONS 47 CFR PART 15, SUBPART B (10-01-13
		Edition); ICES-003 ISSUE 5 (2012)

Limits of interference Class B

The applied limit for radiated emissions, 3 m distance, according with the requirements of FCC Rules and Regulations 47 CFR Part 15.109, Subpart B (10-01-13 Edition) & ICES-003 ISSUE 5 (2012) in the frequency range 30 MHz to 26 GHz, for Class B equipment, which is a transmitter in a band over 500 MHz, was:

Frequency range	QP Limit for 3 m	QP Limit for 3 m
(MHz)	$(\mu V/m)$	$(dB\mu V/m)$
30 to 88	100	40
88 to 216	150	43.52
216 to 960	200	46.02
Above 960	500	53.98
Above 1000	Limit for 3m AVG	Limit for 3m PK
Above 1000	53.98 dBµV/m	73.98 dBμV/m







TESTED SAMPLES:	S/03	
TESTED OPERATION MODES:	OM#01 & OM#03	
TEST RESULTS:	CRmmnn: CR, Radiation Condition; mm: Sample number; nn: Operation mode;	

CRmmnn	Description	Result
CR0301RB	Range: 30 MHz - 1000 MHz.	P
CR0301RA_1_PH	Range: 1 GHz - 18 GHz. Horizontal polarization.	P
CR0301RA_1_PV	Range: 1 GHz - 18 GHz. Vertical polarization.	P
CR0301RA_2_PH	Range: 18 GHz - 26 GHz. Horizontal polarization.	P
CR0301RA_2_PV	Range: 18 GHz - 26 GHz. Vertical polarization.	P
CR0303	The programming USB mode (03) is previewed and compared with normal mode (01). It is checked that the normal operation mode is the worst case, so the final measurements are performed on operation mode 03.	P





Radiated Emission. CR0301RB

Project: 46495REM.002


Company: LIBELIUM COMUNICACIONES DISTRIBUIDAS S.L.

Sample: S/03 Operation mode: S/03

Description: EUT ON. WIFI idle. Bluetooth Idle. All sensor are connected and

working. Power supply: 115Vac.

Full Spectrum



FCC Part 15 Class B Electric Field Strength QP+AV

Auto test - MaxPeak



QuasiPeak MaxPeak

Maximizations

Frequency	QuasiPeak	MaxPeak	Height	Pol	Azimuth
(MHz)	(dBµV/m)	(dBµV/m)	(cm)		(deg)
31.990260	34.24		107.0	V	287.0
31.990260		35.53	107.0	V	287.0
63.987013	39.09		270.0	V	279.0
63.987013		39.46	270.0	V	279.0
96.961039	38.21		202.0	Н	216.0
96.961039		38.63	202.0	Н	216.0
127.967532	31.03		106.0	V	278.0
127.967532		32.06	106.0	V	278.0
159.970779		37.30	182.0	Н	9.0
159.970779	34.09		182.0	Н	9.0
175.961039	33.21		201.0	Н	346.0
175.961039		33.89	201.0	Н	346.0
191.951948		39.03	109.0	Н	0.0
191.951948	38.72		109.0	Н	0.0
207.938961	38.06		137.0	Н	49.0
207.938961		38.58	137.0	Н	49.0





Radiated Emission, CR0301RA 1 PH

Project: 46495REM.002


Company: LIBELIUM COMUNICACIONES DISTRIBUIDAS S.L.

Sample: S/03 Operation mode: S/03

Description: EUT ON. WIFI idle. Bluetooth Idle. All sensor are connected and

working. Power supply: 115Vac. Horizontal polarization.

ER EMI FCC 15 Class B



Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV/m)	(dBµV/m)
1050.000000	20.8	8.0
1778.000000	21.9	8.8
2320.000000	22.8	10.0
3172.000000	25.4	12.1
4155.000000	27.5	14.8
5014.000000	30.7	17.4
6968.000000	35.1	21.3
9513.000000	38.0	24.9
10554.000000	39.7	26.7
17958.000000	50.2	37.7





Radiated Emission. CR0301RA 1 PV

Project: 46495REM.002


Company: LIBELIUM COMUNICACIONES DISTRIBUIDAS S.L.

Sample: S/03 Operation mode: S/03

Description: EUT ON. WIFI idle. Bluetooth Idle. All sensor are connected and

working. Power supply: 115Vac.

ER EMI FCC 15 Class B



Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV/m)	(dBµV/m)
1152.000000	22.4	9.7
1765.000000	23.3	10.2
2362.000000	24.8	11.7
3164.000000	26.6	13.3
4038.000000	28.5	15.3
4988.000000	31.7	18.6
7386.000000	33.6	20.5
9485.000000	35.5	22.1
10531.000000	41.0	23.8
17957.000000	50.4	37.8





Radiated Emission, CR0301RA 2 PH

Project: 46495REM.002


Company: LIBELIUM COMUNICACIONES DISTRIBUIDAS S.L.

Sample: S/03 Operation mode: S/03

Description: EUT ON. WIFI idle. Bluetooth Idle. All sensor are connected and

working. Power supply: 115Vac. Horizontal polarization.

ER EMI FCC 15 Class B



Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV/m)	(dBµV/m)
18175.000000	35.3	22.2
18883.000000	35.9	22.7
19668.000000	35.0	21.7
20337.000000	35.5	21.9
21480.000000	35.8	22.4
22234.000000	36.6	23.1
23211.000000	36.9	23.8
23845.000000	37.5	24.0
24994.000000	40.2	26.5
25758.000000	40.3	27.2





2016-06-27

Radiated Emission. CR0301RA 2 PV

Project: 46495REM.002


Company: LIBELIUM COMUNICACIONES DISTRIBUIDAS S.L.

Sample: S/03 Operation mode: OM#01

EUT ON. WIFI idle. Bluetooth Idle. All sensor are connected and Description:

working. Power supply: 115Vac. Vertical polarization.

ER EMI FCC 15 Class B



FCC Part 15 Class B Electric Field Strength PK

FCC Part 15 Class B Electric Field Strength QP+AV

Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV/m)	(dBµV/m)
18372.000000	35.5	22.4
19029.000000	36.1	22.4
20083.000000	35.1	22.2
20687.000000	35.4	22.6
21508.000000	35.8	23.1
22401.000000	36.4	23.4
22522.000000	37.4	23.7
23791.000000	36.8	24.0
24959.000000	41.0	26.6
25717.000000	40.4	27.2





2016-06-27

CONTINUOUS CONDUCTED EMISSION ON POWER LEADS

LIMITS:	Product standard :	FCC RULES AND REGULATIONS 47 CFR PART 15, SUBPART B (10-
LIMITS:		01-14 Edition) & ICES-003 ISSUE 5 (2012)
	Test standard:	FCC RULES AND REGULATIONS 47 CFR PART 15, SUBPART B (10-
	Test standard.	01-14 Edition) & ICES-003 ISSUE 5 (2012)

CLASS B

The applied limit for continuous conducted emissions in power leads, according with the requirements of FCC Rules and Regulations 47 CFR Part 15, Subpart B (10-01-14 Edition) & ICES-003 ISSUE 5 (2012), in the frequency range 0,15 to 30 MHz, for Class B equipment was:

Frequency range	Limit (dBµV)		
(MHz)	Quasi-peak	Average	
0,15 to 0,5	66-56	56-46	
0,5 to 5	56	46	
5 to 30	60	50	

TESTED SAMPLES:	S/04	
TESTED OPERATION MODES:	OM#01 & OM#02	
TEST RESULTS:	CCmmnnhh: CC, Conducted Condition; mm: Sample number; nn:	
	Operation mode; hh: wire	

CCmmnnhh	Description	Result
CC04010N	Neutral wire noise.	P
CC0401L1	Phase wire noise.	P
CC04020N	Neutral wire noise.	P
CC0402L1	Phase wire noise.	P
CC0403	The programming mode (03) is previewed and compared with normal modes (01 and 02). It is checked that the working operation mode is the worst case, so the final measurements are performed on operation modes 01 and 02.	P






Continuous Conducted Emission : CC04010N | Detector : Peak / Average / Cuasi-peak

Project: 46495REM.002
Company: Libelium
Sample: S/04
Operation mode: OM#01

Description: EUT ON. WIFI idle. Bluetooth Idle. All sensor are conected and

working. Power supply: 115Vac. Neutral wire noise

EC FCC Class B ESPI CC



Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV)	(dBµV)
0.174000	54.2	41.0
0.426000	41.9	33.0
0.498000	52.2	44.2
0.894000	40.7	33.4
1.250000	39.8	32.3
2.414000	38.1	30.8
5.690000	41.6	33.8
7.738000	47.0	36.3
15.998000	42.4	40.7
18.002000	39.4	30.9






Continuous Conducted Emission : CC0401L1 Detector : Peak / Average / Cuasi-peak

Project: 46495REM.002
Company: Libelium
Sample: S/04
Operation mode: OM#01

Description: EUT ON. WIFI idle. Bluetooth Idle. All sensor are conected and

working. Power supply: 115Vac. L1 wire noise

EC FCC Class B ESPI CC



Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV)	(dBµV)
0.178000	50.6	40.4
0.430000	43.6	35.3
0.502000	52.1	44.9
0.898000	40.5	32.7
1.258000	40.0	32.7
2.442000	38.0	30.9
5.430000	42.1	33.7
7.958000	44.2	35.4
15.998000	42.8	41.0
18.002000	38.4	31.9





Project: 46495REM.002 Company: Libelium Sample: S/04


Sample: S/04 Operation mode: OM#02

Description: EUT ON. WIFI in Transmission Mode. Bluetooth in Transmission

Mode. All sensor are conected and working. Power supply: 115Vac.

Neutral wire noise

EC FCC Class B ESPI CC



Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV)	(dBµV)
0.174000	51.4	39.9
0.430000	44.2	37.7
0.502000	51.9	44.7
0.978000	41.2	32.9
1.262000	39.5	32.1
2.430000	37.7	30.4
5.334000	40.4	32.5
8.110000	42.6	35.0
15.998000	42.2	40.7
18.002000	39.3	30.7





Continuous Conducted Emission : CC0402L1 Detector : Peak / Average / Cuasi-peak


Project: 46495REM.002
Company: Libelium
Sample: S/04
Operation mode: OM#02

Description: EUT ON. WIFI in Transmission Mode. Bluetooth in Transmission

Mode. All sensor are conected and working. Power supply: 115Vac.

L1 wire noise.

EC FCC Class B ESPI CC



MaxPeak-ClearWrite-PK+ Average-ClearWrite-AVG
CE FCC Class B AVG CE FCC Class B QP

Frequency	MaxPeak-ClearWrite	Average-ClearWrite
(MHz)	(dBµV)	(dBµV)
0.178000	49.5	41.4
0.430000	44.0	37.7
0.502000	51.9	45.1
0.902000	40.6	33.0
1.258000	39.7	32.5
2.434000	38.3	30.4
5.390000	41.6	33.1
8.066000	43.9	35.6
15.998000	42.6	40.8
18.002000	40.1	32.1