


2.4GHz Wireless Transmitter user menu

1. INTRODUCTION:

1-1. . TX BOX



Number	Function
1	Audio input
2	Video input
3	Antenna connector
4	S1 RF status:,S2:system
5	Console interface
6	DC12V input


Accessories:

a.Power adapter:DC12V/1A \*1pcs

b.2.4GHz antenna \*1pcs



**1-2. . RX BOX**



Number	Function
1	RF channel select(1-11)
2	Video output
3	Antenna connector
4	S1 RF status:,S2:system
5	Console interface
6	DC12V input
7	Audio output

**Accessories:1ch/4ch**

**a.Power adapter:DC12V/1A \*1pcs**

**b.2.4GHz antenna \*1pcs**

**c.Audio line \*1pcs**

**TX box installation**

1. Connect antenna to TX box and RX box.
- 2..Connect RX box video output and Audio output to the Video monitor or DVR and power on..
- 3.Connect standard CCD camera to TX box and power on.
4. TX box and RX box will be automatic connection.

**Notice**

1. The power input must be used DC12V .
2. TX box is automatic detection NTSC or PAL type camera.
3. Select appropriate indoor location to setup the wireless camera(s) ,TX box and RX box.
4. If many RX boxes have been used in the same section ,You might need to change RF(1-11) channel in every RX box so that it can avoid interference to each other.
5. Keep TX and RX in suitable distance ,You can check power level of RF on the OSD.

## **FCC Compliance and Advisory Statement**

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, according to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try correct the interference by one or more of the following measures:

- 1.Reorient the receiving antenna.
- 2.Increase the separation between the equipment and receiver.
- 3.Connect the equipment into and outlet on a circuit different from that to which the receiver is connected.
- 4.Consult the dealer or an experienced radio/TV technician for help.

Any special accessories needed for compliance must be specified in the instruction manual.

**Warning:** A shielded-type power cord is required in order to meet FCC emission limits and also to prevent interference to the nearby radio and television reception. It is essential that only the supplied power cord be used. Use only shielded cables to connect I/O devices to this equipment.

**CAUTION:** Any changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.