RF TEST REPORT



Report No.: 16050014-FCC-R2 Supersede Report No.: N/A

Applicant	Quectel Wireless Solutions Co., Ltd.			
Product Name	Multi-mode LTE module			
Model No.	EC20			
Serial No.	EC20 MiniF	PCle		
Test Standard	FCC Part 2	2(H), FCC P	art 24(E), FCC P	art 27: 2014; ANSI/TIA-603-
rest Standard	D: 2010			
Test Date	March 17 to April 11, 2016			
Issue Date	May 09, 2016			
Test Result	Pass Fail			
Equipment complied with the specification				
Equipment did not comply with the specification				
Winnie.Z	mie Zheng David Huang			
Winnie Zhang		Davi	d Huang	
Test Engineer			cked By	

This test report may be reproduced in full only

Test result presented in this test report is applicable to the tested sample only

Issued by:

SIEMIC (SHENZHEN-CHINA) LABORATORIES

Zone A, Floor 1, Building 2 Wan Ye Long Technology Park
South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China 518108

Phone: +86 0755 2601 4629801 Email: China@siemic.com.cn



Test Report	16050014-FCC-R2
Page	2 of 113

Laboratories Introduction

SIEMIC, headquartered in the heart of Silicon Valley, with superior facilities in US and Asia, is one of the leading independent testing and certification facilities providing customers with one-stop shop services for Compliance Testing and Global Certifications.



In addition to testing and certification, SIEMIC provides initial design reviews and compliance management throughout a project. Our extensive experience with China, Asia Pacific, North America, European, and International compliance requirements, assures the fastest, most cost effective way to attain regulatory compliance for the global markets.

Accreditations for Conformity Assessment

Country/Region	Scope
USA	EMC, RF/Wireless, SAR, Telecom
Canada	EMC, RF/Wireless, SAR, Telecom
Taiwan	EMC, RF, Telecom, SAR, Safety
Hong Kong	RF/Wireless, SAR, Telecom
Australia	EMC, RF, Telecom, SAR, Safety
Korea	EMI, EMS, RF, SAR, Telecom, Safety
Japan	EMI, RF/Wireless, SAR, Telecom
Singapore	EMC, RF, SAR, Telecom
Europe	EMC, RF, SAR, Telecom, Safety



Test Report	16050014-FCC-R2
Page	3 of 113

This page has been left blank intentionally.



Test Repo	ort 1605	50014-FCC-R2
Page	4 of	113

CONTENTS

1.	REPORT REVISION HISTORY	5
2.	CUSTOMER INFORMATION	5
3.	TEST SITE INFORMATION	5
4.	EQUIPMENT UNDER TEST (EUT) INFORMATION	6
5.	TEST SUMMARY	8
6.	MEASUREMENTS, EXAMINATION AND DERIVED RESULTS	9
6.1	RF EXPOSURE (SAR)	9
6.2	RF OUTPUT POWER	10
6.3	PEAK-AVERAGE RATIO	34
6.4	OCCUPIED BANDWIDTH	37
6.5	SPURIOUS EMISSIONS AT ANTENNA TERMINALS	65
6.6	SPURIOUS RADIATED EMISSIONS	71
6.7	BAND EDGE	77
8.6	FREQUENCY STABILITY	100
ANI	NEX A. TEST INSTRUMENT	105
ANI	NEX B. EUT AND TEST SETUP PHOTOGRAPHS	106
ANI	NEX C. TEST SETUP AND SUPPORTING EQUIPMENT	109
ANI	NEX C.II. EUT OPERATING CONKITIONS	111
ANI	NEX D. USER MANUAL / BLOCK DIAGRAM / SCHEMATICS / PARTLIST	112
ANI	NEX E. DECLARATION OF SIMILARITY	113



Test Report	16050014-FCC-R2
Page	5 of 113

1. Report Revision History

Report No.	Report Version	Description	Issue Date
16050014-FCC-R2	NONE	Original	May 09, 2016

2. Customer information

Applicant Name	Quectel Wireless Solutions Co., Ltd.
Applicant Add	Room501,Building 13,No.99 TianZhou Road,Xuhui District,Shanghai,China
Manufacturer	Quectel Wireless Solutions Co., Ltd.
Manufacturer Add	Room501,Building 13,No.99 TianZhou Road,Xuhui District,Shanghai,China

3. Test site information

Lab performing tests	SIEMIC (Shenzhen-China) LABORATORIES
	Zone A, Floor 1, Building 2 Wan Ye Long Technology Park
Lab Address	South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China
	518108
FCC Test Site No.	718246
IC Test Site No.	4842E-1
Test Software	Radiated Emission Program-To Shenzhen v2.0



Test Report	16050014-FCC-R2
Page	6 of 113

4. Equipment under Test (EUT) Information

Description of EUT: Multi-mode LTE module

Main Model: EC20

Serial Model: EC20 MiniPCle

Date EUT received: March 16, 2016

Test Date(s): March 17 to April 11, 2016

Equipment Category : PCB

Antenna Gain:

GSM850: 1dBi PCS1900: 1dBi

UMTS-FDD Band 5:: 1dBi UMTS-FDD Band 4: 1dBi UMTS-FDD Band 2: 1dBi

LTE Band 2: 1dBi

LTE Band 4: 1dBi

LTE Band 12: 1dBi LTE Band 17: 1dBi

(Note: The radio module will be sold without antenna, this antenna only used limited to ERP/EIRP or radiated spurious emission test.)

GSM / GPRS: GMSK EGPRS: GMSK,8PSK

UMTS-FDD: QPSK,16QAM, 64QAM

Type of Modulation:

(Note: 16QAM and 64QAM only support UMTS downlink)

LTE Band: QPSK,16QAM,64QAM

(Note: LTE downlink only support 64QAM)



Test Report	16050014-FCC-R2
Page	7 of 113

GSM850 TX: 824.2 ~ 848.8 MHz; RX: 869.2 ~ 893.8 MHz

PCS1900 TX: 1850.2 ~ 1909.8 MHz; RX: 1930.2 ~ 1989.8 MHz

UMTS-FDD Band 5 TX: 826.4 ~ 846.6 MHz; RX: 871.4 ~ 891.6 MHz

UMTS-FDD Band 4 TX:1712.4 ~ 1752.6 MHz;

RX: 2112.4 ~ 2152.6 MHz

UMTS-FDD Band 2 TX:1852.4 ~ 1907.6 MHz;

RF Operating Frequency (ies):

RX: 1932.4 ~ 1987.6 MHz

LTE Band 2 TX: $1852.5 \sim 1907.5$ MHz; RX: $1932.5 \sim 1987.5$ MHz LTE Band 4 TX: $1712.5 \sim 1752.5$ MHz; RX: $2112.5 \sim 2152.5$ MHz LTE Band 5 TX: $826.5 \sim 846.5$ MHz; RX: $871.5 \sim 891.5$ MHz LTE Band 12 TX: $699.7 \sim 715.3$ MHz; RX: $729.7 \sim 745.3$ MHz

LTE Band 17 TX: 706.5 ~ 713.5 MHz; RX : 736.5 ~ 743.5 MHz

LTE Band 2: 22.10 dBm

LTE Band 4: 22.21 dBm

Maximum Conducted

AV Power to Antenna:

LTE Band 5: 22.91 dBm

LTE Band 12: 22.59 dBm

LTE Band 17: 22.46 dBm

Port: N/A

Input Power: Spec: DC 3.8V

Trade Name : Quectel

GPRS/EGPRS Multi-slot class 8/10/12

FCC ID: XMR201603EC20



Test Report	16050014-FCC-R2
Page	8 of 113

5. Test Summary

The product was tested in accordance with the following specifications.

All testing has been performed according to below product classification:

FCC Rules	Description of Test	Result	
§ 1.1307; § 2.1093	RF Exposure (SAR)	Compliance	
§2.1046; § 22.913(a); § 24.232(c);	DE Output Dawer	Compliance	
§ 27.50(c.10); § 27.50(d.4)	RF Output Power	Compliance	
§ 24.232 (d); § 27.50(d)	Peak-Average Ratio	Compliance	
§ 2.1047	Modulation Characteristics	N/A	
§ 2.1049; § 22.905; § 22.917;	000/ 9, 2C dD Occurried Developed	0	
§ 24.238; § 27.53(a.5)	99% & -26 dB Occupied Bandwidth	Compliance	
§ 2.1051; § 22.917(a);	Courieus Emissions et Antonno Torreinal	Compliance	
§ 24.238(a); § 27.53(h)	Spurious Emissions at Antenna Terminal		
§ 2.1053; § 22.917(a);	Field Strongth of Spurious Dediction	Compliance	
§ 24.238(a); § 27.53(h)	Field Strength of Spurious Radiation	Compliance	
§ 22.917(a); § 24.238(a);	Out of band emission, Band Edge	Compliance	
§ 27.53(m)	Band Edge 27.53(m)	Compliance	
§ 2.1055; § 22.355; § 24.235;	Frequency stability vs. temperature	Compliance	
§ 27.5(h); § 27.54	Frequency stability vs. voltage	Compliance	

Note: Testing was performed by configuring EUT to maximum output power status, the declared output power class for different

Measurement Uncertainty

Emissions				
Test Item	Description	Uncertainty		
Band Edge and Radiated Spurious Emissions	Confidence level of approximately 95% (in the case where distributions are normal), with a coverage factor of 2 (for EUTs < 0.5m X 0.5m X 0.5m)	+5.6dB/-4.5dB		
-	-	-		



Test Report	16050014-FCC-R2
Page	9 of 113

6. MEASUREMENTS, EXAMINATION AND DERIVED RESULTS

6.1 RF Exposure (SAR)

Test Result: Pass

The EUT is a mobile device, thus requires MPE evaluation;

Please refer to RF Exposure Evaluation Report: 16050014-FCC-H.



Test Report	16050014-FCC-R2
Page	10 of 113

6.2 RF Output Power

Temperature	23°C
Relative Humidity	59%
Atmospheric Pressure	1026mbar
Test date :	March 26, 2016
Tested By :	Winnie Zhang

Requirement(s):

Requirement(s):							
Spec	Item	m Requirement Applicabl					
§22.913 (a)	a)	ERP:38.45dBm					
§24.232 (c)	b)	EIRP:33dBm					
§27.50 (c)	c)	EIRP: 30dBm	V				
Test Setup							
Test Procedure	-	The transmitter output port was connected to base state. Set EUT at maximum power through base station. Select lowest, middle, and highest channels for each to different test mode. For ERP/EIRP: The transmitter was placed on a wooden turntable, and transmitting into a non-radiating load which was also platurntable. The measurement antenna was placed at a distance of from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order the maximum level of emissions from the EUT. The test performed by placing the EUT on 3-orthogonal axis. The frequency range up to tenth harmonic of the fundation.	d it was aced on the f 3 meters ler to identify at was				



Test Report	16050014-FCC-R2
Page	11 of 113

	frequency was investigated.
	- Remove the EUT and replace it with substitution antenna. A signal
	generator was connected to the substitution antenna by a non-
	radiating cable. The absolute levels of the spurious emissions
	were measured by the substitution.
	- Spurious emissions in dB = 10 log (TX power in Watts/0.001) –
	the absolute level
	 Spurious attenuation limit in dB = 43 + 10 Log10 (power out in
	Watts.
Remark	
Result	Pass
Test Data Yes	□ _{N/A}
Test Plot Yes	(See below) N/A



Test Report	16050014-FCC-R2
Page	12 of 113

Conducted Power

LTE Band 2:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.98	22.5 ± 1
				1	49	0	22.00	22.5±1
				1	99	0	22.05	22.5±1
			QPSK	50	0	1	20.91	21.5±1
				50	24	1	20.94	21.5±1
				50	49	1	20.93	21.5±1
	18700	1860.0		100	0	1	20.88	21.5±1
	16/00	1000.0		1	0	1	20.76	21.5±1
				1	49	1	20.85	21.5±1
				1	99	1	20.86	21.5±1
			16QAM	50	0	2	20.56	21.5±1
				50	24	2	20.59	21.5±1
				50	49	2	20.56	21.5±1
				100	0	2	20.89	21.5±1
				1	0	0	22.00	21.5±1
				1	49	0	22.06	21.5±1
				1	99	0	22.10	21.5±1
		1880.0	QPSK	50	0	1	20.89	21.5±1
				50	24	1	20.88	21.5±1
				50	49	1	21.02	21.5±1
201411	40000			100	0	1	20.87	21.5±1
20MHz	18900			1	0	1	21.46	21.5±1
				1	49	1	21.45	21.5±1
				1	99	1	21.52	21.5±1
			16QAM	50	0	2	20.69	21.5±1
				50	24	2	20.86	21.5±1
				50	49	2	20.87	21.5±1
				100	0	2	21.91	21.5±1
			QPSK	1	0	0	22.06	21.5±1
		1900.0		1	49	0	22.00	21.5±1
				1	99	0	21.75	21.5±1
				50	0	1	20.86	21.5±1
				50	24	1	20.85	21.5±1
				50	49	1	20.88	21.5±1
	40400			100	0	1	20.85	21.5±1
	19100			1	0	1	21.28	21.5±1
			16QAM	1	49	1	21.15	21.5±1
				1	99	1	21.04	21.5±1
				50	0	2	20.98	21.5±1
				50	24	2	20.95	21.5±1
				50	49	2	20.89	21.5±1
				100	0	2	20.63	21.5±1



Test Report	16050014-FCC-R2
Page	13 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.75	22.5±1
				1	37	0	21.76	22.5±1
				1	74	0	21.79	22.5±1
			QPSK	36	0	1	20.77	21.5±1
				36	16	1	20.75	21.5±1
				36	35	1	20.76	21.5±1
	40675	4057.5		75	0	1	20.64	21.5±1
	18675	1857.5		1	0	1	21.42	21.3±1
				1	37	1	21.45	21.3±1
				1	74	1	21.50	21.3±1
			16QAM	36	0	2	20.87	21.3±1
				36	16	2	20.86	21.3±1
				36	35	2	20.89	21.3±1
				75	0	2	20.68	21.3±1
				1	0	0	21.64	21.3±1
				1	37	0	21.70	21.3±1
				1	74	0	21.73	21.3±1
		0 1880.0	QPSK	36	0	1	20.80	21.3±1
				36	16	1	20.79	21.3±1
				36	35	1	20.81	21.3±1
158411-	10000			75	0	1	20.65	21.3±1
15MHz	18900			1	0	1	21.36	21.3±1
				1	37	1	21.31	21.3 ± 1
				1	74	1	21.27	21.3±1
			16QAM	36	0	2	20.86	21.3±1
				36	16	2	20.89	21.3 ± 1
				36	35	2	20.89	21.3±1
				75	0	2	20.77	21.3 ± 1
				1	0	0	21.76	21.3±1
				1	37	0	21.71	21.3±1
				1	74	0	21.62	21.3 ± 1
			QPSK	36	0	1	20.85	21.3 ± 1
				36	16	1	20.87	21.3 ± 1
				36	35	1	20.88	21.3±1
	19125	1902.5		75	0	1	20.83	21.3±1
	19143	1902.3		1	0	1	20.76	20.3±1
				1	37	1	20.65	20.3±1
				1	74	1	20.48	20.3±1
			16QAM	36	0	2	20.16	20.3±1
				36	16	2	20.18	20.3±1
				36	35	2	20.15	20.3±1
				75	0	2	20.82	20.3±1



Test Report	16050014-FCC-R2
Page	14 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.95	22.5 ± 1
				1	24	0	21.99	$22.5\!\pm\!1$
				1	49	0	22.02	22.5 ± 1
			QPSK	25	0	1	20.92	21.3 ± 1
				25	12	1	20.95	21.3 ± 1
				25	24	1	20.93	21.3 ± 1
	18650	1855		50	0	1	20.81	21.3 ± 1
	18030	1833		1	0	1	20.54	21.3±1
				1	24	1	20.56	21.3±1
				1	49	1	20.66	21.3 ± 1
			16QAM	25	0	2	20.46	21.3±1
				25	12	2	20.43	21.3±1
				25	24	2	20.48	21.3±1
				50	0	2	20.88	21.3±1
				1	0	0	21.79	21.3±1
				1	24	0	21.93	21.3±1
				1	49	0	21.93	21.3±1
		1880.0	QPSK	25	0	1	20.89	21.3±1
				25	12	1	20.88	21.3±1
				25	24	1	21.01	21.3±1
				50	0	1	20.81	21.3±1
10MHz	18900		16QAM	1	0	1	20.58	20.3±1
				1	24	1	20.60	20.3±1
				1	49	1	20.64	20.3±1
				25	0	2	20.15	20.3±1
				25	12	2	20.19	20.3±1
				25	24	2	20.27	20.3±1
				50	0	2	20.86	20.3±1
				1	0	0	21.99	21.3±1
				1	24	0	21.86	21.3±1
				1	49	0	21.61	21.3±1
			QPSK	25	0	1	20.95	21.3±1
				25	12	1	20.96	21.3±1
				25	24	1	20.96	21.3±1
		405-		50	0	1	20.76	21.3±1
	19150	1905		1	0	1	21.64	21.3±1
				1	24	1	21.35	21.3±1
				1	49	1	21.16	21.3±1
			16QAM	25	0	2	20.54	21.3±1
				25	12	2	20.65	21.3±1
				25	24	2	20.45	21.3±1
				50	0	2	20.87	21.3±1



Test Report	16050014-FCC-R2
Page	15 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.98	22.5±1
				1	12	0	21.99	22.5±1
				1	24	0	22.10	22.5±1
			QPSK	12	0	1	20.94	21.3±1
				12	6	1	20.95	21.3±1
				12	11	1	20.93	21.3±1
	40625	4053.5		25	0	1	20.93	21.3±1
	18625	1852.5		1	0	1	20.98	21.3±1
				1	12	1	21.03	21.3±1
				1	24	1	21.06	21.3±1
			16QAM	12	0	2	20.78	21.3±1
				12	6	2	20.76	21.3±1
				12	11	2	20.78	21.3±1
				25	0	2	20.82	21.3±1
				1	0	0	21.64	21.3±1
				1	12	0	21.68	21.3±1
				1	24	0	21.80	21.3±1
		1880.0	QPSK	12	0	1	20.94	21.3±1
				12	6	1	20.96	21.3±1
				12	11	1	20.93	21.3±1
	40000			25	0	1	20.88	21.3±1
5MHz	18900			1	0	1	20.91	21.3±1
				1	12	1	20.99	21.3±1
				1	24	1	21.00	21.3±1
			16QAM	12	0	2	20.56	21.3±1
				12	6	2	20.59	21.3±1
				12	11	2	20.58	21.3±1
				25	0	2	20.94	21.3±1
				1	0	0	21.91	21.3±1
				1	12	0	21.84	21.3±1
				1	24	0	21.66	21.3 ± 1
			QPSK	12	0	1	20.97	21.3 ± 1
				12	6	1	20.96	21.3±1
				12	11	1	20.93	21.3±1
	10175	1907.5		25	0	1	20.88	21.3±1
	19175	1907.5		1	0	1	20.52	21.3±1
				1	12	1	20.46	21.3±1
				1	24	1	20.44	21.3±1
			16QAM	12	0	2	20.75	21.3±1
				12	6	2	20.56	21.3±1
				12	11	2	20.69	21.3±1
				25	0	2	20.40	21.3±1



Test Report	16050014-FCC-R2
Page	16 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.93	22.5±1
				1	7	0	21.96	22.5 ± 1
				1	14	0	21.90	22.5±1
			QPSK	8	0	1	20.98	21.3±1
				8	4	1	20.95	21.3±1
				8	7	1	20.96	21.3±1
	18625	1852.5		15	0	1	20.91	21.3±1
	10023	1032.3		1	0	1	20.51	21.3±1
				1	7	1	20.53	21.3 ± 1
				1	14	1	20.56	21.3±1
			16QAM	8	0	2	20.87	21.3 ± 1
				8	4	2	20.53	21.3±1
				8	7	2	20.72	21.3 ± 1
				15	0	2	20.93	21.3 ± 1
				1	0	0	21.88	21.3 ± 1
				1	7	0	21.89	21.3 ± 1
				1	14	0	21.88	21.3 ± 1
		1880.0	QPSK	8	0	1	20.92	21.3±1
				8	4	1	20.96	21.3 ± 1
				8	7	1	20.95	21.3±1
3MHz	18900			15	0	1	21.01	21.3 ± 1
SIVILIZ	18900			1	0	1	20.60	21.3 ± 1
				1	7	1	20.50	21.3 ± 1
				1	14	1	20.40	21.3 ± 1
			16QAM	8	0	2	20.88	21.3 ± 1
				8	4	2	20.98	21.3 ± 1
				8	7	2	20.54	21.3 ± 1
				15	0	2	20.47	21.3 ± 1
				1	0	0	21.78	21.3±1
				1	7	0	21.65	21.3±1
				1	14	0	21.55	21.3 ± 1
			QPSK	8	0	1	20.84	21.3 ± 1
				8	4	1	20.83	21.3 ± 1
				8	7	1	20.82	21.3 ± 1
	19175	1907.5		15	0	1	20.87	21.3 ± 1
	191/3	1307.3		1	0	1	21.18	21.3±1
				1	7	1	21.11	21.3±1
				1	14	1	21.16	21.3±1
			16QAM	8	0	2	20.86	21.3±1
				8	4	2	20.88	21.3±1
				8	7	2	20.83	21.3±1
				15	0	2	20.48	21.3±1



Test Report	16050014-FCC-R2
Page	17 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.85	22.5±1
				1	2	0	21.88	22.5±1
				1	5	0	21.89	22.5±1
			QPSK	3	0	0	21.99	21.3±1
				3	1	0	21.95	21.3±1
				3	2	0	21.96	21.3±1
	10007	4050.7		6	0	1	20.89	21.3±1
	18607	1850.7		1	0	1	20.35	21.3±1
				1	2	1	20.34	21.3±1
				1	5	1	20.36	21.3±1
			16QAM	3	0	1	20.86	21.3±1
				3	1	1	20.58	21.3±1
				3	2	1	20.49	21.3±1
				6	0	2	20.89	21.3±1
				1	0	0	21.97	21.3±1
				1	2	0	21.96	21.3±1
				1	5	0	21.91	21.3±1
			QPSK	3	0	0	22.07	21.3±1
		1880.0		3	1	0	22.03	21.3±1
				3	2	0	22.08	21.3±1
1 40411-	10000			6	0	1	21.00	21.3±1
1.4MHz	18900			1	0	1	20.57	21.3±1
				1	2	1	20.56	21.3±1
				1	5	1	20.59	21.3±1
			16QAM	3	0	1	20.74	21.3±1
				3	1	1	20.88	21.3±1
				3	2	1	20.56	21.3±1
				6	0	2	20.85	21.3±1
				1	0	0	21.76	21.3±1
				1	2	0	21.73	21.3±1
				1	5	0	21.78	21.3±1
			QPSK	3	0	0	21.73	21.3±1
				3	1	0	21.76	21.3±1
				3	2	0	21.74	21.3±1
	10102	1909.3		6	0	1	20.86	21.3±1
	19193	1909.3		1	0	1	20.58	21.3±1
				1	2	1	20.56	21.3±1
				1	5	1	20.54	21.3±1
			16QAM	3	0	1	20.35	21.3±1
				3	1	1	20.39	21.3±1
				3	2	1	20.34	21.3±1
				6	0	2	20.81	21.3±1



Test Report	16050014-FCC-R2
Page	18 of 113

LTE Band 4:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.55	21.3±1
				1	49	0	21.68	21.3±1
				1	99	0	21.89	21.3±1
			QPSK	50	0	1	20.68	21.3±1
				50	24	1	20.79	21.3±1
				50	49	1	20.56	21.3±1
	20050	1720.0		100	0	1	20.31	21.3±1
	20050	1720.0		1	0	1	20.35	21.3±1
				1	49	1	20.49	21.3±1
				1	99	1	20.86	21.3±1
			16QAM	50	0	2	20.74	21.3±1
				50	24	2	20.58	21.3±1
				50	49	2	20.49	21.3±1
				100	0	2	20.36	21.3±1
				1	0	0	21.55	21.3±1
				1	49	0	21.69	21.3±1
		5 1732.5	QPSK	1	99	0	21.81	21.3±1
				50	0	1	20.73	21.3±1
				50	24	1	20.75	21.3±1
				50	49	1	20.74	21.3±1
201411-	20475			100	0	1	20.73	21.3±1
20MHz	20175			1	0	1	20.88	21.3±1
				1	49	1	20.96	21.3±1
				1	99	1	21.09	21.3±1
			16QAM	50	0	2	20.68	21.3±1
				50	24	2	20.86	21.3±1
				50	49	2	20.87	21.3±1
				100	0	2	20.76	21.3±1
				1	0	0	21.94	21.3±1
				1	49	0	21.88	21.3±1
				1	99	0	21.62	21.3±1
			QPSK	50	0	1	20.33	21.3±1
				50	24	1	20.43	21.3±1
				50	49	1	20.36	21.3±1
	20200	1745 0		100	0	1	20.39	21.3±1
	20300	1745.0		1	0	1	21.31	21.3±1
				1	49	1	21.15	21.3±1
				1	99	1	20.89	21.3±1
			16QAM	50	0	2	20.87	21.3±1
				50	24	2	20.86	21.3±1
				50	49	2	20.84	21.3±1
				100	0	2	20.51	21.3±1



Test Report	16050014-FCC-R2
Page	19 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.55	21.3±1
				1	37	0	21.56	21.3±1
				1	74	0	21.76	21.3±1
			QPSK	36	0	1	20.37	21.3±1
				36	16	1	20.36	21.3±1
				36	35	1	20.39	21.3±1
				75	0	1	20.87	21.3±1
	20025	1717.5		1	0	1	20.76	21.3±1
				1	37	1	20.55	21.3±1
				1	74	1	20.42	21.3±1
			16QAM	36	0	2	20.56	21.3±1
				36	16	2	20.78	21.3±1
				36	35	2	20.59	21.3±1
				75	0	2	20.45	21.3±1
				1	0	0	21.68	21.3±1
				1	37	0	21.78	21.3±1
				1	74	0	21.95	21.3±1
		1732.5	QPSK	36	0	1	20.67	21.3±1
				36	16	1	20.65	21.3±1
				36	35	1	20.68	21.3±1
				75	0	1	20.75	21.3±1
15MHz	20175			1	0	1	20.66	21.3±1
				1	37	1	20.74	21.3±1
				1	74	1	21.05	21.3±1
			16QAM	36	0	2	20.46	21.3±1
				36	16	2	20.49	21.3±1
				36	35	2	20.48	21.3±1
				75	0	2	20.73	21.3±1
				1	0	0	21.78	21.3±1
				1	37	0	21.64	21.3±1
				1	74	0	21.59	21.3±1
			QPSK	36	0	1	20.50	21.3±1
				36	16	1	20.53	21.3±1
				36	35	1	20.54	21.3±1
	20225	1747 5		75	0	1	20.42	21.3±1
	20325	1747.5		1	0	1	21.44	21.3±1
				1	37	1	21.36	21.3±1
				1	74	1	21.15	21.3±1
			16QAM	36	0	2	20.98	21.3±1
				36	16	2	20.92	21.3±1
				36	35	2	20.95	21.3±1
				75	0	2	20.48	21.3±1



Test Report	16050014-FCC-R2
Page	20 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.59	21.3±1
				1	24	0	21.50	21.3±1
				1	49	0	21.42	21.3±1
			QPSK	25	0	1	20.42	21.3±1
				25	12	1	20.45	21.3±1
				25	24	1	20.43	21.3±1
	20000	4745.0		50	0	1	20.55	21.3±1
	20000	1715.0		1	0	1	20.71	21.3±1
				1	24	1	20.46	21.3±1
				1	49	1	20.88	21.3±1
			16QAM	25	0	2	20.66	21.3±1
				25	12	2	20.45	21.3±1
				25	24	2	20.63	21.3±1
				50	0	2	20.50	21.3±1
				1	0	0	21.87	21.3±1
				1	24	0	21.94	21.3±1
		1732.5		1	49	0	21.88	21.3±1
			QPSK	25	0	1	20.95	21.3±1
				25	12	1	20.96	21.3±1
				25	24	1	20.93	21.3±1
401411				50	0	1	20.82	21.3±1
10MHz	20175			1	0	1	20.57	20.3±1
				1	24	1	20.66	20.3±1
				1	49	1	20.75	20.3±1
			16QAM	25	0	2	20.16	20.3±1
				25	12	2	20.13	20.3±1
				25	24	2	20.11	20.3±1
				50	0	2	20.93	20.3±1
				1	0	0	21.42	21.3±1
				1	24	0	21.55	21.3±1
				1	49	0	21.68	21.3±1
			QPSK	25	0	1	20.55	21.3±1
				25	12	1	20.56	21.3±1
				25	24	1	20.58	21.3±1
	20250	47500		50	0	1	20.42	21.3±1
	20350	1750.0		1	0	1	21.14	21.3±1
				1	24	1	21.16	21.3±1
				1	49	1	21.20	21.3±1
			16QAM	25	0	2	20.98	21.3±1
				25	12	2	20.95	21.3±1
				25	24	2	20.93	21.3±1
				50	0	2	20.51	21.3±1



Test Report	16050014-FCC-R2
Page	21 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.72	21.3±1
				1	12	0	21.68	21.3±1
				1	24	0	21.60	21.3±1
			QPSK	12	0	1	20.60	21.3±1
				12	6	1	20.63	21.3±1
				12	11	1	20.65	21.3±1
	20000	4745.0		25	0	1	20.52	21.3±1
	20000	1715.0		1	0	1	20.73	21.3±1
				1	12	1	20.64	21.3±1
				1	24	1	20.55	21.3±1
			16QAM	12	0	2	20.35	21.3±1
				12	6	2	20.36	21.3±1
				12	11	2	20.38	21.3±1
				25	0	2	20.59	21.3±1
				1	0	0	21.99	21.3±1
		1732.5		1	12	0	21.99	21.3±1
				1	24	0	22.03	21.3±1
			QPSK	12	0	1	21.07	21.3±1
				12	6	1	21.03	21.3±1
				12	11	1	20.55	21.3±1
5 N AL I				25	0	1	20.93	21.3±1
5MHz	20175			1	0	1	20.61	21.3±1
				1	12	1	20.70	21.3±1
				1	24	1	20.77	21.3±1
			16QAM	12	0	2	20.45	21.3±1
				12	6	2	20.48	21.3±1
				12	11	2	20.43	21.3±1
				25	0	2	20.83	21.3±1
				1	0	0	21.40	21.3±1
				1	12	0	21.56	21.3±1
				1	24	0	21.74	21.3±1
			QPSK	12	0	1	20.57	21.3±1
				12	6	1	20.56	21.3±1
				12	11	1	20.58	21.3±1
	20250	17500		25	0	1	20.59	21.3±1
	20350	1750.0		1	0	1	20.66	21.3±1
				1	12	1	20.78	21.3±1
				1	24	1	20.91	21.3±1
			16QAM	12	0	2	20.76	21.3±1
				12	6	2	20.75	21.3±1
				12	11	2	20.77	21.3±1
				25	0	2	20.56	21.3±1



Test Report	16050014-FCC-R2
Page	22 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.64	21.3±1
				1	7	0	21.53	21.3±1
				1	14	0	21.48	21.3±1
			QPSK	8	0	1	20.57	21.3±1
				8	4	1	20.53	21.3±1
				8	7	1	20.58	21.3±1
				15	0	1	20.53	21.3±1
	19965	1711.5		1	0	1	20.77	21.3±1
				1	7	1	20.56	21.3±1
				1	14	1	20.42	21.3±1
			16QAM	8	0	2	20.48	21.3±1
				8	4	2	20.46	21.3±1
				8	7	2	20.44	21.3±1
				15	0	2	20.53	21.3±1
				1	0	0	22.07	21.3±1
				1	7	0	22.05	21.3±1
	MHz 20175	5 1732.5		1	14	0	22.02	21.3±1
			QPSK	8	0	1	21.03	21.3±1
				8	4	1	21.01	21.3±1
				8	7	1	20.98	21.3±1
				15	0	1	21.02	21.3±1
3MHz			16QAM	1	0	1	20.74	21.3±1
				1	7	1	20.73	21.3±1
				1	14	1	20.72	21.3±1
				8	0	2	20.93	21.3±1
				8	4	2	20.96	21.3±1
				8	7	2	20.95	21.3±1
				15	0	2	20.52	21.3±1
				1	0	0	21.46	21.3±1
				1	7	0	21.55	21.3±1
				1	14	0	21.66	21.3±1
			QPSK	8	0	1	20.60	21.3±1
				8	4	1	20.64	21.3±1
				8	7	1	20.63	21.3±1
	20205	17525		15	0	1	20.64	21.3±1
	20385	1753.5		1	0	1	21.06	21.3±1
				1	7	1	21.11	21.3±1
				1	14	1	21.19	21.3±1
			16QAM	8	0	2	20.60	21.3±1
				8	4	2	20.64	21.3±1
				8	7	2	20.63	21.3±1
				15	0	2	20.83	21.3±1



Test Report	16050014-FCC-R2
Page	23 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	21.67	21.3 ± 1
				1	2	0	21.65	21.3 ± 1
				1	5	0	21.63	21.3 ± 1
			QPSK	3	0	0	21.69	21.3 ± 1
				3	1	0	21.65	21.3±1
				3	2	0	21.63	21.3±1
	19957	1710.7		6	0	1	20.69	21.3±1
	19957	1/10./		1	0	1	21.24	21.3±1
				1	2	1	21.26	21.3±1
				1	5	1	21.28	21.3±1
			16QAM	3	0	1	21.15	21.3±1
				3	1	1	20.46	21.3±1
				3	2	1	20.58	21.3±1
				6	0	2	20.62	21.3±1
				1	0	0	22.21	21.3±1
				1	2	0	22.15	21.3±1
		1732.5	QPSK	1	5	0	22.02	21.3±1
				3	0	0	21.94	21.3±1
				3	1	0	21.93	21.3±1
				3	2	0	21.96	21.3±1
				6	0	1	21.12	21.3±1
1.4MHz	20175		16QAM	1	0	1	20.78	21.3±1
				1	2	1	20.77	21.3±1
				1	5	1	20.74	21.3±1
				3	0	1	20.56	21.3±1
				3	1	1	20.59	21.3±1
				3	2	1	20.54	21.3±1
				6	0	2	20.68	21.3±1
				1	0	0	21.58	21.3±1
				1	2	0	21.68	21.3±1
				1	5	0	21.80	21.3±1
			QPSK	3	0	0	21.62	21.3±1
				3	1	0	21.64	21.3±1
				3	2	0	21.65	21.3±1
		4==		6	0	1	20.76	21.3±1
	20393	1754.3		1	0	1	20.61	21.3±1
				1	2	1	20.76	21.3±1
				1	5	1	20.44	21.3±1
			16QAM	3	0	1	20.75	21.3±1
				3	1	1	20.59	21.3±1
				3	2	1	20.89	21.3±1
				6	0	2	20.74	21.3±1



Test Report	16050014-FCC-R2
Page	24 of 113

LTE Band 5:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.78	22±1
				1	24	0	22.65	22±1
				1	49	0	22.48	22±1
			QPSK	25	0	1	21.62	22±1
				25	12	1	21.63	22±1
				25	24	1	21.64	22±1
	20450	829		50	0	1	21.26	22±1
	20430	023		1	0	1	21.34	21.3±1
				1	24	1	21.25	21.3±1
				1	49	1	21.02	21.3±1
			16QAM	25	0	2	20.76	21.3±1
				25	12	2	20.72	21.3±1
				25	24	2	20.73	21.3±1
				50	0	2	20.35	21.3±1
				1	0	0	22.36	22±1
				1	24	0	22.46	22±1
				1	49	0	22.71	22±1
		836.5	QPSK	25	0	1	21.29	22±1
	OMHz 20525			25	12	1	21.25	22±1
				25	24	1	21.26	22±1
10MHz				50	0	1	21.30	22±1
10141112	20323			1	0	1	21.02	21.3±1
				1	24	1	21.15	21.3±1
				1	49	1	21.36	21.3±1
			16QAM	25	0	2	20.68	21.3±1
				25	12	2	20.69	21.3±1
				25	24	2	20.65	21.3±1
				50	0	2	20.38	21.3±1
				1	0	0	22.47	22±1
				1	24	0	22.36	22±1
				1	49	0	22.27	22±1
			QPSK	25	0	1	21.53	22±1
				25	12	1	21.56	22±1
				25	24	1	21.54	22 ± 1
	20600	844		50	0	1	21.39	22±1
	20000	J + +		1	0	1	22.08	21.3±1
				1	24	1	21.99	21.3±1
				1	49	1	21.92	21.3±1
			16QAM	25	0	2	20.85	21.3±1
				25	12	2	20.83	21.3±1
				25	24	2	20.81	21.3±1
				50	0	2	20.43	21.3 ± 1



Test Report	16050014-FCC-R2
Page	25 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.91	22±1
				1	12	0	22.85	22±1
				1	24	0	22.70	22±1
			QPSK	12	0	1	21.74	22±1
				12	6	1	21.76	22±1
				12	11	1	21.72	22±1
	20425	826.5		25	0	1	21.68	22±1
	20425	620.5		1	0	1	21.78	21.3 ± 1
				1	12	1	21.75	21.3 ± 1
				1	24	1	21.68	21.3 ± 1
			16QAM	12	0	2	20.84	21.3 ± 1
				12	6	2	20.82	21.3 ± 1
				12	11	2	20.83	21.3±1
				25	0	2	20.70	21.3 ± 1
				1	0	0	22.39	22±1
		836.5		1	12	0	22.42	22±1
				1	24	0	22.57	22±1
			QPSK	12	0	1	21.46	22±1
				12	6	1	21.45	22±1
				12	11	1	21.48	22±1
E N 41.1-	20525			25	0	1	21.34	22±1
5MHz	20525			1	0	1	21.59	21.3 ± 1
				1	12	1	21.65	21.3±1
				1	24	1	21.70	21.3 ± 1
			16QAM	12	0	2	20.76	21.3±1
				12	6	2	20.72	21.3±1
				12	11	2	20.75	21.3±1
				25	0	2	20.38	21.3±1
				1	0	0	22.69	22±1
				1	12	0	22.59	22±1
				1	24	0	22.22	22±1
			QPSK	12	0	1	21.74	22±1
				12	6	1	21.75	22±1
				12	11	1	21.76	22±1
	20025	046 =		25	0	1	21.45	22±1
	20625	846.5		1	0	1	21.38	21.3±1
				1	12	1	21.25	21.3±1
				1	24	1	21.18	21.3±1
			16QAM	12	0	2	20.78	21.3±1
				12	6	2	20.85	21.3±1
				12	11	2	20.83	21.3±1
				25	0	2	20.62	21.3±1



Test Report	16050014-FCC-R2
Page	26 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.79	22±1
				1	7	0	22.78	22±1
				1	14	0	22.70	22±1
			QPSK	8	0	1	21.73	22±1
				8	4	1	21.74	22±1
				8	7	1	21.71	22±1
	20415	025.5		15	0	1	21.70	22±1
	20415	825.5		1	0	1	21.36	21.3±1
				1	7	1	21.30	21.3 ± 1
				1	14	1	20.98	21.3 ± 1
			16QAM	8	0	2	20.62	21.3±1
				8	4	2	20.65	21.3±1
				8	7	2	20.63	21.3±1
				15	0	2	20.71	21.3±1
				1	0	0	22.39	22±1
				1	7	0	22.45	2 2 ±1
			QPSK	1	14	0	22.45	22±1
				8	0	1	21.40	22±1
		836.5		8	4	1	21.43	22±1
				8	7	1	21.45	22±1
28.411	20525			15	0	1	21.33	22±1
3MHz	20525			1	0	1	21.09	21.3±1
				1	7	1	21.10	21.3±1
				1	14	1	21.14	21.3±1
			16QAM	8	0	2	20.27	20.3±1
			200,	8	4	2	20.23	20.3±1
				8	7	2	20.25	20.3±1
				15	0	2	20.39	20.3±1
				1	0	0	22.32	22±1
				1	7	0	22.26	22±1
				1	14	0	22.16	22±1
			QPSK	8	0	1	21.62	22±1
				8	4	1	21.65	22±1
				8	7	1	21.65	22±1
				15	0	1	21.49	22±1
	20635	847.5		1	0	1	22.07	21.3±1
				1	7	1	21.98	21.3±1
				1	14	1	21.82	21.3±1
			16QAM	8	0	2	20.58	21.3±1
				8	4	2	20.56	21.3±1
				8	7	2	20.59	21.3±1
				15	0	2	20.63	21.3±1



Test Report	16050014-FCC-R2
Page	27 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.72	22 ± 1
				1	2	0	22.70	22 ± 1
				1	5	0	22.66	22 ± 1
			QPSK	3	0	0	22.85	$22\!\pm\!1$
				3	1	0	22.84	22±1
				3	2	0	22.82	22 ± 1
	20407	824.7		6	0	1	21.78	22±1
	20407	024.7		1	0	1	21.17	21.3 ± 1
				1	2	1	21.16	21.3 ± 1
				1	5	1	21.12	21.3 ± 1
			16QAM	3	0	1	20.88	21.3 ± 1
				3	1	1	20.89	21.3 ± 1
				3	2	1	20.86	21.3±1
				6	0	2	20.72	21.3 ± 1
				1	0	0	22.48	22±1
			QPSK	1	2	0	22.49	22±1
				1	5	0	22.52	22±1
				3	0	0	22.54	22±1
		836.5		3	1	0	22.56	22±1
				3	2	0	22.53	22±1
1 45411-	20525			6	0	1	21.47	22±1
1.4MHz	20525			1	0	1	21.12	21.3 ± 1
				1	2	1	21.11	21.3±1
				1	5	1	21.10	21.3 ± 1
			16QAM	3	0	1	20.88	21.3±1
				3	1	1	20.89	21.3±1
				3	2	1	20.85	21.3±1
				6	0	2	20.36	21.3±1
				1	0	0	22.39	22±1
				1	2	0	22.30	22±1
				1	5	0	22.28	22±1
			QPSK	3	0	0	22.41	22±1
				3	1	0	22.45	22±1
				3	2	0	22.43	22±1
	200:0	0.40.0		6	0	1	21.38	22±1
	20643	848.3		1	0	1	21.05	21.3±1
				1	2	1	21.04	21.3±1
				1	5	1	21.03	21.3±1
			16QAM	3	0	1	20.87	21.3±1
				3	1	1	20.84	21.3±1
				3	2	1	20.82	21.3±1
				6	0	2	20.33	21.3±1



Test Report	16050014-FCC-R2
Page	28 of 113

LTE Band 12:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.57	22±1
				1	24	0	22.46	22±1
				1	49	0	22.29	22±1
			QPSK	25	0	1	21.35	22±1
				25	12	1	21.34	22±1
				25	24	1	21.39	22±1
	23060	704		50	0	1	21.22	22±1
	23000	704		1	0	1	21.05	20.3±1
				1	24	1	20.98	20.3±1
				1	49	1	20.88	20.3±1
			16QAM	25	0	2	20.65	20.3±1
				25	12	2	20.64	20.3±1
				25	24	2	20.63	20.3±1
				50	0	2	20.27	20.3±1
				1	0	0	22.29	22±1
		707.5	QPSK	1	24	0	22.30	22±1
				1	49	0	22.38	22±1
				25	0	1	21.21	22±1
				25	12	1	21.19	22±1
				25	24	1	21.10	22±1
10MHz	23095			50	0	1	21.07	22±1
10141112	23033		16QAM	1	0	1	20.93	21.3±1
				1	24	1	21.02	21.3±1
				1	49	1	21.09	21.3±1
				25	0	2	20.65	21.3±1
				25	12	2	20.63	21.3±1
				25	24	2	20.68	21.3±1
				50	0	2	20.42	21.3±1
				1	0	0	22.04	21.3±1
				1	24	0	21.85	21.3±1
				1	49	0	21.65	21.3±1
			QPSK	25	0	1	21.30	21.3±1
				25	12	1	21.36	21.3±1
				25	24	1	21.42	21.3±1
	23130	711		50	0	1	21.01	21.3±1
	23130	,,,,		1	0	1	21.65	21.3±1
				1	24	1	21.47	21.3±1
				1	49	1	21.25	21.3±1
			16QAM	25	0	2	20.77	21.3±1
				25	12	2	20.74	21.3±1
				25	24	2	20.73	21.3±1
				50	0	2	20.82	21.3±1



Test Report	16050014-FCC-R2
Page	29 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.47	22±1
				1	12	0	22.45	22±1
				1	24	0	22.41	22±1
			QPSK	12	0	1	21.61	22±1
				12	6	1	21.53	22±1
				12	11	1	21.64	22±1
	23035	701.5		25	0	1	21.32	22±1
	23035	701.5		1	0	1	21.41	21.3±1
				1	12	1	21.35	21.3±1
				1	24	1	21.30	21.3±1
			16QAM	12	0	2	20.76	21.3±1
				12	6	2	20.75	21.3±1
				12	11	2	20.74	21.3±1
				25	0	2	20.34	21.3±1
				1	0	0	22.21	22±1
				1	12	0	22.26	22±1
		5 707.5	QPSK	1	24	0	22.31	22±1
				12	0	1	21.16	22±1
				12	6	1	21.19	22±1
				12	11	1	21.15	22±1
	••••			25	0	1	21.23	22±1
5MHz	23095			1	0	1	21.39	21.3±1
				1	12	1	21.46	21.3±1
				1	24	1	21.50	21.3±1
			16QAM	12	0	2	20.85	21.3±1
				12	6	2	20.83	21.3±1
				12	11	2	20.81	21.3±1
				25	0	2	20.67	21.3±1
				1	0	0	22.43	22±1
				1	12	0	22.06	22±1
				1	24	0	21.81	22±1
			QPSK	12	0	1	21.37	22±1
				12	6	1	21.56	22±1
				12	11	1	21.39	22±1
				25	0	1	21.13	22±1
	23155	713.5		1	0	1	21.03	21.3±1
				1	12	1	20.88	21.3±1
				1	24	1	20.51	21.3±1
			16QAM	12	0	2	20.53	21.3±1
				12	6	2	20.62	21.3±1
				12	11	2	20.64	21.3±1
				25	0	2	20.56	21.3±1



Test Report	16050014-FCC-R2
Page	30 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.46	22±1
				1	7	0	22.50	22±1
				1	14	0	22.51	22±1
			QPSK	8	0	1	21.57	22±1
				8	4	1	21.56	22±1
				8	7	1	21.53	22±1
	23025	700.5		15	0	1	21.47	22±1
	23023	700.5		1	0	1	21.12	21.3 ± 1
				1	7	1	21.06	21.3 ± 1
				1	14	1	21.06	21.3 ± 1
			16QAM	8	0	2	20.46	21.3 ± 1
				8	4	2	20.45	21.3±1
				8	7	2	20.43	21.3±1
				15	0	2	20.54	21.3±1
				1	0	0	22.19	22±1
				1	7	0	22.20	22±1
				1	14	0	22.30	22±1
		707.5	QPSK	8	0	1	21.31	22±1
				8	4	1	21.35	22±1
				8	7	1	21.36	22±1
20.41.1-	22005			15	0	1	21.26	22±1
3MHz	23095		16QAM	1	0	1	20.84	20.3±1
				1	7	1	20.88	20.3±1
				1	14	1	20.95	20.3±1
				8	0	2	20.24	20.3±1
				8	4	2	20.23	20.3±1
				8	7	2	20.25	20.3±1
				15	0	2	20.29	20.3±1
				1	0	0	22.06	21.3±1
				1	7	0	22.00	21.3±1
				1	14	0	21.60	21.3±1
			QPSK	8	0	1	20.98	21.3±1
				8	4	1	20.95	21.3±1
				8	7	1	20.93	21.3±1
				15	0	1	20.98	21.3±1
	23025	714.5		1	0	1	21.72	21.3±1
				1	7	1	21.70	21.3±1
				1	14	1	21.26	21.3±1
			16QAM	8	0	2	20.92	21.3±1
				8	4	2	20.96	21.3±1
				8	7	2	20.95	21.3±1
				15	0	2	20.79	21.3±1



Test Report	16050014-FCC-R2
Page	31 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.47	22±1
				1	2	0	22.46	22±1
				1	5	0	22.00	22±1
			QPSK	3	0	0	22.54	22±1
				3	1	0	22.59	22±1
				3	2	0	22.53	22±1
	23017	699.7		6	0	1	21.65	22±1
	23017	699.7		1	0	1	20.98	21.3±1
				1	2	1	21.16	21.3±1
				1	5	1	21.12	21.3±1
			16QAM	3	0	1	20.75	21.3±1
				3	1	1	20.73	21.3±1
				3	2	1	20.78	21.3±1
				6	0	2	20.46	$\begin{array}{c} 22 \pm 1 \\ 21.3 \pm 1 \\ \end{array}$
				1	0	0	22.10	21.3±1
				1	2	0	22.05	21.3±1
				1	5	0	22.03	21.3±1
			QPSK	3	0	0	22.11	21.3±1
				3	1	0	22.15	21.3±1
		707.5		3	2	0	22.13	21.3±1
				6	0	1	21.18	21.3±1
1.4MHz	23095			1	0	1	20.79	21.3±1
				1	2	1	20.76	21.3±1
				1	5	1	20.78	21.3±1
			16QAM	3	0	1	20.78	21.3±1
				3	1	1	20.79	21.3±1
				3	2	1	20.76	21.3±1
				6	0	2	20.57	21.3±1
				1	0	0	21.84	
				1	2	0	21.79	
				1	5	0	21.74	
			QPSK	3	0	0	21.91	
				3	1	0	21.93	
				3	2	0	21.86	21.3±1
				6	0	1	20.91	21.3±1
	23173	715.3		1	0	1	20.32	21.3±1
				1	2	1	21.24	21.3±1
				1	5	1	21.19	21.3±1
			16QAM	3	0	1	20.52	21.3±1
				3	1	1	21.13	21.3±1
				3	2	1	21.13	21.3±1
				6	0	2	20.92	21.3±1



Test Report	16050014-FCC-R2
Page	32 of 113

LTE Band 17:

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.27	22±1
				1	24	0	22.25	22±1
				1	49	0	22.25	22±1
			QPSK	25	0	1	21.06	22±1
				25	12	1	21.05	22±1
				25	24	1	21.03	22±1
	23780	709.0		50	0	1	21.05	22 ± 1
	23780	709.0		1	0	1	20.77	21.3 ± 1
				1	24	1	20.77	21.3 ± 1
				1	49	1	20.78	21.3 ± 1
			16QAM	25	0	2	20.46	21.3 ± 1
				25	12	2	20.48	21.3 ± 1
				25	24	2	20.43	21.3±1
				50	0	2	21.07	21.3±1
				1	0	0	22.05	21.3 ± 1
				1	24	0	22.09	21.3±1
				1	49	0	22.11	21.3±1
			QPSK	25	0	1	21.21	21.3±1
		701.0		25	12	1	21.22	21.3±1
				25	24	1	21.23	21.3±1
100411-	23790			50	0	1	21.10	21.3±1
10MHz		701.0		1	0	1	20.64	21.3±1
				1	24	1	20.66	21.3±1
				1	49	1	20.73	21.3±1
			16QAM	25	0	2	20.48	21.3±1
			202	25	12	2	20.48	21.3±1
				25	24	2	20.41	21.3±1
				50	0	2	21.19	21.3±1
				1	0	0	22.10	21.3±1
				1	24	0	21.96	21.3±1
				1	49	0	21.68	21.3±1
			QPSK	25	0	1	21.10	21.3±1
				25	12	1	21.14	21.3±1
				25	24	1	21.45	21.3±1
	22000	714.0		50	0	1	20.98	21.3±1
	23800	711.0		1	0	1	21.71	21.3±1
				1	24	1	21.56	21.3±1
				1	49	1	21.30	21.3±1
			16QAM	25	0	2	20.59	21.3±1
				25	12	2	20.56	21.3±1
				25	24	2	20.51	21.3±1
				50	0	2	21.14	21.3±1



Test Report	16050014-FCC-R2
Page	33 of 113

BW (MHz)	Ch	Freq. (MHz)	Mode	UL RB Allocation	UL RB Offset	MPR	Average power (dBm)	Tune up Power tolerant
				1	0	0	22.36	22±1
				1	12	0	22.35	22±1
				1	24	0	22.35	22±1
			QPSK	12	0	1	21.13	22±1
				12	6	1	21.15	22±1
				12	11	1	21.14	22±1
	23755	706.5		25	0	1	21.06	22±1
	23/33	706.5		1	0	1	21.28	21.3±1
				1	12	1	21.26	21.3±1
				1	24	1	21.27	21.3 ± 1
			16QAM	12	0	2	20.58	21.3±1
				12	6	2	20.56	21.3±1
				12	11	2	20.57	21.3±1
				25	0	2	21.11	21.3±1
				1	0	0	22.11	21.3±1
				1	12	0	22.16	21.3±1
				1	24	0	22.30	21.3±1
			QPSK	12	0	1	21.21	21.3±1
		710.0		12	6	1	21.23	21.3±1
				12	11	1	21.24	21.3±1
				25	0	1	21.32	21.3±1
5MHz	23790			1	0	1	21.76	21.3±1
				1	12	1	21.65	21.3±1
				1	24	1	21.55	21.3±1
			16QAM	12	0	2	20.56	21.3±1
				12	6	2	20.53	21.3±1
				12	11	2	20.54	21.3±1
				25	0	2	21.31	21.3±1
				1	0	0	22.46	21.3±1
				1	12	0	22.26	21.3±1
				1	24	0	21.73	21.3±1
			QPSK	12	0	1	21.32	21.3±1
				12	6	1	21.35	21.3±1
				12	11	1	21.36	21.3±1
				25	0	1	21.07	21.3±1
	23825	713.5		1	0	1	21.03	21.3±1
				1	12	1	20.78	21.3±1
				1	24	1	20.49	21.3±1
			16QAM	12	0	2	20.45	21.3±1
				12	6	2	20.48	21.3±1
				12	11	2	20.43	21.3±1
				25	0	2	21.20	21.3±1



Test Report	16050014-FCC-R2
Page	34 of 113

6.3 Peak-Average Ratio

Temperature	23°C
Relative Humidity	59%
Atmospheric Pressure	1026mbar
Test date :	March 26, 2016
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§24.232(d)	a)	The peak-to-average ratio (PAR) of the transmission may not	V
§ 27.50(d)		exceed 13 dB.	
Test Setup	•		
Test Procedure	1. The 2. Fred 3. Mea 4. The 5. The continutransm synced of the	signal analyzer's CCDF measurement profile is enabled quency = carrier center frequency asurement BW > Emission bandwidth of signal signal analyzer was set to collect one million samples to generate the Comeasurement interval was set depending on the type of signal analyzer was signals (>98% duty cycle), the measurement interval was set to 1 missions, the spectrum analyzer is set to use an internal "RF Burst" trigod with an incoming pulse and the measurement interval is set to less that "on time" of one burst to ensure that energy is only captured during a	d. For ns. For burst gger that is n the duration
Remark	uie ua	nsmitter is operating at maximum power	
Result	Pa	ss Fail	

Test Data	Yes	□ _{N/A}
Test Plot	Yes (See below)	✓ _{N/A}



Test Report	16050014-FCC-R2
Page	35 of 113

LTE Band 2 (part 24E)

DIA//AIII-)	DW/MH=) Frequency (MH=)			Conducted P	Peak-Average		
BW(MHz)	Frequency (MHz)	Mode	Modulation	Peak	Peak Average Ration 25.43 21.97 25.53 20.57 25.34 21.88 25.24 20.6 25 21.64 47 20.91		
4.4	4000	DD 4/0	QPSK	25.43	21.97	2.30	
1.4	1880	RB 1/0	16QAM	25.53	20.57	2.31	
	4000	DD 4/0	QPSK	25.34	21.88	1.77	
3	1880	RB 1/0	16QAM	25.24	20.6	3.03	
5	4000	DD 4/0	QPSK	25	21.64	2.01	
5	1880	RB 1/0	16QAM	47	20.91	2.30 2.31 1.77 3.03	
10	4000	4000	DB 4/0	QPSK	25.43	21.79	2.22
10	1880	RB 1/0	16QAM	25.36	20.58	3.52	
45	4000	DD 4/0	QPSK	25.36	21.64	2.37	
15	1880	RB 1/0	16QAM	25.39	21.36	3.37	
20	4000	DD 4/0	QPSK	25.43	22.00	2.03	
20	1880	RB 1/0	16QAM	25.46	21.46	3.17	

LTE Band 4 (part 27)

D\A/(\A _\	DW/MU=) Fraguency (MU=)		Modulation	Conducted P	Peak-Average	
BW(MHz)	Frequency (MHz)	Mode	Modulation	Peak	Average	Peak-Average Ratio (PAR) 2.96 3.44 3.06 3.37 3.23 2.75 3.85 3.22
1.4	4722.5	RB 1/0	QPSK	25.63	22.21	2.96
1.4	1732.5	KD 1/0	16QAM	25.34	20.78	3.44
3	4722.5	DD 4/0	QPSK	25.46	22.07	3.06
3	1732.5	RB 1/0	16QAM	25.42	20.74	3.37
<i>E</i>	4722 E	DD 4/0	QPSK	25.39	21.72	3.23
5	1732.5	RB 1/0	16QAM	25.38	20.73	Ratio (PAR) 2.96 3.44 3.06 3.37 3.23 2.75 3.85
40	4722 F	DD 4/0	QPSK	25.48	21.87	3.85
10	1732.5	RB 1/0	16QAM	25.47	20.57	3.22
45	4722 F		QPSK	25.41	21.68	2.9
15	1732.5	RB 1/0	16QAM	25.39	20.66	3.17
20	4722.5	DB 1/0	QPSK	25.46	21.55	3.86
20	1732.5	RB 1/0	16QAM	25.43	20.88	3.98



Test Report	16050014-FCC-R2			
Page	36 of 113			

LTE Band 5 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average
				Peak	Average	Ratio (PAR)
1.4	836.5	RB 1/0	QPSK	25.36	22.48	1.89
			16QAM	25.46	21.12	2.78
3	836.5	RB 1/0	QPSK	25.44	22.39	1.91
			16QAM	25.42	21.09	2.97
5	836.5	RB 1/0	QPSK	25.42	22.39	1.74
			16QAM	25.48	21.59	2.32
10	836.5	RB 1/0	QPSK	25.44	22.36	1.74
			16QAM	25.35	21.02	2.39

LTE Band 12 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average
				Peak	Average	Ratio (PAR)
1.4	707.5	RB 1/0	QPSK	25.63	22.1	1.89
			16QAM	25.46	20.79	2.78
3	707.5	RB 1/0	QPSK	25.62	22.19	1.91
			16QAM	25.53	20.87	2.97
5	707.5	RB 1/0	QPSK	25.13	22.21	1.74
			16QAM	25.47	21.39	2.32
10	707.5	RB 1/0	QPSK	25.64	22.29	1.74
			16QAM	25.39	20.93	2.39

LTE Band 17 (part 27)

BW(MHz)	Frequency (MHz)	Mode	Modulation	Conducted Power (dBm)		Peak-Average
				Peak	Average	Ratio (PAR)
5	710	RB 1/0	QPSK	25.45	22.11	1.63
			16QAM	25.48	21.76	2.85
10	710	RB 1/0	QPSK	25.35	22.05	2.14
			16QAM	25.47	20.64	2.95



Test Report	16050014-FCC-R2
Page	37 of 113

6.4 Occupied Bandwidth

Temperature	23°C
Relative Humidity	59%
Atmospheric Pressure	1026mbar
Test date :	March 26&28&29, 2016
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable			
§2.1049, §22.917,	a)	99% Occupied Bandwidth(kHz)	V			
§22.905 §24.238 §27.53(a)	b)	26 dB Bandwidth(kHz)	V			
Test Setup						
Test Procedure	-	The EUT was connected to Spectrum Analyzer and Base power divider. The 99% and 26 dB occupied bandwidth (BW) of the midd for the highest RF powers.				
Remark						
Result	☑ Pa	ss Fail				

Test Data	Yes	□ _{N/A}
Test Plot	Yes (See below)	□ _{N/A}



Test Report	16050014-FCC-R2
Page	38 of 113

LTE Band 2 (Part 24E)

	Banu Z (Pai	Frequency		99% Occupied	26 dB Bandwidth
BW(MHz)	Channel	(MHz)	Modulation	Bandwidth (MHz)	(MHz)
			16QAM	1.1067	1.327
1.4	18607	1850.7	QPSK	1.1045	1.335
			16QAM	1.1036	1.321
1.4	18900	1880	QPSK	1.1018	1.318
	10.100	4000.0	16QAM	1.1077	1.342
1.4	19193	1909.3	QPSK	1.1011	1.353
0	40045	4054.5	16QAM	2.7400	3.141
3	18615	1851.5	QPSK	2.7424	3.114
0	40000	4000	16QAM	2.7308	3.113
3	18900	1880	QPSK	2.7349	3.123
0	40405	4000 F	16QAM	2.7560	3.183
3	3 19185	1908.5	QPSK	2.7502	3.140
-	40005	4050.5	16QAM	4.5083	5.073
5	18625	1852.5	QPSK	4.5012	5.056
Г	40000	4000	16QAM	4.4945	5.079
5	18900	1880	QPSK	4.5059	5.060
F	40475	4007 F	16QAM	4.5078	5.081
5	19175	1907.5	QPSK	4.5010	5.023
40	40050	4055	16QAM	9.0460	10.084
10	18650	1855	QPSK	9.0257	9.980
40	40000	4000	16QAM	9.0542	10.121
10	18900	1880	QPSK	9.0054	10.134
10	10150	1005	16QAM	9.0465	10.240
10	19150	1905	QPSK	9.0936	10.227
15	10675	0075	16QAM	13.4096	14.830
15	18675	1857.5	QPSK	13.4439	14.852
15	10000	1880	16QAM	13.4171	14.903
15	18900	1000	QPSK	13.4114	14.890
15	10125	1902.5	16QAM	13.4732	14.914
15	19125	1902.5	QPSK	13.4590	14.904



Test Report	16050014-FCC-R2	
Page	39 of 113	

20 40700	4000	16QAM	17.8284	19.505	
20	18700	1860	QPSK	17.8631	19.350
40000	1000	16QAM	17.8888	19.486	
20	20 18900	1880	QPSK	17.8471	19.587
20	00 40400	1000	16QAM	17.8447	19.271
20 19100	0 1900	QPSK	17.8308	19.370	

LTE Band 4 (Part 27)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)	
		1710.7	16QAM	1.0971	1.315	
1.4	19957	1710.7	QPSK	1.0921	1.296	
4.4	00475	4700 F	16QAM	1.0955	1.347	
1.4	20175	1732.5	QPSK	1.0968	1.308	
4.4	20202	4754.0	16QAM	1.1021	1.301	
1.4	20393	1754.3	QPSK	1.1045	1.313	
٥	40005	4744.5	16QAM	2.7400	3.127	
3	19965	1711.5	QPSK	2.7312	3.154	
2	20175	4700 E	16QAM	2.7545	3.171	
3	20175	1732.5	QPSK	2.7438	3.164	
3	00005	00005	4750 F	16QAM	2.7620	3.140
၁	20385	1753.5	QPSK	2.7740	3.144	
5	5 40075	1710 5	16QAM	4.5011	5.105	
5	19975	19975 1712.5	QPSK	4.5142	5.063	
5	20175	4720 E	16QAM	4.5034	4.994	
5	20175	1732.5	QPSK	4.5060	5.129	
5	20375	1752.5	16QAM	4.5091	5.077	
5	20375	1752.5	QPSK	4.5101	5.061	
10	20000	1715	16QAM	9.0387	10.156	
10	20000	1715	QPSK	9.0401	10.227	
10	20175	1732.5	16QAM	9.0716	10.179	
10	20173	1732.3	QPSK	9.0657	9.995	
10	20350	1750	16QAM	9.0534	10.135	
10	20330	1730	QPSK	9.0569	10.036	



Test Report	16050014-FCC-R2
Page	40 of 113

45	15 20025	1717 5	16QAM	13.4216	14.757
15	20025	1717.5	QPSK	13.4175	14.837
15	20475	1732.5	16QAM	13.4854	14.808
15	20175	1732.5	QPSK	13.4634	14.958
15	20225	1747.5	16QAM	13.4535	14.886
15	15 20325		QPSK	13.4296	14.631
20	20 20050 1720	4700	16QAM	17.8573	19.273
20		QPSK	17.8518	19.389	
20	20175	1732.5	16QAM	17.9143	19.561
20	20 20175	1732.5	QPSK	17.8965	19.278
20 20300	17.15	16QAM	17.8461	19.219	
	20300 1745	QPSK	17.8308	19.209	

LTE Band 5 (Part 22H)

BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)
1.4	20407	924.7	16QAM	1.1094	1.312
1.4	20407	824.7	QPSK	1.0936	1.322
4.4	20525	026 5	16QAM	1.0962	1.326
1.4	20525	936.5	QPSK	1.1000	1.341
4.4	00040	040.0	16QAM	1.0950	1.311
1.4	20643	949.3	QPSK	1.0933	1.320
2	00.445	15 825.5	16QAM	2.7339	3.170
3	20415		QPSK	2.7412	3.128
0	00505	5 936.5	16QAM	2.7356	3.176
3	20525		QPSK	2.7369	3.150
0	20025	0.47.5	16QAM	2.7398	3.152
3	3 20635	847.5	QPSK	2.7323	3.104
-	00405	000 5	16QAM	4.5002	5.019
5	20425	826.5	QPSK	4.4968	5.032
-	20525	525 936.5	16QAM	4.4929	5.100
5	20525		QPSK	4.4990	5.064
F	20025	0.40.5	16QAM	4.5106	5.034
5 20625	20625 846.5	QPSK	4.5021	4.987	



Test Report	16050014-FCC-R2
Page	41 of 113

40 20450	000	16QAM	9.0440	9.998	
10	20450	829	QPSK	9.0553	10.192
40	10 20525	936.5	16QAM	9.0572	10.054
10			QPSK	9.0476	10.058
40 00000	844	16QAM	9.0381	9.977	
10 20800		QPSK	8.9961	10.030	

LTE Band 12 (Part 27)

		Frequency		99% Occupied	26 dB Bandwidth
BW(MHz)	Channel	(MHz)	Modulation	Bandwidth (MHz)	(MHz)
4.4			16QAM	1.0959	1.296
1.4	23017	699.7	QPSK	1.1059	1.318
4.4	02005	707.5	16QAM	1.1036	1.325
1.4	23095	707.5	QPSK	1.1044	1.342
1.4	02472	745.0	16QAM	1.0905	1.316
1.4	23173	715.3	QPSK	1.0912	1.311
3	23025	700.5	16QAM	2.7581	3.155
J	23025	700.5	QPSK	2.7488	3.154
2	02005		16QAM	2.7409	3.150
3	23095	707.5	QPSK	2.7515	3.126
3	23165	714.5	16QAM	2.7354	3.144
J	23105		QPSK	2.7332	3.126
5	23035	704.5	16QAM	4.5286	4.992
5		23033	701.5	QPSK	4.5383
5	02005	707.5	16QAM	4.4922	4.972
5	23095	707.5	QPSK	4.4786	5.039
5	22055	23055 713.5	16QAM	4.5311	5.071
5	23055		QPSK	4.5075	5.048
10	22060	704	16QAM	8.9806	10.109
10	10 23060		QPSK	9.0203	10.104
10	23095	707.5	16QAM	9.0303	10.199
10	23083		QPSK	9.0150	9.934
10	23130	22420 744	16QAM	9.1300	10.291
10 23130	3130 711	QPSK	9.1449	10.078	



Test Report	16050014-FCC-R2
Page	42 of 113

LTE Band 17 (Part 27)


BW(MHz)	Channel	Frequency (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Bandwidth (MHz)	
5	22755	706.5	16QAM	4.4856	5.034	
5	23755		QPSK	4.4902	4.980	
E	5 00700	710	16QAM	4.5115	5.001	
5	23790		QPSK	4.5241	5.143	
E	5 23825	713.5	16QAM	4.5188	5.099	
5			QPSK	4.5245	5.085	
10	23780	22700	700	16QAM	9.0279	9.957
10		23780 709	QPSK	9.0642	10.047	
10	40 00700	740	16QAM	9.0662	10.053	
10 23790	710	QPSK	9.1003	10.145		
40	40 00000	7.11	16QAM	9.1217	10.106	
10 23800	711	QPSK	9.1435	9.977		



Test Report	16050014-FCC-R2
Page	43 of 113


Test Plots

LTE Band 2 (Part 24E)






Test Report	16050014-FCC-R2
Page	44 of 113






Test Report	16050014-FCC-R2
Page	45 of 113






Test Report	16050014-FCC-R2
Page	46 of 113






Test Report	16050014-FCC-R2
Page	47 of 113






Test Report	16050014-FCC-R2
Page	48 of 113






Test Report	16050014-FCC-R2
Page	49 of 113

LTE Band 4 (Part 27)






Test Report	16050014-FCC-R2
Page	50 of 113






Test Report	16050014-FCC-R2
Page	51 of 113






Test Report	16050014-FCC-R2
Page	52 of 113






Test Report	16050014-FCC-R2
Page	53 of 113






Test Report	16050014-FCC-R2
Page	54 of 113






Test Report	16050014-FCC-R2
Page	55 of 113

LTE Band 5 (Part 22H)






Test Report	16050014-FCC-R2
Page	56 of 113






Test Report	16050014-FCC-R2
Page	57 of 113






Test Report	16050014-FCC-R2
Page	58 of 113






Test Report	16050014-FCC-R2
Page	59 of 113

LTE Band 12 (Part 27)






Test Report	16050014-FCC-R2
Page	60 of 113






Test Report	16050014-FCC-R2
Page	61 of 113






Test Report	16050014-FCC-R2
Page	62 of 113






Test Report	16050014-FCC-R2
Page	63 of 113

LTE Band 17 (Part 27)





Test Report	16050014-FCC-R2
Page	64 of 113





Test Report	16050014-FCC-R2
Page	65 of 113

6.5 Spurious Emissions at Antenna Terminals

Temperature	22°C
Relative Humidity	53%
Atmospheric Pressure	1029mbar
Test date :	March 29, 2016
Tested By:	Winnie Zhang

Requirement(s):


Spec	Item	Requirement	Applicable
	iteiii	·	Applicable
§2.1051,		The power of any emission outside of the authorized	
§22.917(a)&	a)	operating frequency ranges must be lower than the	
§24.238(a)	(a)	transmitter power (P) by a factor of at least 43 + 10 log	
§ 27.53(h)		(P) dB	
Test Setup			
Test Procedure	 The EUT was connected to Spectrum Analyzer and Base Station via power divider. The Band Edges of low and high channels for the highest RF powers were measured. Setting RBW as roughly BW/100. 		
Remark			
Result	☑ Pa	ss Fail	

Test Data	Yes	□ _{N/A}
Test Plot	Yes (See below)	$\square_{N/A}$



Test Report	16050014-FCC-R2
Page	66 of 113


Test Plots 30MHz-5GHz LTE Band 2 (Part 24E)





Test Report	16050014-FCC-R2
Page	67 of 113


LTE Band 4 (Part27) result





Test Report	16050014-FCC-R2
Page	68 of 113


LTE Band 5 (Part 22H)





Test Report	16050014-FCC-R2
Page	69 of 113


LTE Band 12 (Part 27)





Test Report	16050014-FCC-R2
Page	70 of 113

LTE Band 17 (Part 27)





Test Report	16050014-FCC-R2
Page	71 of 113

6.6 Spurious Radiated Emissions

Temperature	22°C
Relative Humidity	53%
Atmospheric Pressure	1029mbar
Test date :	March 29, 2016
Tested By:	Winnie Zhang

Requirement(s):							
Spec	Item	Requirement	Applicable				
§2.1053, §22.917 & §24.238 § 27.53(h)	a)	>					
Test setup		including its 10th harmonic. Ant. Tower Variable Support Units Ground Plane Test Receiver					
Test Procedure	 The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis. Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution. Sample Calculation: EUT Field Strength = Raw Amplitude (dBμV/m) – Amplifier Gain (dB) + Antenna Factor (dB) + Cable Loss (dB) + Filter Attenuation (dB, if used) 						



Test Report	16050014-FCC-R2
Page	72 of 113

Remark				
Result	Pass	☐ Fail		

Test Data Yes N/A

Test Plot Yes (See below)

LTE Band 2 (Part 24E) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3720	-46.13	V	10.25	2.73	-38.61	-13	-25.61
3720	-46.21	Н	10.25	2.73	-38.69	-13	-25.69
60.3	-40.01	V	-4.2	0.11	-44.32	-13	-31.32
225.4	-47.95	Н	4.6	0.18	-43.53	-13	-30.53

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3760	-46.47	V	10.25	2.73	-38.95	-13	-25.95
3760	-47.21	Н	10.25	2.73	-39.69	-13	-26.69
60.5	-40.32	V	-4.2	0.11	-44.63	-13	-31.63
225.1	-48.26	Н	4.6	0.18	-43.84	-13	-30.84

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3800	-45.79	V	10.36	2.73	-38.16	-13	-25.16
3800	-46.62	Н	10.36	2.73	-38.99	-13	-25.99
60.7	-40.23	V	-4.2	0.11	-44.54	-13	-31.54
225.5	-46.79	Н	4.6	0.18	-42.37	-13	-29.37

Note:

- 1, The testing has been conformed to 10*1907.5MHz=19,075MHz
- 2, All other emissions more than 30 dB below the limit



Test Report	16050014-FCC-R2
Page	73 of 113

LTE Band 4(Part27) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3440	-45.22	V	10.06	2.52	-37.68	-13	-24.68
3440	-47.84	Н	10.06	2.52	-40.3	-13	-27.30
60.8	-40.16	V	-4.2	0.11	-44.47	-13	-31.47
225.9	-47.39	Н	4.6	0.18	-42.97	-13	-29.97

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3465	-46.11	V	10.09	2.52	-38.54	-13	-25.54
3465	-46.97	Н	10.09	2.52	-39.4	-13	-26.40
60.6	-39.84	V	-4.2	0.11	-44.15	-13	-31.15
225.3	-48.69	Н	4.6	0.18	-44.27	-13	-31.27

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
3490	-45.29	V	10.09	2.52	-37.72	-13	-24.72
3490	-47.91	Η	10.09	2.52	-40.34	-13	-27.34
60.4	-40.67	٧	-4.2	0.11	-44.98	-13	-31.98
225.7	-48.12	Н	4.6	0.18	-43.7	-13	-30.70

- 1, The testing has been conformed to 10*1752.5MHz=17,525MHz
- 2, All other emissions more than 30 dB below the limit



Test Report	16050014-FCC-R2
Page	74 of 113

LTE Band 5(Part22H) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1658	-45.35	V	7.95	0.78	-38.18	-13	-25.18
1658	-46.24	Н	7.95	0.78	-39.07	-13	-26.07
60.7	-41.31	V	-4.2	0.11	-45.62	-13	-32.62
225.1	-48.57	Н	4.6	0.18	-44.15	-13	-31.15

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1673	-44.84	V	7.95	0.78	-37.67	-13	-24.67
1673	-45.79	Н	7.95	0.78	-38.62	-13	-25.62
60.9	-41.18	V	-4.2	0.11	-45.49	-13	-32.49
225.2	-48.67	Н	4.6	0.18	-44.25	-13	-31.25

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1688	-45.05	V	7.95	0.78	-37.88	-13	-24.88
1688	-46.22	Н	7.95	0.78	-39.05	-13	-26.05
60.1	-40.37	V	-4.2	0.11	-44.68	-13	-31.68
225.6	-49.03	Н	4.6	0.18	-44.61	-13	-31.61

- 1, The testing has been conformed to 10*846.5MHz=8,465MHz 2, All other emissions more than 30 dB below the limit



Test Report	16050014-FCC-R2
Page	75 of 113

LTE Band 12(Part27) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1408	-48.12	V	7.65	0.75	-41.22	-13	-28.22
1408	-46.32	Н	7.65	0.75	-39.42	-13	-26.42
602.3	-50.89	V	6.5	0.36	-44.75	-13	-31.75
759.8	-50.17	Н	6.8	0.44	-43.81	-13	-30.81

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1415	-47.69	V	7.65	0.75	-40.79	-13	-27.79
1415	-45.89	Н	7.65	0.75	-38.99	-13	-25.99
602.6	-50.05	V	6.5	0.36	-43.91	-13	-30.91
759.3	-50.43	Н	6.8	0.44	-44.07	-13	-31.07

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1422	-46.79	V	7.65	0.75	-39.89	-13	-26.89
1422	-47.88	Η	7.65	0.75	-40.98	-13	-27.98
602.5	-50.37	V	6.5	0.36	-44.23	-13	-31.23
759.4	-50.21	Н	6.8	0.44	-43.85	-13	-30.85

- 1, The testing has been conformed to 10*715.3MHz=7,153MHz
- 2, All other emissions more than 30 dB below the limit



Test Report	16050014-FCC-R2
Page	76 of 113

LTE Band 17(Part27) result

Low channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1418	-44.23	V	7.65	0.75	-37.33	-13	-24.33
1418	-45.17	Н	7.65	0.75	-38.27	-13	-25.27
60.1	-41.35	V	-4.2	0.11	-45.66	-13	-32.66
225.6	-47.29	Н	4.6	0.18	-42.87	-13	-29.87

Middle channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1420	-44.05	V	7.65	0.75	-37.15	-13	-24.15
1420	-45.64	Н	7.65	0.75	-38.74	-13	-25.74
60.6	-40.96	V	-4.2	0.11	-45.27	-13	-32.27
225.3	-47.88	Н	4.6	0.18	-43.46	-13	-30.46

High channel

Frequency (MHz)	Substituted level (dBm)	Polarity (H/V)	Antenna Gain Correction (dB)	Cable Loss (dB)	Corrected Reading (dBm)	Limit (dBm)	Margin (dB)
1422	-43.87	V	7.65	0.75	-36.97	-13	-23.97
1422	-45.62	Η	7.65	0.75	-38.72	-13	-25.72
60.5	-41.47	V	-4.20	0.11	-45.78	-13	-32.78
225.8	-49.03	Н	4.60	0.18	-44.61	-13	-31.61

- 1, The testing has been conformed to 10*713.5MHz=7,135MHz
- 2, All other emissions more than 30 dB below the limit



Test Report	16050014-FCC-R2
Page	77 of 113

6.7 Band Edge

Temperature	23°C
Relative Humidity	54%
Atmospheric Pressure	1030mbar
Test date :	March 30, 2016
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement	Applicable
§22.917(a) §24.238(a) § 27.53(h)	a)	The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least 43 + 10 log (P) dB.	V
Test setup	•		
Procedure	-	The EUT was connected to Spectrum Analyzer and Base S power divider. The Band Edges of low and high channels for the highest R were measured. Setting RBW as roughly BW/100.	
Remark			
Result	✓ Pa	ss Fail	

Test Data	Yes	□ _{N/A}
Test Plot	Yes (See below)	□ _{N/A}



Test Report	16050014-FCC-R2
Page	78 of 113

LTE Band 2 (Part 24E) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)	
4.4	10007	1050.7	QPSK	-20.00	-13	
1.4	18607	1850.7	16QAM	-27.13	-13	
4.4	40000	1000.0	QPSK	-19.92	-13	
1.4	18900	1909.3	16QAM	-20.19	-13	
2	40645	4054.5	QPSK	-15.60	-13	
3	18615	1851.5	16QAM	-14.42	-13	
0	40405	4000 5	QPSK	-14.41	-13	
3	3 19185	1908.5	16QAM	-16.92	-13	
		4050.5	QPSK	-15.69	-13	
5	18625	1852.5	16QAM	-16.40	-13	
E	19175	19175 1907.5	QPSK	-18.29	-13	
5			16QAM	-18.62	-13	
10	40050	18650 1855	QPSK	-30.08	-13	
10	18000		16QAM	-29.00	-13	
10	10150	4005	QPSK	-31.28	-13	
10	19150	1905	16QAM	-28.75	-13	
45	40675	40E7 E	QPSK	-22.06	-13	
15	15 18675	1857.5	16QAM	-22.43	-13	
45	40405	4000 5	QPSK	-22.59	-13	
15	19125	1902.5	16QAM	-21.91	-13	
20	10700	1960	QPSK	-23.14	-13	
20	18700	1860	16QAM	-23.89	-13	
20	10100	1000	QPSK	-23.81	-13	
20	19100	19100	1900	16QAM	-24.52	-13



Test Report	16050014-FCC-R2
Page	79 of 113

LTE Band 4 (Part 27) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)	
4.4	40057	4740.7	QPSK	-24.99	-13	
1.4	19957	1710.7	16QAM	-26.45	-13	
4.4	20202	4754.2	QPSK	-20.90	-13	
1.4	20393	1754.3	16QAM	-21.69	-13	
3	10065	1711.5	QPSK	-16.30	-13	
3	19965	1711.5	16QAM	-20.11	-13	
3	20385	1753.5	QPSK	-16.97	-13	
3	20305	1753.5	16QAM	-16.52	-13	
5	40075	40075 4740.5	1710 5	QPSK	-17.87	-13
5	19975	1712.5	16QAM	-18.52	-13	
5	20375	1752.5	QPSK	-18.38	-13	
5			16QAM	-18.63	-13	
10	20000	20000 1715	QPSK	-20.71	-13	
10	20000		16QAM	-18.00	-13	
10	20350 1	1750	QPSK	-20.62	-13	
10	20350	1750	16QAM	-20.62	-13	
15	20025	1717.5	QPSK	-18.34	-13	
15	20025	1717.5	16QAM	-22.03	-13	
15	20225	4747 E	QPSK	-25.30	-13	
15	20325	1747.5	16QAM	-24.41	-13	
20	20050	1720	QPSK	-24.50	-13	
20	20050	0050 1720	16QAM	-19.58	-13	
20	20200	1745	QPSK	-29.67	-13	
20	20300	1745	16QAM	-26.46	-13	



Test Report	16050014-FCC-R2
Page	80 of 113

LTE Band 5 (Part 22H) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
1.4	22.427	22.4	QPSK	-19.95	-13
1.4	20407	824.7	16QAM	-20.37	-13
1.4	20643	040.2	QPSK	-21.75	-13
1.4	20043	848.3	16QAM	-25.33	-13
3	00445	825.5	QPSK	-13.77	-13
3	20415	625.5	16QAM	-14.85	-13
3	20635	20635 847.5	QPSK	-16.83	-13
J	20033		16QAM	-15.16	-13
5	5 20425	826.5	QPSK	-16.68	-13
3			16QAM	-15.76	-13
E	5 20625	946 5	QPSK	-22.74	-13
5		846.5	16QAM	-21.02	-13
10	40 00450	000	QPSK	-14.48	-13
10 204	20450	829	16QAM	-17.00	-13
10	20800	944	QPSK	-21.74	-13
10 20800	844	16QAM	-21.68	-13	



Test Report	16050014-FCC-R2
Page	81 of 113

LTE Band 12 (Part 27) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
1.4		200 7	QPSK	-22.16	-13
1.4	23017	699.7	16QAM	-22.44	-13
1.4	02472	745.2	QPSK	-24.39	-13
1.4	23173	715.3	16QAM	-24.85	-13
3	7005	700.5	QPSK	-13.79	-13
3	23025	700.5	16QAM	-14.23	-13
3	23165 714.5	QPSK	-16.62	-13	
3	23100	714.5	16QAM	-16.50	-13
5	5 23035	701.5	QPSK	-16.35	-13
3			16QAM	-18.03	-13
ĸ	5 23155	713.5	QPSK	-17.19	-13
5		7 13.5	16QAM	-16.77	-13
10	40 00000	23060 704	QPSK	-17.62	-13
23060	23000		16QAM	-19.09	-13
10	22120	744	QPSK	-21.19	-13
10 23130	711	16QAM	-21.05	-13	

LTE Band 17 (Part 27) result

BW(MHz)	Channel	Frequency (MHz)	Mode	Emission (dBm)	Limit (dBm)
-	22755	700 F	QPSK	-17.65	-13
5	23755	706.5	16QAM	-19.35	-13
	5 23825	713.5	QPSK	-18.86	-13
5			16QAM	-18.03	-13
40	00700	700	QPSK	-19.04	-13
10	10 23780	709	16QAM	-18.89	-13
10 23800	744	QPSK	-20.00	-13	
	23800	711	16QAM	-19.66	-13



Test Report	16050014-FCC-R2
Page	82 of 113

Mkr1 1.910008 GHz


politicate about the property of the desired of the second of the second


Sweep 81.9 ms (1000 pts)

-19.92 dBm

Test Plots

LTE Band 2 (Part 24E)







Note: Offset=Cable loss (4.5) + 10log Note: Offset=Cable loss (4.5) + 10log (13.42/10)=4.5+1.3=5.8 dB (13.27/10)=4.5+1.2=5.7 dB



Test Report	16050014-FCC-R2
Page	83 of 113






LTE Band 2 - Low Channel QPSK-3


LTE Band 2 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log

Note: Offset=Cable loss (4.5) + 10log (31.40/30)=4.5+0.2=4.7 dB

(31.14/30)=4.5+0.2=4.7 dB







LTE Band 2 - Low Channel 16QAM-3

LTE Band 2 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log (31.41/30)=4.5+0.2=4.7 dB

Note: Offset=Cable loss (4.5) + 10log (31.83/30)=4.5+0.3=4.8 dB





LTE Band 2 - Low Channel QPSK-5


LTE Band 2 - High Channel QPSK-5




Test Report	16050014-FCC-R2
Page	84 of 113

Note: Offset=Cable loss (4.5) + 10log (50.56/30)=4.5+2.3=6.8 dB

Note: Offset=Cable loss (4.5) + 10log (50.23/30)=4.5+2.2=6.7dB







LTE Band 2 - Low Channel 16QAM-5

LTE Band 2 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log (50.73/30)=4.5+2.3=6.8 dB


Note: Offset=Cable loss (4.5) + 10log (50.81/30)=4.5+2.3=6.8 dB






LTE Band 2 - Low Channel QPSK-10

LTE Band 2 - High Channel QPSK-10





LTE Band 2 - Low Channel 16QAM-10


LTE Band 2 - High Channel 16QAM-10




Test Report	16050014-FCC-R2
Page	85 of 113

Note: Offset=Cable loss (4.5) + 10log (100.8/100)=4.5+0.0=4.5 dB

Note: Offset=Cable loss (4.5) + 10log (102.4/100)=4.5+0.0=4.5 dB







LTE Band 2 - Low Channel QPSK-15

LTE Band 2 - High Channel QPSK-15

Note: Offset=Cable loss (4.5) + 10log (148.52/100)=4.5+1.7=6.2dB Note: Offset=Cable loss (4.5) + 10log (149.04/100)=4.5+1.7=6.2 dB





LTE Band 2 - Low Channel 16QAM-15


LTE Band 2 - High Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log (148.3/100)=4.5+1.7=6.2 dB

Note: Offset=Cable loss (4.5) + 10log (149.14/100)=4.5+1.7=6.2 dB




Test Report	16050014-FCC-R2
Page	86 of 113






Test Report	16050014-FCC-R2
Page	87 of 113

LTE Band 4 (Part 27)







LTE Band 4 - Low Channel QPSK-1.4

LTE Band 4 - High Channel QPSK-1.4

Note: Offset=Cable loss (4.5) + 10log (12.96/10)=4.5+1.1=5.6dB

Note: Offset=Cable loss (4.5) + 10log (13.13/10)=4.5+1.2=5.7dB





LTE Band 4 - Low Channel 16QAM-1.4


LTE Band 4 - High Channel 16QAM-1.4


Note: Offset=Cable loss (4.5) + 10log (13.15/10)=4.5+1.2=5.7dB

Note: Offset=Cable loss (4.5) + 10log (13.01/10)=4.5+1.1=5.6 dB



Test Report	16050014-FCC-R2
Page	88 of 113







LTE Band 4 - Low Channel QPSK-3

LTE Band 4 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log (31.54/30)=4.5+0.2=4.7 dB

Note: Offset=Cable loss (4.5) + 10log (31.44/30)=4.5+0.2=4.7 dB







LTE Band 4 - Low Channel 16QAM-3

LTE Band 4 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log (31.27/30)=4.5+0.2=4.7 dB

Note: Offset=Cable loss (4.5) + 10log (31.4/30)=4.5+0.2=4.7 dB





LTE Band 4 - Low Channel QPSK-5


LTE Band 4 - High Channel QPSK-5




Test Report	16050014-FCC-R2
Page	89 of 113

Note: Offset=Cable loss (4.5) + 10log (50.63/30)=4.5+2.3=6.8dB

Note: Offset=Cable loss (4.5) + 10log (50.61/30)=4.5+2.3=6.8 dB







LTE Band 4 - Low Channel 16QAM-5

LTE Band 4 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log (51.05/30)=4.5+2.3=6.8 dB


Note: Offset=Cable loss (4.5) + 10log (50.77/30)=4.5+2.3=6.8dB






LTE Band 4 - Low Channel QPSK-10

LTE Band 4 - High Channel QPSK-10







LTE Band 4 - Low Channel 16QAM-10

LTE Band 4 - High Channel 16QAM-10



Test Report	16050014-FCC-R2
Page	90 of 113







LTE Band 4 - Low Channel QPSK-15

LTE Band 4 - High Channel QPSK-15

Note: Offset=Cable loss (4.5) + 10log (148.37/100)=4.5+1.7=6.2 dB

Note: Offset=Cable loss (4.5) + 10log (146.31/100)=4.5+1.7=6.2 dB







LTE Band 4 - Low Channel 16QAM-15

LTE Band 4 - High Channel 16QAM-15

Note: Offset=Cable loss (4.5) + 10log (147.57/100)=4.5+1.7=6.2 dB

Note: Offset=Cable loss (4.5) + 10log (148.86/100)=4.5+1.7=6.2 dB





LTE Band 4 - Low Channel QPSK-20

LTE Band 4 - High Channel QPSK-20





Test Report	16050014-FCC-R2
Page	91 of 113

Note: Offset=Cable loss (4.5) + 10log

(193.89/100)=4.5+2.9=7.4 dB

Note: Offset=Cable loss (4.5) + 10log (192.09/100)=4.5+2.9=7.4dB





LTE Band 4 - Low Channel 16QAM-20

LTE Band 4 - High Channel 16QAM-20


Note: Offset=Cable loss (4.5) + 10log (192.73/100)=4.5+2.8=7.3dB


Note: Offset=Cable loss (4.5) + 10log (192.19/100)=4.5+2.9=7.4 dB



Test Report	16050014-FCC-R2
Page	92 of 113

LTE Band 5 (Part 22H)






LTE Band 5 - Low Channel QPSK-1.4

LTE Band 5 - High Channel QPSK-1.4

Note: Offset=Cable loss (4.5) + 10log (13.22/10)=4.0+1.2=5.2dB

Note: Offset=Cable loss (4.5) + 10log (13.20/10)=4.0+1.2=5.2 dB





LTE Band 5 - Low Channel 16QAM-1.4


LTE Band 5 - High Channel 16QAM-1.4

Note: Offset=Cable loss (4.5) + 10log (13.12/10)=4.0+1.2=5.2 dB

Note: Offset=Cable loss (4.5) + 10log (13.11/10)=4.0+1.2=5.2 dB



Test Report	16050014-FCC-R2
Page	93 of 113






LTE Band 5 - Low Channel QPSK-3


LTE Band 5 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log (31.28/30)=4.0+0.2=4.2dB

Note: Offset=Cable loss (4.5) + 10log

(31.04/30)=4.0+0.1=4.1dB





LTE Band 5 - Low Channel 16QAM-3

LTE Band 5 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log


Note: Offset=Cable loss (4.5) + 10log (31.52/30)=4.0+0.2=4.2 dB


(31.7/30)=4.0+0.2=4.2 dB

Agilent 11:35:20 Mar 30, 2016

T

Mkrt 823 9:





LTE Band 5 - Low Channel QPSK-5


LTE Band 5 - High Channel QPSK-5




Test Report	16050014-FCC-R2
Page	94 of 113

Note: Offset=Cable loss (4.5) + 10log (50.32/30)=4.0+2.2=6.2 dB

Note: Offset=Cable loss (4.5) + 10log (49.87/30)=4.0+2.2=6.2 dB







LTE Band 5 - Low Channel 16QAM-5

LTE Band 5 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log (50.19/30)=4.0+2.2=6.2 dB


Note: Offset=Cable loss (4.5) + 10log (50.34/30)=4.0+2.2=6.2dB






LTE Band 5 - Low Channel QPSK-10

LTE Band 5 - High Channel QPSK-10






LTE Band 5 - Low Channel 16QAM-10


LTE Band 5 - High Channel 16QAM-10



Test Report	16050014-FCC-R2
Page	95 of 113

LTE Band 12 (Part 27)






LTE Band 12 - Low Channel QPSK-1.4


LTE Band 12 - High Channel QPSK-1.4

Note: Offset=Cable loss (4.5) + 10log

Note: Offset=Cable loss (4.5) + 10log (13.11/10)=4.5+1.2=5.7 dB

(13.18/10)=4.5+1.2=5.7 dB





LTE Band 12 - Low Channel 16QAM-1.4

LTE Band 12 - High Channel 16QAM-1.4


Note: Offset=Cable loss (4.5) + 10log (12.96/10)=4.5+1.1=5.6 dB


Note: Offset=Cable loss (4.5) + 10log

(13.16/10)=4.5+1.2=5.7dB



Test Report	16050014-FCC-R2
Page	96 of 113







LTE Band 12 - Low Channel QPSK-3

LTE Band 12 - High Channel QPSK-3

Note: Offset=Cable loss (4.5) + 10log (31.54/30)=4.5+0.2=4.7 dB

Note: Offset=Cable loss (4.5) + 10log (31.26/30)=4.5+0.2=4.7 dB







LTE Band 12 - Low Channel 16QAM-3

LTE Band 12 - High Channel 16QAM-3

Note: Offset=Cable loss (4.5) + 10log (31.55/30)=4.5+0.2=4.7 dB

Note: Offset=Cable loss (4.5) + 10log (31.44/30)=4.5+0.2=4.7 dB





LTE Band 12 - Low Channel QPSK-5


LTE Band 12 - High Channel QPSK-5




Test Report	16050014-FCC-R2
Page	97 of 113

Note: Offset=Cable loss (4.5) + 10log

(51.57/30)=4.5+2.4=6.9dB



Note: Offset=Cable loss (4.5) + 10log (50.48/30)=4.5+2.3=6.8 dB



LTE Band 12 - Low Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log


(49.92/30)=4.5+2.2=6.7 dB


LTE Band 12 - High Channel 16QAM-5

Note: Offset=Cable loss (4.5) + 10log

(50.71/30)=4.5+2.3=6.8dB


Agilent 13:45:48 Mar 30, 2016






LTE Band 12 - Low Channel QPSK-10

LTE Band 12 - High Channel QPSK-10






LTE Band 12 - Low Channel 16QAM-10


LTE Band 12 - High Channel 16QAM-10



Test Report	16050014-FCC-R2
Page	98 of 113

LTE Band 17 (Part 27)






LTE Band 17 - Low Channel QPSK-5


LTE Band 17 - High Channel QPSK-5

Note: Offset=Cable loss (4.0) + 10log

Note: Offset=Cable loss (4.0) + 10log (50.85/30)=4.5+2.3=6.8 dB

(49.8/30)=4.5+2.2=6.7 dB





LTE Band 17 - Low Channel 16QAM-5

LTE Band 17 - High Channel 16QAM-5

Note: Offset=Cable loss (4.0) + 10log


Note: Offset=Cable loss (4.0) + 10log

(50.34/30)=4.5+2.2=6.7 dB

(50.99/30)=4.5+2.3=6.8 dB



Test Report	16050014-FCC-R2
Page	99 of 113





Test Report	16050014-FCC-R2
Page	100 of 113

6.8 Frequency Stability

Temperature	23°C
Relative Humidity	54%
Atmospheric Pressure	1030mbar
Test date :	March 30, 2016
Tested By :	Winnie Zhang

Requirement(s):

Spec	Item	Requirement			Applicable	
	According to §22.3 the Public Mobile S tolerances given in Frequency Toleran Services	Services mus Table belov	et be maintained w	rithin the		
		Frequency	Base,	Mobile ≤ 3	Mobile ≤ 3	
		Range	fixed	watts	watts	
§2.1055,		(MHz)	(ppm)	(ppm)	(ppm)	
		25 to 50	20.0	20.0	50.0	
§22.355 &		to 450	5.0	5.0	50.0	
§24.235	a)	450 to 512	2.5	5.0	5 0	~
§ 27.5(h);		821 to 896	1.5	2.5	2.5	
§ 27.54		928 to 929.	5.0	N/A	N/A	
		929 to 960.	1.5	N/A	N/A	
		2110 to 2220	10.0	N/A	N/A	
		According to §24.2	35, the frequ	ency stability sha	Il be sufficient to	
		ensure that the fun	damental en	nissions stay withi	n the authorized	
		frequency block.				
		According to §27.5	4, The frequ	ency stability shal	I be sufficient to	
		ensure that the fun	damental en	nissions stay withi	n the authorized	
		bands of operation				



Test Report	16050014-FCC-R2
Page	101 of 113

Test setup		
Procedure	A communication link was established between EUT and base station. The frequency error was monitored and measured by base station under variation of ambient temperature and variation of primary supply voltage. Limit: The frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5ppm) of the center frequency.	
Remark	Frequency Stability versus Temperature: The Frequency tolerance of the carrier signal shall be maintained within 2.5ppm of the operating frequency over a temperature variation of -10°C to +55°C at normal supply voltage.	
Result	Pass Fail	

Test Data	Yes	□ _{N/A}
Test Plot	Yes (See below)	✓ _{N/A}



Test Report	16050014-FCC-R2
Page	102 of 113

LTE Band 2 (Part 24E) result

	Middle Channel, f _o = 1880 MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	
-10		-6	0.0027	2.5	
0	3.7	-12	0.0059	2.5	
10		-8	0.0037	2.5	
20		-11	0.0053	2.5	
30		-11	0.0064	2.5	
40		-10	0.0048	2.5	
50		-11	0.0064	2.5	
55		-7	0.0032	2.5	
25	4.2	-10	0.0059	2.5	
25	3.5	-9	0.0053	2.5	

LTE Band 4 (Part 27) result

ETE Bana	LTL Dalid 4 (Fait 21) 165uit				
	Middle Channel, f _o = 1732.5 MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	
-10		-13	0.0087	2.5	
0		-14	0.0092	2.5	
10	3.7	-10	0.0063	2.5	
20		-10	0.0063	2.5	
30		-11	0.0058	2.5	
40		-11	0.0069	2.5	
50		-12	0.0075	2.5	
55		-12	0.0069	2.5	
25	4.2	-14	0.0087	2.5	
25	3.5	-15	0.0092	2.5	



Test Report	16050014-FCC-R2
Page	103 of 113

LTE Band 5 (Part 22H) result

Middle Channel, f₀ = 836.5 MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10		8	0.0084	2.5
0		7	0.0072	2.5
10	3.7	6	0.0084	2.5
20		8	0.0108	2.5
30		11	0.0120	2.5
40		12	0.0155	2.5
50		10	0.0108	2.5
55		11	0.0120	2.5
25	4.2	9	0.0096	2.5
25	3.5	12	0.0132	2.5

LTE Band 12 (Part 27) result

	Middle Channel, f₀ = 1880MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	
-10		-8	0.0027	2.5	
0	3.7	-11	0.0059	2.5	
10		-10	0.0037	2.5	
20		-12	0.0053	2.5	
30		-10	0.0064	2.5	
40		-9	0.0048	2.5	
50		-10	0.0064	2.5	
55		-8	0.0032	2.5	
25	4.2	-11	0.0059	2.5	
25	3.5	-10	0.0053	2.5	



Test Report	16050014-FCC-R2
Page	104 of 113

LTE Band 17 (Part 27) result

Middle Channel, f₀ = 710 MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-10		8	0.0099	2.5
0	3.7	8	0.0099	2.5
10		4	0.0042	2.5
20		5	0.0085	2.5
30		5	0.0056	2.5
40		6	0.0070	2.5
50	4.2	10	0.0155	2.5
55		9	0.0113	2.5
25		9	0.0127	2.5
25		12	0.0155	2.5



Test Report	16050014-FCC-R2
Page	105 of 113

Annex A. TEST INSTRUMENT


Instrument	Model	Serial #	Cal Date	Cal Due	In use
RF Conducted Test					
Agilent ESA-E SERIES SPECTRUM ANALYZER	E4407B	MY45108319	09/16/2015	09/15/2016	V
Power Splitter	1#	1#	09/01/2015	08/31/2016	~
Universal Radio Communication Tester	CMU200	121393	09/25/2015	09/24/2016	V
Wideband Radio Communication Tester	CMW500	120906	03/28/2015	03/27/2016	\
Temperature/Humidity Chamber	UHL-270	001	10/09/2015	10/08/2016	\
DC Power Supply	E3640A	MY40004013	09/17/2015	09/16/2016	~
Radiated Emissions					
EMI test receiver	ESL6	100262	09/17/2015	09/16/2016	<u><</u>
OPT 010 AMPLIFIER (0.1-1300MHz)	8447E	2727A02430	09/01/2015	08/31/2016	V
Microwave Preamplifier (0.5 ~ 18GHz)	PAM-118	443008	09/01/2015	08/31/2016	V
Bilog Antenna (30MHz~6GHz)	JB6	A110712	09/21/2015	09/20/2016	V
Bilog Antenna (30MHz~2GHz)	JB1	A112017	09/21/2015	09/20/2016	V
Double Ridge Horn Antenna (1 ~18GHz)	AH-118	71259	09/24/2015	09/23/2016	V
Double Ridge Horn Antenna (1 ~18GHz)	AH-118	71283	09/24/2015	09/23/2016	V
SYNTHESIZED SIGNAL GENERATOR	8665B	3744A01293	09/17/2015	09/16/2016	V
Tunable Notch Filter	3NF- 800/1000-S	AA4	09/01/2015	08/31/2016	V
Tunable Notch Filter	3NF- 1000/2000-S	AM 4	09/01/2015	08/31/2016	V



Test Report	16050014-FCC-R2
Page	106 of 113

Annex B. EUT And Test Setup Photographs


Annex B.i. Photograph: EUT External Photo





Test Report	16050014-FCC-R2
Page	107 of 113


Annex B.ii. Photograph: EUT Internal Photo







Test Report	16050014-FCC-R2
Page	108 of 113

Annex B.iii. Photograph: Test Setup Photo







Radiated Spurious Emissions Test Setup Above 1GHz




Test Report	16050014-FCC-R2
Page	109 of 113

Annex C. TEST SETUP AND SUPPORTING EQUIPMENT

Annex C.ii. TEST SET UP BLOCK

Block Configuration Diagram for Radiated Emissions





Test Report	16050014-FCC-R2
Page	110 of 113

Annex C. il. SUPPORTING EQUIPMENT DESCRIPTION

The following is a description of supporting equipment and details of cables used with the EUT.

Supporting Equipment:

Manufacturer	Manufacturer Equipment Description		Serial No
Lenvo	Laptop	N40	LR-1EHRX

Supporting Cable:

Cable type	Shield Type	Ferrite Core	Length	Serial No
USB Cable	Un-shielding	No	0.8m	ST22100



Test Report	16050014-FCC-R2
Page	111 of 113

Annex C.ii. EUT OPERATING CONKITIONS

N/A



Test Report	16050014-FCC-R2
Page	112 of 113

Annex D. User Manual / Block Diagram / Schematics / Partlist

N/A



Test Report	16050014-FCC-R2
Page	113 of 113

Annex E. DECLARATION OF SIMILARITY

Quectel Wireless Solutions Co., Ltd

Statement

We Quectel Wireless Solutions Co., Ltd declare the following models as series application.

Name: Multi-mode LTE Module

Model number: EC20-A/EC20-A Mini PCIe

EC20-A and EC20-A Mini PCIe Module are both Multi-mode LTE modules. EC20-A Mini PCIe Module makes up of EC20-A module and PCIe transferred board. The transferred board switches EC20-A module to follow PCI Express Mini Card 1.2 standard connector protocol. No any other internal changes in EC20-A module.

We hereby state that two models are identical in interior structure and components, and just connector interface is different for the marketing requirement.

Your assistance on this matter is highly appreciated.

Fohnny X, ang

Sincerely, Name: Johnny Title: Test Engineer

Signature: