

FCC Measurement/Technical Report on

TOBY-L4006

FCC ID: XPY1EHQ37NN IC: 8595A-1EHQ37NN

Test Report Reference: MDE_UBLOX_1717_FCCb

Test Laboratory:

7layers GmbH Borsigstrasse 11 40880 Ratingen Germany





Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbHBorsigstraße 11
40880 Ratingen, Germany

 40880 Ratingen, Germany
 Frank Spiller

 T +49 (0) 2102 749 0
 Bernhard Retka

 F +49 (0) 2102 749 350
 Alexandre Norré-Oudard

Geschäftsführer/

Managing Directors:

Registergericht/registered:
Düsseldorf HRB 75554
USt-Id.-Nr./VAT-No. DE203159

USt-Id.-Nr./VAT-No. DE203159652 Steuer-Nr./TAX-No. 147/5869/0385 a Bureau Veritas Group Company

www.7layers.com



Table of Contents

1 A	pplied Standards and Test Summary	3
1.1	Applied Standards	3
1.2	FCC-IC Correlation Table	4
1.3	Measurement Summary / Signatures	4
2 A	dministrative Data	6
2.1	Testing Laboratory	6
2.2	Project Data	6
2.3	Applicant Data	6
2.4	Manufacturer Data	6
3 T	est object Data	7
3.1	General EUT Description	7
3.2	EUT Main components	7
3.3	Ancillary Equipment	7
3.4	Auxiliary Equipment	8
3.5	EUT Setups	8
3.6	Operating Modes	8
3.7	Product labelling	9
4 T	est Results	10
4.1	Conducted Emissions at AC mains	10
4.2	Radiated Emissions	13
5 T	est Equipment	18
6 A	ntenna Factors, Cable Loss and Sample Calculations	20
6.1	LISN R&S ESH3-Z5 (150 kHz – 30 MHz)	20
6.2	Antenna R&S HFH2-Z2 (9 kHz - 30 MHz)	21
6.3	Antenna R&S HL562 (30 MHz – 1 GHz)	22
6.4	Antenna R&S HF907 (1 GHz – 18 GHz)	23
6.5	Antenna EMCO 3160-09 (18 GHz - 26.5 GHz)	24
6.6	Antenna EMCO 3160-10 (26.5 GHz – 40 GHz)	25
7 S	etup Drawings	26
8 M	easurement Uncertainties	28
9 P	hoto Report	28



1 APPLIED STANDARDS AND TEST SUMMARY

1.1 APPLIED STANDARDS

Applicable FCC Rules

Prepared in accordance with the requirements of FCC Rules and Regulations as listed in 47 CFR Ch.1 Parts 2 and 15 (10-1-15 Edition). The following subparts are applicable to the results in this test report.

Part 2, Subpart J - Equipment Authorization Procedures, Certification

Part 15, Subpart B - Unintentional Radiators

§ 15.107 Conducted limits

§ 15.109 Radiated emission limits; general requirements

Note:

ANSI C63.4-2014 is applied.



Summary Test Results:

The EUT complied with all performed tests as listed in chapter 1.3 Measurement Summary / Signatures.

1.2 FCC-IC CORRELATION TABLE

Correlation of measurement requirements for Information Technology Equipment (ITE) from FCC and IC

Measurement	FCC reference	IC reference
Conducted Emissions (AC Power Line)	§15.107	ICES-003 Issue 6: 6.1
Radiated Spurious Emissions	§15.109	ICES-003 Issue 6: 6.2

Remarks:

- FCC Part 15 subpart B, ICES 003 and CISPR 22 contain different definitions of Class A and Class B limits, i.e. which class is applicable to which kind of EUT.
 ICES 003 and CISPR 22 distinguish between the location where the EUT is intended to operate whilst FCC refers to the method of commercial distribution (distributive trades).
- 2. The correct assignment of the appropriate class to the concrete EUT is not scope of this test report!
- 3. A radio apparatus that is specifically subject to an Industry Canada Radio Standard Specification (RSS) and which contains an ITE is not subject to ICES-003 provided the ITE is used only to enable operation of the radio apparatus and the ITE does not control additional functions or capabilities.
- 4. ISM (Industrial, Scientific or Medical) radio frequency generators, though they may contain ITE, are excluded from the definition of ITE and are not subject to ICES-003. They are instead subject to the Interference-Causing Equipment Standard ICES-001, which specifically addresses ISM radio frequency generators.



1.3 MEASUREMENT SUMMARY / SIGNATURES

47 CFR CHAPTER I FCC PART 15 Subpart B § 15.107 Class A / Class B				
Conducted Emissions at AC mains				
The measurement was performed according to ANSI C63.4	4	Final Re	sult	
OP-Mode	Setup	FCC	IC	
AC mains connection, Test setup				
via connected computer device, computer peripheric	S01_AM06	Passed	Passed	
47 CFR CHAPTER I FCC PART 15 Subpart B	15.109 Clas	ss A / Clas	ss B	
- 4 - 1 - 1				
Radiated Emissions				
Radiated Emissions The measurement was performed according to ANSI C63.4	4	Final Re	sult	
	4	Final Re	sult	
	4 Setup	Final Re	sult IC	
The measurement was performed according to ANSI C63.4				
The measurement was performed according to ANSI C63.4 OP-Mode				
The measurement was performed according to ANSI C63.4 OP-Mode AC mains connection, Measurement range, Test setup	Setup	FCC	IC	
The measurement was performed according to ANSI C63.4 OP-Mode AC mains connection, Measurement range, Test setup via connected computer device, 1 GHz - 18 GHz, computer peripheric	Setup	FCC	IC	
The measurement was performed according to ANSI C63.4 OP-Mode AC mains connection, Measurement range, Test setup via connected computer device, 1 GHz - 18 GHz, computer	Setup S01_AM06	FCC Passed	IC Passed	

N/A: Not applicable N/P: Not performed

(responsible for accreditation scope)
Dipl.-Ing. Marco Kullik

(responsible for testing and report)
Patrick Lomax

Flayers

7 layers GmbH, Borsigstr. 11 40880 Ratingen. Germany Phone +49 (0)2102 749 0



2 ADMINISTRATIVE DATA

2.1 TESTING LABORATORY

Company Name: 7layers GmbH

Address: Borsigstr. 11

40880 Ratingen

Germany

This facility has been fully described in a report submitted to the FCC and accepted under the registration number 96716.

This facility has been fully described in a report submitted to the IC and accepted under the registration number: Site# 3699A-1.

The test facility is also accredited by the following accreditation organisation:

Laboratory accreditation no: DAkkS D-PL-12140-01-00

Responsible for accreditation scope: Dipl.-Ing. Marco Kullik

Report Template Version: 2017-07-14

2.2 PROJECT DATA

Responsible for testing and report: Patrick Lomax

Employees who performed the tests: documented internally at 7Layers

Date of Report: 2017-07-24

Testing Period: 2017-07-14 to 2017-07-162

2.3 APPLICANT DATA

Company Name: u-blox AG

Address: Zürcherstrasse 68

CH-8800 Thalwil Switzerland

Contact Person: Giulio Comar

2.4 MANUFACTURER DATA

Company Name: See Applicant data

Address:



3 TEST OBJECT DATA

3.1 GENERAL EUT DESCRIPTION

Kind of Device product description	Module
Product name	TOBY-L4006
Туре	L4006
Declared EUT data by	the supplier
Power Supply Type	DC via AC/DC Wall Adapter
Comment	-
Nominal Voltage / Frequency	60Hz
Test Voltage / Frequency	110V AC Via AC/DC wall adapter
Highest internal frequency	Greater than 106 MHz
General Description	GSM/UMTS/LTE Module
Ports	-
Special software used for testing	-

The main components of the EUT are listed and described in chapter 3.2 EUT Main components.

3.2 EUT MAIN COMPONENTS

Sample Name	Sample Code	Description
AM06	AMO9	Standard Sample
Sample Parameter		Value
Serial No.	355958080015191	
HW Version	294A02	
SW Version	40.12	
Comment	-	

NOTE: The short description is used to simplify the identification of the EUT in this test report.

3.3 ANCILLARY EQUIPMENT

For the purposes of this test report, ancillary equipment is defined as equipment which is used in conjunction with the EUT to provide operational and control features to the EUT. It is necessary to configure the system in a typical fashion, as a customer would normally use it. But nevertheless Ancillary Equipment can influence the test results.



	Details (Manufacturer, Type Model, OUT Code)	Description
Dev board	Ublox, EVB-WL3, DE1015050	Motherboard for module

3.4 AUXILIARY EQUIPMENT

For the purposes of this test report, auxiliary equipment is defined as equipment which is used temporarily to enable operational and control features especially used for the tests of the EUT which is not used during normal operation or equipment that is used during the tests in combination with the EUT but is not subject of this test report. It is necessary to configure the system in a typical fashion, as a customer would normally use it. But nevertheless Auxiliary Equipment can influence the test results.

Device	Details (Manufacturer, HW, SW, S/N)	Description
AC Adapter (for Laptop RE 02)	Fujitsu Ltd., -, -, 05335621F	Model SEB100P2-19.0
Keyboard 1 (CHERRY)	CHERRY, -, -, G 0000273 2P28	RS 6000 USB ON
Laptop RE 02 (Fujitsu)	Fujitsu Ltd., -, -, DSCM004672	Lifebook E series E782
Mouse 1 (Logitech)	Logitech, -, -, HC60915A2XC	M-BT58
TFT Display EMC TFT 5 (LG)	LG, -, -, 412WAPLOU560	L17MB-P

3.5 EUT SETUPS

This chapter describes the combination of EUTs and equipment used for testing. The rationale for selecting the EUTs, ancillary and auxiliary equipment and interconnecting cables, is to test a representative configuration meeting the requirements of the referenced standards.

Setup	Combination of EUTs	Description and Rationale
S01_AM06	AM06, TFT Display EMC TFT 5 (LG), AC Adapter (for Laptop RE 02), Mouse 1 (Logitech), Keyboard 1 (CHERRY), Laptop RE 02 (Fujitsu),	Computer peripheral equipment

3.6 OPERATING MODES

This chapter describes the operating modes of the EUTs used for testing.

3.6.1 TEST CHANNELS



3.7 PRODUCT LABELLING

3.7.1 FCC ID LABEL

Please refer to the documentation of the applicant.

3.7.2 LOCATION OF THE LABEL ON THE EUT

Please refer to the documentation of the applicant.



4 TEST RESULTS

4.1 CONDUCTED EMISSIONS AT AC MAINS

Standard FCC Part 15 Subpart B

The test was performed according to:

ANSI C63.4

4.1.1 TEST DESCRIPTION

The test set-up was made in accordance to the general provisions of ANSI C 63.4 The Equipment Under Test (EUT) was setup in a shielded room to perform the conducted emissions measurements in a typical installation configuration. The EUT was powered from $50\mu\text{H}$ || 50 Ohm Line Impedance Stabilization Network (LISN). The LISN's unused connections were terminated with 50 Ohm loads.

The measurement procedure consists of two steps. It is implemented into the EMI test software EMC-32 from R&S.

Step 1: Preliminary scan

Intention of this step is, to determine the conducted EMI-profile of the EUT. EMI receiver settings:

- Detector: Peak Maxhold & Average
- Frequency range: 150 kHz 30 MHz
- Frequency steps: 2.5 kHzIF–Bandwidth: 9 kHz
- Measuring time / Frequency step: 100 ms (FFT-based)
- Measurement on phase + neutral lines of the power cords

On basis of this preliminary scan the highest amplitudes and the corresponding frequencies relative to the limit are identified. Emissions above the limit and emissions which are in the 10 dB range below the limit are considered.

Step 2: Final measurement

Intention of this step is, to determine the highest emissions with the settings defined in the test specification for the frequencies identified in step 1.

EMI receiver settings:

- Detector: Quasi-PeakIF Bandwidth: 9 kHz
- Measuring time: 1 s / frequency

At each frequency determined in step 1, four measurements are performed in the following combinations:

- 1) Neutral lead reference ground (PE grounded)
- 2) Phase lead reference ground (PE grounded)
- 3) Neutral lead reference ground (PE floating)
- 4) Phase lead reference ground (PE floating)

The highest value is reported.



4.1.2 TEST REQUIREMENTS / LIMITS

FCC Part 15, Subpart B, §15.107

Class B:

Frequency (MHz)	QP Limits (dBµV)	AV Limits (dBµV)
0.15 - 0.5	66 - 56	56 - 46
0.5 - 5	56	46
5 - 30	60	50

Class A:

Frequency (MHz)	QP Limits (dBµV)	AV Limits (dBµV)	
0.15 - 0.5	79	66	
0.5 - 30	73	60	

4.1.3 TEST PROTOCOL

Temperature: 26 °C Air Pressure: 1017 hPa Humidity: 40 %


Computer Peripheral

Power line	PE	Frequency [MHz]	Level [dBµV]	Detector	Limit [dBµV]	Margin [dB]
L1	GND	0	44	QP	57	13
L1	GND	0	36	AV	47	11

Remark: Please see next sub-clause for the measurement plot.



4.1.4 MEASUREMENT PLOT (SHOWING THE HIGHEST VALUE, "WORST CASE")



4.1.5 TEST EQUIPMENT USED

- Conducted Emissions FCC



4.2 RADIATED EMISSIONS

Standard FCC Part 15 Subpart B

The test was performed according to: ANSI C63.4

ANSI 003.4

4.2.1 TEST DESCRIPTION

The test set-up was made in accordance to the general provisions of ANSI C63.4 in a typical installation configuration. The Equipment Under Test (EUT) was set up on a non-conductive table 1.0 x 2.0 m² in the semi-anechoic chamber. The influence of the EUT support table that is used was evaluated. For the measurement above 1 GHz an absorber field with 30 cm pyramidical absorber is placed between EUT table and antenna (required to fulfil the CISPR 16.1.4 S-VSWR criteria).

The measurement procedure is implemented into the EMI test software EMC32 from R&S.

1. Measurement above 30 MHz and up to 1 GHz

Step 1: Preliminary scan

This is a preliminary test to identify the highest amplitudes relative to the limit.

Settings for step 1:

- Antenna distance: 3 m
- Detector: Peak-Maxhold / Quasipeak (FFT-based)
- Frequency range: 30 1000 MHz
- Frequency steps: 30 kHzIF-Bandwidth: 120 kHz
- Measuring time / Frequency step: 100 ms
- Turntable angle range: -180° to 90°
- Turntable step size: 90°
- Height variation range: 1 3 m
- Height variation step size: 2 m
- Polarisation: Horizontal + Vertical

Intention of this step is, to determine the radiated EMI-profile of the EUT. Afterwards the relevant emissions for the final measurement are identified.

Step 2: Adjustment measurement

In this step the accuracy of the turntable azimuth and antenna height will be improved. This is necessary to find out the maximum value of every frequency.

For each frequency, which was determined the turntable azimuth and antenna height will be adjusted. The turntable azimuth will slowly vary by \pm 45° around this value. During this action, the value of emission is continuously measured. The turntable azimuth at the highest emission will be recorded and adjusted. In this position, the antenna height will also slowly vary by \pm 100 cm around the antenna height determined. During this action, the value of emission is also continuously measured. The antenna height of the highest emission will also be recorded and adjusted.

- Detector: Peak Maxhold
- Measured frequencies: in step 1 determined frequencies
- IF Bandwidth: 120 kHz - Measuring time: 100 ms
- Turntable angle range: ± 45 ° around the determined value
- Height variation range: \pm 100 cm around the determined value

TEST REPORT REFERENCE: MDE_UBLOX_1717_FCCb



- Antenna Polarisation: max. value determined in step 1

Step 3: Final measurement with QP detector

With the settings determined in step 3, the final measurement will be performed:

EMI receiver settings for step 4:

- Detector: Quasi-Peak

- Measured frequencies: in step 1 determined frequencies

IF – Bandwidth: 120 kHzMeasuring time: 1 s

2. Measurement above 1 GHz

Step 1: Preliminary scan

This is a preliminary test to identify the highest amplitudes relative to the limit.

Settings for step 1:

- Antenna distance: 3 m

- Detector: Peak-Maxhold / Average (up to 7 GHz FFT-based)

- Frequency range: 1 GHz - 18 GHz

- Frequency steps: 250 kHz

- IF-Bandwidth: 1 MHz

- Measuring time / Frequency step: 100 ms (up to 7 GHz) / 500µs (above 7 GHz

- Turntable angle range: -180° to 135°

- Turntable step size: 45°

- Height variation range: 1 – 3.7 m (due to the small antenna lobe, a tilt-mast is used)

- Height variation step size: 0.9 m

- Polarisation: Horizontal + Vertical

Intention of this step is, to determine the radiated EMI-profile of the EUT. Afterwards the relevant emissions for the final measurement are identified.

Step 2: Adjustment measurement

In this step the accuracy of the turntable azimuth and antenna height will be improved. This is necessary to find out the maximum value of every frequency.

For each frequency, which was determined the turntable azimuth and antenna height will be adjusted. The turntable azimuth will slowly vary by \pm 22.5° around this value. During this action, the value of emission is continuously measured. The turntable azimuth at the highest emission will be recorded and adjusted. In this position, the antenna height will also slowly vary by \pm 45 cm around the antenna height determined. During this action, the value of emission is also continuously measured. The antenna height of the highest emission will also be recorded and adjusted.

- Detector: Peak - Maxhold

- Measured frequencies: in step 1 determined frequencies

- IF – Bandwidth: 1 MHz - Measuring time: 100 ms

- Turntable angle range: ± 22.5 ° around the determined value

- Height variation range: \pm 45 cm around the determined value

- Antenna Polarisation: max. value determined in step 1

Step 3: Final measurement with Max-Peak / CISPR-Average detector

With the settings determined in step 2, the final measurement will be performed: EMI receiver settings for step 3:

- Detector: Max-Peak / CISPR-Average

- Measured frequencies: in step 1 determined frequencies

IF – Bandwidth: 1 MHzMeasuring time: 200 ms



After each measurement, a report will be generated which contains a diagram with the results of the preliminary scan and a table with the frequencies, values and polarisation of the results of the final measurement.

4.2.2 TEST REQUIREMENTS / LIMITS

FCC Part 15, Subpart B, §15.109, Radiated Emission Limits

Class B:

Frequency (MHz)	Limit (μV/m)	Measurement distance (m)	Limits (dBµV/m)
30 – 88	100@3m	3	40.0@3m
88 – 216	150@3m	3	43.5@3m
216 – 960	200@3m	3	46.0@3m
960 - 26000	500@3m	3	54.0@3m
26000 - 40000	500@3m	1	54.0@3m

Class A:

Frequency (MHz)	Limit (µV/m)	Measurement distance (m)	Limits (dBµV/m)
30 – 88	90@10m	3	39.1@10m
88 – 216	150@10m	3	43.5@10m
216 – 960	210@10m	3	46.4@10m
960 - 26000	300@10m	3	49.5@10m
26000 - 40000	300@10m	1	49.5@10m

The measured values for Class A and for Class B (> 26 GHz) measurements are corrected with an inverse linear distance extrapolation factor (20 dB/decade).

§15.35(b) ..., there is also a limit on the radio frequency emissions, as measured using instrumentation with a peak detector function, corresponding to 20 dB above the maximum permitted average limit....

Used conversion factor: Limit (dB μ V/m) = 20 log (Limit (μ V/m)/1 μ V/m)

4.2.3 TEST PROTOCOL

Ambient temperature: 25 °C
Air Pressure: 1011 hPa
Humidity: 38 %

Computer Peripheral

Setup

Spurious Freq. [MHz]	Spurious Level [dBµV/m]	Detector	RBW [kHz]	Limit [dBµV/m]	Margin to Limit
40.0	39.5	QP	120	40.0	0.5
42.6	38.4	QP	120	40.0	1.6
155.6	32.9	QP	120	43.5	10.6
194.8	34.3	QP	120	43.5	9.2
207.0	32.7	QP	120	43.5	10.8
277.0	25.7	QP	120	46.0	20.3
351.1	30.9	QP	120	46.0	15.1
665.1	27.0	QP	120	46.0	19.0
796.6	28.1	QP	120	46.0	17.9
1001.0	-	-	1000	-	-

TEST REPORT REFERENCE: MDE_UBLOX_1717_FCCb




Remark: Please see next sub-clause for the measurement plot.

4.2.4 MEASUREMENT PLOT (SHOWING THE HIGHEST VALUE, "WORST CASE")

Common Information


Test Description: radiated
Test Standard: FCC15b Class B
EUT Code: DE1015050am06

Operating Conditions: GSM 1900 idle mode + USB traffic



Green trace lone shows final measurement, Blue trace line shows pre-measurement.





4.2.5 TEST EQUIPMENT USED

- Radiated Emissions



5 TEST EQUIPMENT

1 Conducted Emissions FCC Conducted Emissions power line for FCC standards

Ref.No.	Device Name	Description	Manufacturer	Serial Number	Last Calibration	Calibration Due
1.1	Opus10 TPR (8253.00)	ThermoAirpres sure Datalogger 13 (Environ)	Lufft Mess- und Regeltechnik GmbH	13936		2019-04
1.2	Fluke 177	Digital Multimeter 03 (Multimeter)	Fluke Europe B.V.	86670383	2016-02	2018-02
1.3	ESH 3-Z5 "AUX" S/N 828304/029	Two-Line V- Network	Rohde & Schwarz	828304/029	2017-05	2019-05
1.4	EP 1200/B, NA/B1	Amplifier with integrated variable Oscillator	Spitzenberger & Spieß	B6278	2015-07	2018-07
1.5	Chroma 6404	AC Power Source	Chroma ATE INC.	64040001304		
1.6	Shielded Room 02	Shielded Room for conducted testing, 12gm	Frankonia	-		
1.7	ESH 3-Z5 "EUT" S/N 829996/002	Two-Line V-	Rohde & Schwarz	829996/002	2017-05	2019-05
1.8	ESR 7	EMI Receiver / Spectrum Analyzer	Rohde & Schwarz	101424	2016-11	2018-11
1.9	Opus10 THI (8152.00)	ThermoHygro	Lufft Mess- und Regeltechnik GmbH	7489	2017-04	2019-04
1.10	ESIB 26	Spectrum Analyzer	Rohde & Schwarz	830482/004	2015-12	2017-12

2 Radiated Emissions Lab to perform radiated emission tests

Ref.No.	Device Name	Description	Manufacturer	Serial Number	Last	Calibration
		-			Calibration	Due
2.1	NRV-Z1	Sensor Head A	Rohde & Schwarz	827753/005	2017-05	2018-05
2.2	MFS	Rubidium	Datum GmbH	002	2016-09	2017-09
		Frequency Normal MFS				
2.3	(/	sure Datalogger 13	Lufft Mess- und Regeltechnik GmbH	13936	2017-04	2019-04
2.4		(Environ) 10.58 x 6.38 x 6.00 m ³	Frankonia -	none	2016-05	2019-05
2.5		Ultralog new biconicals	Rohde & Schwarz	830547/003	2015-06	2018-06
2.6	5HC2700/12750 -1.5-KK	High Pass Filter	Trilithic	9942012		
2.7	ASP 1.2/1.8-10 kg	Antenna Mast	Maturo GmbH	-		



Ref.No.	Device Name	Description	Manufacturer	Serial Number	Last Calibration	Calibration Due
2.8	Fully Anechoic Room	8.80m x 4.60m x 4.05m (I x w x h)	Albatross Projects	P26971-647-001- PRB		2018-06
2.9	Fluke 177	Digital Multimeter 03 (Multimeter)	Fluke Europe B.V.	86670383	2016-02	2018-02
2.10	JS4-18002600- 32-5P	Broadband Amplifier 18 GHz - 26 GHz	Miteq	849785		
2.11	FSW 43	Spectrum Analyzer	Rohde & Schwarz	103779	2016-12	2018-12
2.12	3160-09	Standard Gain / Pyramidal Horn Antenna 26.5 GHz	EMCO Elektronic GmbH	00083069		
2.13	8SS	High Pass Filter	Wainwright	09		
2.14	4HC1600/12750 -1.5-KK	High Pass Filter	Trilithic	9942011		
2.15	Chroma 6404	AC Power Source	Chroma ATE INC.	64040001304		
2.16	42-5A	Broadband Amplifier 30 MHz - 26 GHz	Miteq	619368		
2.17	TT 1.5 WI	Turn Table	Maturo GmbH	=		
2.18	HL 562 Ultralog	Logper. Antenna	Rohde & Schwarz	100609	2016-04	2019-04
2.19	3160-10	Standard Gain / Pyramidal Horn Antenna 40 GHz	EMCO Elektronic GmbH	00086675		
2.20	5HC3500/18000 -1.2-KK	High Pass Filter	Trilithic	200035008		
2.21	HFH2-Z2	Loop Antenna	Rohde & Schwarz	829324/006	2014-11	2017-11
2.22	Opus10 THI (8152.00)		Lufft Mess- und Regeltechnik GmbH	12482	2017-03	2019-03
2.23	ESR 7		Rohde & Schwarz	101424	2016-11	2018-11
2.24		Broadband Amplifier 30 MHz - 18 GHz	Miteq	896037		
2.25	AS 620 P		HD GmbH	620/37		
2.26	Tilt device Maturo (Rohacell)	Antrieb TD1.5- 10kg	Maturo GmbH	TD1.5- 10kg/024/37907 09		
2.27	ESIB 26	Spectrum Analyzer	Rohde & Schwarz	830482/004	2015-12	2017-12
2.28		Antenna Mast	Maturo GmbH	-		
2.29	AM 4.0		Maturo GmbH	AM4.0/180/1192 0513		
2.30		Double-ridged horn	Rohde & Schwarz	102444	2015-05	2018-05

The calibration interval is the time interval between "Last Calibration" and "Calibration Due"



6 ANTENNA FACTORS, CABLE LOSS AND SAMPLE CALCULATIONS

This chapter contains the antenna factors with their corresponding path loss of the used measurement path for all antennas as well as the insertion loss of the LISN.

6.1 LISN R&S ESH3-Z5 (150 KHZ – 30 MHZ)

Frequency	Corr.
MHz	dB
0.15	10.1
5	10.3
7	10.5
10	10.5
12	10.7
14	10.7
16	10.8
18	10.9
20	10.9
22	11.1
24	11.1
26	11.2
28	11.2
30	11.3

	cable
LISN	loss
insertion	(incl. 10
loss	dB
ESH3-	atten-
Z 5	uator)
dB	dB
0.1	10.0
0.1	10.2
0.2	10.3
0.2	10.3
0.3	10.4
0.3	10.4
0.4	10.4
0.4	10.5
0.4	10.5
0.5	10.6
0.5	10.6
0.5	10.7
0.5	10.7
0.5	10.8

Sample calculation

 U_{LISN} (dB μ V) = U (dB μ V) + Corr. (dB)

U = Receiver reading
LISN Insertion loss = Voltage Division Factor of LISN

Corr. = sum of single correction factors of used LISN, cables, switch units (if used)

Linear interpolation will be used for frequencies in between the values in the table.



6.2 ANTENNA R&S HFH2-Z2 (9 KHZ – 30 MHZ)

AF	C	o. Z ANTE	ININA R&	S HFHZ-	22	(9 KHZ –	٠ 3(
MHz dB (1/m) dB 0.009 20.50 -79.6 0.01 20.45 -79.6 0.015 20.37 -79.6 0.02 20.36 -79.6 0.025 20.38 -79.6 0.03 20.32 -79.6 0.05 20.35 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 -79.6 0.1 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.49 20.12 -39.6 0.5 20.11 -39.6 0.1 20.99 -39.6 0.1 20.99 -39.6 0.1 20.99 -39.6 0.1 20.9		Fraguancy		Corr		loss 1 (inside	
0.009 20.50 -79.6 0.01 20.45 -79.6 0.015 20.37 -79.6 0.02 20.36 -79.6 0.025 20.38 -79.6 0.03 20.32 -79.6 0.05 20.35 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 -79.6 0.1 0.2 20.17 -79.6 0.49 20.12 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.1 -39.6 0.1 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.1 -39.6 0.1 -39.6							CII
0.01 20.45 -79.6 0.015 20.37 -79.6 0.02 20.36 -79.6 0.025 20.38 -79.6 0.03 20.32 -79.6 0.05 20.35 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 -79.6 0.1 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.49 20.12 -79.6 0.49 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.1 20.1 0.1 20.1							
0.015 20.37 -79.6 0.02 20.36 -79.6 0.025 20.38 -79.6 0.03 20.32 -79.6 0.05 20.35 -79.6 0.08 20.30 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 -79.6 0.1 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 -39.6 0.1 0.2 20.08 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.2 20.05 -39.5							
0.02 20.36 -79.6 0.025 20.38 -79.6 0.03 20.32 -79.6 0.05 20.35 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 20.20 -79.6 0.1 -79.6 0.1 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 -39.6 0.1 0.8 20.10 -39.6 0.1 -39.6 0.1 1 20.09 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 0.2 -39.5 0.2 8 19.95 -39.5 0.2 -39.5							
0.025 20.38 -79.6 0.03 20.32 -79.6 0.05 20.35 -79.6 0.08 20.30 -79.6 0.1 20.20 -79.6 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 -39.6 0.1 0.8 20.10 -39.6 0.1 -39.6 0.1 1 20.09 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5							
0.03 20.32 -79.6 0.05 20.35 -79.6 0.08 20.30 -79.6 0.1 20.20 -79.6 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 -39.6 0.1 0.2 20.08 -39.6 0.1 -39.6 0.1 0.2 20.08 -39.6 0.1 -39.6 0.1 0.2 20.08 -39.6 0.1 -39.6 0.1 0.2 20.08 -39.6 0.1 -39.5 0.2 5 20.05 -39.5 0.2 -39.5 0.2 8 19.95 -39.5 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
0.05 20.35 -79.6 0.08 20.30 -79.6 0.1 20.20 -79.6 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.00 -39.6 0.1 0.1 0.1 0.8 20.10 -39.6 0.1 0.1 0.1 1 20.09 -39.6 0.1 0.1 0.1 2 20.08 -39.6 3 20.06 -39.5 5 20.05 -39.5 0.2 -39.5 0.2 8 19.95 -39.5 0.2 -39.5 0.2 8 19.95 -39.5							
0.08 20.30 -79.6 0.1 20.20 -79.6 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 20.09 -39.6 0.1 0.1 0.1 0.8 20.10 -39.6 0.1 0.1 0.1 0.8 20.10 -39.6 0.1 0.1 0.1 1 20.09 -39.6 0.1 0.1 0.1 3 20.06 -39.5 0.2 0.2 0.2 5 20.05 -39.5 0.2 0.2 0.2 8 19.95 -39.5 0.2 0.2 10							
0.1 20.20 -79.6 0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.6 5 20.05 -39.5 6 20.02 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 0.2 -39.5 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
0.2 20.17 -79.6 0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 20 19.57 -39.3 24 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
0.3 20.14 -79.6 0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
0.49 20.12 -79.6 0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
0.490001 20.12 -39.6 0.5 20.11 -39.6 0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
0.5 20.11 -39.6 0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
0.8 20.10 -39.6 1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 28 19.46 -39.2							
1 20.09 -39.6 2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
2 20.08 -39.6 3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 28 19.46 -39.2							
3 20.06 -39.6 4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2		·					
4 20.05 -39.5 5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 28 19.46 -39.2							
5 20.05 -39.5 6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
6 20.02 -39.5 8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
8 19.95 -39.5 10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2							
10 19.83 -39.4 12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.2 0.2 0.2 0.2 0.3 0.3 0.3 0.3							
12 19.71 -39.4 14 19.54 -39.4 16 19.53 -39.3 18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.2 0.2 0.3 0.3 0.3 0.3							
14 19.54 -39.4 16 19.53 -39.3 18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.2 0.3 0.3 0.3 0.3 0.3 0.3							
16 19.53 -39.3 18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.3 0.3 0.3 0.3 0.3 0.3 0.3		12					
18 19.50 -39.3 20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.3 0.3 0.3 0.3 0.3 0.3							
20 19.57 -39.3 22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.3 0.3 0.3 0.3 0.3 0.3							
22 19.61 -39.3 24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2		18	19.50	-39.3		0.3	
24 19.61 -39.3 26 19.54 -39.3 28 19.46 -39.2 0.3 0.3 0.3 0.3			19.57				
26 19.54 -39.3 28 19.46 -39.2		22	19.61	-39.3		0.3	
28 19.46 -39.2 0.3		24	19.61	-39.3		0.3	
		26	19.54	-39.3		0.3	
30 19.73 -39.1 0.4		28	19.46	-39.2		0.3	
		30	19.73	-39.1		0.4	

cable loss 1 (inside chamber) cable loss 2 (outside chamber) cable loss 3 (switch chamber) cable loss 3 (witch chamber) cable loss 3 (witch chamber) cable loss 3 (witch chamber) cable loss 4 (to corr. (acade) distance decade) distance (limit) (used) dB dB dB dB dB dB m m 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							
(inside chamber) (outside chamber) (switch unit) (to receiver) (-40 dB/decade) distance (limit) distance (used) dB dB dB dB m m m 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 <td>cable</td> <td>cable</td> <td>cable</td> <td>cable</td> <td>distance</td> <td>d_{Limit}</td> <td>dused</td>	cable	cable	cable	cable	distance	d _{Limit}	dused
chamber) chamber) unit) receiver) decade) (limit) (used) dB dB dB dB m m 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1	loss 1	loss 2	loss 3	loss 4	corr.	(meas.	(meas.
dB dB dB dB dB dB m m m	`	`	`		`		
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1					,	(limit)	(used)
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1	dB	dB	dB	dB			
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30	0.1	0.1	0.1	0.1	-80	300	3
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1	0.1	0.1	0.1	0.1	-80	300	
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1	0.1	0.1	0.1	0.1	-80	300	3
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1	0.1	0.1	0.1	0.1	-80	300	
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1	0.1	0.1	0.1	0.1	-80	300	
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 <t< td=""><td>0.1</td><td>0.1</td><td>0.1</td><td>0.1</td><td>-80</td><td>300</td><td>3</td></t<>	0.1	0.1	0.1	0.1	-80	300	3
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1	0.1	0.1	0.1	0.1	-80	300	
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0	0.1	0.1	0.1	0.1	-80	300	3
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.	0.1	0.1	0.1	0.1	-80	300	
0.1 0.1 0.1 0.1 -80 300 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1	0.1	0.1	0.1	0.1	-80	300	
0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-80	300	3
0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-80	300	3
0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-40	30	3
0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-40	30	3
0.1 0.1 0.1 0.1 -40 30 3 0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.1		0.1		-40	30	
0.1 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-40	30	3
0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-40	30	3
0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.1	0.1	0.1	0.1	-40	30	3
0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.2	0.1	0.1	0.1	-40	30	3
0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.2	0.1	0.1	0.1	-40	30	3
0.2 0.1 0.1 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1<	0.2	0.1	0.1	0.1	-40	30	
0.2 0.1 0.2 0.1 -40 30 3 0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3	0.2	0.1	0.1	0.1	-40	30	
0.2 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.2	0.1	0.2	0.1	-40	30	3
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.2	0.1	0.2	0.1	-40	30	3
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.2	0.1	0.2	0.1	-40	30	3
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.3	0.1	0.2	0.1	-40	30	
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.3	0.1	0.2	0.1	-40	30	
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.3	0.1	0.2	0.1	-40	30	
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3							
0.3 0.1 0.2 0.1 -40 30 3 0.3 0.1 0.3 0.1 -40 30 3	0.3	0.1	0.2	0.1	-40		
0.3 0.1 0.3 0.1 -40 30 3					-40		
	0.4	0.1	0.3	0.1	-40	30	3

Sample calculation

E (dB μ V/m) = U (dB μ V) + AF (dB 1/m) + Corr. (dB)

U = Receiver reading

AF = Antenna factor

Corr. = sum of single correction factors of used cables, switch unit, distance correction, amplifier (if applicable) distance correction = -40 * LOG (d_{Limit}/d_{used})

Linear interpolation will be used for frequencies in between the values in the table.

Table shows an extract of values



6.3 ANTENNA R&S HL562 (30 MHZ – 1 GHZ)

 $(d_{Limit} = 3 m)$

$d_{Limit} = 3 m$		
_	AF R&S	0
Frequency	HL562	Corr.
MHz	dB (1/m)	dB
30	18.6	0.6
50	6.0	0.9
100	9.7	1.2
150	7.9	1.6
200	7.6	1.9
250	9.5	2.1
300	11.0	2.3
350	12.4	2.6
400	13.6	2.9
450	14.7	3.1
500	15.6	3.2
550	16.3	3.5
600	17.2	3.5
650	18.1	3.6
700	18.5	3.6
750	19.1	4.1
800	19.6	4.1
850	20.1	4.4
900	20.8	4.7
950	21.1	4.8
1000	21.6	4.9

cable	cable	cable	cable	distance	d_{Limit}	dused
loss 1	loss 2	loss 3	loss 4	corr.	(meas.	(meas.
(inside	(outside	(switch	(to	(-20 dB/	distance	distance
chamber)	chamber)	unit)	receiver)	decade)	(limit)	(used)
dB	dB	dB	dB	dB	m	m
0.29	0.04	0.23	0.02	0.0	3	3
0.39	0.09	0.32	0.08	0.0	3	3
0.56	0.14	0.47	0.08	0.0	3	3
0.73	0.20	0.59	0.12	0.0	3	3
0.84	0.21	0.70	0.11	0.0	3	3
0.98	0.24	0.80	0.13	0.0	3	3
1.04	0.26	0.89	0.15	0.0	3	3
1.18	0.31	0.96	0.13	0.0	3	3
1.28	0.35	1.03	0.19	0.0	3	3
1.39	0.38	1.11	0.22	0.0	3	3
1.44	0.39	1.20	0.19	0.0	3	3
1.55	0.46	1.24	0.23	0.0	3	3
1.59	0.43	1.29	0.23	0.0	3	3
1.67	0.34	1.35	0.22	0.0	3	3
1.67	0.42	1.41	0.15	0.0	3	3
1.87	0.54	1.46	0.25	0.0	3	3
1.90	0.46	1.51	0.25	0.0	3	3
1.99	0.60	1.56	0.27	0.0	3	3
2.14	0.60	1.63	0.29	0.0	3	3
2.22	0.60	1.66	0.33	0.0	3	3
2.23	0.61	1.71	0.30	0.0	3	3

 $(d_{Limit} = 10 m)$

$(a_{Limit} = 10 \text{ m})$)								
30	18.6	-9.9	0.29	0.04	0.23	0.02	-10.5	10	3
50	6.0	-9.6	0.39	0.09	0.32	0.08	-10.5	10	3
100	9.7	-9.2	0.56	0.14	0.47	0.08	-10.5	10	3
150	7.9	-8.8	0.73	0.20	0.59	0.12	-10.5	10	3
200	7.6	-8.6	0.84	0.21	0.70	0.11	-10.5	10	3
250	9.5	-8.3	0.98	0.24	0.80	0.13	-10.5	10	3
300	11.0	-8.1	1.04	0.26	0.89	0.15	-10.5	10	3
350	12.4	-7.9	1.18	0.31	0.96	0.13	-10.5	10	3
400	13.6	-7.6	1.28	0.35	1.03	0.19	-10.5	10	3
450	14.7	-7.4	1.39	0.38	1.11	0.22	-10.5	10	3
500	15.6	-7.2	1.44	0.39	1.20	0.19	-10.5	10	3
550	16.3	-7.0	1.55	0.46	1.24	0.23	-10.5	10	3
600	17.2	-6.9	1.59	0.43	1.29	0.23	-10.5	10	3
650	18.1	-6.9	1.67	0.34	1.35	0.22	-10.5	10	3
700	18.5	-6.8	1.67	0.42	1.41	0.15	-10.5	10	3
750	19.1	-6.3	1.87	0.54	1.46	0.25	-10.5	10	3
800	19.6	-6.3	1.90	0.46	1.51	0.25	-10.5	10	3
850	20.1	-6.0	1.99	0.60	1.56	0.27	-10.5	10	3
900	20.8	-5.8	2.14	0.60	1.63	0.29	-10.5	10	3
950	21.1	-5.6	2.22	0.60	1.66	0.33	-10.5	10	3
1000	21.6	-5.6	2.23	0.61	1.71	0.30	-10.5	10	3
1000	21.0	5.0	2.20	0.01	1.71	0.00	10.5		

Sample calculation

E (dB μ V/m) = U (dB μ V) + AF (dB 1/m) + Corr. (dB)

U = Receiver reading

AF = Antenna factor

Corr. = sum of single correction factors of used cables, switch unit, distance correction, amplifier (if applicable) distance correction = $-20 * LOG (d_{Limit}/d_{used})$

Linear interpolation will be used for frequencies in between the values in the table.

Tables show an extract of values.



6.4 ANTENNA R&S HF907 (1 GHZ – 18 GHZ)

	AF	
	R&S	
Frequency	HF907	Corr.
MHz	dB (1/m)	dB
1000	24.4	-19.4
2000	28.5	-17.4
3000	31.0	-16.1
4000	33.1	-14.7
5000	34.4	-13.7
6000	34.7	-12.7
7000	35.6	-11.0

cable loss 1 (relay + cable inside	cable loss 2 (outside	cable loss 3 (switch unit, atten- uator &	cable loss 4 (to	
chamber)	chamber)	pre-amp)	receiver)	
dB	dB	dB	dB	
0.99	0.31	-21.51	0.79	
1.44	0.44	-20.63	1.38	
1.87	0.53	-19.85	1.33	
2.41	0.67	-19.13	1.31	
2.78	0.86	-18.71	1.40	
2.74	0.90	-17.83	1.47	
2.82	0.86	-16.19	1.46	

Frequency	AF R&S HF907	Corr.
MHz	dB (1/m)	dB
3000	31.0	-23.4
4000	33.1	-23.3
5000	34.4	-21.7
6000	34.7	-21.2
7000	35.6	-19.8

			cable		
			loss 4		
cable			(switch		
loss 1	cable	cable	unit,		used
(relay	loss 2	loss 3	atten-	cable	for
inside	(inside	(outside	uator &	loss 5 (to	FCC
chamber)	chamber)	chamber)	pre-amp)	receiver)	15.247
dB	dB	dB	dB	dB	
0.47	1.87	0.53	-27.58	1.33	
0.56	2.41	0.67	-28.23	1.31	
0.61	2.78	0.86	-27.35	1.40	
0.58	2.74	0.90	-26.89	1.47	
0.66	2.82	0.86	-25.58	1.46	

Frequency	AF R&S HF907	Corr.
MHz	dB (1/m)	dB
7000	35.6	-57.3
8000	36.3	-56.3
9000	37.1	-55.3
10000	37.5	-56.2
11000	37.5	-55.3
12000	37.6	-53.7
13000	38.2	-53.5
14000	39.9	-56.3
15000	40.9	-54.1
16000	41.3	-54.1
17000	42.8	-54.4
18000	44.2	-54.7

cable					
loss 1	cable	cable	cable	cable	cable
(relay	loss 2	loss 3	loss 4	loss 5	loss 6
inside	(High	(pre-	(inside	(outside	(to
chamber)	Pass)	amp)	chamber)	chamber)	receiver)
dB	dB	dB	dB	dB	dB
0.56	1.28	-62.72	2.66	0.94	1.46
0.69	0.71	-61.49	2.84	1.00	1.53
0.68	0.65	-60.80	3.06	1.09	1.60
0.70	0.54	-61.91	3.28	1.20	1.67
0.80	0.61	-61.40	3.43	1.27	1.70
0.84	0.42	-59.70	3.53	1.26	1.73
0.83	0.44	-59.81	3.75	1.32	1.83
0.91	0.53	-63.03	3.91	1.40	1.77
0.98	0.54	-61.05	4.02	1.44	1.83
1.23	0.49	-61.51	4.17	1.51	1.85
1.36	0.76	-62.36	4.34	1.53	2.00
1.70	0.53	-62.88	4.41	1.55	1.91

Sample calculation

E (dB μ V/m) = U (dB μ V) + AF (dB 1/m) + Corr. (dB)

U = Receiver reading

AF = Antenna factor

Corr. = sum of single correction factors of used cables, switch unit, distance correction, amplifier (if applicable) Linear interpolation will be used for frequencies in between the values in the table.

Tables show an extract of values.



6.5 ANTENNA EMCO 3160-09 (18 GHZ – 26.5 GHZ)

Fraguancy	AF EMCO 3160-09	Corr.
Frequency MHz	dB (1/m)	dB
18000	40.2	-23.5
18500	40.2	-23.2
19000	40.2	-22.0
19500	40.2	-21.3
20000	40.3	-20.3
20500	40.3	-19.9
21000	40.3	-19.1
21500	40.3	-19.1
22000	40.3	-18.7
22500	40.4	-19.0
23000	40.4	-19.5
23500	40.4	-19.3
24000	40.4	-19.8
24500	40.4	-19.5
25000	40.4	-19.3
25500	40.5	-20.4
26000	40.5	-21.3
26500	40.5	-21.1

cable	cable	cable	cable	cable
loss 1	loss 2	loss 3	loss 4	loss 5
(inside	(pre-	(inside	(switch	(to
chamber)	amp)	chamber)	unit)	receiver)
dB	dB	dB	dB	dB
0.72	-35.85	6.20	2.81	2.65
0.69	-35.71	6.46	2.76	2.59
0.76	-35.44	6.69	3.15	2.79
0.74	-35.07	7.04	3.11	2.91
0.72	-34.49	7.30	3.07	3.05
0.78	-34.46	7.48	3.12	3.15
0.87	-34.07	7.61	3.20	3.33
0.90	-33.96	7.47	3.28	3.19
0.89	-33.57	7.34	3.35	3.28
0.87	-33.66	7.06	3.75	2.94
0.88	-33.75	6.92	3.77	2.70
0.90	-33.35	6.99	3.52	2.66
0.88	-33.99	6.88	3.88	2.58
0.91	-33.89	7.01	3.93	2.51
0.88	-33.00	6.72	3.96	2.14
0.89	-34.07	6.90	3.66	2.22
0.86	-35.11	7.02	3.69	2.28
0.90	-35.20	7.15	3.91	2.36

Sample calculation

E (dB μ V/m) = U (dB μ V) + AF (dB 1/m) + Corr. (dB)

U = Receiver reading

AF = Antenna factor

Corr. = sum of single correction factors of used cables, switch unit, distance correction, amplifier (if applicable) Linear interpolation will be used for frequencies in between the values in the table.

Table shows an extract of values.



6.6 ANTENNA EMCO 3160-10 (26.5 GHZ - 40 GHZ)

Frequency	AF EMCO 3160-10	Corr.
GHz	dB (1/m)	dB
26.5	43.4	-11.2
27.0	43.4	-11.2
28.0	43.4	-11.1
29.0	43.5	-11.0
30.0	43.5	-10.9
31.0	43.5	-10.8
32.0	43.5	-10.7
33.0	43.6	-10.7
34.0	43.6	-10.6
35.0	43.6	-10.5
36.0	43.6	-10.4
37.0	43.7	-10.3
38.0	43.7	-10.2
39.0	43.7	-10.2
40.0	43.8	-10.1

cable loss 1 (inside chamber)	cable loss 2 (outside chamber)	cable loss 3 (switch unit)	cable loss 4 (to receiver)	distance corr. (-20 dB/ decade)	d _{Limit} (meas. distance (limit)	d _{used} (meas. distance (used)
dB	dB	dB	dB	dB	m	m
4.4				-15.6	3	0.5
4.4				-15.6	3	0.5
4.5				-15.6	3	0.5
4.6				-15.6	3	0.5
4.7				-15.6	3	0.5
4.7				-15.6	3	0.5
4.8				-15.6	3	0.5
4.9				-15.6	3	0.5
5.0				-15.6	3	0.5
5.1				-15.6	3	0.5
5.1				-15.6	3	0.5
5.2				-15.6	3	0.5
5.3				-15.6	3	0.5
5.4				-15.6	3	0.5
5.5				-15.6	3	0.5

Sample calculation

E (dB μ V/m) = U (dB μ V) + AF (dB 1/m) + Corr. (dB)

U = Receiver reading AF = Antenna factor

Corr. = sum of single correction factors of used cables, switch unit, distance correction, amplifier (if applicable) Linear interpolation will be used for frequencies in between the values in the table.

distance correction = -20 * LOG (d_{Limit}/d_{used})


Linear interpolation will be used for frequencies in between the values in the table.

Table shows an extract of values.




7 SETUP DRAWINGS

Setup Drawings



Remark: Depending on the frequency range suitable antenna types, attenuators or preamplifiers are used.

Setup in the Anechoic chamber. For measurements below 1 GHz the ground was replaced by a conducting ground plane.



TEST REPORT REFERENCE: MDE_UBLOX_1717_FCCb



Setup in the shielded room for conducted measurements at AC mains port



8 MEASUREMENT UNCERTAINTIES

Test Case	Parameter	Uncertainty
Conducted Emissions at AC mains	Voltage	± 3.4 dB
Radiated Emissions	Field Strength	± 5.5 dB

9 PHOTO REPORT

Please see separate photo report.