

Guangzhou Liyuan Electronic CO.,Ltd.

LYEBS570 Electronic Ballasts Technique Parameter:

PRODUCT: Electronic Ballasts

Model: LYEBS570B

Input Voltage: 120V

Input Frequency: 60HZ

Input Current: 0.01~0.38A

Power Factor: ≥ 0.90

T.H.D: $\leq 40\%$

Starting Method: Instant Start

Class P Type HL

No PCB's

Type 1 Outdoor

Sound Rated Class A

Min. Stating Temp: -18°C

Ta: $-18^{\circ}\text{C} \sim 50^{\circ}\text{C}$

Tc: 75°C MAX

For lamp:



For 1or2 F21T5/HE

For 1 F32T8


For 1or2 F8T5/HE

For 1or2 F14T5/HE
 For 1 F28T5/HE
 For 1 F24T5HO
 For 1 F35T5/HE
 For 1 CFQ13W/GX24q
 For 1 CFQ18W/GX24q
 For 1 CFQ26W/GX24q
 For 1 FT18W/2G11
 For 1 FT24W/2G11
 For 1or 2 F15T8
 For 1or 2 F25T8

Wiring Diagram



Case



Overall(L)	Width(W)	Height(H)	Mounting(M)
162mm	29mm	26mm	143mm

FCC NOTE:

The manufacturer is not responsible for any radio or TV interference caused by unauthorized equipment. Such modifications could void the user's authority to operate the equipment.

This product may cause interference to radio equipment and should not be installed near maritime safety communications equipment or other critical navigation or communication equipment operating frequency between 450KHz~30MHz.