| Site : CB4-H	Time : 2017/08/03
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5320MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	10640.000	15.241	23.720	38.961	-15.039	54.000	AVERAGE
2		15960.000	13.409	24.800	38.209	-15.791	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/03
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5260MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10520.000	14.779	36.350	51.129	-22.871	74.000	PEAK
2	*	15780.000	13.631	40.280	53.911	-20.089	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/03
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5260MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15780.000	13.631	26.940	40.571	-13.429	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/03
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5260MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10520.000	14.779	36.740	51.519	-22.481	74.000	PEAK
2	*	15780.000	13.631	41.090	54.721	-19.279	74.000	PEAK

Note:
1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

DEKRA

| Site : CB4-H	Time : 2017/08/03
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5260MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15780.000	13.631	27.580	41.211	-12.789	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5300MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10600.000	15.087	36.100	51.187	-22.813	74.000	PEAK
2	*	15900.000	13.483	38.840	52.323	-21.677	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5300MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15900.000	13.483	25.920	39.403	-14.597	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5300MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10600.000	15.087	36.820	51.907	-22.093	74.000	PEAK
2	*	15900.000	13.483	39.500	52.983	-21.017	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5300MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15900.000	13.483	26.420	39.903	-14.097	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5320MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10640.000	15.241	36.630	51.871	-22.129	74.000	PEAK
2	*	15960.000	13.409	39.270	52.679	-21.321	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

DEKRA

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5320MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15960.000	13.409	24.850	38.259	-15.741	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

![DEKRA]

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5320MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10640.000	15.241	37.490	52.731	-21.269	74.000	PEAK
2	*	15960.000	13.409	39.590	52.999	-21.001	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5320MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15960.000	13.409	25.240	38.649	-15.351	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5270MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10540.000	14.856	37.520	52.376	-21.624	74.000	PEAK
2	*	15810.000	13.594	39.870	53.464	-20.536	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5270MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10540.000	14.856	23.070	37.926	-16.074	54.000	AVERAGE
2	*	15810.000	13.594	27.180	40.774	-13.226	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

DEKRA

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5270MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10540.000	14.856	36.230	51.086	-22.914	74.000	PEAK
2	*	15810.000	13.594	41.010	54.604	-19.396	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5270MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	15810.000	13.594	27.890	41.484	-12.516	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5310MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10620.000	15.164	36.860	52.024	-21.976	74.000	PEAK
2	*	15930.000	13.446	39.370	52.816	-21.184	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5310MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10620.000	15.164	23.430	38.594	-15.406	54.000	AVERAGE
2	*	15930.000	13.446	25.810	39.256	-14.744	54.000	AVERAGE

Note:
1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5310MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10620.000	15.164	36.980	52.144	-21.856	74.000	PEAK
2	*	15930.000	13.446	40.310	53.756	-20.244	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5310MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		10620.000	15.164	23.960	39.124	-14.876	54.000	AVERAGE
2	*	15930.000	13.446	26.350	39.796	-14.204	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5500MHz_Ant0

|		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11000.000	15.605	35.910	51.515	-22.485	74.000	PEAK
2		16500.000	54.481	36.860	50.298	-23.702	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5500MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11000.000	15.605	35.870	51.475	-22.525	74.000	PEAK
2		16500.000	13.438	38.030	51.468	-22.532	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5500MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11000.000	15.605	36.150	51.755	-22.245	74.000	PEAK
2		16500.000	13.438	36.600	50.038	-23.962	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5500MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11000.000	15.605	35.650	51.255	-22.745	74.000	PEAK
2		16500.000	13.438	36.590	50.028	-23.972	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5580MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11160.000	15.566	34.750	50.315	-23.685	74.000	PEAK
2	*	16740.000	14.357	36.660	51.017	-22.983	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5580MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11160.000	15.566	35.010	50.575	-23.425	74.000	PEAK
2	*	16740.000	14.357	36.340	50.697	-23.303	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5580MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11160.000	15.566	34.800	50.365	-23.635	74.000	PEAK
2	*	16740.000	14.357	36.930	51.287	-22.713	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5580MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11160.000	15.566	34.250	49.815	-24.185	74.000	PEAK
2	*	16740.000	14.357	36.600	50.957	-23.043	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	37.230	53.621	-20.379	74.000	PEAK
2		17100.000	15.807	36.380	52.187	-21.813	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	23.540	39.931	-14.069	54.000	AVERAGE
2		17100.000	15.807	22.820	38.627	-15.373	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	37.750	54.141	-19.859	74.000	PEAK
2		17100.000	15.807	36.260	52.067	-21.933	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	24.810	41.201	-12.799	54.000	AVERAGE
2		17100.000	15.807	23.000	38.807	-15.193	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

![DEKRA]

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11400.000	16.391	36.710	53.101	-20.899	74.000	PEAK
2	*	17100.000	15.807	38.400	54.207	-19.793	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11400.000	16.391	24.040	40.431	-13.569	54.000	AVERAGE
2	*	17100.000	15.807	24.980	40.787	-13.213	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	38.840	55.231	-18.769	74.000	PEAK
2		17100.000	15.807	38.970	54.777	-19.223	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5700MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	25.410	41.801	-12.199	54.000	AVERAGE
2		17100.000	15.807	24.910	40.717	-13.283	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5500MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11000.000	15.605	35.900	51.505	-22.495	74.000	PEAK
2		16500.000	13.438	36.310	49.748	-24.252	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5500MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11000.000	15.605	36.210	51.815	-22.185	74.000	PEAK
2		16500.000	13.438	36.700	50.138	-23.862	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

DEKRA

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5580MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11160.000	15.566	34.610	50.175	-23.825	74.000	PEAK
2	*	16740.000	14.357	36.680	51.037	-22.963	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5580MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11160.000	15.566	35.450	51.015	-22.985	74.000	PEAK
2	*	16740.000	14.357	37.010	51.367	-22.633	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5700MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	36.320	52.711	-21.289	74.000	PEAK
2		17100.000	15.807	36.390	52.197	-21.803	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5700MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	23.340	39.731	-14.269	54.000	AVERAGE
2		17100.000	15.807	23.280	39.087	-14.913	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5700MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	37.030	53.421	-20.579	74.000	PEAK
2		17100.000	15.807	36.630	52.437	-21.563	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5700MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11400.000	16.391	24.520	40.911	-13.089	54.000	AVERAGE
2		17100.000	15.807	23.110	38.917	-15.083	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(40M)_5510MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11020.000	15.573	35.670	51.243	-22.757	74.000	PEAK
2		16530.000	13.542	36.830	50.372	-23.628	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_ 802.11n(40M)_5510MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11020.000	15.573	36.300	51.873	-22.127	74.000	PEAK
2		16530.000	13.542	36.170	49.712	-24.288	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5550MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11100.000	15.568	35.210	50.779	-23.221	74.000	PEAK
2		16650.000	14.008	36.270	50.278	-23.722	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5550MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1	*	11100.000	15.568	35.290	50.859	-23.141	74.000	PEAK
2		16650.000	14.008	36.360	50.368	-23.632	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

DEKRA

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5670MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11340.000	16.059	36.050	52.108	-21.892	74.000	PEAK
2	*	17010.000	15.683	37.340	53.022	-20.978	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5670MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11340.000	16.059	22.790	38.848	-15.152	54.000	AVERAGE
2	*	17010.000	15.683	23.870	39.552	-14.448	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5670MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11340.000	16.059	36.390	52.448	-21.552	74.000	PEAK
2	*	17010.000	15.683	36.930	52.612	-21.388	74.000	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.
8. The Emission above 18GHz were not included is because their levels are too low.

| Site : CB4-H	Time : 2017/08/04
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5670MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		11340.000	16.059	23.200	39.258	-14.742	54.000	AVERAGE
2	*	17010.000	15.683	23.890	39.572	-14.428	54.000	AVERAGE

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

8. The Emission above 18GHz were not included is because their levels are too low.

6.7. Test Result for Co-location

Section 15.247 Subclause (d). Emission limitations radiated (Transmitter)
The test was performed with the equipment transmitting first in only 5 GHz WiFi mode and repeated with the 2.4 GHz BT radio transmitting simultaneously to check the impact of the co-location of both radio interfaces. The results and plots below show the worst results obtained in both modes.

Site : CB4-H	Time : 2017/08/07
Limit : FCC_A_(Above_1G)_3M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHH751-P	Note : 5G+BT_co-location mode

|		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		1870.313	-11.561	48.610	37.048	-42.452	79.500	PEAK
2		5615.038	0.683	43.950	44.634	-34.866	79.500	PEAK
3		7819.718	9.069	36.844	45.912	-33.588	79.500	PEAK
4		9358.064	12.252	35.051	47.304	-32.196	79.500	PEAK
5	*	11907.809	16.055	35.424	51.479	-28.021	79.500	PEAK
6		15638.935	14.443	36.896	51.340	-28.160	79.500	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. " # ", means the frequency is out of the restricted band.

6. Measurement Level = Reading Level + Correct Factor.

7. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/07
Limit : FCC_A_(Above_1G)_3M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHH751-P	Note : 5G+BT_co-location mode

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		2975.202	-7.194	57.218	50.024	-29.476	79.500	PEAK
2		5615.038	0.683	49.689	50.373	-29.127	79.500	PEAK
3		10454.454	14.635	36.319	50.954	-28.546	79.500	PEAK
4	*	12538.445	16.456	35.416	51.872	-27.628	79.500	PEAK
5		14166.883	18.576	32.622	51.198	-28.302	79.500	PEAK
6		16850.914	14.911	34.325	49.235	-30.265	79.500	PEAK

Note:

1. All Readings below 1GHz are Quasi-Peak, above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. " # ", means the frequency is out of the restricted band.
6. Measurement Level = Reading Level + Correct Factor.
7. The average measurement was not performed when the peak measured data under the limit of average detection.

7. Band Edge

7.1. Test Equipment

The following test equipment are used during the band edge tests:

Band Edge / CB4-H

Instrument	Manufacturer	Model No.	Serial No	Next Cal. Date
Horn Antenna	Schwarzbeck	BBHA 9120	D312	2017/10/25
Signal & Spectrum Analyzer	R&S	FSV40	101049	2018/01/05

Note: All equipment that need to calibrate are with calibration period of 1 year.

7.2. Test Setup

RF Radiated Measurement:

7.3. Limits

➢ **General Radiated Emission Limits**

The provisions of Section 15.205 of this part apply to intentional radiators operating under this section. Radiated emissions which fall in the restricted bands, as defined in Section 15.205, must also comply with the radiated emission limits specified in Section 15.209:

FCC Part 15 Subpart C Paragraph 15.209 Limits		
Frequency MHz	uV/m @3m	dBuV/m@3m
30 - 88	100	40
88 - 216	150	43.5
216 - 960	200	46
Above 960	500	54

Remark:

1.   RF Voltage (dBuV) = 20 log RF Voltage (uV)

2.   In the Above Table, the tighter limit applies at the band edges.

3.   Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.

➢ **Unwanted Emission out of the restricted bands Limits**

FCC Part 15 Subpart E Paragraph 15.407(b) Limits		
Frequency (MHz)	EIRP Limit (dBm)	Equivalent Field Strength (dBuV/m@3m)
5150~5250	-27	68.3
5250~5350	-27	68.3
5470~5725	-27	68.3

4. For transmitters operating in the 5.725-5.85 GHz band

(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27dBm/MHz at the band edge.

(ii) Devices certified before March 2, 2017 with antenna gain greater than 10 dBi may demonstrate compliance with the emission limits in Section 15.247(d), but manufacturing, marketing and importing of devices certified under this alternative must cease by March 2, 2018. Devices certified before March 2, 2018 with antenna gain of 10 dBi or less may demonstrate compliance with the emission limits in Section 15.247(d), but manufacturing, marketing and importing of devices certified under this alternative must cease before March 2, 2020.

Remark:

1.   For frequencies more than 10 MHz above or below the band edges.

2.   For frequency range from the band edges to 10 MHz above or below the band edges.

3.   uV/m = $\dfrac{1000000\sqrt{30 \times EIRP}}{3}$, RF Voltage (dBuV/m) = 20 log RF Voltage (uV/m)

7.4.　Test Procedure

The EUT and its simulators are placed on a turn table which is 1.5 meter above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.

The antenna can move up and down between 1 meter and 4 meters to find out the maximum emission level.

Both horizontal and vertical polarization of the antenna are set on measurement. In order to find the maximum emission, all of the interface cables must be manipulated according to ANSI C63.10: 2013on radiated measurement.

The bandwidth below 1GHz setting on the field strength meter is 120 KHz, above 1GHz are 1 MHz.

7.5.　Uncertainty

The measurement uncertainty is defined as ± 3.65dB

7.6.　　Test Result

Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.011	48.750	-25.250	74.000	PEAK
2		5148.517	23.596	44.098	67.694	-6.306	74.000	PEAK
3		5150.000	23.597	35.867	59.464	-14.536	74.000	PEAK
4	*	5179.565	23.615	84.013	107.628	33.628	74.000	PEAK
5		5350.000	23.806	29.008	52.814	-21.186	74.000	PEAK
6		5460.000	23.958	29.481	53.439	-20.561	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.515	39.254	-14.746	54.000	AVERAGE
2		5146.517	23.595	25.429	49.024	-4.976	54.000	AVERAGE
3		5150.000	23.597	26.187	49.784	-4.216	54.000	AVERAGE
4	*	5179.165	23.615	73.756	97.371	43.371	54.000	AVERAGE
5		5350.000	23.806	19.666	43.472	-10.528	54.000	AVERAGE
6		5460.000	23.958	19.151	43.109	-10.891	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.048	49.787	-24.213	74.000	PEAK
2		5146.617	23.595	34.206	57.801	-16.199	74.000	PEAK
3		5150.000	23.597	31.811	55.408	-18.592	74.000	PEAK
4	*	5179.565	23.615	78.206	101.821	27.821	74.000	PEAK
5		5350.000	23.806	30.506	54.312	-19.688	74.000	PEAK
6		5460.000	23.958	28.224	52.182	-21.818	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.578	39.317	-14.683	54.000	AVERAGE
2		5146.067	23.594	21.058	44.652	-9.348	54.000	AVERAGE
3		5150.000	23.597	21.333	44.930	-9.070	54.000	AVERAGE
4	*	5179.015	23.615	66.498	90.113	36.113	54.000	AVERAGE
5		5350.000	23.806	19.265	43.071	-10.929	54.000	AVERAGE
6		5460.000	23.958	18.805	42.763	-11.237	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	26.778	48.517	-25.483	74.000	PEAK
2		5145.917	23.595	37.974	61.568	-12.432	74.000	PEAK
3		5150.000	23.597	36.029	59.626	-14.374	74.000	PEAK
4	*	5179.565	23.615	81.718	105.333	31.333	74.000	PEAK
5		5350.000	23.806	29.626	53.432	-20.568	74.000	PEAK
6		5460.000	23.958	29.911	53.869	-20.131	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

![DEKRA]

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.541	39.280	-14.720	54.000	AVERAGE
2		5147.217	23.596	23.802	47.397	-6.603	54.000	AVERAGE
3		5150.000	23.597	24.304	47.901	-6.099	54.000	AVERAGE
4	*	5179.165	23.615	71.105	94.720	40.720	54.000	AVERAGE
5		5350.000	23.806	19.515	43.321	-10.679	54.000	AVERAGE
6		5460.000	23.958	18.889	42.847	-11.153	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.249	48.988	-25.012	74.000	PEAK
2		5142.617	23.592	35.636	59.228	-14.772	74.000	PEAK
3		5150.000	23.597	33.612	57.209	-16.791	74.000	PEAK
4	*	5179.265	23.615	76.680	100.295	26.295	74.000	PEAK
5		5350.000	23.806	29.968	53.774	-20.226	74.000	PEAK
6		5460.000	23.958	30.255	54.213	-19.787	74.000	PEAK

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5180MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.546	39.285	-14.715	54.000	AVERAGE
2		5147.017	23.594	21.637	45.232	-8.768	54.000	AVERAGE
3		5150.000	23.597	21.947	45.544	-8.456	54.000	AVERAGE
4	*	5179.115	23.615	66.205	89.820	35.820	54.000	AVERAGE
5		5350.000	23.806	19.270	43.076	-10.924	54.000	AVERAGE
6		5460.000	23.958	18.821	42.779	-11.221	54.000	AVERAGE

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

DEKRA

Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	29.472	51.211	-22.789	74.000	PEAK
2		4898.979	23.409	33.755	57.165	-16.835	74.000	PEAK
3		5150.000	23.597	30.162	53.759	-20.241	74.000	PEAK
4	*	5221.263	23.639	80.422	104.061	30.061	74.000	PEAK
5		5350.000	23.806	30.621	54.427	-19.573	74.000	PEAK
6		5460.000	23.958	30.443	54.401	-19.599	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.545	39.284	-14.716	54.000	AVERAGE
2		4847.332	23.350	19.739	43.089	-10.911	54.000	AVERAGE
3		5150.000	23.597	19.244	42.841	-11.159	54.000	AVERAGE
4	*	5220.813	23.639	69.012	92.651	38.651	54.000	AVERAGE
5		5350.000	23.806	19.373	43.179	-10.821	54.000	AVERAGE
6		5460.000	23.958	18.884	42.842	-11.158	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.171	48.910	-25.090	74.000	PEAK
2		5150.000	23.597	29.480	53.077	-20.923	74.000	PEAK
3	*	5220.213	23.638	77.313	100.951	26.951	74.000	PEAK
4		5350.000	23.806	30.014	53.820	-20.180	74.000	PEAK
5		5457.201	23.955	32.605	56.559	-17.441	74.000	PEAK
6		5460.000	23.958	29.396	53.354	-20.646	74.000	PEAK

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.520	39.259	-14.741	54.000	AVERAGE
2		5150.000	23.597	18.806	42.403	-11.597	54.000	AVERAGE
3	*	5220.813	23.639	66.512	90.151	36.151	54.000	AVERAGE
4		5350.000	23.806	19.316	43.122	-10.878	54.000	AVERAGE
5		5438.352	23.928	19.740	43.669	-10.331	54.000	AVERAGE
6		5460.000	23.958	18.866	42.824	-11.176	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.824	49.563	-24.437	74.000	PEAK
2		5132.567	23.586	33.328	56.914	-17.086	74.000	PEAK
3		5150.000	23.597	30.160	53.757	-20.243	74.000	PEAK
4	*	5220.163	23.638	82.825	106.463	32.463	74.000	PEAK
5		5350.000	23.806	29.787	53.593	-20.407	74.000	PEAK
6		5460.000	23.958	30.706	54.664	-19.336	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.607	39.346	-14.654	54.000	AVERAGE
2		5150.000	23.597	19.909	43.506	-10.494	54.000	AVERAGE
3	*	5219.113	23.638	72.218	95.856	41.856	54.000	AVERAGE
4		5350.000	23.806	19.650	43.456	-10.544	54.000	AVERAGE
5		5439.652	23.931	19.767	43.698	-10.302	54.000	AVERAGE
6		5460.000	23.958	18.943	42.901	-11.099	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.018	49.757	-24.243	74.000	PEAK
2		5150.000	23.597	29.847	53.444	-20.556	74.000	PEAK
3	*	5213.163	23.634	77.364	100.999	26.999	74.000	PEAK
4		5350.000	23.806	31.350	55.156	-18.844	74.000	PEAK
5		5427.853	23.914	32.436	56.350	-17.650	74.000	PEAK
6		5460.000	23.958	28.619	52.577	-21.423	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5220MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.560	39.299	-14.701	54.000	AVERAGE
2		5150.000	23.597	19.047	42.644	-11.356	54.000	AVERAGE
3	*	5220.763	23.639	66.910	90.549	36.549	54.000	AVERAGE
4		5350.000	23.806	19.422	43.228	-10.772	54.000	AVERAGE
5		5370.405	23.835	19.803	43.639	-10.361	54.000	AVERAGE
6		5460.000	23.958	18.853	42.811	-11.189	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	29.545	51.284	-22.716	74.000	PEAK
2		5150.000	23.597	30.936	54.533	-19.467	74.000	PEAK
3	*	5240.062	23.649	86.103	109.752	35.752	74.000	PEAK
4		5350.000	23.806	31.943	55.749	-18.251	74.000	PEAK
5		5360.906	23.822	34.454	58.276	-15.724	74.000	PEAK
6		5460.000	23.958	32.793	56.751	-17.249	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.580	39.319	-14.681	54.000	AVERAGE
2		5150.000	23.597	19.367	42.964	-11.036	54.000	AVERAGE
3	*	5240.912	23.649	74.208	97.857	43.857	54.000	AVERAGE
4		5350.000	23.806	20.550	44.356	-9.644	54.000	AVERAGE
5		5367.906	23.832	20.856	44.688	-9.312	54.000	AVERAGE
6		5460.000	23.958	19.464	43.422	-10.578	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

DEKRA

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	26.967	48.706	-25.294	74.000	PEAK
2		5150.000	23.597	28.758	52.355	-21.645	74.000	PEAK
3	*	5240.712	23.649	76.360	100.009	26.009	74.000	PEAK
4		5350.000	23.806	29.306	53.112	-20.888	74.000	PEAK
5		5420.753	23.904	32.197	56.102	-17.898	74.000	PEAK
6		5460.000	23.958	28.602	52.560	-21.440	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.593	39.332	-14.668	54.000	AVERAGE
2		5150.000	23.597	18.613	42.210	-11.790	54.000	AVERAGE
3	*	5240.912	23.649	66.096	89.745	35.745	54.000	AVERAGE
4		5350.000	23.806	19.343	43.149	-10.851	54.000	AVERAGE
5		5424.253	23.909	19.729	43.638	-10.362	54.000	AVERAGE
6		5460.000	23.958	18.911	42.869	-11.131	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	26.585	48.324	-25.676	74.000	PEAK
2		5150.000	23.597	29.472	53.069	-20.931	74.000	PEAK
3	*	5239.912	23.649	82.492	106.141	32.141	74.000	PEAK
4		5350.000	23.806	31.014	54.820	-19.180	74.000	PEAK
5		5436.602	23.927	33.301	57.227	-16.773	74.000	PEAK
6		5460.000	23.958	29.718	53.676	-20.324	74.000	PEAK

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

DEKRA

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.512	39.251	-14.749	54.000	AVERAGE
2		5150.000	23.597	19.032	42.629	-11.371	54.000	AVERAGE
3	*	5240.812	23.649	71.011	94.660	40.660	54.000	AVERAGE
4		5350.000	23.806	20.015	43.821	-10.179	54.000	AVERAGE
5		5367.856	23.832	20.376	44.208	-9.792	54.000	AVERAGE
6		5460.000	23.958	19.046	43.004	-10.996	54.000	AVERAGE

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.172	49.911	-24.089	74.000	PEAK
2		5150.000	23.597	30.113	53.710	-20.290	74.000	PEAK
3	*	5240.712	23.649	78.855	102.504	28.504	74.000	PEAK
4		5350.000	23.806	29.311	53.117	-20.883	74.000	PEAK
5		5386.355	23.858	32.324	56.182	-17.818	74.000	PEAK
6		5460.000	23.958	28.925	52.883	-21.117	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5240MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.593	39.332	-14.668	54.000	AVERAGE
2		5150.000	23.597	18.693	42.290	-11.710	54.000	AVERAGE
3	*	5240.812	23.649	67.457	91.106	37.106	54.000	AVERAGE
4		5350.000	23.806	19.463	43.269	-10.731	54.000	AVERAGE
5		5370.405	23.835	19.825	43.661	-10.339	54.000	AVERAGE
6		5460.000	23.958	18.932	42.890	-11.110	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5180MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.154	48.893	-25.107	74.000	PEAK
2		5147.917	23.596	38.806	62.401	-11.599	74.000	PEAK
3		5150.000	23.597	35.806	59.403	-14.597	74.000	PEAK
4	*	5180.215	23.616	81.750	105.366	31.366	74.000	PEAK
5		5350.000	23.806	29.155	52.961	-21.039	74.000	PEAK
6		5460.000	23.958	28.216	52.174	-21.826	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5180MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.487	39.226	-14.774	54.000	AVERAGE
2		5146.067	23.594	24.189	47.783	-6.217	54.000	AVERAGE
3		5150.000	23.597	25.025	48.622	-5.378	54.000	AVERAGE
4	*	5180.615	23.616	71.925	95.541	41.541	54.000	AVERAGE
5		5350.000	23.806	19.405	43.211	-10.789	54.000	AVERAGE
6		5460.000	23.958	19.072	43.030	-10.970	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5180MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.544	49.283	-24.717	74.000	PEAK
2		5146.667	23.595	41.379	64.974	-9.026	74.000	PEAK
3		5150.000	23.597	37.765	61.362	-12.638	74.000	PEAK
4	*	5181.115	23.616	84.623	108.239	34.239	74.000	PEAK
5		5350.000	23.806	29.410	53.216	-20.784	74.000	PEAK
6		5460.000	23.958	28.345	52.303	-21.697	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

![DEKRA]

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5180MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.563	39.302	-14.698	54.000	AVERAGE
2		5148.417	23.596	27.060	50.656	-3.344	54.000	AVERAGE
3		5150.000	23.597	27.197	50.794	-3.206	54.000	AVERAGE
4	*	5180.815	23.616	74.231	97.847	43.847	54.000	AVERAGE
5		5350.000	23.806	19.495	43.301	-10.699	54.000	AVERAGE
6		5460.000	23.958	18.891	42.849	-11.151	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5220MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.893	49.632	-24.368	74.000	PEAK
2		5150.000	23.597	28.964	52.561	-21.439	74.000	PEAK
3	*	5219.563	23.638	80.766	104.404	30.404	74.000	PEAK
4		5350.000	23.806	31.174	54.980	-19.020	74.000	PEAK
5		5356.206	23.814	32.268	56.083	-17.917	74.000	PEAK
6		5460.000	23.958	27.787	51.745	-22.255	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5220MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.518	39.257	-14.743	54.000	AVERAGE
2		5150.000	23.597	19.007	42.604	-11.396	54.000	AVERAGE
3	*	5220.763	23.639	71.174	94.813	40.813	54.000	AVERAGE
4		5350.000	23.806	19.420	43.226	-10.774	54.000	AVERAGE
5		5367.456	23.832	19.785	43.616	-10.384	54.000	AVERAGE
6		5460.000	23.958	18.827	42.785	-11.215	54.000	AVERAGE

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

DEKRA

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5220MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.919	49.658	-24.342	74.000	PEAK
2		5150.000	23.597	30.095	53.692	-20.308	74.000	PEAK
3	*	5220.213	23.638	83.945	107.583	33.583	74.000	PEAK
4		5350.000	23.806	30.286	54.092	-19.908	74.000	PEAK
5		5357.706	23.817	34.084	57.901	-16.099	74.000	PEAK
6		5460.000	23.958	29.441	53.399	-20.601	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5220MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.540	39.279	-14.721	54.000	AVERAGE
2		5145.667	23.594	21.646	45.240	-8.760	54.000	AVERAGE
3		5150.000	23.597	19.930	43.527	-10.473	54.000	AVERAGE
4	*	5220.913	23.639	73.829	97.468	43.468	54.000	AVERAGE
5		5350.000	23.806	19.591	43.397	-10.603	54.000	AVERAGE
6		5460.000	23.958	18.908	42.866	-11.134	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

![DEKRA]

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5240MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.410	50.149	-23.851	74.000	PEAK
2		5150.000	23.597	29.507	53.104	-20.896	74.000	PEAK
3	*	5240.412	23.648	82.995	106.644	32.644	74.000	PEAK
4		5350.000	23.806	30.127	53.933	-20.067	74.000	PEAK
5		5371.905	23.838	33.498	57.336	-16.664	74.000	PEAK
6		5460.000	23.958	29.540	53.498	-20.502	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

DEKRA

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5240MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.497	39.236	-14.764	54.000	AVERAGE
2		5150.000	23.597	19.183	42.780	-11.220	54.000	AVERAGE
3	*	5239.562	23.648	72.926	96.574	42.574	54.000	AVERAGE
4		5350.000	23.806	20.271	44.077	-9.923	54.000	AVERAGE
5		5370.405	23.835	20.467	44.303	-9.697	54.000	AVERAGE
6		5460.000	23.958	19.330	43.288	-10.712	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5240MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.020	49.759	-24.241	74.000	PEAK
2		5150.000	23.597	30.474	54.071	-19.929	74.000	PEAK
3	*	5241.112	23.649	84.198	107.847	33.847	74.000	PEAK
4		5350.000	23.806	29.401	53.207	-20.793	74.000	PEAK
5		5371.955	23.838	33.136	56.974	-17.026	74.000	PEAK
6		5460.000	23.958	30.257	54.215	-19.785	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

![DEKRA logo]

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(20M)_5240MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.529	39.268	-14.732	54.000	AVERAGE
2		5150.000	23.597	19.292	42.889	-11.111	54.000	AVERAGE
3	*	5240.962	23.648	74.367	98.016	44.016	54.000	AVERAGE
4		5350.000	23.806	20.014	43.820	-10.180	54.000	AVERAGE
5		5367.856	23.832	20.325	44.157	-9.843	54.000	AVERAGE
6		5460.000	23.958	19.002	42.960	-11.040	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5190MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.021	49.760	-24.240	74.000	PEAK
2		5148.767	23.597	49.503	73.099	-0.901	74.000	PEAK
3		5150.000	23.597	45.570	69.167	-4.833	74.000	PEAK
4	*	5188.765	23.622	79.574	103.195	29.195	74.000	PEAK
5		5350.000	23.806	31.659	55.465	-18.535	74.000	PEAK
6		5460.000	23.958	31.051	55.009	-18.991	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5190MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.423	39.162	-14.838	54.000	AVERAGE
2		5146.567	23.595	29.006	52.601	-1.399	54.000	AVERAGE
3		5150.000	23.597	28.916	52.513	-1.487	54.000	AVERAGE
4	*	5191.314	23.623	66.844	90.467	36.467	54.000	AVERAGE
5		5350.000	23.806	19.354	43.160	-10.840	54.000	AVERAGE
6		5460.000	23.958	18.778	42.736	-11.264	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5190MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.597	50.336	-23.664	74.000	PEAK
2		5150.000	23.597	42.605	66.202	-7.798	74.000	PEAK
3		5150.566	23.597	49.510	73.107	-0.893	74.000	PEAK
4	*	5188.515	23.621	80.033	103.654	29.654	74.000	PEAK
5		5350.000	23.806	29.656	53.462	-20.538	74.000	PEAK
6		5460.000	23.958	30.015	53.973	-20.027	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5190MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.514	39.253	-14.747	54.000	AVERAGE
2		5148.067	23.596	29.863	53.459	-0.541	54.000	AVERAGE
3		5150.000	23.597	28.838	52.435	-1.565	54.000	AVERAGE
4	*	5190.914	23.623	67.851	91.474	37.474	54.000	AVERAGE
5		5350.000	23.806	19.423	43.229	-10.771	54.000	AVERAGE
6		5460.000	23.958	18.859	42.817	-11.183	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

DEKRA

Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5230MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.395	49.134	-24.866	74.000	PEAK
2		5150.000	23.597	28.617	52.214	-21.786	74.000	PEAK
3	*	5228.663	23.642	79.934	103.577	29.577	74.000	PEAK
4		5350.000	23.806	29.440	53.246	-20.754	74.000	PEAK
5		5351.756	23.808	33.454	57.262	-16.738	74.000	PEAK
6		5460.000	23.958	28.406	52.364	-21.636	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5230MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.507	39.246	-14.754	54.000	AVERAGE
2		5150.000	23.597	19.236	42.833	-11.167	54.000	AVERAGE
3	*	5228.463	23.643	67.800	91.443	37.443	54.000	AVERAGE
4		5350.000	23.806	19.681	43.487	-10.513	54.000	AVERAGE
5		5356.306	23.815	20.029	43.844	-10.156	54.000	AVERAGE
6		5460.000	23.958	18.792	42.750	-11.250	54.000	AVERAGE

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5230MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.643	49.382	-24.618	74.000	PEAK
2		5150.000	23.597	31.337	54.934	-19.066	74.000	PEAK
3	*	5228.263	23.643	82.509	106.152	32.152	74.000	PEAK
4		5350.000	23.806	29.107	52.913	-21.087	74.000	PEAK
5		5360.506	23.822	34.078	57.899	-16.101	74.000	PEAK
6		5460.000	23.958	30.090	54.048	-19.952	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 2: Tx_MIMO Mode_802.11n(40M)_5230MHz

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.603	39.342	-14.658	54.000	AVERAGE
2		5150.000	23.597	20.105	43.702	-10.298	54.000	AVERAGE
3	*	5228.313	23.643	71.390	95.033	41.033	54.000	AVERAGE
4		5350.000	23.806	19.900	43.706	-10.294	54.000	AVERAGE
5		5355.006	23.813	20.365	44.178	-9.822	54.000	AVERAGE
6		5460.000	23.958	18.942	42.900	-11.100	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.238	49.977	-24.023	74.000	PEAK
2		5150.000	23.597	29.924	53.521	-20.479	74.000	PEAK
3	*	5261.311	23.672	80.424	104.096	30.096	74.000	PEAK
4		5350.000	23.806	29.893	53.699	-20.301	74.000	PEAK
5		5355.106	23.814	32.345	56.158	-17.842	74.000	PEAK
6		5460.000	23.958	29.962	53.920	-20.080	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.554	39.293	-14.707	54.000	AVERAGE
2		5150.000	23.597	18.820	42.417	-11.583	54.000	AVERAGE
3	*	5260.911	23.671	69.721	93.392	39.392	54.000	AVERAGE
4		5350.000	23.806	19.692	43.498	-10.502	54.000	AVERAGE
5		5367.856	23.832	20.144	43.976	-10.024	54.000	AVERAGE
6		5460.000	23.958	18.881	42.839	-11.161	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.852	50.591	-23.409	74.000	PEAK
2		5150.000	23.597	29.583	53.180	-20.820	74.000	PEAK
3	*	5259.011	23.669	77.302	100.970	26.970	74.000	PEAK
4		5350.000	23.806	30.709	54.515	-19.485	74.000	PEAK
5		5366.556	23.830	32.423	56.253	-17.747	74.000	PEAK
6		5460.000	23.958	28.723	52.681	-21.319	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant0

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.521	39.260	-14.740	54.000	AVERAGE
2		5150.000	23.597	18.599	42.196	-11.804	54.000	AVERAGE
3	*	5259.111	23.668	66.623	90.291	36.291	54.000	AVERAGE
4		5350.000	23.806	19.316	43.122	-10.878	54.000	AVERAGE
5		5367.856	23.832	19.911	43.743	-10.257	54.000	AVERAGE
6		5460.000	23.958	18.791	42.749	-11.251	54.000	AVERAGE

Note:
1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	27.968	49.707	-24.293	74.000	PEAK
2		5150.000	23.597	28.858	52.455	-21.545	74.000	PEAK
3	*	5259.011	23.669	83.129	106.797	32.797	74.000	PEAK
4		5350.000	23.806	29.333	53.139	-20.861	74.000	PEAK
5		5373.055	23.839	32.794	56.633	-17.367	74.000	PEAK
6		5460.000	23.958	28.040	51.998	-22.002	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

| Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_AV	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - HORIZONTAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	17.504	39.243	-14.757	54.000	AVERAGE
2		5150.000	23.597	19.060	42.657	-11.343	54.000	AVERAGE
3	*	5260.811	23.671	72.278	95.949	41.949	54.000	AVERAGE
4		5350.000	23.806	19.650	43.456	-10.544	54.000	AVERAGE
5		5367.056	23.830	19.794	43.625	-10.375	54.000	AVERAGE
6		5460.000	23.958	18.868	42.826	-11.174	54.000	AVERAGE

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.

2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.

3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.

4. " * ", means this data is the worst emission level.

5. Measurement Level = Reading Level + Correct Factor.

6. The average measurement was not performed when the peak measured data under the limit of average detection.

Site : CB4-H	Time : 2017/08/08
Limit : FCC_SpartC_15.209_03M_PK	Margin : 6
Probe : CB4_FCC_EFS_B091_1-18GHz_3M_0117 - VERTICAL	Power : AC 120V/60Hz
EUT : UHD751-P	Note : Mode 1: Tx_SISO Mode_802.11a_5260MHz_Ant1

		Frequency (MHz)	Correct Factor (dB)	Reading Level (dBuV)	Measure Level (dBuV/m)	Margin (dB)	Limit (dBuV/m)	Detector Type
1		4500.000	21.739	28.021	49.760	-24.240	74.000	PEAK
2		5150.000	23.597	28.966	52.563	-21.437	74.000	PEAK
3	*	5262.411	23.674	77.237	100.911	26.911	74.000	PEAK
4		5350.000	23.806	30.887	54.693	-19.307	74.000	PEAK
5		5448.902	23.943	32.540	56.483	-17.517	74.000	PEAK
6		5460.000	23.958	28.827	52.785	-21.215	74.000	PEAK

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 1MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " * ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.