7. Test of Conducted Spurious Emission


7.1 Test Limit

Below –20dB of the highest emission level of operating band (In 100 kHz Resolution Bandwidth)

7.2 Test Procedure

- a. The transmitter output was connected to the spectrum analyzer via a low lose cable.
- b. Set RBW of spectrum analyzer to 100 KHz and VBW of spectrum analyzer to 300 KHz with convenient frequency span including 100 KHz bandwidth from band edge.
- c. Peak conducted output power measured within any 100 kHz outside the authorized frequency band shall be attenuated by at least 20dB relative to the maximum measured in-band peak PSD level.
- d. The band edges was measured and recorded.

7.3 Test Setup Layout



7.4 Test Result and Data

Test Result : PASS Temperature : 24°C Test Date : Jul. 24, 2017 Humidity : 66%


Note: Test plots refers to the following pages.

Cerpass Technology Corp.Issued date: Jul. 27, 2017Page No.: 64 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11b, CH 01





Modulation Type: 802.11b, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 65 of 121



Modulation Type: 802.11b, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017
Page No. : 66 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11g, CH 01





Modulation Type: 802.11g, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 67 of 121



Modulation Type: 802.11g, CH 11







Cerpass Technology Corp.


Issued date : Jul. 27, 2017
Page No. : 68 of 121

FCC ID. : XU8TEW827DRUV2







Modulation Type: 802.11ac VHT20, CH01





Modulation Type: 802.11ac VHT20, CH06


Report No.: TEFI1704172














Issued date : Jul. 27, 2017 Page No. : 69 of 121



Modulation Type: 802.11ac VHT20, CH11







Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 70 of 121

FCC ID. : XU8TEW827DRUV2







Modulation Type: 802.11ac VHT40, CH03





Modulation Type: 802.11ac VHT40, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 71 of 121



Modulation Type: 802.11ac VHT40, CH09







Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 72 of 121

FCC ID. : XU8TEW827DRUV2







Modulation Type: 802.11b, CH 01





Modulation Type: 802.11b, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 73 of 121



Modulation Type: 802.11b, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 74 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11g, CH 01





Modulation Type: 802.11g, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 75 of 121



Modulation Type: 802.11g, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 76 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11ac VHT20, CH01





Modulation Type: 802.11ac VHT20, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 77 of 121



Modulation Type: 802.11ac VHT20, CH11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 78 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11ac VHT40, CH03





Modulation Type: 802.11ac VHT40, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 79 of 121



Modulation Type: 802.11ac VHT40, CH09








Cerpass Technology Corp.

Issued date : Jul. 27, 2017
Page No. : 80 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11b, CH 01





Modulation Type: 802.11b, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 81 of 121



Modulation Type: 802.11b, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017
Page No. : 82 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11g, CH 01





Modulation Type: 802.11g, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 83 of 121



Modulation Type: 802.11g, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 84 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11ac VHT20, CH01





Modulation Type: 802.11ac VHT20, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 85 of 121



Modulation Type: 802.11ac VHT20, CH11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 86 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11ac VHT40, CH03





Modulation Type: 802.11ac VHT40, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 87 of 121



Modulation Type: 802.11ac VHT40, CH09








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 88 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11b, CH 01





Modulation Type: 802.11b, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 89 of 121



Modulation Type: 802.11b, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 90 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11g, CH 01





Modulation Type: 802.11g, CH 06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 91 of 121



Modulation Type: 802.11g, CH 11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 92 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11ac VHT20, CH01





Modulation Type: 802.11ac VHT20, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 93 of 121



Modulation Type: 802.11ac VHT20, CH11








Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 94 of 121

FCC ID. : XU8TEW827DRUV2





Modulation Type: 802.11ac VHT40, CH03





Modulation Type: 802.11ac VHT40, CH06


Report No.: TEFI1704172













Cerpass Technology Corp.


Issued date : Jul. 27, 2017
Page No. : 95 of 121



Modulation Type: 802.11ac VHT40, CH09







Cerpass Technology Corp.

Issued date : Jul. 27, 2017
Page No. : 96 of 121

FCC ID. : XU8TEW827DRUV2

8. 6dB Bandwidth Measurement Data


8.1 Test Limit

The minimum of 6dB Bandwidth Measurement is 0.5 MHz.

8.2 Test Procedures

- a. The transmitter output was connected to the spectrum analyzer.
- b. Set RBW of spectrum analyzer to $1\sim5\%$ of the emission bandwidth and VBW $\geq 3x$ RBW.
- c. The 6 dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 6 dB.
- d. The 6dB Bandwidth was measured and recorded.

8.3 Test Setup Layout



8.4 Test Result and Data

Temperature : 24°C Humidity : 66%

Test Date : Jul. 24, 2017

Modulation Type	Channel	Frequency (MHz)	6dB Bandwidth (MHz)				Limit
			ANT 0	ANT 1	ANT 2	ANT 3	(MHz)
IEEE 802.11b (1Mbps)	01	2412	9.10	9.10	9.00	8.70	0.5
	06	2437	10.10	8.60	9.60	9.50	0.5
	11	2462	9.10	8.60	9.10	9.10	0.5
IEEE 802.11g (6Mbps)	01	2412	15.30	15.10	14.80	15.10	0.5
	06	2437	15.20	13.20	15.00	15.50	0.5
	11	2462	15.50	14.50	16.30	15.10	0.5
IEEE 802.11ac VHT20 (6.5Mbps)	01	2412	15.10	16.50	15.70	15.70	0.5
	06	2437	15.10	15.10	15.10	15.20	0.5
	11	2462	15.10	15.10	16.30	15.70	0.5
IEEE 802.11ac VHT40 (13.5Mbps)	03	2422	35.20	35.20	35.20	35.20	0.5
	06	2437	35.20	33.80	35.20	34.00	0.5
	09	2452	35.00	35.00	35.00	33.80	0.5

Cerpass Technology Corp. Issued date : Jul. 27, 2017


Page No. : 97 of 121 FCC ID. : XU8TEW827DRUV2






ANT 0

Modulation Type: 802.11b CH01



Modulation Type: 802.11g CH01



Report No.: TEFI1704172


CH06




CH06



CH11



CH11




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 98 of 121






ANT 0 Modulation Type: 802.11ac VHT20 CH01




Modulation Type: 802.11ac VHT40 CH03




Report No.: TEFI1704172


CH06




CH06



CH11




CH09





Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 99 of 121

ANT 1 Modulation Type: 802.11b CH01









Report No.: TEFI1704172


CH06




CH06



CH11



CH11




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 100 of 121







ANT 1 Modulation Type: 802.11ac VHT20 CH01




Modulation Type: 802.11ac VHT40 CH03




CH06




CH06



CH11



CH09




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 101 of 121






ANT 2 Modulation Type: 802.11b CH01




Modulation Type: 802.11g CH01




CH06




CH06



CH11



CH11




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 102 of 121







ANT 2 Modulation Type: 802.11ac VHT20 CH01




Modulation Type: 802.11ac VHT40 CH03




CH06




CH06



CH11



CH09




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 103 of 121




CERPASS TECHNOLOGY CORP.

ANT 3 Modulation Type: 802.11b CH01



Modulation Type: 802.11g CH01




Report No.: TEFI1704172


CH06




CH06



CH11



CH11




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 104 of 121







ANT 3 Modulation Type: 802.11ac VHT20 CH01




Modulation Type: 802.11ac VHT40 CH03




CH06




CH06



CH11



CH09



Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 105 of 121

9. Maximum Peak and Average Output Power

9.1 Test Limit

The Maximum Peak Output Power Measurement is 30dBm.

If transmitting antennas of directional gain greater than 6 dBi are used, the peak output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi

9.2 Test Procedures

The antenna port (RF output) of the EUT was connected to the input (RF input) of a power meter. Power was read directly from the meter and cable loss connection was added to the reading to obtain power at the EUT antenna terminal. The EUT Output Power was set to maximum to produce the worse case test result.

9.3 Test Setup Layout



9.4 Test Result and Data

Temperature : 24°C Humidity : 66%

Test Date : Jul. 24, 2017

Non Beamforming

Modulation Type	Channel	Frequency (MHz)	Pea	k Power	Output (c	IBm)	Total PK Power	Total PK Power	Limit
	Chamilei		ANT 0	ANT 1	ANT 2	ANT 3	(mW)	(dBm)	(dBm)
IEEE 000 441	01	2412	18.01	17.98	18.26	18.85	269.772	24.31	30.00
IEEE 802.11b (1Mbps)	06	2437	22.24	23.10	22.42	23.11	750.895	28.76	30.00
(TWDP3)	11	2462	18.63	18.69	18.96	19.52	315.147	24.99	30.00
IEEE 000 44	01	2412	17.06	17.46	16.33	18.13	214.501	23.31	30.00
IEEE 802.11g (6Mbps)	06	2437	23.64	23.91	23.60	23.34	922.104	29.65	30.00
(Olvibp3)	11	2462	17.03	16.99	15.86	17.82	199.552	23.00	30.00
1555 000 44	01	2412	15.85	16.33	15.22	18.27	181.822	22.60	30.00
IEEE 802.11n HT20 (6.5Mbps)	06	2437	23.7	24.01	23.90	23.49	955.019	29.80	30.00
11120 (0.5Nbps)	11	2462	16.52	16.35	15.62	17.35	178.827	22.52	30.00
IEEE 802.11n	03	2422	14.56	14.10	14.15	14.32	107.321	20.31	30.00
HT40	06	2437	20.13	20.50	19.52	20.90	427.804	26.31	30.00
(13.5Mbps)	09	2452	16.00	16.22	16.34	17.26	177.954	22.50	30.00
IEEE 802.11ac	01	2412	15.87	16.37	15.27	18.26	182.627	22.62	30.00
VHT20 (6.5Mbps)	06	2437	23.73	24.03	23.92	23.51	959.970	29.82	30.00
	11	2462	16.56	16.35	15.59	17.40	179.620	22.54	30.00
IEEE 802.11ac VHT40 (13.5Mbps)	03	2422	14.59	14.16	14.18	14.35	108.244	20.34	30.00
	06	2437	20.18	20.57	19.58	20.93	432.918	26.36	30.00
	09	2452	16.04	16.27	16.37	17.27	179.228	22.53	30.00

Cerpass Technology Corp.Issued date: Jul. 27, 2017Page No.: 106 of 121

FCC ID. : XU8TEW827DRUV2



Non Beamforming

Modulation Type	Channel	Frequency (MHz)	Avg	. Power (Output (d	Bm)	Total Avg. Power	Total Avg. Power	Limit (dBm)
			ANT 0	ANT 1	ANT 2	ANT 3	(mW)	(dBm)	
1555 000 441	01	2412	15.74	15.68	15.98	16.58	159.607	22.03	NA
IEEE 802.11b (1Mbps)	06	2437	20.17	21.17	20.30	21.55	484.952	26.86	NA
(TIVIDPS)	11	2462	16.36	16.39	16.70	17.33	187.652	22.73	NA
1555 000 44	01	2412	11.14	11.60	10.63	12.39	56.355	17.51	NA
IEEE 802.11g (6Mbps)	06	2437	19.11	19.68	18.86	20.20	355.993	25.51	NA
(Olvibps)	11	2462	11.28	11.20	10.21	12.13	53.436	17.28	NA
JEEE 000 44	01	2412	9.63	10.20	9.01	11.06	40.381	16.06	NA
IEEE 802.11n HT20 (6.5Mbps)	06	2437	18.86	19.51	18.60	20.22	343.883	25.36	NA
11120 (0.5Nbp3)	11	2462	10.26	10.13	9.05	11.25	42.291	16.26	NA
IEEE 802.11n	03	2422	5.70	5.12	5.21	5.43	13.777	11.39	NA
HT40	06	2437	10.60	10.90	9.82	11.84	48.654	16.87	NA
(13.5Mbps)	09	2452	6.23	6.60	6.68	6.53	17.922	12.53	NA
IEEE 802.11ac	01	2412	9.68	10.24	9.04	11.09	40.727	16.10	NA
VHT20	06	2437	18.91	19.56	18.64	20.26	347.452	25.41	NA
(6.5Mbps)	11	2462	10.29	10.16	9.10	11.30	42.684	16.30	NA
IEEE 802.11ac VHT40 (13.5Mbps)	03	2422	5.71	5.17	5.23	5.50	13.895	11.43	NA
	06	2437	10.66	10.94	9.85	11.86	49.064	16.91	NA
	09	2452	6.27	6.63	6.69	6.56	18.035	12.56	NA

Note: Average power is for reference only.

Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 107 of 121

FCC ID. : XU8TEW827DRUV2

Beamforming

Modulation Type	Channel	Frequency (MHz)	Pea	k Power	Output (d	IBm)	Total PK	Total PK Power (dBm)	Limit (dBm)
			ANT 0	ANT 1	ANT 2	ANT 3	Power (mW)		
IEEE 802.11ac VHT20 (6.5Mbps)	01	2412	9.85	10.35	9.25	12.24	45.66	16.60	26.98
	06	2437	17.71	18.01	17.9	17.49	240.03	23.80	26.98
	11	2462	10.54	10.33	9.57	11.38	44.91	16.52	26.98
IEEE 802.11ac VHT40 (13.5Mbps)	03	2422	8.57	8.14	8.16	8.33	27.06	14.32	26.98
	06	2437	14.16	14.55	13.56	14.91	108.24	20.34	26.98
	09	2452	10.02	10.25	10.35	11.25	44.81	16.51	26.98

Modulation Type	Channel	Frequency (MHz)	Avg	. Power (Output (d	Bm)	Total Avg. Power (mW)	Total Avg. Power (dBm)	Limit (dBm)
			ANT 0	ANT 1	ANT 2	ANT 3			
IEEE 802.11ac VHT20 (6.5Mbps)	01	2412	3.66	4.22	3.02	5.07	10.18	10.08	NA
	06	2437	12.89	13.54	12.62	14.24	86.88	19.39	NA
	11	2462	4.27	4.14	3.08	5.28	10.67	10.28	NA
IEEE 802.11ac VHT40 (13.5Mbps)	03	2422	-0.31	-0.85	-0.79	-0.52	3.47	5.41	NA
	06	2437	4.64	4.92	3.83	5.84	12.27	10.89	NA
	09	2452	0.25	0.61	0.67	0.54	4.51	6.54	NA

Note: Average power is for reference only.

Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 108 of 121

FCC ID. : XU8TEW827DRUV2

10. Power Spectral Density

10.1 Test Limit


The Maximum of Power Spectral Density Measurement is 8dBm.

If transmitting antennas of directional gain greater than 6 dBi are used, the power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi

10.2 Test Procedures

- a. The transmitter output was connected to spectrum analyzer.
- b. The spectrum analyzer's resolution bandwidth were set at 3kHz RBW and 30KHz VBW as that of the fundamental frequency. Set the sweep time=auto couple.
- c. The power spectral density was measured and recorded.

10.3 Test Setup Layout



10.4 Test Result and Data

Temperature : 24°C Humidity : 66%

Test Date : Jul. 24, 2017

Modulation Type	СН	Freq. (MHz)		m Power Bandwidt	h (dBm)		Sum	Duty Cycle	Total PSD	Limit (dBm)
			ANT 0	ANT 1	ANT 2	ANT 3	(dBm)	CF(dB)	(dBm)	
IEEE	01	2412	-10.78	-10.36	-9.59	-10.24	-4.20	0.00	-4.20	4.98
802.11b	06	2437	-4.95	-5.03	-4.74	-5.96	0.87	0.00	0.87	4.98
(1Mbps)	11	2462	-9.84	-9.01	-9.19	-7.74	-2.86	0.00	-2.86	4.98
IEEE	01	2412	-15.34	-14.91	-15.04	-15.31	-9.13	0.00	-9.13	4.98
802.11g	06	2437	-8.23	-7.34	-7.77	-8.05	-1.81	0.00	-1.81	4.98
(6Mbps)	11	2462	-15.15	-15.43	-15.2	-15.88	-9.38	0.00	-9.38	4.98
IEEE	01	2412	-15.96	-16.64	-17.27	-16.4	-10.52	0.00	-10.52	4.98
802.11ac VHT20	06	2437	-7.27	-7.29	-7.56	-7.5	-1.38	0.00	-1.38	4.98
(6.5Mbps)	11	2462	-16.57	-16.06	-15.92	-16.01	-10.11	0.00	-10.11	4.98
IEEE 802.11ac VHT40	03	2422	-23.56	-25.9	-24	-22.66	-17.86	0.00	-17.86	4.98
	06	2437	-17.15	-17.91	-17.64	-16.79	-11.33	0.00	-11.33	4.98
(13.5Mbps)	09	2452	-22.18	-22.92	-22.25	-22.75	-16.49	0.00	-16.49	4.98

Cerpass Technology Corp. Issued date : Jul. 27, 2017

Page No. : 109 of 121

FCC ID. : XU8TEW827DRUV2




Report No.: TEFI1704172


ANT 0 Modulation Type: 802.11b CH01




Modulation Type: 802.11g CH01




CH06




CH06



CH11



CH11




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 110 of 121




ERPASS TECHNOLOGY CORP. Report No.: TEFI1704172


ANT 0 Modulation Type: 802.11ac VHT20 CH01




Modulation Type: 802.11ac VHT40 CH03









CH06



CH11



CH09




Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 111 of 121



ANT 1 Modulation Type: 802.11b CH01



Modulation Type: 802.11g CH01




Report No.: TEFI1704172


CH06




CH06



CH11



CH11




Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 112 of 121



ANT 1 Modulation Type: 802.11ac VHT20




Modulation Type: 802.11ac VHT40 CH03




Report No.: TEFI1704172


CH06




CH06



CH11



CH09




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 113 of 121






ANT 2 Modulation Type: 802.11b CH01




Modulation Type: 802.11g CH01




CH06




CH06



CH11



CH11




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 114 of 121




ANT 2


Modulation Type: 802.11ac VHT20 CH01 **%** 1 PK VIEW




Modulation Type: 802.11ac VHT40 CH03




Report No.: TEFI1704172




CH06







CH09




Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 115 of 121




Report No.: TEFI1704172


ANT 3 Modulation Type: 802.11b CH01




Modulation Type: 802.11g CH01




CH06




CH06



CH11



CH11




Cerpass Technology Corp.


Issued date : Jul. 27, 2017 Page No. : 116 of 121



ANT 3 Modulation Type: 802.11ac VHT20




Modulation Type: 802.11ac VHT40 CH03




Report No.: TEFI1704172


CH06




CH06



CH11



CH09



Cerpass Technology Corp.

Issued date : Jul. 27, 2017 Page No. : 117 of 121