



TECHNOLOG
Cello
Meter Reader

Cello 6
Meter Reader

SIRA 92/ATEX2022X



II 2 G

Gas Ex Ia, II, III, T4

Ta = -20°C to +55°C

IECEx S&S 07.0013X

Manufactured by Technolog Ltd,
Ravenhill Road,
Widewater, Derbyshire
DE4 4PY

Tel: +44 (0) 1629 823611

Fax: +44 (0) 1629 824283

Manufacturer Serial No.



AC0001209207TA



072925004

Input PORTS J3 & J4

UI = 5.88V

Uo = 5.88V

Io = 3mA

Pe = 4mW

Co = 900uF

Lo = 322mH

Output PORTS J5 & J6

Um = 230V

Hazardous area:

Uo = 0, Ci = 0, Uj = 0



CE 0518



TECHNOLOG

Cello

Meter Reader

AC0001343607TA

Manufacturer Serial No.

073229074

Cello 6

Meter Reader

DIRA 07A EX2022X



II



(1) G

Ga Ex ia I T4 (Ga) Ex ia I B
Ta = -20°C to +60°C

IECEx SR07.0013X

Manufactured by Technolog Ltd.,
Ravenstone Road,
Wirksworth, Derbyshire,
DE4 4PY

Tel: +44 (0) 1629 823811

Fax: +44 (0) 1629 824283

WARNING - Static Hazard - Do not rub with a dry cloth.

Input PORTS J3 & J4

Ui = 5.58V
Uo = 5.88V
Io = 3mA
Po = 4mW
Co = 900uF
Lo = 322mH

Output PORTS J5 & J6

Um = 250V
Hazardous area:
Uo = 0, Ci = 0, Li = 0



CE 0518



