

dresden elektronik ingenieurtechnik gmbh . Enno-Heidebroek-Str., 12 . D-01237 Dresden

Federal Communications Commission Equipment Authorization Branch 7435 Oakland Mills Rd Columbia MD 21046-1609

Dresden, 14th September 2011

## Request for modular approval

dresden elektronik ingenieurtechnik gmbh FCC ID: XVV-ARM715A02 FCC Part 15 Certification

Dear Sir or Madam,

the dresden elektronik ingenieurtechnik gmbh, radio module XVV-ARM715A02 is seeking FCC authorization as a modular transmitter. The requirements of the FCC Public notice DA00-1407 are met.

The following requirements are fulfilled:

## 1. The modular transmitter must have its own RF shielding

The radio part of the radio module is covered with its own RF shielding. See enclosure product photos in exhibit "external photos".

## 2. The modular transmitter must have buffered modulation/data inputs

The radio module has a memory management unit inside of the IC. It buffers the data inputs from UART and USB terminal.

### 3. The modular transmitter must have its own power supply regulation

The radio module contains their own voltage regulation. In case of changes in the supply voltage VCC, the internal voltage will be stabilized.

# 4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204c

The radio module shall only be used with the tested antenna connection cable and the approved antenna. Both components are listed in the User Manual and are available from dresden elektronik ingenieurtechnik gmbh.



## 5. The modular transmitter must be tested in a stand-alone configuration

The EUT was tested with a battery powered notebook in a stand-alone configuration. The module was fixed in the development board "deRFnode" of dresden elektronik ingenieurtechnik gmbh. See also test setup photos in Exhibit "Test report".

#### The modular transmitter must be labeled with its own FCC ID number

The EUT will be labelled with ist own FCC ID number. The label is specified in Exhibit "Label Sample". If the radio module is installed inside of an end-product, the label will not be visible. In this case the OEM customer will be instructed to how to apply the exterior label.

7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements

The EUT is compliant with all applicable FCC rules. Detail instructions are given in the product User Manual.

8. The modular transmitter must comply with any applicable RF exposure requirements

This OEM module is approved for use in products operating as mobile and portable transmitting device with respect to. 2.1091 and 2.1093. This grant is only valid when the device is sold to OEM integrators. OEM manufaturers and OEM integrators are instructed to ensure that the end-user may not be provided with the module installation instructions. OEM integrators and end-users must be provided with transmitter operation conditions for satisfying RF exposure compliance.

Sincerely,

Signature

Name Michael Fleischmann

Title Test Engineer

Company dresden elektronik ingenieurtechnik gmbh

Milal This -

2011-10-07 Seite 2 von 2