

Annex 4: Test setup photographs TEST REPORT

No.: 16-1-0130001T07a

According to: **FCC Regulations** Part 15.205

Part 15.209 Part 15.407

**ISED-Regulations** RSS-Gen, Issue 4 RSS-247, Issue 2


for

Prodrive Technologies BV

Carrier Controller Master - CCM Carrier Controller Slave - CCS

CCM FCC ID: Y2ICCMIOEUL CCM ISED: 9389A-CCMIOEUL

CCS FCC ID: Y2ICCMUL CCS ISED: 9389A-CCMUL



E-mail: info@cetecom.com • Internet: www.cetecom.com




## **Table of contents**

1. TEST SETUP PHOTOGRAPHS	3
1.1. Conducted setup	
1.2. Radiated Field Strength Emissions – 9 kHz to 30 MHz in SAR.	
1.3. Radiated Field Strength Emissions - 30 MHz to 1 GHz in SAR	
1.4. Radiated Field Strength Emissions – above 1GHz in FAR	7



# 1. Test setup photographs

### 1.1. Conducted setup



**Figure 1: EUT Conducted Measurement** 



Figure 2: 100V Power SUpplyt





Figure 3: EUT Close View Conducted Sample for WLAN Testing




Figure 4: EUT Overall View Conducted Sample for WLAN Testing



### 1.2. Radiated Field Strength Emissions – 9 kHz to 30 MHz in SAR



Figure 5: Close View 9 KHz – 30 MHz EUT Laying




Figure 6: Close View 9 KHz – 30 MHz EUT Standing



### 1.3. Radiated Field Strength Emissions - 30 MHz to 1 GHz in SAR



Figure 7: EUT Laying




Figure 8: EUT Standing



### 1.4. Radiated Field Strength Emissions – above 1GHz in FAR




Figure 9: E-field measurement horizontal in Fully anechoic room (close view)




Figure 10: E-field measurement horizontal in Fully anechoic room (overallview)





Figure 11: E-field measurement vertical in Fully anechoic room (overallview)




Figure 12: E-field measurement vertical in Fully anechoic room (overallview)