

RF EXPOSURE REPORT

REPORT NO.: SA110422C09

MODEL NO.: TRMH01SB

FCC ID: Y4FTRMH01SB

APPLICANT: go-rock Technology Co., Ltd

ADDRESS: 7F., No. 7, Ln. 235, Baoqiao Rd., Xindian City, Taipei

County 231, Taiwan

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)

Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,

Taipei Hsien, 244 Taiwan

This test report consists of 5 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced, except in full, without the written approval of our laboratory. The client should not use it to claim product certification, approval or endorsement by any government agency. The test results in the report only apply to the tested sample.

Report No: SA110422C09 1 Report Format Version 4.0.0



TABLE OF CONTENTS

RELEAS	SE CONTROL RECORD	3
1.	CERTIFICATION	4
2.	CONCLUSION	5



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
SA110422C09	Original release	Jul. 29, 2011

Report No: SA110422C09 3 Report Format Version 4.0.0



1. CERTIFICATION

PRODUCT: Bluetooth in-ear stereo headset

BRAND NAME: go-rock

MODEL NO.: TRMH01SB

APPLICANT: go-rock Technology Co., Ltd

TESTED: Jul. 12 ~ 18, 2011

TEST ITEM: ENGINEERING SAMPLE

STANDARDS: FCC Part 2 (Section 2.1091)

FCC OET Bulletin 65, Supplement C (01-01)

IEEE C95.1

The above equipment has been tested by Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY: Celia Chen / Chen , DATE: Jul. >9.2011

APPROVED BY: Ken Lin , DATE: Jul. 29.2011

(Ken Lin / Manager)



2. CONCLUSION

No Evaluation Required if power is below this threshold:

F(G	iHz)	mW	
Low	2.402	24.58	
High	2.480	24.50	

Maximum measured transmitter power:

Pout (dBm	Pout (mW)	
Conducted Power	5.2	3.3
EIRP Power	6.7	4.7

*Note: The antenna is chip antenna with 1.53dBi gain

Threshold for no SAR evaluation is 24.58mW Transmitter power is 4.7mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold

---END---