

# Master Product Label for Blink Pedestal

2.5 in



888.998.2546 ©

support@blinknetwork.com 💩

# **EVSE Charging System**

208/240VAC, 60Hz, IN/OUT 1Ø. 30A MAX

TEMP RATING -30C to 50C TYPE

3R Raintight For use with Electric Vehicles.

Ventilation Not Required.

**ECOTALITY NA** MFG NAME MODEL NO. PN-30KGCE60

REVISION SERIAL NO. 100010000001

MFG DATE APR 23, 2013



16 ( )

#### **OUTPUT RATING**

Installer to indicate final ampere rating at time of install.

24

20

12()

## A DANGER

CAUTION: Do not use this product if there is any damage to the EV cable.

CAUTION: No user serviceable parts inside Refer servicing to qualified service personnel

CAUTION: To reduce the risk of electrical shock, connect only to properly grounded outlets.



# **WARNING**

Risk of Explosion: This equipment has arcing or sparking parts that should not be exposed to flamable vapors. This equipment should be located at least 18 inches (460 mm) above the floor. This device is intended only for charging vehicles not requiring ventilation during charging.

To avoid a risk of fire or electrical shock, do not use this device with an extension cord. This device is equipped with an automatic reset feature

## This device contains

FCC ID: Y5X53339474278 IC: 9443A-53339474278 FCC ID: Q78-Z1EMF212 IC: 5200A-Z1EMF212 FCC ID: R8KUGWDS82 IC: 5125A-UGWDS82

NOTICE: This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et [2] l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

7.875 in

2.5 in



# **Master Product Label for Blink Wall Mount**

888.998.2546 support@blinknetwork.com

## **EVSE Charging System**

IN/OUT 208/240VAC, 60Hz, 1Ø, 30A MAX TEMP RATING -30C to 50C

3R Raintight

For use with Electric Vehicles. Ventilation Not Required.

MFG NAME **ECOTALITY NA** MODEL NO. PN-30KGCE60

REVISION SERIAL NO. 100010000001 MFG DATE





## A DANGER

12

16

20

74 indicate final

30 Installer

**OUTPUT RATING** 

CAUTION: Do not use this product if there is any damage to the EV cable.

CAUTION: No user serviceable parts inside. Refer servicing to qualified service personnel.

CAUTION: To reduce the risk of electrical shock, connect only to properly grounded outlets.



ELECTRICAL

## **WARNING**

Risk of Explosion: This equipment has arcing or sparking parts that should not be exposed to flamable vapors. This equipment should be located at least 18 inches (460 mm) above the floor. This device is intended only for charging vehicles not requiring ventilation during charging.

To avoid a risk of fire or electrical shock, do not use this device with an extension cord. This device is equipped with an automatic reset feature.

### This device contains

FCC ID: Y5X53339474278 IC: 9443A-53339474278 FCC ID: Q78-ZTEMF212 IC: 5200A-ZTEMF212 FCC ID: R8KUGWDS82 IC: 5125A-UGWDS82

NOTICE: This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.