

Electromagnetic Compatibility Test Report

Tests Performed on a Midtronics, Inc.

2.4 GHz Transceiver, Model MDX-ZIGB-G3

Radiometrics Document RP-8462A



Product Detail:

FCC ID: Y6O-MDX-ZIGB-G3 ISED ID: 9453A-MDXZIGBG3

Equipment type: 2.4 GHz Low power transmitter

Test Standards:

US CFR Title 47, Chapter I, FCC Part 15 Subpart C

FCC Part 15 CFR Title 47: 2016

Innovation, Science, and Economic Development Canada RSS-210, Issue 9: 2016 as required for

Category I Equipment

This report concerns: Original Grant for Certification

FCC Part 15.249

Test Facility:
Radiometrics Midwest Corporation
12 Devonwood Avenue
Romeoville, IL 60446-1349
(815) 293-0772

Test Date(s): (Month-Day-Year)

October 24 to November 7, 2016

Document RP-8462A Revisions:

Rev.	Issue Date	Affected Sections	Revised By
0	January 30, 2017		
1	January 31, 2017	Cover	Joseph Strzelecki
2	February 10, 2017	11.2.2	Joseph Strzelecki

Table of Contents

1.0ADMINISTRATIVE DATA	3
2.0TEST SUMMARY AND RESULTS	3
2.1 RF Exposure Compliance Requirements	3
3.0EQUIPMENT UNDER TEST (EUT) DETAILS	4
3.1 EUT Description	4
3.1.1 FCC Section 15.203 & RSS GEN Antenna Requirements	4
3.2 Related Submittals	
4.0TESTED SYSTEM DETAILS	4
4.1 Tested System Configuration	4
4.2 Special Accessories	5
4.3 Equipment Modifications	5
5.0TEST SPECIFICATIONS	5
6.0TEST PROCEDURE DOCUMENTS	5
7.0RADIOMETRICS' TEST FACILITIES	
8.0DEVIATIONS AND EXCLUSIONS FROM THE TEST SPECIFICATIONS	6
9.0CERTIFICATION	6
10.0TEST EQUIPMENT TABLE	
11.0TEST SECTIONS	7
11.1 AC Conducted Emissions	
11.2 Radiated RF Emissions	10
11.2.1 Field Strength Calculation	11
11.2.2 Duty Cycle	
11.2.3 Radiated Emissions Test Results	11
11.3 Unintentional Emissions (Receive Mode)	15
11.4 Occupied Bandwidth Data	17
11.4.1 Measurement Instrumentation Uncertainty	19

Notice: This report must not be reproduced (except in full) without the written approval of Radiometrics Midwest Corporation.

1.0 ADMINISTRATIVE DATA

Equipment Under Test:	
A Midtronics, Inc., 2.4 GHz Transceiver	
Model: MDX-ZIGB-G3 Serial Number:	
This will be referred to as the EUT in this Rep	ort
Date EUT Received at Radiometrics: (Month-Day-Year)	Test Date(s): (Month-Day-Year)
October 24, 2016	October 24 to November 7, 2016
Test Report Written By:	Test Witnessed By:
Joseph Strzelecki	The tests were not witnessed by Midtronics, Inc.
Senior EMC Engineer	
Radiometrics' Personnel Responsible for Test:	Test Report Approved By
Joseph Strzelecki	Chris W. Carlson
Joseph Strzelecki Senior EMC Engineer NARTE EMC-000877-NE	Chris W. Carlson Director of Engineering NARTE EMC-000921-NE

2.0 TEST SUMMARY AND RESULTS

The EUT (Equipment Under Test) is a 2.4 GHz Transceiver, Model MDX-ZIGB-G3, manufactured by Midtronics, Inc. The detailed test results are presented in a separate section. The following is a summary of the test results.

Emissions Tests Results

				FCC	Test
Environmental Phenomena	Frequency Range	RSS Spec	RSS section	Section	Result
RF Radiated Emissions	30-12,500 MHz	RSS-Gen	7.1 & 8.9	15.249	Pass
RF Radiated Emissions Fundamental and Harmonics	30-25,000 MHz	RSS-210	B.10	15.249	Pass
Conducted Emissions, AC Mains	0.15 - 30 MHz	RSS-Gen	8.8	15.249	Pass
Occupied Bandwidth Test	Fundamental Freq.	RSS-Gen	6.6	15.249	Pass

Note: The RSS-210 specification is not currently covered in Radiometrics' Scope of Accreditation. This is technically very similar to FCC, CFR 47 Part 15 which is on Radiometrics scope.

2.1 RF Exposure Compliance Requirements

Since the power output is less than 10 mW, the EUT meets the FCC requirement for RF. There are no power level adjustments available to the end user. The antenna is permanently attached. The detailed calculations for RF Exposure are presented in a separate document.

RP-8462A Rev. 1 Page 3 of 3

3.0 EQUIPMENT UNDER TEST (EUT) DETAILS

3.1 EUT Description

The EUT is a transmitter for a prosthetic arm, Model MDX-ZIGB-G3, manufactured by Midtronics, Inc. The EUT was in good working condition during the tests, with no known defects. There are two identical transmitters in the arm. The two transmitters are identified as MSP1 and MSP2 herein. The two transmitters have the same electronics, with different antennas.

3.1.1 FCC Section 15.203 & RSS GEN Antenna Requirements

There are two antenna options:

- 1. Internal chip antenna: The antenna is internal to the EUT and it is not readily available to be modified by the end user.
- 2. ½ wave Dipole Antenna: The antenna uses a non-standard "U.FL" adaptor that is internal to the product.

Therefore, it meets the 15.203 Requirements.

3.2 Related Submittals

Midtronics, Inc. is not submitting any other products simultaneously for equipment authorization related to the EUT.

4.0 TESTED SYSTEM DETAILS

4.1 Tested System Configuration

The system was configured for testing in a typical fashion. The EUT was placed on an 80-cm high, nonconductive test stand. The testing was performed in conditions as close as possible to installed conditions. Wiring was consistent with manufacturer's recommendations. The EUT was tested while connected to its charger, since this is the worst-case configuration.

The identification for all equipment, plus descriptions of all cables used in the tested system, are:

Tested System Configuration List

Item	Description Ty	/pe*	Manufacturer	Model Number	Serial Number
1	RF Module	Е	Midtronics	MDX-ZIGB-G3	Sample 2V
2	Cell Guard BCU	Е	Midtronics	CGBC-300	Sample 1
3	AC Adaptor	Е	DVE	DSA-12PFA-09 FUS	None

^{*} Type: E = EUT, P = Peripheral, S = Support Equipment; H = Host Computer

RP-8462A Rev. 1 Page 4 of 4

	Radiometrics Midwest Corporation	www.radiomet.com
1	Testing of the Midtronics, Inc., Model MDX-ZIGB-G3, 2.4 GHz Transceiver	

List of System Cables

QTY	Length (m)	Cable Description	Shielded?		
1	0.5	Power leads to battery (This is a standard cable supplied to the customer)	No		
1	1.2	DC Cord from AC-DC supply to BCU	No		
1	1.0	Sensor input leads to BCU No			

4.2 Special Accessories

No special accessories were used during the tests to achieve compliance.

4.3 Equipment Modifications

No modifications were made to the EUT at Radiometrics' test facility in order to comply with the standards listed in this report.

5.0 TEST SPECIFICATIONS

Document	Date	Title
FCC CFR Title 47	2016	Code of Federal Regulations Title 47, Chapter 1, Federal Communications Commission, Part 15 - Radio Frequency Devices
IC RSS-210 Issue 9	2016	Low Power Licence-Exempt Radiocommunication Devices (All Frequency Bands) Category I Equipment
IC RSS-Gen Issue 4	2014	General Requirements and Information for the Certification of Radiocommunication Equipment (RSS-Gen)

6.0 TEST PROCEDURE DOCUMENTS

The tests were performed using the procedures from the following specifications:

Document	Date	Title
ANSI C63.4-2014	2014	Methods of Measurement of Radio Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
ANSI C63.10-2013	2013	American National Standard for Testing Unlicensed Wireless Devices

7.0 RADIOMETRICS' TEST FACILITIES

The results of these tests were obtained at Radiometrics Midwest Corp. in Romeoville, Illinois, USA. Radiometrics is accredited by A2LA (American Association for Laboratory Accreditation) to conform to ISO/IEC 17025: 2005 "General Requirements for the Competence of Calibration and Testing Laboratories". Radiometrics' Lab Code is 121191 and Certification Number is 1495.01. Radiometrics' scope of accreditation includes all of the test methods listed herein. A copy of the accreditation can be accessed on our web site (www.radiomet.com). Radiometrics accreditation status can be verified at A2LA's web site (www.a2la2.org).

The following is a list of shielded enclosures located in Romeoville, Illinois used during the tests:

RP-8462A Rev. 1 Page 5 of 5

Chamber E: Is a custom made anechoic chamber that measures 52' L X 30' W X 18' H. The walls and ceiling are fully lined with RF absorber. Pro-shield of Collinsville, Oklahoma manufactured the chamber. The floor has a 9' x 9' section of microwave absorber for testing above 1 GHz.

Test Station F: Is an area that measures 10' D X 12' W X 10' H. The floor and back wall are metal shielded.

This area is used for conducted emissions measurements.

A separate ten-foot long, brass plated, steel ground rod attached via a 6 inch copper braid grounds each of the above chambers. Each enclosure is also equipped with low-pass power line filters.

The FCC has accepted these sites as test site number US1065. The FCC test site Registration Number is 732175. Details of the site characteristics are on file with the Innovation, Science, and Economic Development Canada as site number IC 8727A-1.

A complete list of the test equipment is provided herein. The calibration due dates are indicated on the equipment list. The equipment is calibrated in accordance to ANSI/NCSL Z540-1 with traceability to the National Institute of Standards and Technology (NIST).

8.0 DEVIATIONS AND EXCLUSIONS FROM THE TEST SPECIFICATIONS

There were no deviations or exclusions from the test specifications.

9.0 CERTIFICATION

Radiometrics Midwest Corporation certifies that the data contained herein was taken under conditions that meet or exceed the requirements of the test specification and the data contained herein was taken with calibrated test equipment. The results relate only to the EUT listed herein.

10.0 TEST EQUIPMENT TABLE

					Frequency	Cal	
RMC ID	Manufacturer	Description	Model No.	Serial No.	Range	Period	Cal Date
AMP-05	RMC/Celeritek	Pre-amplifier	MW110G	1001	1.0-12GHz	12 Mo.	01/05/16
AMP-20	Avantek	Pre-amplifier	SF8-0652	15221	8-18GHz	12 Mo	01/05/16
AMP-22	Anritsu	Pre-amplifier	MH648A	M23969	0.1-1200MHz	12 Mo.	01/05/16
AMP-29	HP / Agilent	Amplifier	11975A	2304A00158	2-8 GHz	12 Mo.	01/08/16
ANT-04	Tensor	Biconical Antenna	4104	2246	20-250MHz	24 Mo.	05/16/16
ANT-08	RMC	Log-Periodic Ant.	LP1000	1002	200-1000MHz	24 Mo.	10/06/16
ANT-13	EMCO	Horn Antenna	3115	2502	1.0-18GHz	24 Mo.	12/28/16
ANT-36	Ailtech (Eaton)	Horn Antenna	96001	2013	1.0-18GHz	24 Mo.	11/02/16
ANT-48	RMC	Std Gain Horn	HW2020	1001	18-26 GHz	24 Mo.	12/15/15
HPF-01	Solar	High Pass Filter	7930-100	HPF-1	0.15-30MHz	24 Mo.	03/15/16
LSN-01	Electrometrics	50 uH LISN	FCC/VDE 50/2	1001	0.01-30MHz	24 Mo.	06/23/15
MXR-02	HP / Agilent	Harmonic Mixer	11970K	2332A00489	18-26.5GHz	12 Mo.	01/08/16
				2648A13481			
REC-08	HP / Agilent	Spectrum Analyzer	8566B	2209A01436	30Hz-22GHz	24 Mo.	12/21/15
REC-11	HP / Agilent	Spectrum Analyzer	E7405A	US39110103	9Hz-26.5GHz	12 Mo	03/23/16
				33330A00135			
REC-20	HP / Agilent	Spectrum Analyzer	85460A/84562A	3410A00178	30Hz-6GHz	24 Mo.	07/13/16
REC-21	Agilent	Spectrum Analyzer	E7405A	MY45118341	9Hz-26.5 GHz	24 Mo.	12/22/15
THM-02	Fluke	Temp/Humid Meter	971	93490471	N/A	24 Mo.	08/03/15

Note: All calibrated equipment is subject to periodic checks.

RP-8462A Rev. 1 Page 6 of 6

Software Company	Test Software Name	Version	Applicable Tests
Radiometrics	EN550XX0	06.10.16	RF Conducted Emissions (FCC Part 15 & EN 55011/22) REC-10
Radiometrics	REREC11D	01.05.16	RF Radiated Emissions (FCC Part 15 & EN 55011/22)
Agilent	PSA/ESA-E/L/EMC	2.4.0.42	Bandwidth and screen shots

11.0 TEST SECTIONS

11.1 AC Conducted Emissions

The tests and limits are in accordance with FCC section 15.207 and RSS Gen section 8.8.

A computer-controlled analyzer was used to perform the conducted emissions measurements. The frequency range was divided into 500 subranges equally spaced on a logarithmic scale. The computer recorded the peak of each subrange. This data was then plotted on a semi-log graph generated by the computer. Adjusting the positions of the cables and orientation of the test system then maximizes the highest emissions.

Mains Conducted emission measurements were performed using a 50 Ohm/50 uH Line Impedance Stabilization Network (LISN) as the pick-up device. Measurements were repeated on both leads within the power cord. If the EUT power cord exceeded 80 cm in length, the excess length of the power cord was made into a 30 to 40 cm bundle near the center of the cord. The LISN was placed on the floor at the base of the test platform and electrically bonded to the ground plane.

FCC Limits of Conducted Emissions at the AC Mains Ports


	Frequency Range	Class B Limits (dBuV)							
	(MHz)	Quasi-Peak	Average						
	0.150 - 0.50*	66 - 56	56 - 46						
	0.5 - 5.0	56	46						
	5.0 - 30	60	50						
* The limit decreases linearly with the logarithm of the frequency in this range									

The initial step in collecting conducted data is a peak detector scan and the plotting of the measurement range. Significant peaks are then marked as shown on the following table, and these signals are then measured with the quasi-peak detector. The following represents the worst case emissions from EUT charger power cord, after testing all modes of operation.

Test Date : October 25, 2016


The Amplitude is the final corrected value with cable and LISN Loss.

RP-8462A Rev. 1 Page 7 of 7



	QP	QP	Average	Average	
Frequency	Amplitude	Limit	Amplitude	Limit	Margin
(MHz)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)
0.156	47.5	65.7	36.7	55.7	18.2
0.207	31.6	63.3	6.5	53.3	31.7
3.068	45.7	56.0	28.5	46.0	10.3
4.109	37.1	56.0	26.0	46.0	18.9
4.755	38.6	56.0	27.4	46.0	17.4
7.557	38.4	60.0	27.4	50.0	21.6

RP-8462A Rev. 1 Page 8 of 8




Frequency (MHz)	QP Amplitude (dBuV)	QP Limit (dBuV)	Average Amplitude (dBuV)	Average Limit (dBuV)	Margin (dB)
0.154	45.5	65.8	27.6	55.8	20.3
3.380	32.9	56.0	22.6	46.0	23.1
4.626	34.2	56.0	23.2	46.0	21.8
5.095	34.2	60.0	23.7	50.0	25.8
7.674	34.3	60.0	24.5	50.0	25.5

Judgment: Passed by at least 10 dB

RP-8462A Rev. 1 Page 9 of 9

Figure 1. Conducted Emissions Test Setup



Notes:

- LISN's at least 80 cm from EUT chassis
- Vertical conductive plane 40 cm from rear of table top
- EUT power cord bundled

11.2 Radiated RF Emissions

Radiated emission measurements were performed with linearly polarized broadband antennas. The results obtained with these antennas can be correlated with results obtained with a tuned dipole antenna. The radiated emission measurements were performed with a spectrum analyzer. The bandwidth used from 150 kHz to 30 MHz is 9 or 10 kHz and the bandwidth from 30 MHz to 1000 MHz is 100 or 120 kHz. Above 1 GHz, a 1 MHz bandwidth is used. A 10 dB linearity check is performed prior to start of testing in order to determine if an overload condition exists. A harmonic mixer was used from 18 to 25 GHz. Figure 4 herein lists the details of the test equipment used during radiated emissions tests.

The EUT was rotated through three orthogonal axis as per 5.10.1 of ANSI C63.10 during the radiated tests.

Final radiated emissions measurements were performed inside of an anechoic chamber at a test distance of 3 meters. The anechoic chamber is designated as Chamber E. This Chamber meets the Site Attenuation requirements of ANSI C63.4 and CISPR 16-1. Chamber E is located at 12 East Devonwood Ave. Romeoville, Illinois EMI test lab.

The entire frequency range from 30 to 25,000 MHz was slowly scanned with particular attention paid to those frequency ranges which appeared high. Measurements were performed using two antenna polarizations, (vertical and horizontal). The worst case emissions were recorded. All measurements may be performed using either the peak, average or quasi-peak detector functions. If the peak detector data exceeds or is marginally close to the limits, the measurements are repeated using a quasi-peak detector or average function as required by the specification for final determination of compliance.

The detected emission levels were maximized by rotating the EUT, adjusting the positions of all cables, and by scanning the measurement antenna from 1 to 4 meters above the ground.

RP-8462A Rev. 1 Page 10 of 10

11.2.1 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Loss, and by subtracting the Amplifier Gain from the measured reading. The basic equation is as follows:

FS = RA + AF + CF - AG + HPF + PKA

Where: FS = Field Strength

RA = Receiver Amplitude

AF = Antenna Factor

CF = Cable Attenuation Factor

AG = Amplifier Gain

PKA = Peak to Average Factor (This is only used for average measurements above 1 GHz)

The Peak to average factor is used when average measurements are required. It is calculated by the highest duty cycle in percent over any 100mS transmission. The factor in dB is 20*Log(On time mSec/100mSec).

Note: The actual FCC limits are in uV/m. The data in the results table coverted the limits to dBuV/m.

100 uV/m = 40.0 dBuV/m

150 uV/m = 43.5 dBuV/m

200 uV/m = 46.0 dBuV/m

500 uV/m = 54.0 dBuV/m

11.2.2 Duty Cycle

The Peak to average factor is calculated by the highest duty cycle in percent over any 100mS transmission. The factor in dB is 20 * Log(Duty cycle/100). The transmitter operates for a maximum duration of 10 ms in any 100 ms interval for a 10% maximum duty cycle. 20 Log*(10mSec/100mSec) = -20.0 dB Peak to average Correction factor.

11.2.3 Radiated Emissions Test Results

11.2.3.1 Emissions Below 1 GHz

Test Date	October 24, 2016
Test Distance	3 Meters
Specification	FCC Part 15.209 & 15.249 & RSS-210 Section B.10
Tested by	Richard Tichgelaar
Abbreviations	Pol = Antenna Polarization; V = Vertical; H = Horizontal; P = peak; Q = QP

Sensor with internal chip antenna

	NA 4	5p 5			0 11 0	D: 1				
	Meter				Cable &	Dist			Margin	
Freq.	Reading		Ant.	Ant	Amp	Fact	EUT	Limit	Under	
MHz	dBuV	Dect.	Pol.	Factor	Factors	dB	dBuV/m	dBuV/m	Limit dB	Note
30.5	30.3	Р	Ι	11.1	-28.4	0.0	13.0	40.0	27.0	
33.3	36.0	Р	Ι	11.4	-28.3	0.0	19.1	40.0	20.9	
50.3	38.0	Р	Ι	11.3	-28.3	0.0	21.0	40.0	19.0	
85.6	36.3	Р	Ι	8.6	-27.9	0.0	17.0	40.0	23.0	
87.8	43.3	Р	Ι	9.2	-27.9	0.0	24.6	40.0	15.4	
101.5	32.6	Р	Н	11.8	-27.9	0.0	16.5	43.5	27.0	
125.2	33.3	Р	Н	12.1	-27.8	0.0	17.6	43.5	25.9	
162.6	39.9	Р	Η	15.3	-27.6	0.0	27.6	43.5	15.9	·
203.8	36.9	Р	Η	15.9	-27.5	0.0	25.3	43.5	18.2	

RP-8462A Rev. 1 Page 11 of 11

	Meter				Cable &	Dist			Margin	
Freq.	Reading		Ant.	Ant	Amp	Fact	EUT	Limit	Under	
MHz	dBuV	Dect.	Pol.	Factor	Factors	dB	dBuV/m	dBuV/m	Limit dB	Note
208.2	37.5	Р	Н	15.5	-27.5	0.0	25.5	43.5	18.0	
212.1	34.6	Р	Н	15.1	-27.5	0.0	22.2	43.5	21.3	
250.0	30.7	Р	Н	17.0	-27.3	0.0	20.4	46.0	25.6	
251.3	29.7	Р	Н	11.2	-27.3	0.0	13.6	46.0	32.4	
360.0	30.0	Р	Н	14.4	-27.1	0.0	17.3	46.0	28.7	
434.4	31.9	Р	Н	15.6	-27.0	0.0	20.5	46.0	25.5	
496.3	30.5	Р	Ι	17.4	-26.9	0.0	21.0	46.0	25.0	
507.5	29.9	Р	Ι	17.9	-27.0	0.0	20.8	46.0	25.2	
661.3	32.4	Р	Ι	19.9	-26.1	0.0	26.2	46.0	19.8	
876.3	30.8	Р	Ι	22.7	-25.2	0.0	28.3	46.0	17.7	
30.0	30.2	Р	V	11.1	-28.3	0.0	13.0	40.0	27.0	
34.4	39.8	Р	V	11.5	-28.3	0.0	23.0	40.0	17.0	
42.7	33.4	Р	٧	12.0	-28.3	0.0	17.1	40.0	22.9	
47.6	38.6	Р	٧	11.7	-28.3	0.0	22.0	40.0	18.0	
50.3	36.3	Р	V	11.3	-28.3	0.0	19.3	40.0	20.7	
162.6	36.2	Р	V	15.3	-27.6	0.0	23.9	43.5	19.6	
203.8	34.3	Р	٧	15.9	-27.5	0.0	22.7	43.5	20.8	
208.2	33.8	Р	٧	15.5	-27.5	0.0	21.8	43.5	21.7	
247.8	31.3	Р	V	16.6	-27.3	0.0	20.6	46.0	25.4	
323.1	31.6	Р	٧	13.6	-27.3	0.0	17.9	46.0	28.1	
376.9	33.1	Р	V	14.7	-27.1	0.0	20.7	46.0	25.3	
400.0	36.3	Р	V	14.8	-27.2	0.0	23.9	46.0	22.1	
431.3	34.6	Р	V	15.7	-26.9	0.0	23.4	46.0	22.6	
471.3	32.6	Р	V	17.4	-26.8	0.0	23.2	46.0	22.8	
657.5	31.3	Р	V	20.1	-26.1	0.0	25.3	46.0	20.7	
813.8	37.6	Р	V	21.0	-25.6	0.0	33.0	46.0	13.0	
906.3	30.6	Р	V	22.1	-24.9	0.0	27.8	46.0	18.2	

BCU configuration with external antenna

	Meter				Cable &	Dist			Margin	
Freq.	Reading		Ant.	Ant	Amp	Fact	EUT	Limit	Under	
MHz	dBuV	Dect.	Pol.	Factor	Factors	dB	dBuV/m	dBuV/m	Limit dB	Note
30.0	30.0	Р	Η	11.1	-18.4	0.0	22.7	40.0	17.3	
46.0	38.0	Р	Η	11.9	-18.3	0.0	31.6	40.0	8.4	
71.3	34.1	Р	Η	6.6	-18.1	0.0	22.6	40.0	17.4	
81.2	34.4	Р	Η	7.2	-18.0	0.0	23.6	40.0	16.4	
132.3	36.7	Р	Н	11.7	-17.7	0.0	30.7	43.5	12.8	
149.9	38.3	Р	Н	13.2	-17.7	0.0	33.8	43.5	9.7	
208.8	37.8	Р	Н	15.4	-17.5	0.0	35.7	43.5	7.8	
239.6	38.1	Р	Н	15.6	-17.4	0.0	36.3	46.0	9.7	
250.0	44.2	Q	Η	17.0	-17.4	0.0	43.8	46.0	2.2	
252.5	42.3	Р	Η	11.3	-17.4	0.0	36.2	46.0	9.8	
275.6	44.0	Р	Η	13.2	-17.4	0.0	39.8	46.0	6.2	
290.6	42.9	Р	Η	13.7	-17.4	0.0	39.2	46.0	6.8	
320.6	44.2	Р	Η	13.7	-17.3	0.0	40.6	46.0	5.4	
340.0	42.5	Р	Н	13.8	-17.3	0.0	39.0	46.0	7.0	
379.4	41.0	Р	Н	14.9	-17.2	0.0	38.7	46.0	7.3	
389.4	40.6	Р	Η	15.2	-17.2	0.0	38.6	46.0	7.4	
453.8	37.1	Р	Н	15.9	-17.1	0.0	35.9	46.0	10.1	
495.0	34.1	Р	Н	17.3	-17.0	0.0	34.4	46.0	11.6	
500.0	32.8	Р	Н	17.8	-17.0	0.0	33.6	46.0	12.4	
702.5	31.9	Р	Н	20.4	-15.8	0.0	36.5	46.0	9.5	
832.5	32.1	Р	Н	22.0	-15.3	0.0	38.8	46.0	7.2	

RP-8462A Rev. 1 Page 12 of 12

	Meter				Cable &	Dist			Margin	
Freq.	Reading		Ant.	Ant	Amp	Fact	EUT	Limit	Under	
MHz	dBuV	Dect.	Pol.	Factor	Factors	dB	dBuV/m	dBuV/m	Limit dB	Note
39.9	36.3	Р	V	12.0	-18.3	0.0	30.0	40.0	10.0	
46.2	43.0	Q	V	11.9	-18.3	0.0	36.6	40.0	3.4	
55.8	40.4	Р	V	10.2	-18.2	0.0	32.4	40.0	7.6	
58.7	40.3	Р	V	9.4	-18.2	0.0	31.5	40.0	8.5	
60.3	45.9	Р	V	9.0	-18.2	0.0	36.7	40.0	3.3	
70.8	40.5	Р	V	6.6	-18.1	0.0	29.0	40.0	11.0	
71.8	43.5	Р	V	6.5	-18.1	0.0	31.9	40.0	8.1	
98.2	39.3	Р	V	11.4	-17.9	0.0	32.8	43.5	10.7	
143.9	37.8	Р	V	12.2	-17.7	0.0	32.3	43.5	11.2	
216.4	38.3	Р	V	14.6	-17.5	0.0	35.4	46.0	10.6	
246.7	40.8	Р	V	16.5	-17.4	0.0	39.9	46.0	6.1	
253.8	46.0	Р	V	11.4	-17.4	0.0	40.0	46.0	6.0	
292.5	41.3	Р	V	13.8	-17.4	0.0	37.7	46.0	8.3	
320.6	40.7	Р	V	13.7	-17.3	0.0	37.1	46.0	8.9	
386.3	36.7	Р	V	15.3	-17.2	0.0	34.8	46.0	11.2	
425.0	33.5	Р	V	16.0	-17.1	0.0	32.4	46.0	13.6	
454.4	35.2	Р	V	15.9	-17.1	0.0	34.0	46.0	12.0	
502.5	33.6	Р	V	17.8	-17.0	0.0	34.4	46.0	11.6	
558.8	33.0	Р	V	18.9	-16.6	0.0	35.3	46.0	10.7	
670.0	31.9	Р	V	20.1	-16.0	0.0	36.0	46.0	10.0	
848.8	32.3	Р	V	21.9	-15.3	0.0	38.9	46.0	7.1	

Judgment: Passed by 2.2 dB

11.2.3.2 Emissions above 1 GHz

Test Date: 10/26 & 10/27/2016 Tested by: Richard Tichgelaar

Radiated Emissions per FCC 15.249 & RSS-210 B.10

Senso	Sensor with internal chip antenna												
		Sp		Analyze	er				•	.			
			Read	dings	1		EUT	Peak	Ave	Peak	Ave	Margin	
hrm	Tx			Corr.	Emission	To	t. FS	Li	imit	Under			
		Vertical		Horiz	ontal		Freq						
#	Freq	Peak Ave		Peak	Ave	Fact.	MHz	dB	uV/m	dBı	uV/m	Limit	
1	<u> </u>		106.1	86.1	-5.6	2405.0	102.3	82.3	114	94	11.7		
BE	2405	69.6	49.6	67.8	47.8	-5.6	2400.0	64.0	44.0	74	54	10.0	
2	2405	62.2	42.2	58.4	38.4	2.1	4810.0	64.3	44.3	74	54	9.7	
3	2405	405 47.6 27.6 48		48.3	28.3	6.8	7215.0	55.1	35.1	74	54	18.9	
1	2440	108.4	88.4	103.4	83.4	-5.2	2440.0	103.2	83.2	114	94	10.8	
2	2440	65.6	45.6	54.8	34.8	2.4	4880.0	68.0	48.0	74	54	6.0	
3	2440	46.0	26.0	42.9	22.9	7.2	7320.0	53.2	33.2	74	54	20.8	
1	2480	106.0	86.0	103.2	83.2	-5.3	2480.0	100.7	80.7	114	94	13.3	
BE	2480	70.4	50.4	67.6	47.6	-5.3	2483.5	65.1	45.1	74	54	8.9	
2	2480	57.3	37.3	53.5	33.5	2.4	4960.0	59.7	39.7	74	54	14.3	
3	2480	44.5	24.5	38.3	18.3	7.5	7440.0	52.0	32.0	74	54	22.0	
				Colum	n num	bers (se	ee below for	explana	tions)				
1	2	3	4	5	6	7	8	9	10	11	12	13	

Page 13 of 13 RP-8462A Rev. 1

BCU Configuration with external antenna

		Spectru	ım Anal	yzer Re	adings		EUT	Peak	Ave	Peak	Ave	Margin
hrm	Tx					Corr.	Emission	Tot	. FS	Lim	nit	Under
		Vert	ical	Horiz	ontal		Freq					
#	Freq	Peak	Ave	Peak	Ave	Fact.	MHz	dΒι	ıV/m	dBu\	//m	Limit
1	2405	107.0	87.0	97.6	77.6	-5.6	2405.0	101.4	81.4	114	94	12.6
BE	2405	70.7	50.7	61.3	41.3	-5.6	2400.0	65.1	45.1	74	54	8.9
2	2405	59.6	39.6	48.8	28.8	2.1	4810.0	61.7	41.7	74	54	12.3
3	2405	40.8	20.8	39.3	19.3	6.8	7215.0	47.6	27.6	74	54	26.4
1	2440	108.7	88.7	96.0	76.0	-5.2	2440.0	103.5	83.5	114	94	10.5
2	2440	60.8	40.8	47.8	27.8	2.4	4880.0	63.2	43.2	74	54	10.8
3	2440	42.6	22.6	44.4	24.4	7.2	7320.0	51.6	31.6	74	54	22.4
1	2480	107.4	87.4	97.3	77.3	-5.3	2480.0	102.1	82.1	114	94	11.9
BE	2480	71.3	51.3	61.2	41.2	-5.3	2483.5	66.0	46.0	74	54	8.0
2	2480	61.5	41.5	46.8	26.8	2.4	4960.0	63.9	43.9	74	54	10.1
3	2480	42.9	22.9	44.2	24.2	7.5	7440.0	51.7	31.7	74	54	22.3
	Column number						elow for exp	olanation	s)	•		
1	2	3	4	5	6	7	8	9	10	11	12	13

Column #1. hrm = Harmonic; BE = Band Edge emissions

Column #2. Frequency of Transmitter.

Column #3. Uncorrected readings from the spectrum analyzer with worst case reading from all axis rotations.

Column #4. Average Reading based on peak reading reduced by the Duty cycle correction Uncorrected readings from the spectrum analyzer with First Axis Rotation.

Column #6. Average Reading based on peak reading reduced by the Duty cycle correction

Column #7. Corr. Factors = Cable Loss - Preamp Gain + Antenna Factor

Column #8. Frequency of Tested Emission

Column #9. Highest peak field strength at listed frequency.
Column #10. Highest Average field strength at listed frequency.

Column #11. Peak Limit. Column #12. Average Limit.

Column #13. The margin (last column) is the worst case margin under the peak or average limits for that row.

All emissions outside of the band from 2400 to 2483.5 were below the limits of 15.209. No other Emissions were detected from 1 to 25 GHz were within 10 dB of the limits.

Overall Judgment: Passed by 2.7 dB

RP-8462A Rev. 1 Page 14 of 14

11.3 Unintentional Emissions (Receive Mode)

Manufacturer	Midtronics, Inc.	Specification	RSS-GEN Section 7.1.2 &						
	•	-	FCC Part 15.209						
Model	MDX-ZIGB-G3	Test Date	October 24 & 25, 2016						
Test Distance	3 Meters								
Abbreviations	Pol = Antenna Polarizat	ion; V = Vertical;	H = Horizontal; P = peak; Q = QP						
Configuration	Receive mode	eceive mode							

Sensor with Chip antenna.

Freq. Reading MHz Ant. Ant. Amp Fact dB MJ/m dBuV/m Limit dB Note 33.3 37.3 P H 11.4 -28.3 0.0 20.4 40.0 19.6 19.6 50.3 32.9 P H 11.3 -28.3 0.0 15.9 40.0 24.1 37.8 38.0 P H 11.4 -27.9 0.0 17.3 40.0 22.7 38.2 36.3 P H 11.4 -27.9 0.0 19.8 43.5 23.7 37.3 37.3 P H 11.4 -27.9 0.0 19.8 43.5 23.7 37.3 37.3 P H 11.4 -27.9 0.0 19.8 43.5 23.7 37.3 37	Sensor w	ith Chip ant	enna.	ı	ı			1			
MHz		Meter				Cable/	Dist			Margin	
33.3 37.3 P H 11.4 -28.3 0.0 20.4 40.0 19.6 50.3 32.9 P H 11.3 -28.3 0.0 15.9 40.0 24.1 87.8 36.0 P H 9.2 -27.9 0.0 17.3 40.0 22.7 98.2 36.3 P H 11.4 -27.9 0.0 17.3 40.0 22.7 38.2 36.3 P H 11.4 -27.9 0.0 19.8 43.5 23.7 114.2 33.9 P H 12.5 -27.8 0.0 18.6 43.5 24.9 162.6 41.7 P H 15.3 -27.6 0.0 29.4 43.5 14.1 180.1 35.1 P H 16.9 -27.5 0.0 24.5 43.5 19.0 193.4 35.3 P H 16.9 -27.5 0.0 24.7 43.5 18.8 500.0 30.9 P H 17.8 -26.9 0.0 21.8 46.0 24.2 682.5 31.6 P H 21.5 -26.2 0.0 26.9 46.0 19.1 917.5 31.5 P H 22.9 -24.8 0.0 29.4 54.0 24.6 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 15.3 40.0 24.7 43.5 18.8 42.7 36.1 P V 12.0 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 15.3 40.0 24.7 43.5 18.8 44.2 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -27.6 0.0 23.7 43.5 19.8 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -27.6 0.0 23.7 43.5 19.8 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -27.6 0.0 23.7 43.5 19.8 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -27.6 0.0 23.7 43.5 19.8 43.5 19.8 43.5 43			_			-					
50.3 32.9 P H 11.3 -28.3 0.0 15.9 40.0 24.1 87.8 36.0 P H 92.2 -27.9 0.0 17.3 40.0 22.7 98.2 36.3 P H 11.4 27.9 0.0 19.8 43.5 23.7 114.2 33.9 P H 112.5 -27.8 0.0 18.6 43.5 24.9 162.6 41.7 P H 16.9 -27.5 0.0 29.4 43.5 14.1 180.1 35.3 P H 16.9 -27.5 0.0 24.5 43.5 18.8 500.0 30.9 P H 17.8 26.9 0.0 21.8 46.0 19.1 917.5 31.5 P H 22.9 -24.8 0.0 22.4 40.0 19.4 54.0 24.6 33.8 44.2 P V 11.4 -28.3 </td <td></td> <td>Note</td>											Note
87.8 36.0 P H 9.2 -27.9 0.0 17.3 40.0 22.7 98.2 36.3 P H 11.4 -27.9 0.0 19.8 43.5 23.7 114.2 33.9 P H 11.4 -27.9 0.0 19.8 43.5 23.7 162.6 41.7 P H 15.3 -27.6 0.0 29.4 43.5 14.1 180.1 35.1 P H 16.9 -27.5 0.0 24.5 43.5 19.0 193.4 35.3 P H 16.9 -27.5 0.0 24.7 43.5 18.8 500.0 30.9 P H 16.9 -26.2 0.0 26.9 46.0 24.2 682.5 31.5 P H 22.9 -24.8 0.0 29.6 46.0 16.4 998.8 30.0 P H 23.8 -24.4 0.0 29.4<											
98.2 36.3 P H 11.4 -27.9 0.0 19.8 43.5 23.7 114.2 33.9 P H 12.5 -27.8 0.0 18.6 43.5 24.9 162.6 41.7 P H 15.3 -27.6 0.0 29.4 43.5 14.1 180.1 35.1 P H 16.9 -27.5 0.0 24.5 43.5 19.0 193.4 35.3 P H 16.9 -27.5 0.0 24.7 43.5 18.8 50.0 30.9 P H 17.8 26.9 0.0 21.8 46.0 24.2 682.5 31.6 P H 21.5 -26.2 0.0 26.9 46.0 19.1 91.5 31.5 P H 22.9 -24.8 0.0 29.6 46.0 19.1 91.5 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 46.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 71.1 76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 88.3 35.4 P V 7.9 -28.0 0.0 19.8 40.0 29.1 84.0 20.2 25.6 34.6 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.6 -27.3 0.0 23.5 43.5 20.0 22.6 25.6 35.7 P V 12.2 -27.3 0.0 23.5 46.0 22.6 26.6 35.7 P V 12.2 -27.3 0.0 23.4 46.0 22.6 26.6 35.7 P V 12.2 -27.3 0.0 23.4 46.0 22.6 26.6 35.7 P V 12.2 -27.3 0.0 23.5 46.0 22.5 23.5 31.6 40.4 P V 14.1 -27.2 0.0 23.5 46.0 22.5 23.5 31.6 40.4 P V 14.8 -27.1 0.0 26.1 46.0 19.9 38.8 1 37.3 P V 13.6 -27.3 0.0 25.4 46.0 22.6 26.6 35.7 P V 14.8 -27.1 0.0 25.4 46.0 22.6 26.6 35.7 P V 14.8 -27.1 0.0 23.1 46.0 22.9 2.1 28.0 33.3 34.4 P V 17.8 -26.9 0.0 25.3 46.0 22.1 22.1 22.0 23.3 35.4 P V 12.8 -27.3 0.0 23.5 46.0 22.5 23.3 35.6 P V 14.8 -27.1 0.0 23.1 46.0 22.9 2.1 22.0 23.3 35.4 P V 13.6 -27.3 0.0 23.5 46.0 22.5 23.5 33.5 P V 14.8 -27.1 0.0 23.1 46.0 22.9 2.0 24.6 46.0 20.6 466.9 35.5 P V 14.8 -27.1 0.0 25.2 46.0 20.6											
114.2											
162.6											
180.1 35.1 P H 16.9 -27.5 0.0 24.5 43.5 19.0 193.4 35.3 P H 16.9 -27.5 0.0 24.7 43.5 18.8 500.0 30.9 P H 17.8 -26.9 0.0 21.8 46.0 24.2 24.2 2682.5 31.6 P H 21.5 -26.2 0.0 26.9 46.0 19.1 291.5 31.5 P H 22.9 -24.8 0.0 29.6 46.0 19.1 298.8 30.0 P H 23.8 -24.4 0.0 29.4 54.0 24.6 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 22.2 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 33.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.9 -27.5 0.0 23.5 43.5 20.0 24.7 162.6 36.0 P V 15.9 -27.5 0.0 23.5 43.5 20.0 25.6 34.1 P V 11.6 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.3 -27.3 0.0 23.4 46.0 22.6 22.6 265.6 35.7 P V 12.3 -27.3 0.0 23.5 46.0 22.6 22.6 265.6 35.7 P V 12.3 -27.3 0.0 23.5 46.0 22.6 22.6 265.6 35.7 P V 12.3 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 13.6 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.1 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.1 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.8 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 15.8 -26.9 0.0 25.4 46.0 20.6 46											
193.4 35.3 P H 16.9 -27.5 0.0 24.7 43.5 18.8							0.0	29.4		14.1	
500.0 30.9 P H 17.8 -26.9 0.0 21.8 46.0 24.2 682.5 31.6 P H 21.5 -26.2 0.0 26.9 46.0 19.1 917.5 31.5 P H 22.9 -24.8 0.0 29.6 46.0 16.4 998.8 30.0 P H 23.8 -24.4 0.0 29.6 54.0 24.6 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 11.6 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3							0.0	24.5		19.0	
682.5 31.6 P H 21.5 -26.2 0.0 26.9 46.0 19.1 917.5 31.5 P H 22.9 -24.8 0.0 29.6 46.0 16.4 998.8 30.0 P H 23.8 -24.4 0.0 29.4 54.0 24.6 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 19.8 40.0 20.2 48.3 35.4 P V 7.9 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 10.9 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.7 43.5 20.0 255.0 35.5 P V 11.6 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.3 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.3 -27.3 0.0 23.9 46.0 22.1 271.9 38.4 P V 12.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 23.1 46.0 22.9 377.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 25.4 46.0 20.6 466.9 35.5 P V 15.8 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 25.5 46.0 24.0 511.3 30.3 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.2 P V 17.8 -26.9 0.0 22.4 46.0 24.6 663.8 31.6 P V 17.7 -26.1 0.0 25.5 46.0 24.6 663.8 31.6 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.2 P V 13.1 -25.3 0.0	193.4	35.3		Н	16.9	-27.5	0.0	24.7	43.5	18.8	
917.5 31.5 P H 22.9 -24.8 0.0 29.6 46.0 16.4 998.8 30.0 P H 23.8 -24.4 0.0 29.4 54.0 24.6 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 22.2 40.0 17.1 17.1 76.2 32.6 P V 11.6 -28.3 0.0 19.8 40.0 20.2 48.3 35.4 P V 15.3 -27.6 0.0 15.3 40.0 29.1 18.3 35.4 P V 15.3 -27.6 0.0 15.3 40.0 29.1 18.8 180.1 34.1 P V 16.9 -27.5 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 12.1 -27.3 0.0 23.4 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 23.4 46.0 22.6 266.9 39.8 P V 12.3 -27.3 0.0 23.4 46.0 22.6 266.9 39.8 P V 12.3 -27.3 0.0 23.5 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 23.5 46.0 22.1 271.9 38.4 P V 13.6 -27.3 0.0 23.5 46.0 22.1 280.0 37.3 P V 13.6 -27.3 0.0 23.5 46.0 22.1 280.0 37.3 P V 13.6 -27.3 0.0 23.1 46.0 22.1 280.0 37.3 P V 13.6 -27.3 0.0 23.1 46.0 22.1 355.0 41.7 P V 13.6 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 23.1 46.0 22.9 377.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 36.0 P V 14.2 -27.1 0.0 25.4 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 25.4 46.0 20.9 37.5 38.1 37.3 P V 15.8 -27.3 0.0 25.4 46.0 20.7 38.8 138.1 37.3 P V 15.8 -27.3 0.0 25.4 46.0 20.6 46.0 25.4 46.0 38.8 137.3 P V 15.8 -27.3 0.0 25.4 46.0 20.6 367.5 36.0 P V 14.2 -27.1 0.0 25.3 46.0 18.7 38.1 38.1 37.3 P V 15.8 -27.3 0.0 25.5 46.0 20.6 46.0 20.6 46.9 36.4 P V 15.8 -27.2 0.0 25.3 46.0 20.5 46.0 20.6 46.9 36.4 P V 15.8 -27.2 0.0 25.3 46.0 20.5 46.0 20.6 46.9 36.4 P V 17.6 -26.7 0.0 25.5 46.0 20.5 46.0 20.6 46.9 36.4 P V 17.6 -26.7 0.0 25.5 46.0 20.5 46.0 20.5 46.0 20.6 46.9 36.4 P V 17.8 -26.9 0.0 25.5 46.0 20.5 46.0 20.6 46.0 36.0 36.4 P V 17.6 -26.7 0.0 25.5 46.0 20.5 46.0 20.5 46.0 20.6 46.0 36.0 30.2 P V 15.8 -26.9 0.0 25.5 46.0 20.5 46.0 20.6 46.0 30.2 P V 17.8 -26.9 0.0 25.4 46.0 24.0 24.6 663.8 31.6 P V 17.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P	500.0	30.9		Н	17.8	-26.9	0.0	21.8	46.0	24.2	
998.8 30.0 P H 23.8 -24.4 0.0 29.4 54.0 24.6 33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 19.8 40.0 29.1 48.2 39.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.5 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 26.3 26.6 26.6 35.7 P V 12.1 -27.3 0.0 26.1 46.0 19.9 22.6 265.6 35.7 P V 12.2 -27.3 0.0 23.4 46.0 22.6 266.9 39.8 P V 12.3 -27.6 0.0 23.5 46.0 22.1 2271.9 38.4 P V 12.8 -27.3 0.0 23.5 46.0 22.1 220.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 13.6 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 22.5 37.5 38.5 P V 14.1 -27.2 0.0 25.3 46.0 22.5 37.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 18.0 36.5 P V 14.8 -27.1 0.0 26.2 46.0 18.0 36.5 P V 14.8 -27.1 0.0 26.1 46.0 19.8 38.1 37.3 P V 15.8 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 26.2 46.0 19.8 38.1 37.3 P V 15.8 -27.3 0.0 25.3 46.0 22.5 37.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 38.1 37.3 P V 15.8 -27.3 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 25.5 46.0 20.5 46.0 20.5 46.0 20.5 46.0 36.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 38.1 37.3 P V 15.8 -26.9 0.0 25.5 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46	682.5	31.6		Н	21.5	-26.2	0.0	26.9	46.0	19.1	
33.8 44.2 P V 11.4 -28.3 0.0 27.3 40.0 12.7 39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 16.9 -27.5 0.0 23.7 43.5 19.8 180.1 34.1 P V 11.5 -27.3 0.0 23.7 43.5 20.0 255.0 35.5 P V 11.6 -27.3 0.0 26.1	917.5	31.5	Р	Н	22.9	-24.8	0.0	29.6	46.0	16.4	
39.9 38.5 P V 12.0 -28.3 0.0 22.2 40.0 17.8 42.7 36.1 P V 12.0 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.6 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.5 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 26.2 46.0 19.8 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.8 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 25.2 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 24.6 501.0 30.2 P V 18.0 -26.9 0.0 25.2 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0	998.8	30.0		Н	23.8	-24.4	0.0	29.4	54.0	24.6	
42.7 36.1 P V 12.0 -28.3 0.0 19.8 40.0 20.2 48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.5 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.1 -27.3 0.0 23.4 46.0 22.6 263.8 38.6 P V 12.2 -27.3 0.0 23.4 <td>33.8</td> <td>44.2</td> <td>Р</td> <td>V</td> <td>11.4</td> <td>-28.3</td> <td>0.0</td> <td>27.3</td> <td>40.0</td> <td>12.7</td> <td></td>	33.8	44.2	Р	V	11.4	-28.3	0.0	27.3	40.0	12.7	
48.2 39.6 P V 11.6 -28.3 0.0 22.9 40.0 17.1 76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.5 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 20.6 46.0 25.4 266.6 35.7 P V 12.3 -27.3 0.0 24.8 <td>39.9</td> <td>38.5</td> <td>Р</td> <td>V</td> <td>12.0</td> <td>-28.3</td> <td>0.0</td> <td>22.2</td> <td>40.0</td> <td>17.8</td> <td></td>	39.9	38.5	Р	V	12.0	-28.3	0.0	22.2	40.0	17.8	
76.2 32.6 P V 6.3 -28.0 0.0 10.9 40.0 29.1 83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.6 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.5 </td <td>42.7</td> <td>36.1</td> <td>Р</td> <td>V</td> <td>12.0</td> <td>-28.3</td> <td>0.0</td> <td>19.8</td> <td>40.0</td> <td>20.2</td> <td></td>	42.7	36.1	Р	V	12.0	-28.3	0.0	19.8	40.0	20.2	
83.3 35.4 P V 7.9 -28.0 0.0 15.3 40.0 24.7 162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.6 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 26.1 46.0 19.9 265.6 35.7 P V 12.2 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.6	48.2	39.6	Р	V	11.6	-28.3	0.0	22.9	40.0	17.1	
162.6 36.0 P V 15.3 -27.6 0.0 23.7 43.5 19.8 180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.5 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 22.6 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27	76.2	32.6	Р	V	6.3	-28.0	0.0	10.9	40.0	29.1	
180.1 34.1 P V 16.9 -27.5 0.0 23.5 43.5 20.0 255.0 35.5 P V 11.5 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27	83.3	35.4	Р	V	7.9	-28.0	0.0	15.3	40.0	24.7	
255.0 35.5 P V 11.5 -27.3 0.0 19.7 46.0 26.3 256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23	162.6	36.0	Р	V	15.3	-27.6	0.0	23.7	43.5	19.8	
256.3 41.8 P V 11.6 -27.3 0.0 26.1 46.0 19.9 263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.8 -27.1 0.0 26	180.1	34.1	Р	V	16.9	-27.5	0.0	23.5	43.5	20.0	
263.8 38.6 P V 12.1 -27.3 0.0 23.4 46.0 22.6 265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.8 -26.9 0.0 25	255.0	35.5	Р	V	11.5	-27.3	0.0	19.7	46.0	26.3	
265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.8 -26.9 0.0 28	256.3	41.8	Р	V	11.6	-27.3	0.0	26.1	46.0	19.9	
265.6 35.7 P V 12.2 -27.3 0.0 20.6 46.0 25.4 266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.8 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.8 -26.9 0.0 28	263.8	38.6	Р	V	12.1	-27.3	0.0	23.4	46.0	22.6	
266.9 39.8 P V 12.3 -27.3 0.0 24.8 46.0 21.2 271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.8 -26.9 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 25		35.7	Р	V	12.2	-27.3	0.0	20.6	46.0	25.4	
271.9 38.4 P V 12.8 -27.3 0.0 23.9 46.0 22.1 280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.9 -26.9 0.0 25.5 46.0 20.6 460.9 35.5 P V 16.9		39.8	Р	V	12.3	-27.3	0.0		46.0		
280.0 37.3 P V 13.5 -27.3 0.0 23.5 46.0 22.5 315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 483.8 33.4 P V 17.6 -26.7 0.0 24			Р	V							
315.6 40.4 P V 14.1 -27.2 0.0 27.3 46.0 18.7 325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8			Р	V							
325.0 41.7 P V 13.6 -27.3 0.0 28.0 46.0 18.0 367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 21			Р	V							
367.5 36.0 P V 14.2 -27.1 0.0 23.1 46.0 22.9 377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0			Р	V							
377.5 38.5 P V 14.8 -27.1 0.0 26.2 46.0 19.8 388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0		36.0	Р	V							
388.1 37.3 P V 15.2 -27.2 0.0 25.3 46.0 20.7 423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0				V							
423.1 39.2 P V 15.8 -26.9 0.0 28.1 46.0 17.9 456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0				V							
456.9 36.4 P V 16.0 -27.0 0.0 25.4 46.0 20.6 466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0											
466.9 35.5 P V 16.9 -26.9 0.0 25.5 46.0 20.5 483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0											
483.8 33.4 P V 17.6 -26.7 0.0 24.3 46.0 21.7 500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0				•							
500.0 31.1 P V 17.8 -26.9 0.0 22.0 46.0 24.0 511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0											
511.3 30.3 P V 18.0 -26.9 0.0 21.4 46.0 24.6 663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0											
663.8 31.6 P V 19.7 -26.1 0.0 25.2 46.0 20.8 865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0											
865.0 30.2 P V 23.1 -25.3 0.0 28.0 46.0 18.0											
	996.3	30.1	P	V	23.6	-24.4	0.0	29.3	54.0	24.7	

RP-8462A Rev. 1 Page 15 of 15

BCU with external antenna

DOC WILL	Motor	itorina			Cable/	Diet			Morgin	
From	Meter		Λnt	A mt	Cable/	Dist	CUT	Limit	Margin	
Freq. MHz	Reading dBuV	Doot	Ant.	Ant	Amp	Fact dB	EUT dBuV/m	Limit dBuV/m	Under	Note
35.2	30.6	Dect.	Pol. H	Factor	Factors	0.0			Limit dB	Note
	34.3	P	<u>п</u> Н	11.5 11.9	-17.6	0.0	24.5 28.7	40.0	15.5 11.3	
46.0		P			-17.5 -17.5			40.0		
66.3	33.0	P	H	7.5		0.0	23.0	40.0	17.0	
149.9	39.0		H :	13.2	-17.0	0.0	35.2	43.5	8.3	
150.0	37.5	Q	H	13.2	-17.0	0.0	33.7	43.5	9.8	
195.6	32.5	Р	H	16.8	-17.1	0.0	32.2	43.5	11.3	
250.0	40.2	Q	H	17.0	-16.8	0.0	40.4	46.0	5.6	
283.8	33.7	Р	H :	13.6	-16.9	0.0	30.4	46.0	15.6	
323.8	35.6	Р	H	13.6	-16.4	0.0	32.8	46.0	13.2	
331.9	36.4	Р	Η:	13.7	-16.6	0.0	33.5	46.0	12.5	
340.0	37.1	Р	Η:	13.8	-16.8	0.0	34.1	46.0	11.9	
343.8	37.0	P	Ŧ:	13.9	-16.8	0.0	34.1	46.0	11.9	
348.1	36.3	P	Ŧ:	14.0	-16.9	0.0	33.4	46.0	12.6	
351.9	36.1	Р	Н	14.1	-17.0	0.0	33.2	46.0	12.8	
356.3	35.6	Р	Н	14.2	-16.9	0.0	32.9	46.0	13.1	
363.8	35.6	Р	Н	14.3	-16.9	0.0	33.0	46.0	13.0	
400.0	34.0	Р	Η	14.8	-16.3	0.0	32.5	46.0	13.5	
454.4	32.7	Р	Τ	15.9	-16.6	0.0	32.0	46.0	14.0	
500.0	31.0	Р	Τ	17.8	-15.9	0.0	32.9	46.0	13.1	
501.3	30.6	Р	Τ	17.8	-15.9	0.0	32.5	46.0	13.5	
742.5	32.0	Р	Н	20.7	-14.8	0.0	37.9	46.0	8.1	
801.3	35.2	Р	Н	20.4	-14.7	0.0	40.9	46.0	5.1	
998.8	29.9	Р	Η	23.8	-13.6	0.0	40.1	54.0	13.9	
34.4	35.0	Р	V	11.5	-17.6	0.0	28.9	40.0	11.1	
67.9	43.0	Р	V	7.2	-17.5	0.0	32.7	40.0	7.3	
76.2	41.4	Р	V	6.3	-17.6	0.0	30.1	40.0	9.9	
136.7	39.4	Q	V	11.6	-16.9	0.0	34.1	43.5	9.4	
145.0	39.9	Q	V	12.3	-16.9	0.0	35.3	43.5	8.2	
203.3	35.9	Р	V	16.0	-16.9	0.0	35.0	43.5	8.5	
232.9	37.9	Р	V	14.8	-16.6	0.0	36.1	46.0	9.9	
250.0	40.3	Q	V	17.0	-16.8	0.0	40.5	46.0	5.5	
250.6	32.0	Р	V	11.2	-16.8	0.0	26.4	46.0	19.6	
260.6	34.7	Р	V	11.9	-17.0	0.0	29.6	46.0	16.4	
278.8	36.6	Р	V	13.4	-17.0	0.0	33.0	46.0	13.0	
326.9	34.1	Р	V	13.6	-16.5	0.0	31.2	46.0	14.8	
344.4	33.7	Р	V	13.9	-16.8	0.0	30.8	46.0	15.2	
372.5	34.7	Р	V	14.3	-16.8	0.0	32.2	46.0	13.8	
464.4	32.3	Р	V	16.5	-16.3	0.0	32.5	46.0	13.5	
500.0	31.6	Р	V	17.8	-15.9	0.0	33.5	46.0	12.5	
503.8	30.9	Р	V	17.7	-16.0	0.0	32.6	46.0	13.4	
732.5	31.1	Р	V	21.1	-15.0	0.0	37.2	46.0	8.8	
998.1	20.9	Q	V	23.7	-13.6	0.0	31.0	54.0	23.0	

Judgment: Pass by at least 5.5 dB


No Emissions were detected from 1 to 12.5 GHz within 10 dB of the limits.

RP-8462A Rev. 1 Page 16 of 16

Figure 2. Drawing of Radiated Emissions Setup

Chamber E, anechoic

Notes:



• Distance from antenna to tested system is 3

meters

• AC cords not shown. They are connected to AC outlet with low-pass filter on turntable

	Receive	Pre-	Spectrum
Frequency Range	Antenna	Amplifier	Analyzer
30 to 200 MHz	ANT-04	AMP-22	REC-11
200 to 1000 MHz	ANT-08	AMP-22	REC-11
1 to 10 GHz	ANT-13	AMP-05	REC-11
10 to 18 GHz	ANT-36	AMP-20	REC-11
18 to 25 GHz	ANT-48	AMP-29	REC-08; MXR-01

11.4 Occupied Bandwidth Data

The occupied bandwidth of the RF output was measured using a spectrum analyzer. The bandwidth was measured using the peak detector function and a narrow resolution bandwidth. A broadband antenna was used to receive the modulated signal. The spectrum analyzer was set to the MAX HOLD mode to record the worst case of the modulation. The spectrum analyzer display was digitized and plotted. A limit was drawn on the plots based on the level of the modulated carrier. The 99% bandwidth was measured using the procedures of RSS-GEN section 6.6.


Test Date: 10/27/2016

Tested by: Richard Tichgelaar


EUT	
MHz	99% BW MHz
2405	2.636
2440	2.616
2480	2.926

RP-8462A Rev. 1 Page 17 of 17

Figure 3. Occupied Bandwidth Plots



RP-8462A Rev. 1 Page 18 of 18



11.4.1 Measurement Instrumentation Uncertainty

Measurement	Uncertainty
Conducted Emissions, LISN method, 150 kHz to 30 MHz	2.7 dB
Radiated Emissions, E-field, 3 meters, 30 to 200 MHz	3.3 dB
Radiated Emissions, E-field, 3 meters, 200 to 1000 MHz	4.9 dB
Radiated Emissions, E-field, 3 meters, 1 to 18 GHz	4.8 dB
Bandwidth using marker delta method at a span of 10 MHz	4 kHz
Temperature THM-02	0.6 Deg C

The uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k=2 in accordance with CISPR 16-4-2.

RP-8462A Rev. 1 Page 19 of 19