Item	Name	Description	Units	Quantity	Reference No.	Supplier
1	Resistor	Resistor, 6.2K ohm, \pm 5%, 1/16W, 0402,	PCS	1	R201	
2	Resistor	Resistor, 33 ohm, \pm 5%, $1/16$ W, 0402 ,	PCS	5	R202 R203 R406 R709 R710	
3	Resistor	Resistor, 51K ohm, \pm 5%, $1/16$ W, 0402 ,	PCS	4	R603 R607 R808 R809	
4	Resistor	Resistor, 4.7K ohm, \pm 5%, 1/16W, 0402,	PCS	2	R911 R912	
5	Resistor	Resistor, 510 ohm, \pm 5%, 1/16W, 0402, ,	PCS	2	R408 R606	
6	Resistor	Resistor, 1.5K ohm, \pm 1%, 1/16W, 0402, ,	PCS		R208	
7	Resistor	Resistor, 8.2K ohm, \pm 1%, 1/16W, 0402,,,,	PCS	1	R609	
8	Resistor	Resistor, 0 ohm, \pm 5%, $1/16$ W, 0402 , ,	PCS		R204 R200 R407 R504 R506 R610 R611 R703 R707 R708 R800 R801 R802 R902 R903 R904 R905 R906 R909 R910	
9	Resistor	Resistor, 1K ohm, \pm 5%, 1/16W, 0402, ,	PCS	5	R209 R601 R617 R711 R901	
10	Resistor	Resistor, 10K ohm, \pm 5%, 1/16W, 0402, ,	PCS	4	R206 R403 R525 R557	
11	Resistor	Resistor, 100K ohm, \pm 5%, 1/16W, 0402, ,	PCS	2	R207 R810	
12	Resistor	Resistor, 2K ohm, \pm 1%, $1/16$ W, 0402 , , ,	PCS	2	R500 R614	
13	Resistor	Resistor, 3. 9K ohm, \pm 5%, 1/16W, 0402,	PCS	2	R605 R608	
14	Resistor	Resistor, 10 ohm, \pm 1%, 1/16W, 0402, ,	PCS	1	R700	
15	Resistor	Resistor, 100 ohm, \pm 5%, $1/16$ W, 0402, ,	PCS	2	R600 R604	
16	Capacitor	Capacitor, 2. 2pF, \pm 0. 1pF, 16V, COG, 0402, CO402COG2R2B160NT, EYANG,	PCS	2	C404 C405	EYANG
17	Digital transistors	Digital transistors, NPN, SOT-523, , DTC114TE, JIANGSU CHANGJIANG,	PCS	1	Q400	JIANGSU CHANGJIANG
18	ESD protection diodes	ESD protection diodes, Vrwm=5V, SOD-523, UM5055, Union semiconductor,,	PCS	1	T300	Union semiconductor
19	Capacitor	Capacitor, 1uF, ± 10 %, 10V, X5R, 0603, C0603X5R105K100NT, EYANG,	PCS	7	C205 C206 C207 C208 C301 C302 C708	EYANG
20	Capacitor	Capacitor, 1uF, \pm 10%, 6. 3V, X5R, 0402, C0402X5R105K6R3NT, EYANG,	PCS	5	C420 C423 C705 C706 C813	EYANG
21	Capacitor	Capacitor, 2. 2uF, \pm 10%, 10V, X5R, 0603, C0603X5R225K100NT, EYANG,	PCS	6	C304 C305 C307 C308 C309 C310	EYANG
22	Capacitor	Capacitor, 4. 7uF, \pm 10%, 6. 3V, X5R, 0603, C0603X5R475K6R3NT, EYANG,	PCS	3	C607 C631 C907	EYANG
23	Capacitor	Capacitor, 10uF, ± 20%, 6.3V, X5R, 0805 (T=1.25mm) C0805X5R106M6R3NT, EYANG,	PCS	6	C210 C211 C303 C623 C624 C625	EYANG
24	Capacitor	Capacitor, 56pF, ±5%, 50V, COG, 0402, C0402COG560J500NT, EYANG,	PCS	1	C439	EYANG
25	Capacitor	Capacitor, 47pF, \pm 5%, 50V, COG, 0402, ,	PCS	15	C435 C436 C608 C614 C615 C616 C617 C618 C619 C620 C621 C622 C627 C632 C633	
26	Capacitor	Capacitor, 3. 3pF, ±0. 25pF, 50V, COG, 0402,	PCS		C425 C426 C428 C429	

					C200 C400 C412 CE20 CC00	
27	Capacitor	Capacitor, Capacitor, 100nF, ±	200		C200 C400 C413 C539 C600	
		10%, 10V, X5R, 0402, C0402X5R104K100NT, EYANG,	PCS 11	11	C630 C709 C906 C908 C918	EYANG
					C919	
28	Capacitor	Capacitor, 1nF, \pm 10%, 50V, X7R, 0402, C0402X7R102K500NT, EYANG,	PCS	3	C202 C450 C912	EYANG
					C406 C407 C409 C410 C411	
29	Capacitor	Capacitor, 100pF, ±5%, 50V, COG, 0402, CO402COG101J500NT, EYANG,	PCS 11	11	C438 C601 C605 C609 C613	EYANG
					C911	
30	Capacitor	Capacitor, 22pF, ±5%, 50V, COG, 0402, CO402COG220J500NT, EYANG,	PCS	3	C203 C204 C440	EYANG
31	Capacitor	Capacitor, 680pF, ±10%, 50V, X7R, 0402,	PCS	2	C402 C403	
	•				C408 C427 C430 C710 C810	
32	Capacitor	Capacitor, 27pF, \pm 5%, 50V, COG, 0402, ,	PCS	6	C812	
33	Capacitor	Capacitor, 4.7pF, ±0.25pF, 50V, COG, 0402,	PCS	1	C418	
- 55	-	Single P-Channel MOSFET, -20V, SOT-323/SC-70, WPM1480-		1		
34	MOSFET	3/TR, WillSemi,	PCS	1	Q800	WillSemi
35	Capacitor	Capacitor, 22nF, \pm 10%, 16V, X7R, 0402, CC0402KRX7R7BB223, YAGEO,	PCS	4	C602 C603 C604 C606	YAGEO
2.0	T /O	I/O connector, 12pin, 0. 5pitch, H=2. 0mm, 10. 9×7. 25×2. 65mm, DIP	PCS	1	TCOO	D - W - :
36	I/O connector	HEIGHT=0.6, INO-212B204, DaWei,	PCS	1	J600	DaWei
0.04	- /-	I/O connector, 12pin, 0. 5pitch, H=2. 0mm, , W/O POST, UAF05-12204-	D.00	_		
36A	I/O connector	1501, Linkconn,	PCS	1		Linkconn
		USB connector, 10.9×7.15×H2.0, 12pin, H0.8mm, 05-		i e		
36B	USB connector	1221101, XinWeiTong	PCS	1		XinWeiTong
37	Capacitor	Capacitor, 10nF, ±10%, 25V, X7R, 0402, C0402X7R103K250NT, EYANG,	PCS	2	C201 C300	EYANG
	•	Inductor, 18nH, ±				
38	Inductor	5%, 300mA, DCR=0. 36ohm, 0402, , LQG15HS18NJ02D, MURATA,	PCS	1	L403	MURATA
		Inductor, 10nH, ±				
39	Inductor	5%, DCR=0. 42ohm, 300mA, 0402, , SDCL1005C10NJT(f), Sunlord, (MB COST	PCS	S 1	L400	Sunlord
39		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
		DOWN)			+	-
40	т 1 .	Inductor, 2. 2nH, ±	500	4	1 101	0 1 1
40	Inductor	0. 3nH, DCR=0. 16ohm, 400mA, 0402, , SDCL1005C2N2ST(f), Sunlord, (MB	PCS	1	L404	Sunlord
		COST DOWN)				
41	Transceiver	IC, Dual-Band GSM/GPRS Transceiver, $6 \times 6 \times 0$. 85mm, 3V, QFN 40-	PCS	1	U404	Spreadtrum
71		Pin, QS518, Spreadtrum,		100 1	1 0101	Spreadtrum
42	Chip Ferrite Bead	Chip Ferrite Bead,1000 ohm±	PCS	1	1 B604	MURATA
42		40%, 250mA, 0402, TO. 5mm, BLM15HD102SN1D, Murata, ,	100	1	DUVI	MUIATA
40	MOSFET	P-channel MOSFET with schottky diode, DFN 2×2×0.75mm, 20V(D-	DCC	-	11700	W D
43		S), MC3117, MegaPower,	PCS	1 (2)	1 U700	MegaPower
	MOSFET	P-Channel, DFN 2×2×0.75mm, Vds=-20V; Id=-				
43A		3A, AON2701, ALPHA&OMEGA,	PCS	PCS 1		ALPHA&OMEGA
44	Filter	EGSM900/DCS1800, Dual Band Rx SAW Filter, 942. 5/1842. 5MHz, 1.8×	PCS	PCS 1 U405		WISOL
		1. 4×H0. 55mm, 10pin, , , SFR942PY002, WISOL,			U405	
		11. T/110. JULIII, 10P1II, , , SINJTZI 100Z, WISUL,				1

44A	Filter	EGSM900/DCS1800, Dual Band Rx SAW Filter, 942. 5/1842. 5MHz, 1.8×	PCS	1		Panasonic
44B	Filter	1.4×H0.65mm, 10pin, , , EFCH9418TDL1, Panasonic, SAW filter, for GSM900/1800 Rx, 942.5MHz, 1.8×1.35×	PCS	1		MURATA
45	Schottky barrier Diodes	TO.5mm,,,SAWEN942MCN0F00,MURATA, Schottky barrier Diodes,SOD-523,30V/200mA,RB520S- 30,JiangSuChangDian, (MB COST DOWN)	PCS	1	D600	JiangSuChangDian
45A	Schottky barrier Diodes	Schottky barrier, SOD-523, , RB520S30T1G, ON SEMI,	PCS	1		ON SEMI
46	Baseband Process	GSM/GPRS Baseband Process, LFBGA, 12×12 mm, 224-ball, 0.65 pitch, ,, SC6600L2-224G, SPREADTRUM,	PCS	1	U100	SPREADTRUM,
47	Flash Memory	AD-MUX Flash Memory, TFBGA52 6×4×1.2mm, 0.5pitch, ,32Mb NOR Flash, 16Mb, ,M36W0R5040U6ZS, Numonyx,	PCS	1	U500	Numonyx
48		Single Chip for Bluetooth & FM Radio Tuner, 6×6mm, 40pin QFN,,,,RDA5870E,RDA,	PCS	1	U901	RDA
49	Battery connector	Battery connector, 3pin, 3. 0pitch, 8. $4\times3.5\times$ H6. 2, WKBAV006-D31, JTCONN,	PCS	1	J700	JTCONN
49A	Battery connector	Battery connector,, 3pin, 3. Opitch, H=6.2mm,, WITHOUT POST TYPE, PAN30-03623-1500, Linkconn,	PCS	1		Linkconn
50	T-flash connector	T-flash connector,,8pin,1.1pitch,H=1.93mm,,hing type,WKTFH010-S01,JTCONN PRECISION,	PCS	1	J804	JTCONN
50A	T-flash connector	T-Flash card connector,, 8pin, 1. 1pitch, H=1.9,, hinge type, CAD-208K207, DAWEI,	PCS	1		DAWEI
50B	T-flash connector	T-flash connector,, 8pin, 1.1pitch, H=1.9mm,, (Hinge type) WITHOUT POST TYPE, CAH11-08193-SF03, Linkconn,	PCS	1		Linkconn
50C	T-flash connector	T-flash connector,,8pin,1.1pitch, H=1.85mm,,SG-TFS-0001,SinGeen,	PCS	1		SinGeen
51	Inductor	Inductor, 6. 2nH, \pm 0. 3nH, 300mA, DCR=0. 22ohm, 0402, , LQG15HS6N2S02D, MURATA,	PCS	2	L405 L406	MURATA
52	PA Shielding	PA Shielding,, F100, 13.3 $ imes$ 24.6 $ imes$ 1.85mm,, JiuRUN,	PCS	1		JiuRUN,
52A	PA Shielding	PA Shielding,,F100,,13.3*24.6*1.85mm,XUNYI,,	PCS	1		XUNYI
53	Crystal	Quartz Crystal, 32.768KHz, 20ppm, 12.5pF,,, SSP-T7-F, SEIKO,	PCS	1	X200	SEIKO
53A	Crystal	Crystal,, 32.768KHz, ±20ppm, 12.5pF,,,MC-146 32.768K-AGO, SEIKO EPSON,	PCS	1		SEIKO
54	Crystal	Crystal, 26MHz, ±10ppm, 9.0pF, 3.2×2.5×T0.7mm,, 7M26000056, TXC,	PCS	1	X400	TXC
54A	Crystal	Crystal, 26MHz, ±10ppm, 7.4pF, 3.2×2.5× TO.6mm,, CX3225SB26000C4FZF06, KYOCERA KINSEKI,	PCS	1		KYOCERA KINSEKI
55	LED	LED, super blue, 1.6x0.8x0.4mm,,,,20mA,,BL-HB336G-TRB-6,BRIGHT,	PCS	4	D703 D704 D706 D707	BRIGHT
55A	LED	LED, Blue, 0.8×1.6×0.35mm,,,,,LTST-C193TBKT-5A, LITEON,	PCS	4		LITEON

	Ī		1			
56	Capacitor	Capacitor, 1. 5pF, \pm 0. 1pF, 50V, COG, 0402, CO402COG1R5B500NT, EYANG,	PCS	2	C414 C415	EYANG
57	Resistor	Resistor, 0.36 ohm, \pm 1%, 1/4W, 0805, WW08PR360FTL, WALSIN,	PCS	1	R701	WALSIN
58	Inductor	Inductor, 1. 8nH, \pm 0. 3nH, DCR=0. 1ohm, 300mA, 0402, , SDCL1005C1N8STDF, Sunlord, ,	PCS	1	C431	Sunlord
59	Resistor	Resistor, 5.1K ohm, \pm 1%, $1/16$ W, 0402 ,	PCS	1	R502	
60	Resistor	Resistor, 0 ohm, $\pm 5\%$, $1/10\%$, 0603 ,	PCS	3	B606 B607 B608	
61	Chip ferrite beads	Chip ferrite beads, $600 \text{ohm} \pm 25\%$, DCR=150mohm, 1000mA , 0603 , UPZ1 $608E601$, Sunlord, ,	PCS	1	B605	Sunlord
62	MOSFET	N-Channel MOSFET, SOT-23,, IT2306B, Infinitrue,	PCS	1	Q700	Infinitrue
62A	MOSFET	N-Channel MOSFET, SOT-23,, ASM2N7002ELT1-LF, Alsemi,	PCS	1		Alsemi
63	Front-end Module	Front-end Module, 28-pins LGA, $6 \times 6 \times 1$. 1mm, , , RDA6231, RDA,	PCS	1	U402	RDA
64	SIM card connector	SIM card connector,, 6pin, 2.54pitch, H=1.8mm,, without post, SIM-206D226, DAWEI,	PCS	2	Ј802 Ј803	DAWEI
64A	SIM card connector	SIM card connector,,6pin,2.54pitch,H=1.8mm,,,SIMO4-6K33210,SINGEEN,	PCS	2		SINGEEN
65	Main PCB	Main PCB,, F568,, V1.2, 4Layers, 92.1×36×1.0mm, HongBan,	PCS	1		HongBan,
66	Capacitor	Capacitor, 33nF, \pm 10%, 10V, X7R, 0402, ,	PCS	2	C610 C611	
67	Audio Power Amplifier	2.4W, Class D Audio Power Amplifier,,1.410×1.410mm,9-pin WLCSP, WAA2140, WILLSEMI,,	PCS	1	U600	WILLSEMI
67A	Audio Power Amplifier	2.5W, Class D Audio Power Amplifier,, 1.46×1.46mm, 9-pin WLCSP, A7013M, Apexone Microelectronics,	PCS	1		Apexone Microelectronics
68	Resistor	Resistor, 300 ohm, \pm 5%, $1/16$ W, 0402,	PCS	2	B602 B603	
69	TVS	TVS, $60pF$, VRWM=7V, WBFBP-02C(1.0 \times 0.6 \times 0.5), ESD9X7V, WILLSEMI,	PCS	2	T602 T604	WILLSEMI
70	Capacitor	Capacitor, 1pF, ± 0.25 pF, 50V, COG, 0402, CO402COG1ROC500NT, EYANG,	PCS	1	C914	EYANG
71	Inductor	Inductor, 2. 4nH, ± 0. 3nH, 300mA, DCR=0. 15ohm, 0402, , LQG15HS2N4S02D, MURATA,	PCS	1	L901	MURATA