NO. 1	Comment	describing	Footprint	Designator	dosage	Part NO.
R						
1	OR	电阻,0 ohm, ±5%,1/16W,0402	0402	L301, LZ7, LZ201-LZ202, R10, R44, R47, R4, R503- R504, R512, R522, R800-R801, R411, LZ6, LZ8, C22, L303 (校准后删除)	19	RC0402JR-070R(LF)
2	OR	电阻,0 ohm, ±5%,1/10W,0603	0603	R35, R23(校准后焊接)	2	RC0603JR-070R(LF)
3	0. 36	电阻, 0.36 ohm, ±1%, 1/4W, 0805	0402	R300	1	RL0805FR- 7W0R36(LF)
5	15R	电阻,15 ohm, ±5%,1/16W,0402	0402	R22	1	RC0402JR- 0715R(LF)
6	18R	电阻,18 ohm, ±5%,1/10W,0603	0402	R406	1	RC0402JR- 0718R(LF)
7	33R	电阻,33 ohm, ±5%,1/16W,0402	0402	R11, R26, R13, R17, R64–R65, R7, R202	8	RC0402JR- 0733R(LF)
8	100R	电阻,100 ohm, ±5%,1/16W,0402	0402	R205, R208, R440–R441	4	RC0402JR- 07100R(LF)
9	510R	电阻,510 ohm, ±5%,1/16W,0402	0402	R200, R209	2	RC0402JR- 07510R(LF)
10	1K	电阻,1K ohm,±5%,1/16W,0402	0402	R2, R8, R204, R3, R15, R24, R231, R405, R407-R408	10	RC0402JR-071K(LF)
12	2K	电阻, 2K ohm, ±5%, 1/16W, 0402	0402	R206	1	RC0402JR-072K(LF)
14	10K	电阻,10K ohm,±5%,1/16W,0402	0402	R34, R16, R511, R513	4	RC0402JR-0710K(LF)
15	15K	电阻,15K ohm, ±5%,1/16W,0402	0402	R401	1	RC0402JR-0715K(LF)
16	20K	电阻 20K ohm, ±5%, 1/16W, 0402	0402	R213	1	RC0402JR-0720K(LF)
17	47K	电阻,47K ohm,±5%,1/16W,0402	0402	R5, R20	2	RC0402JR-0747K(LF)
18	100K	电阻,100K ohm, ±5%,1/16W,0402	0402	R214-R215, R6	3	RC0402JR- 07100K(LF)
19	150K	电阻,150K ohm, ±5%,1/16W,0402	0402	R36	1	RC0402JR- 07150K(LF)
С						
22	1.5pF	电容, 1. 5pF, ±0. 25pF, 50V, COG, 0402	0402	C414-C415	2	GRM1555C1H1R5CZ O1D
23	2. 2pF	电容, 2. 2pF, ±0. 25pF, 50V, COG, 0402	0402	C404-C405	2	GRM1555C1H2R2CZ O1D
24	3. 3pF	电容, 3. 3pF, ±0. 25pF, 50V, COG, 0402	0402	C425-C426, C428-C429	4	GRM1555C1H3R3CZ O1D
25	4.7pF	电容, 4.7pF, ±0.25pF, 50V, COG, 0402	0402	C418	1	GRM1555C1H4R7CZ O1D

26	10pF	电容, 10pF, ±5%, 50V, COG, 0402	0402	C401	1	GRM1555C1H100JZ0
27	18pF	电容, 18pF, ±5%, 50V, COG, 0402	0402	C251-C252, C411, ED3-ED6, ED400-ED403, ED201, ED203	13	GRM1555C1H180JZ0
28	22pF	电容, 22pF, ±5%, 50V, COG, 0402	0402	C7, C203, C456	3	GRM1555C1H220JZ0 1D
30	27pF	电容, 27pF, ±5%, 50V, COG, 0402	0402	C431, C23	2	GRM1555C1H270JZ0
31	33pF	电容, 33pF, ±5%, 50V, COG, 0402	0402	C3-C4, C14, C19-C21, C26, C28-C29, C31-C33, C36, C47- C50, C205, C208-C210, C216, C410, ED213-ED214, ED220- ED221, VR2	28	GRM1555C1H330JZ0 1D
32	47pF	电容, 47pF, ±5%, 50V, COG, 0402	0402	C435	1	GRM1555C1H470JZ0 1D
33	56pF	电容, 56pF, ±5%, 50V, COG, 0402	0402	C455	1	GRM1555C1H560JZ0 1D
34	100pF	电容, 100pF, ±5%, 50V, COG, 0402	0402	C250, C13, C15, C219, C406-C407, C409, C413	8	GRM1555C1H101JD 01D(LF)
35	470pF	电容, 470pF, ±10%, 50V, X7R, 0402	0402	C44	1	GRM1555C1H471JZ0 1D
36	680pF	电容, 680pF, ±10%, 50V, COG, 0402	0402	C402-C403	2	GRM1555C1H681JZ0 1D
37	1nF	电容, 1nF, ±10%, 50V, X7R, 0402	0402	C45	1	GRM155R71H102KA 01D(LF)
38	10nF	电容, 10nF, ±10%, 16V, X7R, 0402	0402	C38, C300, C436	3	GRM155R71C103KA 01D(LF)
39	22nF	电容, 22nF, ±10%, 16V, X7R, 0402	0402	C204, C212, C221	3	GRM155R71C223KA 01D(LF)
40	100nF	电容, 100nF, ±10%, 10V, X5R, 0402	0402	C802- C803, C39, C10, C35, C200, C206, C217, C8, C61, C400, C501, C6 00, C800-C801, C502	16	GRM155R71C104KA 88D(LF)
41	1uF	电容, 1uF, ±10%, 10V, X5R, 0603	0603	C5, C58–C59	3	GRM188R61A105KA 61D(LF)
42	1uF	电容, 1uF, ±10%, 6. 3V, X5R, 0402	0402	C1, C6, C24, C27, C37, C56, C2, C17, C46, C51, C420-C423	14	GRM155R60J105KE1 9D(LF)
43	2. 2uF	电容, 2. 2uF, ±10%, 6. 3V, X5R, 0603	0603	C218, C9, C60, C202, C304–C305, C308–C310	9	GRM188R60J225KE1 9D
44	4. 7uF	电容, 4. 7uF, ±10%, 6. 3V, X5R, 0603	0603	C57	1	GRM188R60J475KE1 9D
45	10uF	电容, 10uF, ±20%, 6. 3V, X5R, 0805	0805	C11, C201, C213, C211, C303, C437, C624	7	JMK212BJ106KG-T
L						
46	2. 4nH	电感, 2. 4nH, ± 0. 3nH, 0402, SDCL1005C2N4STDF, SUNLORD	0402	L404	1	SDCL1005C2N4ST
48	6. 2nH	电感, 6. 2nH, ±0. 3nH, 0402, SDCL1005C6N2STDF,	0402	L405-L406	2	SDCL1005C6N2ST

49	10nH	电感, 10nH, ±5%, 0402, SDCL1005C10NJTDF, Sun1	0402	L400		1	SDCL1005C10NJT
50	15nH	电感, 15nH, ±5%, 0402, SDCL1005C15NJTDF, Sun1d	0402	L403		1	SDCL1005C15NJT
51	100nH	电感, 100nH, ±5%, 0402, SDCL1005CR10JTDF, Sun	0402	L1		1	SDCL1005C100NJT
49	0402	磁珠,75 ohm,0402,SZ1005G750TF,Sunlord	0402	LZ1-LZ2, LZ207-LZ208	4		SZ1005G750TF
51	HZ1005K182TF	磁珠, 1.8K ohm, 50mA, 0402, HZ1005K182TF, SUNLORD	0402	LZ3-LZ5, R210-R212, L800	6		HZ1005K182TF
52	DIODE	肖特基二极管, SIG631E30T1G, SOD-523, SIG	SOD-523	D413	1		SIG631E30T1G
53	PNP	P-FET; 0. 28ohm; -0. 86A; 0. 29W; SC-70- 3, SI1305DL-T1-E3, VISHAY	SC-70	Q1	1		SI1305DL-T1-E3
55	TPCF8B01	场效应管,TPCF8B01,TOSHIBA	场效应管,	Q301	1		TPCF8B01
57	LED	0603 LED(蓝),BL-HB336G-TRB,BRIGHT	0603	LD1, LD4-LD5, LD34		4	BL-HB336G-TRB
58	NPN	三极管, DTC114TKA, SC-59, ROHM	SC-59	Q5		1	DTC114TKA
59	TVS	TVS二极管, (5V, 80pf), ESD5Z5. 0T1G, SOD523, ON	S0D523	TVS301		1	ESD5Z5. 0T1G
60	CPU	SC6600L2	BGA-224	U100		1	SC6600L2
61	RF PA	四频发射模块(EGSM), AM7803, AMALFI	22 PAD	U402		1	AM7803
62	RF TRANSCEIVER	QS518, TRANSCEIVER	QFN-40	U404		1	QS518
63	SAW	双路滤波器(DCS/EGSM), SFR942PY002, WISOL	10 PAD	U405		1	SFR942PY002
66	MEMORY	MCP, PSRAM+NOR FLASH(32Mb+16Mb), EN71GL032AC	FBGA-56	U501		1	EN71GL032A0- 70CWP
67	AUDIO PA	音频功放, SN4990AIF09E, SI-EN	CSP-9	U201		1	SN4990AIF09E
68	FM	FM/AM收发芯片, BK1080QB, QFN24, BEKEN	QFN-24	U1402		1	BK1080QB
	ВТ	蓝牙芯片, 6x6mm, 40Pin QFN, RDA5872, RDA	QFN-40	U1		1	RDA5872
69	CONNECTOR	电池连接器,普通,3.0PITCH,8.4x3.5x6.2mmH,WKBAV006-D31P, 杰顺通	8. 4x3. 5x 6. 2mmH	U9		1	WKBAV006-D31P
70	SIM SOCKET	SIM卡连接器,普通型,1.80mmH,SIMMS-00615- TP31(CAF99-06183-1503),LCN	3PIN	SIM1, SIM400		2	CAF99-06183- 1503
71	T-FLASH SOCKET	T_FLACU上成 協美刑 1 0mmU CAU11_00102_	8PIN	TF100		1	CAH11-08193- SF01

72	USB SOCKET	MINI USB插座, 12PIN, 2. 0mmH, MICFS-01215- TP03(UAF05-12204-1501), LCN	12PIN	USB400	1	UAF05-12204- 1501
73		32.768KHz晶体,12.5pF,± 20ppm,Q13MC1462000200(Q13MC1461000200),EP SON	4 PAD	X200	1	Q13MC1462000200
74	ILKYNIAI	26MHz晶体(3225), ±10ppm, 8.0pf, TN4- 26245, EPSON	3225	X400	1	TN4-26245
75	РСВ	TPCB → MZ 7707-MB-V L 2	91.6mmX3 6mmX1mm		1	