



**PHOTOGRAPHS OF THE INTERIOR OF AN
INDUCTIVE PROXIMITY CARD READER, OPERATING
ON 13.56 MHz BRAND INID, MODEL 50XX.**

**10060901.p01
January 21, 2011**

FCC listed : 90828
Industry Canada : 2932G-1
VCCI Registered : R-1518, C-1598
R&TTE, LVD, EMC Notified Body : 1856

**TÜV Rheinland EPS B.V.
P.O. Box 15
9822 ZG Niekerk (NL)
Smidshornerweg 18
9822 TL Niekerk (NL)**

Telephone: +31 594 505005
Telefax: +31 594 504804

Internet: www.tuv-eps.com
E-mail: info@tuv-eps.com



Description of test item

Test item	:	Inductive Proximity Card Reader, operating on 13.56 MHz
Manufacturer	:	INID B.V.
Brand	:	INID
Model(s)	:	50XX
Serial number(s)	:	--
Revision	:	n.a.
FCC ID	:	YAB-ISOACRDR
IC	:	8908A-ISOACRDR

Applicant information

Applicant's representative	:	Mr. Mark de Olde
Company	:	INID B.V.
Address	:	Kollenbergweg 78c
Postal code	:	1101AV
City	:	Amsterdam
Country	:	The Netherlands
Telephone number	:	+31 206967441
Telefax number	:	+31 203653954
e-mail address	:	Mark@inid-readers.com




Table of contents

1.1	INTERNAL VIEW 1, HOUSING OPENED UP	4
1.2	INTERNAL VIEW 2, HOUSING OPENED UP AND DISASSEMBLED	4
1.3	INNER ASSEMBLY - PCB	6
1.3.1	<i>Inner assembly, PCB view 1</i>	6
1.3.2	<i>Inner assembly, PCB view 2</i>	7
1.3.3	<i>Inner assembly, PCB view 3</i>	7




1.1 Internal view 1, housing opened up




keyboard


1.2 Internal view 2, housing opened up and disassembled



keyboard



non-keyboard




non-keyboard



1.3 Inner assembly - PCB


1.3.1 Inner assembly, PCB view 1



keyboard and non-keyboard




1.3.2 Inner assembly, PCB view 2



keyboard

1.3.3 Inner assembly, PCB view 3



non-keyboard