

**PHOTOGRAPHS OF THE INTERIOR OF AN
INDUCTIVE PROXIMITY CARD READER
ADD-ON MODULE,
OPERATING IN THE RANGE 115 – 148 kHz,
BRAND INID, MODEL 4000A.**

**15041601.p01
May 26, 2015**

FCC listed : 90828
Industry Canada : 2932G-2
R&TTE, LVD, EMC Notified Body : 1856

TÜV Rheinland Nederland B.V.
Eiberkamp 10
9351VT Leek
The Netherlands

Telephone: +31 594 505005
Telefax: +31 594 504804
Internet: www.tuv.com/nl
E-mail: eps@tuv.nl.com

Description of test item

Test item	:	Inductive Proximity Card Reader add-on module, operating in the range 115 - 148 kHz
Manufacturer	:	INID BV
Brand	:	INID
Model(s)	:	4000A
Serial number(s)	:	079080416
Revision	:	1.12a
FCC ID	:	YAB-NGRPAOLF A
IC	:	8908A-NGRPAOLF A
Receipt date	:	May 19, 2015


Applicant information

Applicant's representative	:	Mr. Mark de Olde
Company	:	INID BV
Address	:	Overweg 5
Postal code	:	1713HX
City	:	Opdam
Country	:	The Netherlands
Telephone number	:	+31 226450009
Telefax number	:	+31 226450030
e-mail address	:	Mark@inid-readers.com

Table of contents


1.1	INTERNAL VIEW 1, HOUSING OPENED UP	4
1.2	INTERNAL VIEW 2, PCB'S REMOVED FROM HOUSING	5
1.3	INNER ASSEMBLY.....	6
1.3.1	<i>Inner assembly, PCB's disassembled.....</i>	6
1.3.2	<i>Inner assembly, PCB view - Antenna side, with antenna</i>	7
1.4	INNER ASSEMBLY, PCB VIEW - ANTENNA SIDE, WITHOUT ANTENNA	8
1.5	INNER ASSEMBLY, PCB VIEW - COMPONENT SIDE	9

1.1 Internal view 1, housing opened up



Photograph showing the EUT placed in Host

1.2 Internal view 2, PCB's removed from housing



Photographs showing the side views of the PCB's assembled


1.3 Inner assembly

1.3.1 Inner assembly, PCB's disassembled



Photograph showing EUT (2nd from left) disassembled from Host (left)

1.3.2 Inner assembly, PCB view - Antenna side, with antenna



1.4 Inner assembly, PCB view - Antenna side, without antenna

