

**PHOTOGRAPHS OF THE EXTERIOR OF A  
INDUCTIVE PROXIMITY CARD READER  
ADD-ON MODULE,  
OPERATING IN THE RANGE 115 – 148 kHz  
BRAND INID, MODEL 40XX.**

**12012701.p02  
March 23, 2012**

FCC listed : 90828  
Industry Canada : 2932G-1  
VCCI Registered : R-1518, C-1598  
R&TTE, LVD, EMC Notified Body : 1856

**TÜV Rheinland EPS B.V.**  
Eiberkamp 10  
9351VT Leek  
The Netherlands

Telephone: +31 594 505005  
Telefax: +31 594 504804  
Internet: [www.tuv.com/nl](http://www.tuv.com/nl)  
E-mail: [info@tuv-eps.com](mailto:info@tuv-eps.com)



**Description of test item**

Test item (EUT)	:	Inductive Proximity Card Reader add-on module, operating in the range 115 - 148 kHz
Manufacturer	:	INID BV.
Brand	:	INID
Model(s)	:	40XX
Serial number(s)	:	--
FCC ID	:	YAB-NGRPAOLF
Receipt date	:	March 12, 2012

**Applicant information**

Applicant's representative	:	Mr. Mark de Olde
Company	:	INID BV
Address	:	Mariëttahof 27
Postal code	:	2033WS
City	:	Haarlem
Country	:	The Netherlands
Telephone number	:	+31(0)23 53 35 420
Telefax number	:	+31(0)23 53 53 096
e-mail address	:	Mark@inid-readers.com


## **Table of contents**

<b>1</b>	<b>PHOTOGRAPHS OF THE EQUIPMENT. ....</b>	<b>4</b>
1.1	EXTERNAL VIEW. ....	4
1.1.1	View 1.....	4
1.1.2	View 2.....	5

## 1 Photographs of the equipment.

### 1.1 External view.


#### 1.1.1 View 1



Photograph showing how the module is placed in the host (FCC ID: YAB-ISOACRDR back side shown), black cover removed



### 1.1.2 View 2



Photograph showing the cover that is normally placed over the module