

**PHOTOGRAPHS OF THE EXTERIOR OF A
INDUCTIVE PROXIMITY CARD READER
ADD-ON MODULE,
OPERATING IN THE RANGE 115 – 148 kHz
BRAND INID, MODEL 4000A.**

**15041601.p02
May 26, 2015**

FCC listed : 90828
Industry Canada : 2932G-2
R&TTE, LVD, EMC Notified Body : 1856

TÜV Rheinland Nederland B.V.
Eiberkamp 10
9351VT Leek
The Netherlands

Telephone: +31 594 505005
Telefax: +31 594 504804
Internet: www.tuv.com/nl
E-mail: eps@nl.tuv.com

Description of test item

Test item	:	Inductive Proximity Card Reader add-on module, operating in the range 115 - 148 kHz
Manufacturer	:	INID BV
Brand	:	INID
Model(s)	:	4000A
Serial number(s)	:	079080416
Revision	:	1.12a
FCC ID	:	YAB-NGRPAOLF A
IC	:	8908A-NGRPAOLF A
Receipt date	:	May 19, 2015

Applicant information

Applicant's representative	:	Mr. Mark de Olde
Company	:	INID BV
Address	:	Overweg 5
Postal code	:	1713HX
City	:	Opdam
Country	:	The Netherlands
Telephone number	:	+31 226450009
Telefax number	:	+31 226450030
e-mail address	:	Mark@inid-readers.com

Table of contents

1	PHOTOGRAPHS OF THE EQUIPMENT	4
1.1	EXTERNAL VIEW	4
1.1.1	View 1.....	4
1.1.2	View 2.....	5

1 Photographs of the equipment.


1.1 External view.

1.1.1 View 1



Photograph showing how the EUT is placed in the host (FCC ID: YAB-ISOACRDR/ IC: 8908A-ISOACRDR) back side shown), back cover in place

1.1.2 View 2



Photograph showing how the EUT is placed in the host (FCC ID: YAB-ISOACRDR/ IC: 8908A-ISOACRDR) back side shown), back cover removed