



Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	935.5000	2.5	34.72	Varies	Complicance




Date: 11.APR.2012 10:56:30

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	939.5000	2.5	34.64	Varies	Complicance




Date: 11.APR.2012 10:57:39

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	25 KHz	806.5000	1	29.31	Varies	Complicance




Date: 11.APR.2012 10:27:37

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	25 KHz	817.0000	1	29.20	Varies	Complicance




Date: 11.APR.2012 10:28:24

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	25 KHz	823.5000	1	29.20	Varies	Complicance




Date: 11.APR.2012 10:29:01

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	25 KHz	851.5000	1	29.29	Varies	Complicance




Date: 11.APR.2012 10:29:43

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	25 KHz	860.0000	1	29.38	Varies	Complicance




Date: 11.APR.2012 10:30:40

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	25 KHz	868.5000	1	29.47	Varies	Complicance




Date: 11.APR.2012 10:31:22

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	806.5000	1	29.29	Varies	Complicance




Date: 11.APR.2012 10:32:30

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	817.0000	1	29.16	Varies	Complicance




Date: 11.APR.2012 10:33:11

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	823.5000	1	29.18	Varies	Complicance




Date: 11.APR.2012 10:36:04

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	851.5000	1	29.29	Varies	Complicance




Date: 11.APR.2012 10:36:46

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	860.0000	1	29.35	Varies	Compliance




Date: 11.APR.2012 10:37:19

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	868.5000	1	29.41	Varies	Compliance




Date: 11.APR.2012 10:38:02

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	896.5000	1	29.36	Varies	Complicance



Date: 11.APR.2012 10:39:09


Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	900.5000	1	29.27	Varies	Complicance



Date: 11.APR.2012 10:39:58




Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	935.5000	1	29.37	Varies	Complicance




Date: 11.APR.2012 10:41:34

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
FM	12.5 KHz	939.5000	1	29.19	Varies	Complicance




Date: 11.APR.2012 10:59:32

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	806.5000	1	29.57	Varies	Complicance




Date: 11.APR.2012 10:45:13

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	817.0000	1	29.52	Varies	Complicance




Date: 11.APR.2012 10:45:45

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	823.5000	1	29.56	Varies	Complicance




Date: 11.APR.2012 10:46:12

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	851.5000	1	29.67	Varies	Complicance




Date: 11.APR.2012 10:46:53

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	860.0000	1	29.62	Varies	Complicance




Date: 11.APR.2012 10:48:00

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	868.5000	1	29.59	Varies	Complicance




Date: 11.APR.2012 10:54:23

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	896.5000	1	29.52	Varies	Complicance




Date: 11.APR.2012 10:55:22

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	900.5000	1	29.41	Varies	Complicance




Date: 11.APR.2012 10:56:01

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	935.5000	1	29.02	Varies	Complicance



Date: 11.APR.2012 10:56:50

Modulation Type	Channel Separation	Freq.(MHz)	Rated Power (Watt)	Measurement (dBm)	FCC Limit	Results
4FSK	12.5 KHz	939.5000	1	29.25	Varies	Complicance



Date: 11.APR.2012 10:57:57

## 4.8. Receiver Radiated Spurious Emission

### TEST APPLICABLE


The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$


Where FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
RA = Reading Amplitude	AG = Amplifier Gain
AF = Antenna Factor	

### TEST CONFIGURATION

(A) Radiated Emission Test Set-Up, Frequency below 1000MHz



(B) Radiated Emission Test Set-Up, Frequency above 1000MHz



### TEST PROCEDURE

- 1 The EUT was placed on a turn table which is 0.8m above ground plane.
- 2 Maximum procedure was performed by raising the receiving antenna from 1m to 4m and rotating the turn table from 0° to 360° to acquire the highest emissions from EUT
- 3 And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 4 Repeat above procedures until all frequency measurements have been completed.

**RECEIVER RADIATED SPOUIOUS LIMIT**

For unintentional device, according to § 15.109(a) and RSS-Gen, except for Class A digital devices, the field strength of radiated emissions from unintentional radiators at a distance of 3 meters shall not exceed the following values:

Frequency (MHz)	Distance (Meters)	Radiated (dBµV/m)	Radiated (µV/m)
30-88	3	40.0	100
88-216	3	43.5	150
216-960	3	46.0	200
Above 960	3	54.0	500

For intentional device, according to § 15.209(a), the general requirement of field strength of radiated emissions from intentional radiators at a distance of 3 meters shall not exceed the above table.

**TEST RESULTS**

The Radiated Measurement are performed to the five channels (the top channel, the middle channel and the bottom channel), the datum recorded below is the worst case for each channel separation;and the EUT shall be scanned from 30 MHz to the 5th harmonic of the highest oscillator frequency in the digital devices or 1 GHz whichever is higher.




Modulation Type	Channel Separation	Test Frequency (MHz)	Polar.	Maximum Radiated Emissions		FCC Limit (dBuV/m)
				Frequency (MHz)	Datum (dBuV/m)	
FM	12.5 KHz	806.5000	H	31.94	31.70	40.00
			V	51.38	31.20	40.00
Test Results			Compliance			

***SWEEP TABLE: "test (30M-1G)"***

Short Description: Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
30.0 MHz	1.0 GHz	MaxPeak	Coupled	120 kHz	HL562 201106


***MEASUREMENT RESULT: "HTW0415425\_red"***

4/16/2012 8:58AM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
31.943888	31.70	-12.3	40.0	8.3	Peak	100.0	142.00	HORIZONTAL
45.551102	29.50	-19.8	40.0	10.5	Peak	300.0	285.00	HORIZONTAL
57.214429	20.70	-24.6	40.0	19.3	Peak	300.0	285.00	HORIZONTAL
107.755511	23.80	-19.6	43.5	19.7	Peak	100.0	190.00	HORIZONTAL
189.398798	26.70	-22.3	43.5	16.8	Peak	300.0	86.00	HORIZONTAL
922.244489	28.20	-7.1	46.0	17.8	Peak	300.0	318.00	HORIZONTAL

***SWEEP TABLE: "test (30M-1G)"***

Short Description:		Field Strength			
Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
30.0 MHz	1.0 GHz	MaxPeak	Coupled	120 kHz	HL562 201106

***MEASUREMENT RESULT: "HTW0415422\_red"***

4/15/2012 8:13PM


Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
31.943888	30.00	-12.3	40.0	10.0	Peak	100.0	335.00	VERTICAL
51.382766	31.20	-22.8	40.0	8.8	Peak	100.0	193.00	VERTICAL
55.270541	25.80	-23.9	40.0	14.2	Peak	100.0	309.00	VERTICAL
183.567134	28.60	-22.2	43.5	14.9	Peak	100.0	173.00	VERTICAL
191.342685	29.50	-22.2	43.5	14.0	Peak	100.0	140.00	VERTICAL
201.062124	30.10	-21.3	43.5	13.4	Peak	100.0	0.00	VERTICAL

Modulation Type	Channel Separation	Test Frequency (MHz)	Polar.	Maximum Radiated Emissions		FCC Limit (dBuV/m)
				Frequency (MHz)	Datum (dBuV/m)	
FM	25 KHz	806.5000	H	9278.56	45.20	54.00
			V	9639.28	45.00	54.00
Test Results			Compliance			

**SWEEP TABLE: "test (1G-18G) P"**

Short Description: EN 55022 Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
1.0 GHz	18.0 GHz	MaxPeak	Coupled	1 MHz	HF906 2011
		Average			


**MEASUREMENT RESULT: "HTW0415416\_red"**

4/16/2012 8:49AM

Frequency MHz	Level dBuV/m	Transd dB	Limit dBuV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
1360.721443	33.90	-24.4	54.0	20.1	Peak	100.0	72.00	HORIZONTAL
2118.236473	38.40	-18.9	54.0	15.6	Peak	100.0	360.00	HORIZONTAL
3038.076152	42.60	-15.2	54.0	11.4	Peak	100.0	311.00	HORIZONTAL
4354.709419	45.20	-13.0	54.0	8.8	Peak	100.0	225.00	HORIZONTAL
6338.677355	50.90	-8.3	54.0	3.1	Peak	100.0	106.00	HORIZONTAL
9278.557114	55.40	-2.0	74.0	18.6	Peak	100.0	163.00	HORIZONTAL
9278.557114	45.00	-2.0	54.0	9.0	AV	100.0	163.00	HORIZONTAL

**SWEEP TABLE: "test (1G-18G) P"**

Short Description: EN 55022 Field Strength  
Start Stop Detector Meas. IF Transducer  
Frequency Frequency Time Bandw.  
1.0 GHz 18.0 GHz MaxPeak Coupled 1 MHz HF906 2011  
Average

**MEASUREMENT RESULT: "HTW0415419\_red"**

4/16/2012 8:52AM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
1450.901804	33.60	-23.9	54.0	20.4	Peak	100.0	293.00	VERTICAL
2154.308617	39.70	-18.7	54.0	14.3	Peak	100.0	3.00	VERTICAL
3074.148297	42.40	-15.1	54.0	11.6	Peak	100.0	107.00	VERTICAL
4571.142285	44.90	-12.8	54.0	9.1	Peak	100.0	136.00	VERTICAL
6501.002004	51.20	-7.8	54.0	2.8	Peak	100.0	0.00	VERTICAL
9639.278557	55.40	-1.7	74.0	18.6	Peak	100.0	321.00	VERTICAL
9639.278557	45.00	-1.7	54.0	9.0	AV	100.0	321.00	VERTICAL

Modulation Type	Channel Separation	Test Frequency (MHz)	Polar.	Maximum Radiated Emissions		FCC Limit (dBuV/m)
				Frequency (MHz)	Datum (dBuV/m)	
FM	25 KHz	806.5000	H	35.83	31.60	40.00
			V	30.00	30.60	40.00
Test Results			Compliance			

***SWEEP TABLE: "test (30M-1G)"***

Short Description: Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
30.0 MHz	1.0 GHz	MaxPeak	Coupled	120 kHz	HL562 201106


***MEASUREMENT RESULT: "HTW0415424\_red"***

4/16/2012 8:57AM

Frequency MHz	Level dBuV/m	Transd dB	Limit dBuV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
35.831663	31.60	-14.2	40.0	8.4	Peak	300.0	36.00	HORIZONTAL
68.877756	19.00	-23.3	40.0	21.0	Peak	300.0	36.00	HORIZONTAL
179.679359	22.70	-22.1	43.5	20.8	Peak	300.0	116.00	HORIZONTAL
189.398798	22.20	-22.3	43.5	21.3	Peak	300.0	55.00	HORIZONTAL
208.837675	19.90	-21.0	43.5	23.6	Peak	300.0	283.00	HORIZONTAL
928.076152	28.30	-7.1	46.0	17.7	Peak	100.0	136.00	HORIZONTAL

***SWEEP TABLE: "test (30M-1G)"***

Short Description:		Field Strength			
Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
30.0 MHz	1.0 GHz	MaxPeak	Coupled	120 kHz	HL562 201106

***MEASUREMENT RESULT: "HTW0415423\_red"***

4/16/2012 8:56AM


Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
30.000000	30.60	-11.3	40.0	9.4	Peak	100.0	229.00	VERTICAL
53.326653	29.00	-23.3	40.0	11.0	Peak	100.0	334.00	VERTICAL
55.270541	26.60	-23.9	40.0	13.4	Peak	100.0	343.00	VERTICAL
193.286573	26.30	-22.0	43.5	17.2	Peak	100.0	208.00	VERTICAL
208.837675	27.40	-21.0	43.5	16.1	Peak	100.0	298.00	VERTICAL
959.178357	28.60	-6.9	46.0	17.4	Peak	100.0	196.00	VERTICAL

Modulation Type	Channel Separation	Test Frequency (MHz)	Polar.	Maximum Radiated Emissions		FCC Limit (dBuV/m)
				Frequency (MHz)	Datum (dBuV/m)	
FM	12.5 KHz	806.5000	H	9675.35	43.50	54.00
			V	9927.86	44.70	54.00
Test Results			Compliance			

***SWEEP TABLE: "test (1G-18G) P"***

Short Description: EN 55022 Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
1.0 GHz	18.0 GHz	MaxPeak	Coupled	1 MHz	HF906 2011
		Average			

***MEASUREMENT RESULT: "HTW0415415\_red"***


4/16/2012 8:47AM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
1324.649299	33.80	-24.6	54.0	20.2	Peak	100.0	214.00	HORIZONTAL
2064.128257	38.70	-19.2	54.0	15.3	Peak	100.0	323.00	HORIZONTAL
3020.040080	43.40	-15.3	54.0	10.6	Peak	100.0	266.00	HORIZONTAL
4390.781563	45.60	-13.1	54.0	8.4	Peak	100.0	312.00	HORIZONTAL
6320.641283	51.20	-8.4	54.0	22.8	Peak	100.0	66.00	HORIZONTAL
9675.350701	55.90	-1.8	74.0	18.1	Peak	100.0	199.00	HORIZONTAL
9675.350701	43.50	-1.8	54.0	10.5	Peak	100.0	199.00	HORIZONTAL

**SWEEP TABLE: "test (1G-18G) P"**

Short Description: EN 55022 Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
1.0 GHz	18.0 GHz	MaxPeak	Coupled	1 MHz	HF906 2011
		Average			

**MEASUREMENT RESULT: "HTW0415420\_red"**

4/16/2012 8:55AM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
1432.865731	33.30	-24.0	54.0	20.7	Peak	100.0	221.00	VERTICAL
2154.308617	38.80	-18.7	54.0	15.2	Peak	100.0	280.00	VERTICAL
3056.112224	42.90	-15.2	54.0	11.1	Peak	100.0	231.00	VERTICAL
4300.601202	45.20	-13.0	54.0	8.8	Peak	100.0	267.00	VERTICAL
6320.641283	51.20	-8.4	54.0	2.8	Peak	100.0	153.00	VERTICAL
9927.855711	55.80	-2.2	74.0	18.2	Peak	100.0	194.00	VERTICAL
9927.855711	44.70	-2.2	54.0	9.3	AV	100.0	194.00	VERTICAL




Modulation Type	Channel Separation	Test Frequency (MHz)	Polar.	Maximum Radiated Emissions		FCC Limit (dBuV/m)
				Frequency (MHz)	Datum (dBuV/m)	
4FSK	12.5 KHz	806.5000	H	30.00	31.40	40.00
			V	30.00	30.50	40.00
Test Results			Compliance			

**SWEEP TABLE: "test (30M-1G)"**

Short Description:

Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
30.0 MHz	1.0 GHz	MaxPeak	Coupled	120 kHz	HL562 201106


**MEASUREMENT RESULT: "HTW0415426\_red"**

4/16/2012 8:58AM

Frequency MHz	Level dBuV/m	Transd dB	Limit dBuV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
30.000000	31.40	-11.3	40.0	8.6	Peak	300.0	34.00	HORIZONTAL
90.260521	24.40	-20.2	43.5	19.1	Peak	300.0	34.00	HORIZONTAL
134.969940	23.20	-21.0	43.5	20.3	Peak	300.0	122.00	HORIZONTAL
199.118236	26.60	-21.4	43.5	16.9	Peak	300.0	89.00	HORIZONTAL
407.114228	27.50	-15.1	46.0	18.5	Peak	300.0	277.00	HORIZONTAL
893.086172	28.10	-6.8	46.0	17.9	Peak	300.0	149.00	HORIZONTAL

***SWEEP TABLE: "test (30M-1G)"***

Short Description:		Field Strength			
Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
30.0 MHz	1.0 GHz	MaxPeak	Coupled	120 kHz	HL562 201106

***MEASUREMENT RESULT: "HTW0415421\_red"***

4/15/2012 8:12PM


Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
30.000000	30.50	-11.3	40.0	9.5	Peak	100.0	140.00	VERTICAL
51.382766	30.50	-22.8	40.0	9.5	Peak	100.0	335.00	VERTICAL
55.270541	26.70	-23.9	40.0	13.3	Peak	100.0	349.00	VERTICAL
203.006012	32.20	-21.3	43.5	11.3	Peak	100.0	329.00	VERTICAL
212.725451	34.50	-20.8	43.5	9.0	Peak	100.0	155.00	VERTICAL
224.388778	31.70	-20.2	46.0	14.3	Peak	100.0	167.00	VERTICAL

Modulation Type	Channel Separation	Test Frequency (MHz)	Polar.	Maximum Radiated Emissions		FCC Limit (dBuV/m)
				Frequency (MHz)	Datum (dBuV/m)	
4FSK	12.5 KHz	806.5000	H	9296.59	44.20	54.00
			V	9422.85	44.60	54.00
Test Results			Compliance			

**SWEEP TABLE: "test (1G-18G) P"**

Short Description: EN 55022 Field Strength

Start	Stop	Detector	Meas.	IF	Transducer
Frequency	Frequency		Time	Bandw.	
1.0 GHz	18.0 GHz	MaxPeak	Coupled	1 MHz	HF906 2011
		Average			


**MEASUREMENT RESULT: "HTW0415417\_red"**

4/16/2012 8:50AM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
1270.541082	33.40	-24.9	54.0	20.6	Peak	100.0	186.00	HORIZONTAL
2154.308617	38.90	-18.7	54.0	15.1	Peak	100.0	216.00	HORIZONTAL
3146.292585	43.10	-15.0	54.0	10.9	Peak	100.0	29.00	HORIZONTAL
4625.250501	45.20	-12.6	54.0	8.8	Peak	100.0	304.00	HORIZONTAL
6573.146293	51.10	-8.0	54.0	2.9	Peak	100.0	72.00	HORIZONTAL
9296.593186	55.50	-2.0	74.0	18.5	Peak	100.0	252.00	HORIZONTAL
9296.593186	44.20	-2.0	54.0	9.8	AV	100.0	252.00	HORIZONTAL

**SWEEP TABLE: "test (1G-18G) P"**

Short Description: EN 55022 Field Strength  
Start Stop Detector Meas. IF Transducer  
Frequency Frequency Time Bandw.  
1.0 GHz 18.0 GHz MaxPeak Coupled 1 MHz HF906 2011  
Average

**MEASUREMENT RESULT: "HTW0415418\_red"**

4/16/2012 8:51AM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
1342.685371	33.80	-24.5	54.0	20.2	Peak	100.0	0.00	VERTICAL
2028.056112	39.00	-19.4	54.0	15.0	Peak	100.0	148.00	VERTICAL
3146.292585	42.80	-15.0	54.0	11.2	Peak	100.0	80.00	VERTICAL
4625.250501	45.10	-12.6	54.0	8.9	Peak	100.0	80.00	VERTICAL
6753.507014	51.10	-8.5	54.0	2.9	Peak	100.0	172.00	VERTICAL
9422.845691	55.90	-1.7	74.0	18.1	Peak	100.0	326.00	VERTICAL
9422.845691	44.60	-1.7	54.0	9.5	AV	100.0	326.00	VERTICAL

## 4.9. Receiver Conducted Spurious Emission


### TEST APPLICABLE

The same as Section 4.3

### TEST PROCEDURE

The spectrum analyzer was connected to the RF output power of the EUT, the EUT was setup in receiving mode; The RBW of the spectrum analyzer was set to 100 kHz and the VBW set to 300 KHz below the test frequency 1GHz. While the RBW of the spectrum analyzer was set to the 1MHz and VBW set to the 3MHz from 1GHz to the 10<sup>th</sup> harmonic.

### TEST CONFIGURATION




### LIMIT

The power at the antenna terminal shall not exceed 2.0 nanowatts (-57dBm).


### TEST RESULTS

The Receiver Conducted Spurious Emissions Measurement is performed to the three channels (the top channel, the middle channel and the bottom channel), the datums recorded below were for the three channels; and the EUT shall be scanned from 30 MHz to the 10 GHz.

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	25KHz	Low	851.5000	703.18	-78.01	9838.00	-74.35	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:09:16




Date: 12.APR.2012 04:07:54

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	25KHz	Middle	860.0000	381.14	-77.80	3160.00	-74.27	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:09:04




Date: 12.APR.2012 04:08:09

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	25KHz	High	868.5000	926.28	-77.62	3178.00	-73.93	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:08:48




Date: 12.APR.2012 04:08:19



Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	12.5KHz	Low	851.5000	249.22	-77.82	3142.00	-73.81	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:11:08




Date: 12.APR.2012 04:14:53

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	12.5KHz	Middle	860.0000	262.80	-77.46	6040.00	-72.69	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:11:20




Date: 12.APR.2012 04:14:37

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	12.5KHz	High	868.5000	313.24	-77.35	3088.00	-72.99	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:11:33




Date: 12.APR.2012 04:14:14

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	12.5KHz	Low	935.5000	262.80	-77.55	6040.00	-73.00	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:13:10




Date: 12.APR.2012 04:14:05

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FM	12.5KHz	High	939.5000	330.70	-77.31	9100.00	-73.80	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:13:22




Date: 12.APR.2012 04:13:51

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FSK	12.5KHz	Low	851.5000	330.70	-77.43	3178.00	-73.52	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:20:42




Date: 12.APR.2012 04:17:38

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FSK	12.5KHz	Middle	860.0000	94.02	-77.38	3574.00	-74.11	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:20:32




Date: 12.APR.2012 04:17:50

Modulation Type	Channel Separation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FSK	12.5KHz	High	868.5000	247.28	-77.62	3610.00	-74.47	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:20:24




Date: 12.APR.2012 04:18:01



Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FSK	12.5KHz	Low	935.5000	256.98	-78.11	6040.00	-72.53	-57dBm
Test Results				Compliance				




Date: 12.APR.2012 04:19:46




Date: 12.APR.2012 04:18:40

Modulation Type	Channel Sparation	Test Channel	Test Frequency (MHz)	Maximum Conducted Spurious Emissions Below 1GHz		Maximum Conducted Spurious Emissions Above 1GHz		FCC Limit
				Frequency (MHz)	Datum (dBm)	Frequency (MHz)	Datum (dBm)	
FSK	12.5KHz	High	939.5000	307.42	-77.43	3322.00	-74.46	-57dBm
Test Results				Compliance				








Date: 12.APR.2012 04:19:30






Date: 12.APR.2012 04:18:51


## 5. Test Setup Photos of the EUT











## 6. External and Internal Photos of the EUT

### External photos of the EUT





















Internal photos of the EUT




















.....End of Report.....