


Orthogonal Axis : X

Test Mode : UNII-2A/ TX N20 Mode 5280MHz


**Vertical**

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dB	Detector	Comment
1 *		17949.000	35.86	17.62	53.48	80.00	-26.52	peak

Orthogonal Axis : X


Test Mode : UNII-2A/ TX N20 Mode 5280MHz

## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB	Margin Detector	Comment
1	*	25577.750	40.35	17.24	57.59	74.30	-16.71	peak


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz

**Vertical**

No.	Mk.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	39777.250	37.42	15.48	52.90	74.30	-21.40	peak


Orthogonal Axis : X

Test Mode : UNII-2A/ TX N20 Mode 5280MHz

**Horizontal**

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dB	Detector	Comment
1	*	5276.600	83.52	14.66	98.18	68.30	29.88	peak No Limit
2	X	5277.150	75.95	14.66	90.61	68.30	22.31	AVG No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz

**Horizontal**

No.	Mk.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	
	MHz	dB <sub>UV</sub>	dB	dB <sub>UV</sub> /m	dB	Detector	Comment
1 *	17864.000	35.72	17.36	53.08	80.00	-26.92	peak

Orthogonal Axis : X


Test Mode : UNII-2A/ TX N20 Mode 5280MHz

**Horizontal**

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dB	Detector	Comment
1	*	25535.250	39.25	17.29	56.54	74.30	-17.76	peak

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N20 Mode 5280MHz

**Horizontal**


No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	
		MHz	dBuV	dB	dBuV/m	dB	Detector	Comment
1 *		39392.500	35.80	14.86	50.66	74.30	-23.64	peak

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N20 Mode 5320 MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5322.2000	74.37	14.79	89.16	999.00	-909.84	AVG	No Limit
2 *	5322.5000	81.04	14.79	95.83	68.30	27.53	Peak	No Limit
3	5350.0000	35.22	14.86	50.08	74.00	-23.92	Peak	
4	5350.0000	27.27	14.86	42.13	999.00	-956.87	AVG	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N20 Mode 5320 MHz


## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17949.0000	36.03	17.62	53.65	80.00	-26.35	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

**Vertical**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25590.5000	39.43	17.22	56.65	74.30	-17.65	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz


**Vertical**

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N20 Mode 5320 MHz


## Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5317.3000	75.10	14.77	89.87	999.00	-909.13	AVG	No Limit
2 *	5317.9000	82.02	14.77	96.79	68.30	28.49	Peak	No Limit
3	5350.0000	34.20	14.86	49.06	74.00	-24.94	Peak	
4	5350.0000	27.50	14.86	42.36	999.00	-956.64	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	18000.0000	35.94	17.77	53.71	80.00	-26.29	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25582.0000	39.73	17.23	56.96	74.30	-17.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

**Horizontal**


No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39750.2500	35.67	15.47	51.14	74.30	-23.16	Peak	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5270MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5264.2000	70.88	14.63	85.51	999.00	-913.49	AVG	No Limit
2 *	5264.9000	78.64	14.63	93.27	68.30	24.97	Peak	No Limit

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5270MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17974.5000	35.40	17.69	53.09	80.00	-26.91	Peak	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5270MHz


## Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25599.000	39.96	17.21	57.17	74.30	-17.13	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

**Vertical**


No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39878.5000	36.53	15.54	52.07	74.30	-22.23	Peak	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5270MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5265.4000	71.63	14.63	86.26	999.00	-912.74	AVG	No Limit
2 *	5274.0000	78.69	14.66	93.35	68.30	25.05	Peak	No Limit

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5270MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17940.5000	35.27	17.59	52.86	80.00	-27.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25526.7500	39.76	17.29	57.05	74.30	-17.25	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39986.5000	35.52	15.61	51.13	74.30	-23.17	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5304.9000	78.44	14.74	93.18	68.30	24.88	Peak	No Limit
2	5305.3000	70.66	14.74	85.40	999.00	-913.60	AVG	No Limit
3	5350.0000	37.68	14.86	52.54	74.00	-21.46	Peak	
4	5350.0000	29.67	14.86	44.53	999.00	-954.47	AVG	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5310MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17855.5000	36.34	17.33	53.67	80.00	-26.33	Peak	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5310MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25688.2500	39.42	17.11	56.53	74.30	-17.77	Peak	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5310MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	39844.7500	37.49	15.52	53.01	74.30	-21.29	Peak

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5310MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5315.8000	70.92	14.77	85.69	999.00	-913.31	AVG	No Limit
2 *	5316.9000	78.87	14.77	93.64	68.30	25.34	Peak	No Limit
3	5350.0000	36.02	14.86	50.88	74.00	-23.12	Peak	
4	5350.0000	29.14	14.86	44.00	999.00	-955.00	AVG	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX N40 Mode 5310MHz


**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17949.0000	36.11	17.62	53.73	80.00	-26.27	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25577.7500	40.05	17.24	57.29	74.30	-17.01	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39898.7500	34.71	15.56	50.27	74.30	-24.03	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.57	15.16	49.73	74.00	-24.27	Peak	
2	5460.0000	27.64	15.16	42.80	54.00	-11.20	AVG	
3	5470.0000	35.68	15.19	50.87	68.30	-17.43	Peak	
4	5502.5500	76.00	15.28	91.28	999.00	-907.72	AVG	No Limit
5 *	5502.8500	83.00	15.28	98.28	68.30	29.98	Peak	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5500 MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17677.0000	36.36	16.79	53.15	74.30	-21.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz


**Vertical**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25348.2500	39.92	17.24	57.16	74.30	-17.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

**Vertical**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39952.7500	37.37	15.59	52.96	74.30	-21.34	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5500 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.57	15.16	49.73	74.00	-24.27	Peak	
2	5460.0000	27.74	15.16	42.90	54.00	-11.10	AVG	
3	5470.0000	34.89	15.19	50.08	68.30	-18.22	Peak	
4 *	5496.9000	82.87	15.26	98.13	68.30	29.83	Peak	No Limit
5	5502.7000	75.53	15.28	90.81	999.00	-908.19	AVG	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5500 MHz


**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1 *	17957.5000	35.32	17.64	52.96	80.00	-27.04	Peak

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1 *	25467.2500	39.65	17.31	56.96	74.30	-17.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz


**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39892.000	34.75	15.55	50.30	74.30	-24.00	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5582.6000	73.67	15.54	89.21	999.00	-909.79	AVG	No Limit
2 *	5583.3500	81.26	15.55	96.81	68.30	28.51	Peak	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5580 MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17932.0000	35.53	17.56	53.09	80.00	-26.91	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5580 MHz


## Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25573.5000	40.43	17.24	57.67	74.30	-16.63	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz


**Vertical**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39797.5000	37.24	15.49	52.73	74.30	-21.57	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5575.7500	81.00	15.52	96.52	68.30	28.22	Peak	No Limit
2	5582.5000	74.26	15.54	89.80	999.00	-909.20	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17915.0000	35.87	17.51	53.38	80.00	-26.62	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25475.7500	39.45	17.31	56.76	74.30	-17.54	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39696.2500	34.81	15.43	50.24	74.30	-24.06	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5702.7500	81.82	15.94	97.76	68.30	29.46	Peak	No Limit
2	5702.7500	75.16	15.94	91.10	999.00	-907.90	AVG	No Limit
3	5725.0000	35.30	16.02	51.32	68.30	-16.98	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5700 MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17898.0000	35.65	17.46	53.11	80.00	-26.89	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5700 MHz

## Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	
							Detector	Comment
1 *	25573.5000	39.61	17.24	56.85	74.30	-17.45	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39858.2500	37.09	15.53	52.62	74.30	-21.68	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Margin	
							Detector	Comment
1 *	5696.9000	80.94	15.92	96.86	68.30	28.56	Peak	No Limit
2	5697.4000	72.64	15.93	88.57	999.00	-910.43	AVG	No Limit
3	5725.0000	36.04	16.02	52.06	68.30	-16.24	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5700 MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	18000.0000	35.78	17.77	53.55	80.00	-26.45	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX A Mode 5700 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25577.7500	39.44	17.24	56.68	74.30	-17.62	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39480.2500	35.02	15.23	50.25	74.30	-24.05	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.99	15.16	50.15	74.00	-23.85	Peak	
2	5460.0000	28.20	15.16	43.36	54.00	-10.64	AVG	
3	5470.0000	36.57	15.19	51.76	68.30	-16.54	Peak	
4 *	5499.1000	81.96	15.27	97.23	68.30	28.93	Peak	No Limit
5	5502.3500	75.33	15.28	90.61	999.00	-908.39	AVG	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N20 Mode 5500 MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17983.0000	34.97	17.72	52.69	80.00	-27.31	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N20 Mode 5500 MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25577.7500	39.80	17.24	57.04	74.30	-17.26	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39709.7500	37.87	15.44	53.31	74.30	-20.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.38	15.16	51.54	74.00	-22.46	Peak	
2	5460.0000	27.70	15.16	42.86	54.00	-11.14	AVG	
3	5470.0000	37.36	15.19	52.55	68.30	-15.75	Peak	
4	5502.4500	75.72	15.28	91.00	999.00	-908.00	AVG	No Limit
5 *	5503.2500	83.96	15.28	99.24	68.30	30.94	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17940.5000	36.25	17.59	53.84	80.00	-26.16	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25654.2500	39.33	17.15	56.48	74.30	-17.82	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39703.000	35.44	15.44	50.88	74.30	-23.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5576.9500	80.93	15.53	96.46	68.30	28.16	Peak	No Limit
2	5582.5000	72.87	15.54	88.41	999.00	-910.59	AVG	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N20 Mode 5580 MHz


## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	17974.5000	36.57	17.69	54.26	80.00	-25.74	Peak

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

**Vertical**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25730.7500	39.53	17.06	56.59	74.30	-17.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz


**Vertical**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39898.7500	37.13	15.56	52.69	74.30	-21.61	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5578.0500	82.01	15.53	97.54	68.30	29.24	Peak	No Limit
2	5583.0000	74.60	15.55	90.15	999.00	-908.85	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17906.5000	35.48	17.49	52.97	80.00	-27.03	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1 *	25361.0000	38.92	17.24	56.16	74.30	-18.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39858.2500	35.00	15.53	50.53	74.30	-23.77	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N20 Mode 5700 MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5702.7000	81.04	15.94	96.98	68.30	28.68	Peak	No Limit
2	5702.8000	74.37	15.94	90.31	999.00	-908.69	AVG	No Limit
3	5725.0000	35.95	16.02	51.97	68.30	-16.33	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz


**Vertical**

130 dBuV/m



No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17889.5000	35.22	17.44	52.66	80.00	-27.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

**Vertical**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25467.2500	40.73	17.31	58.04	74.30	-16.26	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N20 Mode 5700 MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	39601.7500	37.66	15.37	53.03	74.30	-21.27	Peak

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5697.4500	71.94	15.93	87.87	999.00	-911.13	AVG	No Limit
2 *	5701.7000	79.48	15.94	95.42	68.30	27.12	Peak	No Limit
3	5725.0000	34.86	16.02	50.88	68.30	-17.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17906.5000	36.17	17.49	53.66	80.00	-26.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25560.7500	39.92	17.26	57.18	74.30	-17.12	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39736.7500	34.70	15.46	50.16	74.30	-24.14	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.57	15.16	51.73	74.00	-22.27	Peak	
2	5460.0000	29.08	15.16	44.24	54.00	-9.76	Avg	
3	5470.0000	39.86	15.19	55.05	68.30	-13.25	Peak	
4	5504.3000	71.20	15.28	86.48	999.00	-912.52	Avg	No Limit
5 *	5516.4000	79.02	15.32	94.34	68.30	26.04	Peak	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17966.0000	35.74	17.67	53.41	80.00	-26.59	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz


## Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	26402.2500	40.25	17.77	58.02	74.30	-16.28	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

**Vertical**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39784.0000	36.21	15.49	51.70	74.30	-22.60	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.70	15.16	53.86	74.00	-20.14	Peak	
2	5460.0000	29.22	15.16	44.38	54.00	-9.62	AVG	
3	5470.0000	40.59	15.19	55.78	68.30	-12.52	Peak	
4	5504.3000	71.74	15.28	87.02	999.00	-911.98	AVG	No Limit
5 *	5517.4000	79.39	15.33	94.72	68.30	26.42	Peak	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17983.0000	35.61	17.72	53.33	80.00	-26.67	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz

**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	26500.0000	38.98	18.02	57.00	74.30	-17.30	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5510MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	39473.5000	35.95	15.20	51.15	74.30	-23.15	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5550MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5544.7000	76.72	15.42	92.14	68.30	23.84	Peak	No Limit
2	5544.7000	69.75	15.42	85.17	999.00	-913.83	AVG	No Limit

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5550MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17881.0000	35.19	17.41	52.60	80.00	-27.40	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5550MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25560.7500	39.61	17.26	56.87	74.30	-17.43	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5550MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	40000.000	36.12	15.62	51.74	74.30	-22.56	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5554.8000	79.33	15.45	94.78	68.30	26.48	Peak	No Limit
2	5555.4000	71.49	15.45	86.94	999.00	-912.06	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17974.5000	36.59	17.69	54.28	80.00	-25.72	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5550MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25552.2500	39.32	17.27	56.59	74.30	-17.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39804.2500	34.45	15.50	49.95	74.30	-24.35	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Margin	
							Detector	Comment
1 *	5657.9000	78.26	15.79	94.05	68.30	25.75	Peak	No Limit
2	5664.7000	70.21	15.82	86.03	999.00	-912.97	AVG	No Limit
3	5725.0000	36.58	16.02	52.60	68.30	-15.70	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5670MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17855.5000	35.81	17.33	53.14	80.00	-26.86	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5670MHz

## Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25560.7500	39.61	17.26	56.87	74.30	-17.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39716.5000	36.89	15.44	52.33	74.30	-21.97	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5670MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Margin	
							Detector	Comment
1	5655.1000	68.88	15.78	84.66	999.00	-914.34	AVG	No Limit
2 *	5663.8000	76.59	15.81	92.40	68.30	24.10	Peak	No Limit
3	5725.0000	35.12	16.02	51.14	68.30	-17.16	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX N40 Mode 5670MHz


**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17974.5000	35.65	17.69	53.34	80.00	-26.66	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25552.2500	39.32	17.27	56.59	74.30	-17.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	m	dBuV/m	dB		
1 *	40000.000	34.43	15.62	50.05	74.30	-24.25	Peak	

Orthogonal Axis: X

Test Mode: UNII-3/TX A Mode 5745 MHz


## Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	35.65	15.98	51.63	109.40	-57.77	Peak	
2	5725.0000	42.79	16.02	58.81	122.20	-63.39	Peak	
3 *	5746.5500	82.85	16.09	98.94	122.20	-23.26	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz


**Vertical**

No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17940.5000	35.81	17.59	53.40	80.00	-26.60	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25650.0000	40.57	17.16	57.73	74.30	-16.57	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39865. 0000	37. 60	15. 54	53. 14	74. 30	-21. 16	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector		Comment
							Detector	Comment	
1	5715.0000	36.62	15.98	52.60	109.40	-56.80	Peak		
2	5725.0000	42.66	16.02	58.68	122.20	-63.52	Peak		
3 *	5741.9000	82.03	16.07	98.10	122.20	-24.10	Peak	No Limit	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17932.0000	35.80	17.56	53.36	80.00	-26.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

**Horizontal**


No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1 *	26117.5000	39.63	17.06	56.69	74.30	-17.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39871.7500	34.60	15.54	50.14	74.30	-24.16	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz


**Vertical****130 dBuV/m**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	5781.9000	81.87	16.21	98.08	122.20	-24.12	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz


**Vertical**

130 dBuV/m



No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17932.0000	35.40	17.56	52.96	80.00	-27.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz


**Vertical**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25501.2500	39.09	17.32	56.41	74.30	-17.89	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39534.2500	37.36	15.33	52.69	74.30	-21.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5781.8500	82.32	16.21	98.53	122.20	-23.67	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz


**Horizontal**

No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17949.0000	35.86	17.62	53.48	80.00	-26.52	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25675.5000	40.13	17.13	57.26	74.30	-17.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39696.2500	35.22	15.43	50.65	74.30	-23.65	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz


**Vertical**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5821.3000	84.09	16.34	100.43	122.20	-21.77	Peak	No Limit
2	5850.0000	37.96	16.43	54.39	122.20	-67.81	Peak	
3	5860.0000	35.34	16.47	51.81	109.40	-57.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz


**Vertical**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	18000.0000	36.06	17.77	53.83	80.00	-26.17	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25505.5000	38.99	17.32	56.31	74.30	-17.99	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39649. 0000	38. 24	15. 40	53. 64	74. 30	-20. 66	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.6000	82.10	16.36	98.46	122.20	-23.74	Peak	No Limit
2	5850.0000	36.30	16.43	52.73	122.20	-69.47	Peak	
3	5860.0000	35.96	16.47	52.43	109.40	-56.97	Peak	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

## Horizontal




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit Margin			Detector	Comment
					MHz	dBuV/m	dB	dBuV/m	dBuV/m
1 *	17787.5000	35.41	17.13	52.54	80.00	-27.46	Peak		

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25471.5000	39.43	17.31	56.74	74.30	-17.56	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39811.0000	35.80	15.50	51.30	74.30	-23.00	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	36.59	15.98	52.57	109.40	-56.83	Peak	
2	5725.0000	44.87	16.02	60.89	122.20	-61.31	Peak	
3 *	5744.0000	82.56	16.08	98.64	122.20	-23.56	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz


**Vertical**

130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17864.0000	36.05	17.36	53.41	80.00	-26.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

**Vertical**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25569.2500	40.46	17.25	57.71	74.30	-16.59	Peak	

Orthogonal Axis: X

Test Mode: UNII-3/TX N20 Mode 5745 MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1 *	39601.7500	37.66	15.37	53.03	74.30	-21.27	Peak

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector		Comment
							Detector	Comment	
1	5715.0000	35.13	15.98	51.11	109.40	-58.29	Peak		
2	5725.0000	42.72	16.02	58.74	122.20	-63.46	Peak		
3 *	5747.9500	80.64	16.09	96.73	122.20	-25.47	Peak	No Limit	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz


**Horizontal**

No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17957.5000	36.41	17.64	54.05	80.00	-25.95	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25535.2500	39.29	17.28	56.57	74.30	-17.73	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39696.2500	34.29	15.43	49.72	74.30	-24.58	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	5785.3000	82.64	16.22	98.86	122.20	-23.34	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17906.5000	35.30	17.49	52.79	80.00	-27.21	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25565.0000	40.38	17.25	57.63	74.30	-16.67	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39831.2500	37.34	15.52	52.86	74.30	-21.44	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz


**Horizontal**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	5782.0500	82.03	16.21	98.24	122.20	-23.96	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17847.0000	36.55	17.31	53.86	80.00	-26.14	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz


**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25586.2500	39.33	17.23	56.56	74.30	-17.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39696.2500	35.06	15.43	50.49	74.30	-23.81	Peak	

Orthogonal Axis: X

Test Mode: UNII-3/TX N20 Mode 5825 MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.8500	84.79	16.36	101.15	122.20	-21.05	Peak	No Limit
2	5850.0000	37.74	16.43	54.17	122.20	-68.03	Peak	
3	5860.0000	36.66	16.47	53.13	109.40	-56.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz


**Vertical**

130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17889.5000	35.92	17.44	53.36	80.00	-26.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz


**Vertical**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25620.2500	40.22	17.19	57.41	74.30	-16.89	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39939.2500	37.06	15.58	52.64	74.30	-21.66	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.4500	80.49	16.36	96.85	122.20	-25.35	Peak	No Limit
2	5850.0000	35.37	16.43	51.80	122.20	-70.40	Peak	
3	5860.0000	34.96	16.47	51.43	109.40	-57.97	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

**Horizontal**


No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17881.0000	37.98	17.41	55.39	80.00	-24.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25573.5000	40.32	17.24	57.56	74.30	-16.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

**Horizontal**

No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39770.5000	35.03	15.48	50.51	74.30	-23.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Vertical**


No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector		Comment
							Detector	Comment	
1	5715.0000	43.03	15.98	59.01	109.40	-50.39	Peak		
2	5725.0000	43.28	16.02	59.30	122.20	-62.90	Peak		
3 *	5750.4000	79.13	16.10	95.23	122.20	-26.97	Peak	No Limit	

Orthogonal Axis: X

Test Mode: UNII-3/TX N40 Mode 5755MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17966.0000	35.40	17.67	53.07	80.00	-26.93	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	26453.2500	38.88	17.90	56.78	74.30	-17.52	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39649.000	37.04	15.40	52.44	74.30	-21.86	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	40.59	15.98	56.57	109.40	-52.83	Peak	
2	5725.0000	43.17	16.02	59.19	122.20	-63.01	Peak	
3 *	5749.4000	77.47	16.10	93.57	122.20	-28.63	Peak	No Limit

Orthogonal Axis: X

Test Mode: UNII-3/TX N40 Mode 5755MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17855.5000	37.32	17.33	54.65	80.00	-25.35	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


**Horizontal**

130 dBuV/m



No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25667.0000	40.14	17.14	57.28	74.30	-17.02	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39912.2500	34.71	15.57	50.28	74.30	-24.02	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5798.0000	80.08	16.26	96.34	122.20	-25.86	Peak	No Limit
2	5850.0000	37.85	16.43	54.28	122.20	-67.92	Peak	
3	5860.0000	35.50	16.47	51.97	109.40	-57.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Vertical**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17855.5000	37.06	17.33	54.39	80.00	-25.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Vertical**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25348.2500	39.63	17.24	56.87	74.30	-17.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Vertical**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
MHz	dBuV/m	dB			dBuV/m	dB		
1 *	39858.2500	35.94	15.53	51.47	74.30	-22.83	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Horizontal**


No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.7000	77.66	16.23	93.89	122.20	-28.31	Peak	No Limit
2	5850.0000	35.73	16.43	52.16	122.20	-70.04	Peak	
3	5860.0000	36.35	16.47	52.82	109.40	-56.58	Peak	

Orthogonal Axis: X

Test Mode: UNII-3/TX N40 Mode 5795MHz


**Horizontal**

130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17881.0000	35.71	17.41	53.12	80.00	-26.88	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Horizontal**


No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25590.5000	39.70	17.22	56.92	74.30	-17.38	Peak	

Orthogonal Axis: X

Test Mode: UNII-3/TX N40 Mode 5795MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	39392.5000	35.67	14.86	50.53	74.30	-23.77	Peak

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5138.4000	35.42	14.29	49.71	74.00	-24.29	Peak	
2	5138.4000	31.43	14.29	45.72	54.00	-8.28	Avg	
3	5150.0000	38.10	14.32	52.42	74.00	-21.58	Peak	
4	5150.0000	30.86	14.32	45.18	54.00	-8.82	Avg	
5 *	5230.0000	74.60	14.54	89.14	68.30	20.84	Peak	No Limit
6	5245.0000	67.12	14.58	81.70	999.00	-917.30	Avg	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


**Vertical**

130 dBuV/m



No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17906.5000	35.41	17.49	52.90	80.00	-27.10	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25539.5000	39.18	17.28	56.46	74.30	-17.84	Peak	

Orthogonal Axis: X

Test Mode: UNII-1/ TX AC80 Mode 5210MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	39831.2500	36.10	15.52	51.62	74.30	-22.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


### Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5140.0000	42.01	14.29	56.30	74.00	-17.70	Peak	
2	5140.0000	33.10	14.29	47.39	54.00	-6.61	AVG	
3	5150.0000	42.10	14.32	56.42	74.00	-17.58	Peak	
4	5150.0000	32.36	14.32	46.68	54.00	-7.32	AVG	
5 *	5222.2000	75.48	14.51	89.99	68.30	21.69	Peak	No Limit
6	5243.4000	68.67	14.57	83.24	999.00	-915.76	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**


No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17940.5000	35.63	17.59	53.22	80.00	-26.78	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**


No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25539.5000	39.54	17.28	56.82	74.30	-17.48	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39770.5000	34.93	15.48	50.41	74.30	-23.89	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Vertical**


No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5306.0000	75.23	14.74	89.97	68.30	21.67	Peak	No Limit
2	5323.6000	68.12	14.79	82.91	999.00	-916.09	Avg	No Limit
3	5350.0000	36.37	14.86	51.23	74.00	-22.77	Peak	
4	5350.0000	28.85	14.86	43.71	999.00	-955.29	Avg	
5	5363.8000	38.51	14.90	53.41	74.00	-20.59	Peak	
6	5363.8000	30.23	14.90	45.13	54.00	-8.87	Avg	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX AC80 Mode 5290MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	17872.5000	36.09	17.38	53.47	80.00	-26.53	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25607.5000	40.08	17.20	57.28	74.30	-17.02	Peak	

Orthogonal Axis : X

Test Mode : UNII-2A/ TX AC80 Mode 5290MHz

## Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39406.000	35.02	14.91	49.93	74.30	-24.37	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector		Comment
							Detector	Comment	
1 *	5297.6000	75.84	14.72	90.56	68.30	22.26	Peak	No Limit	
2	5323.6000	68.42	14.79	83.21	999.00	-915.79	AVG	No Limit	
3	5350.0000	35.66	14.86	50.52	74.00	-23.48	Peak		
4	5350.0000	29.45	14.86	44.31	999.00	-954.69	AVG		
5	5364.8000	38.10	14.90	53.00	74.00	-21.00	Peak		
6	5364.8000	31.00	14.90	45.90	54.00	-8.10	AVG		

Orthogonal Axis : X

Test Mode : UNII-2A/ TX AC80 Mode 5290MHz


**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	17838.5000	36.20	17.28	53.48	80.00	-26.52	Peak

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	25616.0000	40.03	17.19	57.22	74.30	-17.08	Peak	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	39419.5000	35.60	14.97	50.57	74.30	-23.73	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

### Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5457.6000	44.84	15.15	59.99	74.00	-14.01	Peak	
2	5457.6000	34.35	15.15	49.50	54.00	-4.50	Avg	
3	5460.0000	41.43	15.16	56.59	74.00	-17.41	Peak	
4	5460.0000	33.72	15.16	48.88	54.00	-5.12	Avg	
5	5470.0000	40.04	15.19	55.23	68.30	-13.07	Peak	
6	5493.4000	66.72	15.25	81.97	999.00	-917.03	Avg	No Limit
7 *	5554.0000	73.92	15.45	89.37	68.30	21.07	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17983.0000	35.84	17.72	53.56	80.00	-26.44	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25543.7500	40.00	17.28	57.28	74.30	-17.02	Peak	

Orthogonal Axis : X

Test Mode : UNII-2C/ TX AC80 Mode 5530MHz

## Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	39871.7500	35.56	15.54	51.10	74.30	-23.20	Peak

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


**Horizontal**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5459.8000	35.35	15.16	50.51	54.00	-3.49	AVG	
2	5460.0000	43.63	15.16	58.79	74.00	-15.21	Peak	
3	5470.0000	43.60	15.19	58.79	68.30	-9.51	Peak	
4	5494.0000	68.19	15.25	83.44	999.00	-915.56	AVG	No Limit
5 *	5498.4000	76.36	15.27	91.63	68.30	23.33	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


**Horizontal**

No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	25582.0000	39.39	17.23	56.62	74.30	-17.68	Peak

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector Comment
1 *	39763.7500	34.53	15.47	50.00	74.30	-24.30	Peak

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.55	15.98	59.53	109.40	-49.87	Peak	
2	5725.0000	42.22	16.02	58.24	122.20	-63.96	Peak	
3 *	5812.0000	74.56	16.31	90.87	122.20	-31.33	Peak	No Limit
4	5850.0000	41.81	16.43	58.24	122.20	-63.96	Peak	
5	5860.0000	38.24	16.47	54.71	109.40	-54.69	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17889.5000	36.07	17.44	53.51	80.00	-26.49	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	26393.7500	39.51	17.75	57.26	74.30	-17.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	m	dBuV/m	dB		
1 *	39817.7500	34.47	15.51	49.98	74.30	-24.32	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.41	15.98	61.39	109.40	-48.01	Peak	
2	5725.0000	44.21	16.02	60.23	122.20	-61.97	Peak	
3 *	5739.8000	74.81	16.07	90.88	122.20	-31.32	Peak	No Limit
4	5850.0000	45.12	16.43	61.55	122.20	-60.65	Peak	
5	5860.0000	40.66	16.47	57.13	109.40	-52.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Horizontal**

No.	Freq.	Reading	Correct	Measure	Limit	Margin	Detector	Comment
		Level	Factor	ment	dBuV/m	dB		
1 *	18000.000	35.22	17.77	52.99	80.00	-27.01	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Horizontal**

130 dBuV/m



No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25607.5000	39.76	17.20	56.96	74.30	-17.34	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**

No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39655.7500	35.31	15.41	50.72	74.30	-23.58	Peak	

## APPENDIX D - BANDWIDTH

**Test Mode: N/A**

Note: According to customers's requirement, this test item wasn't performed.

## APPENDIX E - MAXIMUM AVG OUTPUT POWER

Test Mode: UNII-1/TX A Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5180	5200	5240
Channel	CH36	CH40	CH48
Bit Rate of Transmitter	6 Mbps	6.35	6.65
	9 Mbps	6.26	6.59
	12 Mbps	6.23	6.62
	18 Mbps	6.26	6.66
	24 Mbps	6.34	6.69
	36 Mbps	6.30	6.50
	48 Mbps	6.31	6.63
	54 Mbps	6.33	6.52
	Max AVG Power	6.69	
Limits		24	
Result		Pass	

Test Mode: UNII-1/TX N20 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5180	5200	5240
Channel	CH36	CH40	CH48
Bit Rate of Transmitter	MCS0	6.46	6.63
	MCS1	6.41	6.59
	MCS2	6.24	6.54
	MCS3	6.24	6.42
	MCS4	6.26	6.40
	MCS5	6.06	6.31
	MCS6	6.01	6.35
	MCS7	6.09	6.38
	Max AVG Power	6.63	
Limits		24	
Result		Pass	

Test Mode: UNII-1/TX N40 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5190	5230	
Channel	CH38	CH46	
Bit Rate of Transmitter	MCS0	6.33	6.01
	MCS1	6.37	6.01
	MCS2	6.39	6.04
	MCS3	6.41	6.02
	MCS4	6.42	6.08
	MCS5	6.37	6.04
	MCS6	6.34	6.12
	MCS7	6.36	6.00
Max AVG Power	6.42		
Limits	24		
Result	Pass		

Test Mode: UNII-2A /TX A Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5260	5280	5320	
Channel	CH52	CH56	CH64	
Bit Rate of Transmitter	6 Mbps	6.13	6.11	6.45
	9 Mbps	6.30	6.04	6.64
	12 Mbps	6.11	6.10	6.48
	18 Mbps	6.07	6.12	6.51
	24 Mbps	6.10	6.02	6.61
	36 Mbps	6.06	5.79	6.60
	48 Mbps	6.11	5.82	6.58
	54 Mbps	6.12	5.81	6.60
Max AVG Power		6.64		
Limits		24		
Result		Pass		

Test Mode: UNII-2A /TX N20 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5260	5280	5320	
Channel	CH52	CH56	CH64	
Bit Rate of Transmitter	MCS0	6.19	6.22	6.61
	MCS1	6.33	5.99	6.37
	MCS2	6.35	6.05	6.49
	MCS3	6.13	6.07	6.48
	MCS4	6.11	6.10	6.39
	MCS5	6.09	6.03	6.44
	MCS6	6.06	6.06	6.46
	MCS7	6.05	6.04	6.49
Max AVG Power		6.61		
Limits		24		
Result		Pass		

Test Mode: UNII-2A /TX N40 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5270	5310	
Channel	CH54	CH62	
Bit Rate of Transmitter	MCS0	6.00	6.11
	MCS1	5.87	6.19
	MCS2	5.88	6.22
	MCS3	5.85	6.22
	MCS4	5.82	6.13
	MCS5	5.78	3.27
	MCS6	5.84	6.24
	MCS7	5.81	6.21
Max AVG Power	6.24		
Limits	24		
Result	Pass		

Test Mode: UNII-2C /TX A Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5500	5580	5700	
Channel	CH100	CH116	CH140	
Bit Rate of Transmitter	6 Mbps	6.02	5.61	6.13
	9 Mbps	5.99	5.97	6.03
	12 Mbps	6.03	5.58	5.74
	18 Mbps	6.04	5.62	5.78
	24 Mbps	6.10	5.58	5.81
	36 Mbps	6.08	5.64	5.81
	48 Mbps	6.08	5.61	5.91
	54 Mbps	6.05	5.66	5.84
Max AVG Power		6.13		
Limits		24		
Result		Pass		

Test Mode: UNIII-2C /TX N20 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5500	5580	5700	
Channel	CH100	CH116	CH140	
Bit Rate of Transmitter	MCS0	6.19	5.71	5.84
	MCS1	5.68	5.83	6.04
	MCS2	5.80	5.79	6.18
	MCS3	5.82	5.54	6.15
	MCS4	5.84	5.50	5.97
	MCS5	5.83	5.49	4.64
	MCS6	5.85	5.50	5.77
	MCS7	5.82	5.49	5.73
Max AVG Power		6.19		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX N40 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5510	5550	5670	
Channel	CH102	CH110	CH134	
Bit Rate of Transmitter	MCS0	5.52	6.16	5.97
	MCS1	5.13	5.71	6.26
	MCS2	5.08	5.90	6.19
	MCS3	5.47	5.75	5.84
	MCS4	5.07	6.18	6.18
	MCS5	5.06	5.73	6.22
	MCS6	5.08	6.09	6.19
	MCS7	5.06	5.82	6.19
Max AVG Power	6.26			
Limits	24			
Result	Pass			

Test Mode: UNII-3 /TX A Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5745	5785	5825
Channel	CH149	CH157	CH165
Bit Rate of Transmitter	6 Mbps	6.85	6.27
	9 Mbps	6.75	5.82
	12 Mbps	6.83	5.82
	18 Mbps	6.82	5.87
	24 Mbps	6.92	5.97
	36 Mbps	6.90	5.89
	48 Mbps	6.90	5.96
	54 Mbps	6.76	5.95
Max AVG Power	7.07		
Limits	30		
Result	Pass		

Test Mode: UNII-3 /TX N20 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5745	5785	5825
Channel	CH149	CH157	CH165
Bit Rate of Transmitter	MCS0	6.66	6.07
	MCS1	6.72	6.08
	MCS2	6.69	5.74
	MCS3	6.65	6.16
	MCS4	6.69	6.16
	MCS5	6.68	5.69
	MCS6	6.73	5.73
	MCS7	6.72	5.78
Max AVG Power	7.24		
Limits	30		
Result	Pass		

Test Mode: UNII-3 /TX N40 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5755	5795	
Channel	CH151	CH159	
Bit Rate of Transmitter	MCS0	6.46	6.50
	MCS1	6.51	6.05
	MCS2	6.56	6.08
	MCS3	6.56	6.06
	MCS4	6.55	6.15
	MCS5	6.19	6.12
	MCS6	6.55	6.12
	MCS7	6.52	6.10
Max AVG Power	6.56		
Limits	30		
Result	Pass		

Test Mode: UNII-1/TX AC20 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5180	5200	5240	
Channel	CH36	CH40	CH48	
Bit Rate of Transmitter	MCS0	0.64	2.18	1.54
	MCS1	1.86	2.26	1.64
	MCS2	1.92	2.37	1.65
	MCS3	1.95	2.31	1.67
	MCS4	2.02	2.35	1.65
	MCS5	1.92	2.40	1.71
	MCS6	1.97	2.39	1.70
	MCS7	2.00	2.27	1.70
	MCS8	1.94	2.18	1.75
	MCS9	1.92	2.36	1.65
Max AVG Power		2.40		
Limits		24		
Result		Pass		

Test Mode: UNII-1/TX AC40 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5190	5230		
Channel	CH38	CH46		
Bit Rate of Transmitter	MCS0	2.27	2.00	
	MCS1	2.05	1.98	
	MCS2	1.81	1.58	
	MCS3	1.88	1.58	
	MCS4	2.06	1.78	
	MCS5	1.90	1.51	
	MCS6	1.96	1.77	
	MCS7	1.83	1.56	
	MCS8	1.82	1.63	
	MCS9	1.86	1.53	
Max AVG Power		2.27		
Limits		24		
Result		Pass		

Test Mode: UNII-1/TX AC80 Mode		
Average Output Power ( dBm )		
Frequency (MHz)		5210
Channel		CH42
Bit Rate of Transmitter	MCS0	1.96
	MCS1	1.92
	MCS2	1.92
	MCS3	1.75
	MCS4	1.82
	MCS5	1.96
	MCS6	1.82
	MCS7	1.67
	MCS8	1.95
	MCS9	1.69
Max AVG Power		1.96
Limits		24
Result		Pass

Test Mode: UNII-2A /TX AC20 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5260	5280	5320
Channel	CH52	CH56	CH64
Bit Rate of Transmitter	MCS0	2.14	1.79
	MCS1	1.75	1.81
	MCS2	1.82	1.94
	MCS3	1.78	1.52
	MCS4	1.82	1.82
	MCS5	1.84	1.59
	MCS6	1.79	1.62
	MCS7	1.76	1.54
	MCS8	1.82	1.53
	MCS9	1.71	1.50
Max AVG Power		2.41	
Limits		24	
Result		Pass	

Test Mode: UNII-2A /TX AC40 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5270	5310	
Channel	CH54	CH62	
Bit Rate of Transmitter	MCS0	1.78	2.10
	MCS1	1.80	2.01
	MCS2	1.76	1.64
	MCS3	1.82	1.72
	MCS4	1.77	2.05
	MCS5	1.79	2.01
	MCS6	1.81	2.05
	MCS7	1.74	1.88
	MCS8	1.75	1.59
	MCS9	1.72	1.54
Max AVG Power		2.10	
Limits		24	
Result		Pass	

Test Mode: UNII-2A /TX AC80 Mode		
Average Output Power ( dBm )		
Frequency (MHz)		5290
Channel		CH58
Bit Rate of Transmitter	MCS0	1.69
	MCS1	1.68
	MCS2	1.67
	MCS3	1.87
	MCS4	1.65
	MCS5	1.51
	MCS6	1.62
	MCS7	1.82
	MCS8	1.61
	MCS9	1.68
Max AVG Power		1.87
Limits		24
Result		Pass

Test Mode: UNII-2C /TX AC20 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5500	5580	5700	
Channel	CH100	CH116	CH140	
Bit Rate of Transmitter	MCS0	1.67	1.80	1.88
	MCS1	1.69	1.64	2.02
	MCS2	1.73	1.93	2.08
	MCS3	1.74	1.59	2.08
	MCS4	1.72	1.67	1.65
	MCS5	1.80	1.93	1.63
	MCS6	1.74	1.55	1.75
	MCS7	1.77	1.52	1.64
	MCS8	1.74	1.47	2.03
	MCS9	1.75	1.52	2.04
Max AVG Power		2.08		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX AC40 Mode				
Average Output Power ( dBm )				
Frequency (MHz)	5510	5550	5670	
Channel	CH102	CH110	CH134	
Bit Rate of Transmitter	MCS0	1.04	1.72	2.25
	MCS1	1.10	1.76	2.30
	MCS2	1.07	1.69	2.25
	MCS3	1.11	1.78	1.85
	MCS4	0.98	1.76	1.82
	MCS5	1.05	1.72	1.88
	MCS6	1.10	1.75	1.86
	MCS7	1.01	1.73	1.78
	MCS8	1.03	1.66	1.83
	MCS9	0.99	1.61	1.79
Max AVG Power		2.30		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX AC80 Mode		
Average Output Power ( dBm )		
Frequency (MHz)		5530
Channel		CH106
Bit Rate of Transmitter	MCS0	1.64
	MCS1	1.72
	MCS2	1.73
	MCS3	1.69
	MCS4	1.65
	MCS5	1.66
	MCS6	1.67
	MCS7	1.58
	MCS8	1.65
	MCS9	1.62
Max AVG Power		1.73
Limits		24
Result		Pass

Test Mode: UNII-3 /TX AC20 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5745	5785	5825
Channel	CH149	CH157	CH165
Bit Rate of Transmitter	MCS0	2.60	1.95
	MCS1	2.71	1.90
	MCS2	2.72	2.11
	MCS3	2.79	1.73
	MCS4	2.79	1.75
	MCS5	2.78	1.78
	MCS6	2.78	1.73
	MCS7	2.77	1.97
	MCS8	2.71	1.76
	MCS9	2.72	2.08
Max AVG Power	3.16		
Limits	30		
Result	Pass		

Test Mode: UNII-3 /TX AC40 Mode			
Average Output Power ( dBm )			
Frequency (MHz)	5755	5795	
Channel	CH151	CH159	
Bit Rate of Transmitter	MCS0	2.58	2.11
	MCS1	2.59	2.12
	MCS2	2.63	2.18
	MCS3	2.17	2.23
	MCS4	2.16	2.23
	MCS5	2.16	2.18
	MCS6	2.21	2.12
	MCS7	2.17	2.15
	MCS8	2.57	2.17
	MCS9	2.55	2.10
Max AVG Power	2.63		
Limits	30		
Result	Pass		

Test Mode: UNII-3 /TX AC80 Mode		
Average Output Power ( dBm )		
Frequency (MHz)		5775
Channel		CH155
Bit Rate of Transmitter	MCS0	2.60
	MCS1	2.45
	MCS2	2.40
	MCS3	2.59
	MCS4	2.43
	MCS5	2.38
	MCS6	2.35
	MCS7	2.37
	MCS8	2.34
	MCS9	2.34
Max AVG Power		2.60
Limits		30
Result		Pass

## APPENDIX F - POWER SPECTRAL DENSITY

**Test Mode: N/A**

Note: According to customers's requirement, this test item wasn't performed.