

DFS PORTION of FCC 47 CFR PART 15 SUBPART E DFS PORTION of INDUSTRY CANADA RSS-247 ISSUE 1

CERTIFICATION TEST REPORT

FOR

CEL-FI DUO SMART CELLULAR SIGNAL BOOSTER

MODEL NUMBER: D32-2/4CU

FCC ID: YETD24CU

REPORT NUMBER: 11440089-E1V2

ISSUE DATE: OCTOBER 27, 2016

Prepared for
NEXTIVITY, INC.
12230 WORLD TRADE DRIVE, SUITE 250
SAN DIEGO
CA., 92128, U.S.A.

Prepared by

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET FREMONT, CA 94538, U.S.A. TEL: (510) 771-1000 FAX: (510) 661-0888

NVLAP®

NVLAP LAB CODE 200065-0

REPORT NO: 11440089-E1V1DATE: OCTOBER 27, 2016 FCC ID: YETD24CU

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	09/29/16	Initial Issue	Conan Cheung
V2	10/27/16	Updated Antenna Parameter	Conan Cheung

TABLE OF CONTENTS

1.	ATT	ESTATION OF TEST RESULTS	4
2.	TES	T METHODOLOGY	5
3.	FAC	ILITIES AND ACCREDITATION	5
4.	CAL	IBRATION AND UNCERTAINTY	5
	4.1.	MEASURING INSTRUMENT CALIBRATION	5
	4.2.	SAMPLE CALCULATION	5
	4.3.	MEASUREMENT UNCERTAINTY	5
5.	DYN	AMIC FREQUENCY SELECTION	6
	5.1.	OVERVIEW	6
	5.1.1		
	5.1.2		
	5.1.3		
	5.1.4 5.1.5		ა 1
		THEORY OF OPERATION1 TECHNICAL DESCRIPTION1	
	5.2.1 5.2.2		
		TEST CHANNEL	
		RADAR WAVEFORMS	
,	<i>5.5.</i> 5.5.1	RESULTS FOR 30 MHz BANDWIDTH2 TRAFFIC AND CHANNEL LOADING2	
	5.5.2		
	5.5.3		
	5.5.4		
	5.5.5		
	5.5.6	S. IN-SERVICE MONITORING	9
	5.6.	RESULTS FOR 40 MHz BANDWIDTH4	
	5.6.1		
	5.6.2		
	5.6.3		
	5.6.4 5.6.1		
	5.6.2		
	5.6.3		
,	5.7.	BRIDGE MODE RESULTS6	38
6	SET	UP PHOTOS	:q

REPORT NO: 11440089-E1V1DATE: OCTOBER 27, 2016 FCC ID: YETD24CU

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: NEXTIVITY, INC.

12230 WORLD TRADE DRIVE, SUITE 250

SAN DIEGO, CA., 92128, U.S.A.

EUT DESCRIPTION: CEL-FI DUO SMART CELLULAR SIGNAL BOOSTER

MODEL: D32-2/4CU

SERIAL NUMBER: 192428015602

DATE TESTED: SEPTEMBER 13 and 29, 2016

APPLICABLE STANDARDS

STANDARD TEST RESULTS

DFS Portion of CFR 47 Part 15 Subpart E Pass

INDUSTRY CANADA RSS-247 Issue 1 Pass

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released For

UL Verification Services Inc. By:

 \wedge

Tested By:

CONAN CHEUNG PROJECT LEAD

UL Verification Services Inc.

DOUG ANDERSON EMC ENGINEER

UL Verification Services Inc.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the DFS portion of FCC CFR 47 Part 2, FCC CFR 47 Part 15, FCC 06-96, FCC KDB 789033, KDB 905462 D02 and D03, ANSI C63.10-2013, RSS-247 Issue 1.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 Benicia Street, Fremont, California, USA.

UL Verification Services, Inc. is accredited by NVLAP, Laboratory Code 200065-0. The full scope of accreditation can be viewed at http://ts.nist.gov/standards/scopes/2000650.htm.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB) 36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	± 3.52 dB
Radiated Disturbance, 30 to 1000 MHz	± 4.94 dB
Radiated Disturbance, 1 to 6 GHz	± 3.86 dB
Radiated Disturbance, 6 to 18 GHz	± 4.23 dB
Radiated Disturbance, 18 to 26 GHz	± 5.30 dB
Radiated Disturbance, 26 to 40 GHz	± 5.23 dB

Uncertainty figures are valid to a confidence level of 95%.

5. DYNAMIC FREQUENCY SELECTION

5.1. OVERVIEW

5.1.1. LIMITS

INDUSTRY CANADA

IC RSS-247 is closely harmonized with FCC Part 15 DFS rules. The deviations are as follows:

RSS-247 Issue 1

Note: For the band 5600–5650 MHz, no operation is permitted.

Until further notice, devices subject to this annex shall not be capable of transmitting in the band 5600–5650 MHz. This restriction is for the protection of Environment Canada weather radars operating in this band.

FCC

§15.407 (h), FCC KDB 905462 D02 "COMPLIANCE MEASUREMENT PROCEDURES FOR UNLICENSED-NATIONAL INFORMATION INFRASTRUCTURE DEVICES OPERATING IN THE 5250-5350 MHz AND 5470-5725 MHz BANDS INCORPORATING DYNAMIC FREQUENCY SELECTION" and KDB 905462 D03 "U-NII CLIENT DEVICES WITHOUT RADAR DETECTION CAPABILITY".

REPORT NO: 11440089-E1V1DATE: OCTOBER 27, 2016

FCC ID: YETD24CU

Table 1: Applicability of DFS requirements prior to use of a channel

Requirement	Operational Mode				
	Master	Client (without radar detection)	Client (with radar detection)		
Non-Occupancy Period	Yes	Not required	Yes		
DFS Detection Threshold	Yes	Not required	Yes		
Channel Availability Check Time	Yes	Not required	Not required		
U-NII Detection Bandwidth	Yes	Not required	Yes		

Table 2: Applicability of DFS requirements during normal operation

Table 217 (ppiloability of 21 o requirements daring normal epotation								
Requirement	Operational Mode							
	Master	Client	Client					
		(without DFS)	(with DFS)					
DFS Detection Threshold	Yes	Not required	Yes					
Channel Closing Transmission Time	Yes	Yes	Yes					
Channel Move Time	Yes	Yes	Yes					
U-NII Detection Bandwidth	Yes	Not required	Yes					

Additional requirements for	Master Device or Client with	Client
devices with multiple bandwidth	Radar DFS	(without DFS)
modes		
U-NII Detection Bandwidth and	All BW modes must be	Not required
Statistical Performance Check	tested	
Channel Move Time and Channel	Test using widest BW mode	Test using the
Closing Transmission Time	available	widest BW mode
		available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in all 20 MHz channel blocks and a null frequency between the bonded 20 MHz channel blocks.

Table 3: Interference Threshold values, Master or Client incorporating In-Service Monitoring

Value
(see notes)
-64 dBm
-62 dBm
-64 dBm

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note 3: E.I.R.P. is based on the highest antenna gain. For MIMO devices refer to KDB publication 662911 D01.

Table 4: DFS Response requirement values

Development	M-1
Parameter	Value
Non-occupancy period	30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds (See Note 1)
Channel Closing Transmission Time	200 milliseconds + approx. 60 milliseconds over remaining 10 second period. (See Notes 1 and 2)
U-NII Detection Bandwidth	Minimum 100% of the U- NII 99% transmission power bandwidth. (See Note 3)

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

Table 5 - Short Pulse Radar Test Waveforms

Radar	Pulse	PRI	Pulses	Minimum	Minimum
Type	Width	(usec)		Percentage	Trials
	(usec)			of Successful	
				Detection	
0	1	1428	18	See Note 1	See Note
					1
1	1	Test A: 15 unique		60%	30
		PRI values randomly			
		selected from the list	Roundup:		
		of 23 PRI values in	{(1/360) x (19 x 10 ⁶ PRI _{usec})}		
		table 5a			
		Test B: 15 unique			
		PRI values randomly			
		selected within the			
		range of 518-3066			
		usec. With a			
		minimum increment			
		of 1 usec, excluding			
		PRI values selected			
		in Test A			
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
		Aggregate (Radar T	ypes 1-4)	80%	120
Natad	Ob 1 D			80%	120

Note 1: Short Pulse Radar Type 0 should be used for the *Detection Bandwidth* test, *Channel Move Time*, and *Channel Closing Time* tests.

Table 6 - Long Pulse Radar Test Signal


Radar	Pulse	Chirp	PRI	Pulses	Number	Minimum	Minimum
Waveform	Width	Width	(µsec)	per	of	Percentage	Trials
Type	(µsec)	(MHz)		Burst	Bursts	of Successful	
						Detection	
5	50-100	5-20	1000-	1-3	8-20	80%	30
			2000				

Table 7 - Frequency Hopping Radar Test Signal

1 4510 1	rabio i riodabilo i riopping radar roct orginar								
Radar	Pulse	PRI	Pulses	Hopping	Hopping	Minimum	Minimum		
Waveform	Width	(µsec)	per	Rate	Sequence	Percentage of	Trials		
Type	(µsec)		Hop	(kHz)	Length	Successful			
					(msec)	Detection			
6	1	333	9	0.333	300	70%	30		

5.1.2. TEST AND MEASUREMENT SYSTEM

CONDUCTED METHOD SYSTEM BLOCK DIAGRAM



SYSTEM OVERVIEW

The short pulse and long pulse signal generating system utilizes the NTIA software. The Vector Signal Generator has been validated by the NTIA. The hopping signal generating system utilizes the CCS simulated hopping method and system, which has been validated by the DoD, FCC and NTIA. The software selects waveform parameters from within the bounds of the signal type on a random basis using uniform distribution.

The short pulse types 1, 2, 3 and 4, and the long pulse type 5 parameters are randomized at run-time.

The hopping type 6 pulse parameters are fixed while the hopping sequence is based on the August 2005 NTIA Hopping Frequency List. The initial starting point randomized at run-time and each subsequent starting point is incremented by 475. Each frequency in the 100-length segment is compared to the boundaries of the EUT Detection Bandwidth and the software creates a hopping burst pattern in accordance with Section 7.4.1.3 Method #2 Simulated Frequency Hopping Radar Waveform Generating Subsystem of KDB 905462 D02. The frequency of the signal generator is incremented in 1 MHz steps from F_L to F_H for each successive trial. This incremental sequence is repeated as required to generate a minimum of 30 total trials and to maintain a uniform frequency distribution over the entire Detection Bandwidth.

The signal monitoring equipment consists of a spectrum analyzer. The aggregate ON time is calculated by multiplying the number of bins above a threshold during a particular observation period by the dwell time per bin, with the analyzer set to peak detection and max hold.

Should multiple RF ports be utilized for the Master and/or Slave devices (for example, for diversity or MIMO implementations), additional combiner/dividers are inserted between the Master Combiner/Divider and the pad connected to the Master Device (and/or between the Slave Combiner/Divider and the pad connected to the Slave Device). Additional pads may be utilized such that there is one pad at each RF port on each EUT.

SYSTEM CALIBRATION

A 50-ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected in place of the master device. The signal generator is set to CW mode. The amplitude of the signal generator is adjusted to yield a level of –64 dBm as measured on the spectrum analyzer.

Without changing any of the instrument settings, the spectrum analyzer is reconnected to the Common port of the Spectrum Analyzer Combiner/Divider. The Reference Level Offset of the spectrum analyzer is adjusted so that the displayed amplitude of the signal is –64 dBm.

The spectrum analyzer displays the level of the signal generator as received at the antenna ports of the Master Device. The interference detection threshold may be varied from the calibrated value of –64 dBm and the spectrum analyzer will still indicate the level as received by the Master Device.

FCC ID: YETD24CU

ADJUSTMENT OF DISPLAYED TRAFFIC LEVEL

A link is established between the Master and Slave and the Link Step Attenuator between the units is adjusted as needed to provide a suitable received level at the Master and Slave devices. The video test file is streamed to generate WLAN traffic. The WLAN traffic level, as displayed on the spectrum analyzer, is confirmed to be at lower amplitude than the radar detection threshold and is confirmed to be the Radar Detection Device rather than the associated device. If a different setting of the Master Step Attenuator is required to meet the above conditions, a new System Calibration is performed for the new Master Step Attenuator setting.

TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the DFS tests documented in this report:

TEST EQUIPMENT LIST								
Description	Manufacturer	Model	Serial Number	Cal Due				
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	US51350187	06/13/17				
Signal Generator, MXG X-Series RF Vector	Agilent	N5182B	MY51350337	03/11/17				
Arbitrary Waveform Generator	Agilent / HP	33220A	MY44037572	04/11/17				


5.1.3. TEST AND MEASUREMENT SOFTWARE

The following test and measurement software was utilized for the tests documented in this report:

TEST SOFTWARE LIST			
Name	Version	Test / Function	
Aggregate Time-PXA	3.0	Channel Loading and Aggregate Closing Time	
FCC 2014 Detection Bandwidth-PXA	3.0	Detection Bandwidth in 5 MHz Steps	
In Service Monitoring-PXA	3.0	In-Service Monitoring (Probability of Detection)	
PXA Read	3.0.0.9	Signal Generator Screen Capture	
SGXProject.exe	1.7	Radar Waveform Generation and Download	

5.1.4. SETUP OF EUT

CONDUCTED METHOD EUT TEST SETUP



SUPPORT EQUIPMENT

The following support equipment was utilized for the DFS tests documented in this report:

PERIPHERAL SUPPORT EQUIPMENT LIST					
Description	Manufacturer	Model	Serial Number	FCC ID	
AC Adapter (EUT)	Hon-Kwang	HK-AX-120A250- US	E70023138	DoC	
Cel-Fi DUO Smart Cellular Signal Booster (Associated Device)	Nextivity	D32-2/4NU	9.05432E+11	YETD24NU	
AC Adapter (Associated Device)	Hon-Kwang	HK-AB-120A250- US	E50006725	DoC	
Notebook PC (Console)	Dell	PP18L	7F7CDF1	DoC	
AC Adapter (Notebook PC)	Lite On Technology	PA-1900-02D	CN-09T215-71615- 4CB-7655	DoC	

5.1.5. DESCRIPTION OF EUT

For FCC, the EUT operates over the 5250-5350 MHz and 5470-5725 MHz ranges, excluding the 5600-5650 MHz range. However, the EUT only transmits over the 5470-5725 MHz range. The EUT also support other non-DFS frequency bands, and those bands are listed in the RF reports.

The EUT is a Master Device.

The highest power level within these bands is less than 23 dBm EIRP in the 5470-5725 MHz band per EMC report (dated April 22, 2014) of the original grant.

The highest gain antenna assembly utilized with the EUT has a gain of 2 dBi in the 5250-5350 MHz band and 2 dBi in the 5470-5725 MHz band. The lowest gain antenna assembly utilized with the EUT has a gain of 2 dBi in the 5250-5350 MHz band and 2 dBi in the 5470-5725 MHz band.

The EUT was tested with a client declared minimum gain of 2 dBi in the 5250-5350 MHz band and 2 dBi the 5470-5725 MHz band.

The rated output power of the Master unit is < 23dBm (EIRP). Therefore the required interference threshold level is -62 dBm. After correction for antenna gain and procedural adjustments, the required conducted threshold at the antenna port is -62 + 2 + 1 = -59 dBm.

The calibrated conducted DFS Detection Threshold level is set to –60 dBm. The tested level is lower than the required level hence it provides a margin to the limit.

During normal operation after a successful CAC has been performed the EUT uses one transmitter chain in the 5470-5725 MHz band and one receive chain in the 5250-5350 MHz band, each connected to a 50-ohm coaxial antenna port. All antenna ports are connected to the test system via a power divider to perform conducted tests.

The secondary Master device associated with the EUT during these tests has radar detection capability.

The EUT is a proprietary frame-based system. EUT system traffic was tested while running at a channel loading rate of 100%.

TPC is not required since the maximum EIRP is less than 500 mW (27 dBm).

The EUT utilizes a proprietary frame-based architecture. Two nominal channel bandwidths are implemented: 30 MHz and 40 MHz.

The software installed in the EUT is revision 5.1.130.

REPORT NO: 11440089-E1V1DATE: OCTOBER 27, 2016 FCC ID: YETD24CU

UNIFORM CHANNEL SPREADING

This function is not required per KDB 905462.

OVERVIEW OF MASTER DEVICE WITH RESPECT TO §15.407 (h) REQUIREMENTS

The Master Device is a Nextivity Access Point, FCC ID: YETD24CU. The minimum antenna gain for the Master Device is 2 dBi.

The rated output power of the Master unit is < 23dBm (EIRP). Therefore the required interference threshold level is –62 dBm. After correction for antenna gain and procedural adjustments, the required conducted threshold at the antenna port is –62 + 2 + 1 = -59 dBm.

The calibrated conducted DFS Detection Threshold level is set to –60 dBm. The tested level is lower than the required level hence it provides a margin to the limit.

5.2. THEORY OF OPERATION

5.2.1. TECHNICAL DESCRIPTION

The Equipment Under Test (EUT) was a Nextivity Inc. Cel-Fi DUO Smart Cellular Signal Booster. The EUT is a signal booster for indoor residential, small business and small enterprise use. It consists of two units: the D32-2/4NU Network Unit (NU), and the D32-2/4CU Coverage Unit (CU). The NU and CU are shipped and sold as one unit. The NU is the primary Master device for the system and performs all CAC functions for both units. The CU does not perform a CAC and relies on the NU for authorization to commence transmissions. Both devices are programmed to only operate and connect to its factory-mated counterpart. The NU transmits and receives Cellular signals from the base station and operates similar to a cellular handset. The CU transmits and receives signals with the cellular handset and operates on frequencies similar to the cellular base station. The NU and CU are connected wirelessly over a full-duplex wireless link in the UNII band using a mixed OFDM and muxed cellular signal over a 30 or 40 MHz channel in each direction. The CU also includes Bluetooth LE connectivity.

5.2.2. CHANNEL MAPPING

During normal operation the NU and CU transmit signals on one UNII sub-band and receive signals on the other UNII sub-band. Therefore compliance to CAC, Channel Move/Closing Time, Occupied Bandwidth and Non-Occupancy tests are shown through indirect monitoring of the associated factory-mated counterpart device.

NETWORK UNIT

The NU is only capable of transmitting on the following frequencies and therefore the CU is only capable of receiving on the same frequencies during normal operation:

Bands (MHz)	TX Frequency (MHz)	Output Power (dBm)	DFS
5150-5250 [UNII 1]	5210 5220 5230 5240 5250	Support (not required by the FC	Support (not required by the FCC)
5250-5350 [UNII 2A]	5260 5270 5280 5290	21	Yes
	5150-5250 [UNII 1] 5250-5350	5150-5250 5210 [UNII 1] 5230 5240 5250 5260 5270 5250-5350 5280	5150-5250 [UNII 1] 5220 5230 5240 5250 5260 5270 5250-5350 5280 21

COVERAGE UNIT

The CU is only capable of transmitting on the following frequencies and therefore the NU is only capable of receiving on the same frequencies during normal operation:

		5520		
		5530		
		5540		
		5550		
		5560		
		5570		
		5580		
		5590		
		5600		
		5610		
	5470-5725	5620	21	
	[UNII 2C]	5630		Yes
		5640		
		5650		
		5660		
cu				
		5715		
		5725		
		5735		
		5745		
		5755		
		5765	21 Supp (not required	
	5725-5850	5775		
	[UNII 3]	5785		Support
		5795		(not required by the FCC)
		5805		
		5815		
		5825		


Note: Frequencies that overlap or reside within the 5600-5650 MHz TDWR weather band are not supported and shown in red.


5.3. TEST CHANNEL


All tests were performed at a channel center frequency of 5280 MHz.


5.4. RADAR WAVEFORMS


RADAR WAVEFORMS



















5.5. RESULTS FOR 30 MHz BANDWIDTH

5.5.1. TRAFFIC AND CHANNEL LOADING

TRAFFIC



CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 100%

5.5.2. CHANNEL AVAILABILITY CHECK TIME

PROCEDURE TO DETERMINE INITIAL POWER-UP CYCLE TIME

A link was established on channel then a software command was issued to the EUT to generate a CAC period on the channel. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total cycle. The time to complete the initial processing period is 60 seconds less than this total time.

PROCEDURE FOR TIMING OF RADAR BURST

With a link established on channel, a software command was issued to the EUT to generate a CAC period on the channel. A radar signal was triggered within 0 to 6 seconds after the initial processing period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, a software command was issued to the EUT to generate a CAC period on the channel. A radar signal was triggered within 54 to 60 seconds after the initial processing period, and transmissions on the channel were monitored on the spectrum analyzer.

Note: The Networking Unit (NU) is the primary Master device for the system and performs all CAC functions for both units. The Coverage Unit (CU) EUT does not perform a CAC and relies on the NU for authorization to commence transmissions

QUANTITATIVE RESULTS

No Radar Triggered

Timing of S/W	Timing of	Total	Processing
Command	Start of Traffic	Cycle Time	Period Time
(sec)	(sec)	(sec)	(sec)
30.93	100.9	70.0	10.0

Radar Near Beginning of CAC

Timing of S/W	Timing of	Radar Relative	Radar Relative
Command	Radar Burst	to Command	to Start of CAC
(sec)	(sec)	(sec)	(sec)
31.05	42.5	11.4	1.4


Radar Near End of CAC

Timing of S/W	Timing of	Radar Relative	Radar Relative
Command	Radar Burst	to Command	to Start of CAC
(sec)	(sec)	(sec)	(sec)
31.34	100.4	69.1	59.1

QUALITATIVE RESULTS


Timing of Radar Burst	Display on Control Computer	Spectrum Analyzer Display
No Radar Triggered	EUT marks Channel as active	Transmissions begin on channel after completion of the initial processing period and the CAC
Within 0 to 6 second window	EUT indicates radar detected	No transmissions on channel
Within 54 to 60 second window	EUT indicates radar detected	No transmissions on channel

TIMING WITHOUT RADAR DURING CAC




Transmissions begin on channel after completion of the initial processing period and CAC.

TIMING WITH RADAR NEAR BEGINNING OF CAC



No EUT transmissions were observed after the radar signal.

TIMING WITH RADAR NEAR END OF CAC



No EUT transmissions were observed after the radar signal.

5.5.3. OVERLAPPING CHANNEL TESTS

RESULTS

Per Manufacture's Declaration:

To eliminate the possibility of overlapping channels, the EUT software automatically restricts access to a block of 30 MHz on either side of the center of the operating channel when radar is detected.

5.5.4. MOVE AND CLOSING TIME

REPORTING NOTES

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse. This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) * (dwell time per bin)


The observation period over which the aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).

RESULTS

Channel Move Time	Limit
(sec)	(sec)
0.000	10

Aggregate Channel Closing Transmission Time	Limit
(msec)	(msec)
0.0	60

MOVE TIME



CHANNEL CLOSING TIME




AGGREGATE CHANNEL CLOSING TRANSMISSION TIME

No transmissions are observed during the aggregate monitoring period.




LONG PULSE CHANNEL MOVE TIME

The traffic ceases prior to 10 seconds after the end of the radar waveform.



5.5.5. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

FL	FH	Detection	99% Power	Ratio of	Minimum
		Bandwidth	Bandwidth	Detection BW to	Limit
				99% Power BW	
(MHz)	(MHz)	(MHz)	(MHz)	(%)	(%)
5265	5295	30	29.049	103.3	100

DETECTION BANDWIDTH PROBABILITY

DETECTION BANDWIDTH PROBABILITY RESULTS								
Detection Bandwidth Test Results 29445 DFS 1								
FCC Type 0 Waveform: 1 us Pulse Width, 1428 us PRI, 18 Pulses per Burst								
Number	Number	Detection	Mark					
of Trials	Detected	(%)						
10	10	100	FL					
10	10	100						
10	10	100						
10	10	100						
10	10	100						
10	10	100						
10	10	100	FH					
	veform: 1 us P Number of Trials 10 10 10 10 10	reform: 1 us Pulse Width, 142 Number Number of Trials Detected 10 10 10 10 10 10 10 10 10 10 10 10 10 10	reform: 1 us Pulse Width, 1428 us PRI, 18 Pulse Number					

5.5.6. IN-SERVICE MONITORING

RESULTS

FCC Radar Test Summ	nary											
Signal Type	Number	Detection	Limit	Pass/Fail	Dete Band	ction width		% of BW		Test	Employee	In-Service Monitoring
	of Trials	(%)	(%)		FL	FH	FL5	FH5	OBW	Location	Number	Version
FCC Short Pulse Type 1	30	100.00	60	Pass	5295	5265			29.05	DFS 1	29445	Version 3.0
FCC Short Pulse Type 2	30	100.00	60	Pass	5295	5265			29.05	DFS 1	29445	Version 3.0
FCC Short Pulse Type 3	30	96.67	60	Pass	5295	5265			29.05	DFS 1	29445	Version 3.0
FCC Short Pulse Type 4	30	80.00	60	Pass	5295	5265			29.05	DFS 1	29445	Version 3.0
Aggregate		94.17	80	Pass								
FCC Long Pulse Type 5	30	86.67	80	Pass	5295	5265	5292	5268	29.05	DFS 1	29445	Version 3.0
FCC Hopping Type 6	31	100.00	70	Pass	5265	5295				DFS 1	29445	Version 3.0

TYPE 1 DETECTION PROBABILITY

Waveform	Pulse Width	PRI	Pulses	Test	Frequency	Successful Detection
	(us)	(us)	Per Burst	(A/B)	(MHz)	(Yes/No)
1001	1	3066	18	Α	5280	Yes
1002	1	718	74	А	5280	Yes
1003	1	818	65	А	5280	Yes
1004	1	518	102	А	5280	Yes
1005	1	638	83	А	5280	Yes
1006	1	618	86	А	5280	Yes
1007	1	758	70	A	5280	Yes
1008	1	698	76	A	5280	Yes
1009	1	538	99	Α	5280	Yes
1010	1	778	68	A	5280	Yes
1011	1	878	61	A	5280	Yes
1012	1	838	63	Α	5280	Yes
1013	1	678	78	Α	5280	Yes
1014	1	558	95	Α	5280	Yes
1015	1	738	72	Α	5280	Yes
1016	1	706	75	В	5280	Yes
1017	1	597	89	В	5280	Yes
1018	1	2165	25	В	5280	Yes
1019	1	2186	25	В	5280	Yes
1020	1	1335	40	В	5280	Yes
1021	1	2839	19	В	5280	Yes
1022	1	923	58	В	5280	Yes
1023	1	2556	21	В	5280	Yes
1024	1	771	69	В	5280	Yes
1025	1	2533	21	В	5280	Yes
1026	1	2230	24	В	5280	Yes
1027	1	1733	31	В	5280	Yes
1028	1	1559	34	В	5280	Yes
1029	1	2386	23	В	5280	Yes
1030	1	2342	23	В	5280	Yes

TYPE 2 DETECTION PROBABILITY

Waveform	Pulse Width (us)	PRI (us)	Pulses Per Burst	Frequency (MHz)	Successful Detection (Yes/No)
2001	2.9	190	26	5280	Yes
2002	1.3	156	24	5280	Yes
2003	4.5	197	24	5280	Yes
2004	3.1	210	23	5280	Yes
2005	4.7	217	24	5280	Yes
2006	1.5	154	27	5280	Yes
2007	3.3	203	24	5280	Yes
2008	4.5	186	27	5280	Yes
2009	2.3	201	25	5280	Yes
2010	1.8	189	29	5280	Yes
2011	4	208	23	5280	Yes
2012	3.7	200	24	5280	Yes
2013	2	185	26	5280	Yes
2014	4	181	27	5280	Yes
2015	4.7	171	26	5280	Yes
2016	2.9	214	28	5280	Yes
2017	3.7	208	27	5280	Yes
2018	2.1	217	26	5280	Yes
2019	1.3	214	26	5280	Yes
2020	4	228	25	5280	Yes
2021	3.4	192	28	5280	Yes
2022	2.4	209	25	5280	Yes
2023	2	220	29	5280	Yes
2024	3.2	160	25	5280	Yes
2025	1.1	176	23	5280	Yes
2026	4.6	163	26	5280	Yes
2027	2.7	183	25	5280	Yes
2028	2.4	174	29	5280	Yes
2029	4.8	160	24	5280	Yes
2030	2.7	156	25	5280	Yes

TYPE 3 DETECTION PROBABILITY

Waveform	Pulse Width (us)	PRI (us)	Pulses Per Burst	Frequency (MHz)	Successful Detection (Yes/No)
3001	8	487	16	5280	No
3002	5.7	369	17	5280	Yes
3003	6.8	350	17	5280	Yes
3004	9.9	378	16	5280	Yes
3005	8.9	371	17	5280	Yes
3006	9.8	412	17	5280	Yes
3007	6.3	301	17	5280	Yes
3008	5.2	354	18	5280	Yes
3009	9.7	389	17	5280	Yes
3010	6.1	455	16	5280	Yes
3011	8.6	251	18	5280	Yes
3012	7.9	464	18	5280	Yes
3013	5.5	273	18	5280	Yes
3014	5.1	498	17	5280	Yes
3015	8.1	453	17	5280	Yes
3016	5.6	440	16	5280	Yes
3017	6.4	408	18	5280	Yes
3018	9.2	290	16	5280	Yes
3019	5.2	404	17	5280	Yes
3020	8.3	299	18	5280	Yes
3021	7.3	425	17	5280	Yes
3022	8.2	333	16	5280	Yes
3023	7.4	472	18	5280	Yes
3024	8.6	275	17	5280	Yes
3025	8.1	309	18	5280	Yes
3026	9.9	258	16	5280	Yes
3027	9.7	305	17	5280	Yes
3028	9	267	16	5280	Yes
3029	6.6	327	16	5280	Yes

TYPE 4 DETECTION PROBABILITY

Waveform	Pulse Width (us)	PRI (us)	Pulses Per Burst	Frequency (MHz)	Successful Detection (Yes/No)
4001	13.6	256	15	5280	Yes
4002	13.3	494	13	5280	Yes
4003	15	462	12	5280	No
4004	10.5	344	16	5280	Yes
4005	12.6	458	15	5280	Yes
4006	14	352	12	5280	Yes
4007	16.7	479	14	5280	Yes
4008	18.6	387	14	5280	No
4009	17	275	16	5280	Yes
4010	19.4	462	16	5280	Yes
4011	18.4	363	14	5280	Yes
4012	16.6	430	16	5280	Yes
4013	16.1	477	12	5280	No
4014	14.8	438	15	5280	Yes
4015	10	498	16	5280	Yes
4016	19.4	472	14	5280	Yes
4017	10.4	428	13	5280	Yes
4018	10.1	297	14	5280	Yes
4019	11.8	265	16	5280	Yes
4020	17.4	264	14	5280	Yes
4021	19.5	378	14	5280	Yes
4022	10.8	273	15	5280	Yes
4023	13.5	400	13	5280	Yes
4024	15.4	307	12	5280	No
4025	13.8	329	15	5280	Yes
4026	16.3	383	14	5280	Yes
4027	15.2	284	12	5280	Yes
4028	13.4	483	15	5280	No
4029	12.9	397	16	5280	No

TYPE 5 DETECTION PROBABILITY

Data Sheet for ECC	Data Sheet for FCC Long Pulse Radar Type 5					
Trial		Successful Detection (Yes/No)				
1	5280	Yes				
2	5280	Yes				
3	5280	Yes				
4	5280	Yes				
5	5280	Yes				
6	5280	Yes				
7	5280	Yes				
8	5280	Yes				
9	5280	Yes				
10	5280	Yes				
11	5268	No				
12	5269	No				
13	5271	Yes				
14	5272	Yes				
15	5270	Yes				
16	5268	No				
17	5269	Yes				
18	5273	Yes				
19	5269	Yes				
20	5271	Yes				
21	5288	Yes				
22	5289	Yes				
23	5286	Yes				
24	5291	Yes				
25	5292	No				
26	5291	Yes				
27	5289	Yes				
28	5292	Yes				
29	5286	Yes				
30	5287	Yes				

Note: The Type 5 randomized parameters tested are shown in a separate document.


TYPE 6 DETECTION PROBABILITY

	e Width, 333 us PRI, 5	•	1 Burst per Hop	1
Trial	ust 2005 Hopping Se Starting Index Within Sequence	Signal Generator Frequency (MHz)	Hops within Detection BW	Successful Detection (Yes/No)
1	11	5265	4	Yes
2	486	5266	6	Yes
3	961	5267	7	Yes
4	1436	5268	5	Yes
5	1911	5269	9	Yes
6	2386	5270	4	Yes
7	2861	5271	8	Yes
8	3336	5272	8	Yes
9	3811	5273	3	Yes
10	4286	5274	10	Yes
11	4761	5275	8	Yes
12	5236	5276	11	Yes
13	5711	5277	8	Yes
14	6186	5278	6	Yes
15	6661	5279	6	Yes
16	7136	5280	6	Yes
17	7611	5281	7	Yes
18	8086	5282	10	Yes
19	8561	5283	7	Yes
20	9036	5284	2	Yes
21	9511	5285	6	Yes
22	9986	5286	8	Yes
23	10461	5287	7	Yes
24	10936	5288	4	Yes
25	11411	5289	3	Yes
26	11886	5290	8	Yes
27	12361	5291	5	Yes
28	12836	5292	8	Yes
29	13311	5293	4	Yes
30	13786	5294	4	Yes


5.6. RESULTS FOR 40 MHz BANDWIDTH

5.6.1. TRAFFIC AND CHANNEL LOADING

TRAFFIC



CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 100%

5.6.2. CHANNEL AVAILABILITY CHECK TIME

PROCEDURE TO DETERMINE INITIAL POWER-UP CYCLE TIME

A link was established on channel then a software command was issued to the EUT to generate a CAC period on the channel. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total cycle. The time to complete the initial processing period is 60 seconds less than this total time.

PROCEDURE FOR TIMING OF RADAR BURST

With a link established on channel, a software command was issued to the EUT to generate a CAC period on the channel. A radar signal was triggered within 0 to 6 seconds after the initial processing period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, a software command was issued to the EUT to generate a CAC period on the channel. A radar signal was triggered within 54 to 60 seconds after the initial processing period, and transmissions on the channel were monitored on the spectrum analyzer.

Note: The Networking Unit (NU) is the primary Master device for the system and performs all CAC functions for both units. The Coverage Unit (CU) EUT does not perform a CAC and relies on the NU for authorization to commence transmissions.

REPORT NO: 11440089-E1V1DATE: OCTOBER 27, 2016 FCC ID: YETD24CU

QUANTITATIVE RESULTS

No Radar Triggered

Timing of S/W	Timing of	Total	Processing
Command	Start of Traffic	Cycle Time	Period Time
(sec)	(sec)	(sec)	(sec)
31.28	101.3	70.0	10.0

Radar Near Beginning of CAC

Madai Modi Bog	iiiiiiig oi o/to		
Timing of S/W	Timing of	Radar Relative	Radar Relative
Command	Radar Burst	to Command	to Start of CAC
(sec)	(sec)	(sec)	(sec)
31.28	42.4	11.1	1.1


Radar Near End of CAC

Timing of S/W Command	Timing of Radar Burst	Radar Relative to Command	Radar Relative to Start of CAC
(sec)	(sec)	(sec)	(sec)
30.84	100.4	69.6	59.5

QUALITATIVE RESULTS


Timing of Radar Burst	Display on Control Computer	Spectrum Analyzer Display
No Radar Triggered	EUT marks Channel as active	Transmissions begin on channel after completion of the initial processing period and the CAC
Within 0 to 6 second window	EUT indicates radar detected	No transmissions on channel
Within 54 to 60 second window	EUT indicates radar detected	No transmissions on channel

TIMING WITHOUT RADAR DURING CAC




Transmissions begin on channel after completion of the initial power-up cycle and the CAC.

TIMING WITH RADAR NEAR BEGINNING OF CAC



No EUT transmissions were observed after the radar signal.

TIMING WITH RADAR NEAR END OF CAC



No EUT transmissions were observed after the radar signal.

FCC ID: YETD24CU

5.6.3. OVERLAPPING CHANNEL TESTS

RESULTS

Per Manufacture's Declaration:

To eliminate the possibility of overlapping channels, the EUT software automatically restricts access to a block of 30 MHz on either side of the center of the operating channel when radar is detected.

5.6.4. MOVE AND CLOSING TIME

REPORTING NOTES

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse. This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) * (dwell time per bin)


The observation period over which the aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).

RESULTS


Channel Move Time	Limit
(sec)	(sec)
0.000	10

Aggregate Channel Closing Transmission Time	Limit
(msec)	(msec)
0.0	60

MOVE TIME



CHANNEL CLOSING TIME




AGGREGATE CHANNEL CLOSING TRANSMISSION TIME

No transmissions are observed during the aggregate monitoring period.



LONG PULSE CHANNEL MOVE TIME


The traffic ceases prior to 10 seconds after the end of the radar waveform.



5.6.1. NON-OCCUPANCY PERIOD


RESULTS

No EUT transmissions were observed on the test channel during the 30-minute observation time.



5.6.2. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

FL	FH	Detection	99% Power	Ratio of	Minimum
		Bandwidth	Bandwidth	Detection BW to	Limit
				99% Power BW	
(MHz)	(MHz)	(MHz)	(MHz)	(%)	(%)
5261	5299	38	37.982	100.0	100

DETECTION BANDWIDTH PROBABILITY

DETECTION E	BANDWIDTH P	ROBABILITY	RESULTS	
Detection Band	dwidth Test Res	sults	29445	DFS 1
FCC Type 0 Wa	aveform: 1 us P	ulse Width, 142	28 us PRI, 18 Pu	ılses per Burst
Frequency	Number	Number	Detection	Mark
(MHz)	of Trials	Detected	(%)	
5261	10	10	100	FL
5262	10	10	100	
5263	10	10	100	
5264	10	10	100	
5265	10	10	100	
5270	10	10	100	
5275	10	10	100	
5280	10	10	100	
5285	10	10	100	
5290	10	10	100	
5295	10	10	100	
5296	10	10	100	
5297	10	10	100	
5298	10	10	100	
5299	10	10	100	FH

5.6.3. IN-SERVICE MONITORING

RESULTS

FCC Radar Test Summ	nary											
Cianal Tuna	Number	Detection	Limit	Pass/Fail	Dete	ction	80%	√ of				In-Service
Signal Type	Mullipei	Detection	Limit	газъ/ган	Band	Bandwidth		BW		Test	Employee	Monitoring
	of Trials	(%)	(%)		FL	FH	FL5	FH5	OBW	Location	Number	Version
FCC Short Pulse Type 1	30	100.00	60	Pass	5261	5299			37.95	DFS 1	29445	Version 3.0
FCC Short Pulse Type 2	30	100.00	60	Pass	5261	5299			37.95	DFS 1	29445	Version 3.0
FCC Short Pulse Type 3	30	100.00	60	Pass	5261	5299			37.95	DFS 1	29445	Version 3.0
FCC Short Pulse Type 4	30	93.33	60	Pass	5261	5299			37.95	DFS 1	29445	Version 3.0
Aggregate		98.33	80	Pass								
FCC Long Pulse Type 5	30	86.67	80	Pass	5261	5299	5265	5295	37.95	DFS 1	29445	Version 3.0
FCC Hopping Type 6	39	94.87	70	Pass	5261	5299				DFS 1	29445	Version 3.0

TYPE 1 DETECTION PROBABILITY

Waveform	Pulse Width	PRI	Pulses	Test	Frequency	Successful Detection
	(us)	(us)	Per Burst	(A/B)	(MHz)	(Yes/No)
1001	1	3066	18	Α	5280	Yes
1002	1	718	74	Α	5280	Yes
1003	1	818	65	Α	5280	Yes
1004	1	518	102	Α	5280	Yes
1005	1	638	83	Α	5280	Yes
1006	1	618	86	A	5280	Yes
1007	1	758	70	Α	5280	Yes
1008	1	698	76	Α	5280	Yes
1009	1	538	99	Α	5280	Yes
1010	1	778	68	Α	5280	Yes
1011	1	878	61	Α	5280	Yes
1012	1	838	63	Α	5280	Yes
1013	1	678	78	Α	5280	Yes
1014	1	558	95	Α	5280	Yes
1015	1	738	72	Α	5280	Yes
1016	1	706	75	В	5280	Yes
1017	1	597	89	В	5280	Yes
1018	1	2165	25	В	5280	Yes
1019	1	2186	25	В	5280	Yes
1020	1	1335	40	В	5280	Yes
1021	1	2839	19	В	5280	Yes
1022	1	923	58	В	5280	Yes
1023	1	2556	21	В	5280	Yes
1024	1	771	69	В	5280	Yes
1025	1	2533	21	В	5280	Yes
1026	1	2230	24	В	5280	Yes
1027	1	1733	31	В	5280	Yes
1028	1	1559	34	В	5280	Yes
1029	1	2386	23	В	5280	Yes
1030	1	2342	23	В	5280	Yes

TYPE 2 DETECTION PROBABILITY

Waveform	Pulse Width (us)	PRI (us)	Pulses Per Burst	Frequency (MHz)	Successful Detection (Yes/No)
2001	2.9	190	26	5280	Yes
2002	1.3	156	24	5280	Yes
2003	4.5	197	24	5280	Yes
2004	3.1	210	23	5280	Yes
2005	4.7	217	24	5280	Yes
2006	1.5	154	27	5280	Yes
2007	3.3	203	24	5280	Yes
2008	4.5	186	27	5280	Yes
2009	2.3	201	25	5280	Yes
2010	1.8	189	29	5280	Yes
2011	4	208	23	5280	Yes
2012	3.7	200	24	5280	Yes
2013	2	185	26	5280	Yes
2014	4	181	27	5280	Yes
2015	4.7	171	26	5280	Yes
2016	2.9	214	28	5280	Yes
2017	3.7	208	27	5280	Yes
2018	2.1	217	26	5280	Yes
2019	1.3	214	26	5280	Yes
2020	4	228	25	5280	Yes
2021	3.4	192	28	5280	Yes
2022	2.4	209	25	5280	Yes
2023	2	220	29	5280	Yes
2024	3.2	160	25	5280	Yes
2025	1.1	176	23	5280	Yes
2026	4.6	163	26	5280	Yes
2027	2.7	183	25	5280	Yes
2028	2.4	174	29	5280	Yes
2029	4.8	160	24	5280	Yes

TYPE 3 DETECTION PROBABILITY

Waveform	Pulse Width (us)	PRI (us)	Pulses Per Burst	Frequency (MHz)	Successful Detection (Yes/No)
3001	8	487	16	5280	Yes
3002	5.7	369	17	5280	Yes
3003	6.8	350	17	5280	Yes
3004	9.9	378	16	5280	Yes
3005	8.9	371	17	5280	Yes
3006	9.8	412	17	5280	Yes
3007	6.3	301	17	5280	Yes
3008	5.2	354	18	5280	Yes
3009	9.7	389	17	5280	Yes
3010	6.1	455	16	5280	Yes
3011	8.6	251	18	5280	Yes
3012	7.9	464	18	5280	Yes
3013	5.5	273	18	5280	Yes
3014	5.1	498	17	5280	Yes
3015	8.1	453	17	5280	Yes
3016	5.6	440	16	5280	Yes
3017	6.4	408	18	5280	Yes
3018	9.2	290	16	5280	Yes
3019	5.2	404	17	5280	Yes
3020	8.3	299	18	5280	Yes
3021	7.3	425	17	5280	Yes
3022	8.2	333	16	5280	Yes
3023	7.4	472	18	5280	Yes
3024	8.6	275	17	5280	Yes
3025	8.1	309	18	5280	Yes
3026	9.9	258	16	5280	Yes
3027	9.7	305	17	5280	Yes
3028	9	267	16	5280	Yes
3029	6.6	327	16	5280	Yes

TYPE 4 DETECTION PROBABILITY

Waveform	Pulse Width (us)	PRI (us)	Pulses Per Burst	Frequency (MHz)	Successful Detection (Yes/No)
4001	13.6	256	15	5280	Yes
4002	13.3	494	13	5280	Yes
4003	15	462	12	5280	Yes
4004	10.5	344	16	5280	Yes
4005	12.6	458	15	5280	Yes
4006	14	352	12	5280	Yes
4007	16.7	479	14	5280	Yes
4008	18.6	387	14	5280	Yes
4009	17	275	16	5280	Yes
4010	19.4	462	16	5280	Yes
4011	18.4	363	14	5280	Yes
4012	16.6	430	16	5280	No
4013	16.1	477	12	5280	Yes
4014	14.8	438	15	5280	Yes
4015	10	498	16	5280	Yes
4016	19.4	472	14	5280	Yes
4017	10.4	428	13	5280	Yes
4018	10.1	297	14	5280	Yes
4019	11.8	265	16	5280	Yes
4020	17.4	264	14	5280	Yes
4021	19.5	378	14	5280	Yes
4022	10.8	273	15	5280	Yes
4023	13.5	400	13	5280	Yes
4024	15.4	307	12	5280	Yes
4025	13.8	329	15	5280	Yes
4026	16.3	383	14	5280	Yes
4027	15.2	284	12	5280	No
4028	13.4	483	15	5280	Yes
4029	12.9	397	16	5280	Yes

TYPE 5 DETECTION PROBABILITY

Data Sheet for FCC	'Long Pulse	Radar Tyne 5
Trial	Frequency	
	(MHz)	(Yes/No)
1	5280	Yes
2	5280	Yes
3	5280	Yes
4	5280	Yes
5	5280	Yes
6	5280	Yes
7	5280	Yes
8	5280	Yes
9	5280	Yes
10	5280	Yes
11	5264	Yes
12	5265	No
13	5266	Yes
14	5268	Yes
15	5265	Yes
16	5264	No
17	5265	Yes
18	5269	Yes
19	5264	No
20	5266	Yes
21	5292	Yes
22	5293	Yes
23	5291	Yes
24	5295	Yes
25	5297	No
26	5295	Yes
27	5294	Yes
28	5296	Yes
29	5291	Yes
30	5292	Yes

Note: The Type 5 randomized parameters tested are shown in a separate document.

TYPE 6 DETECTION PROBABILITY

	Within Sequence				9 Pui guen		er Burst,	1 Bui	rst per Ho	op	
2 672 5262 9 Yes 3 1147 5263 8 Yes 4 1622 5264 8 Yes 5 2097 5265 13 Yes 6 2572 5266 7 Yes 7 3047 5267 7 Yes 8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 12 5422 5272 3 Yes 12 5422 5273 8 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 <td< th=""><th>2 672 5262 9 Ye 3 1147 5263 8 Ye 4 1622 5264 8 Ye 5 2097 5265 13 Ye 6 2572 5266 7 Ye 7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20</th></td<> <th>V</th> <th>_</th> <th></th> <th>_</th> <th>reque</th> <th>ency</th> <th></th> <th></th> <th></th> <th>uccessfu Detection (Yes/No)</th>	2 672 5262 9 Ye 3 1147 5263 8 Ye 4 1622 5264 8 Ye 5 2097 5265 13 Ye 6 2572 5266 7 Ye 7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20	V	_		_	reque	ency				uccessfu Detection (Yes/No)
3 1147 5263 8 Yes 4 1622 5264 8 Yes 5 2097 5265 13 Yes 6 2572 5266 7 Yes 7 3047 5267 7 Yes 8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 20 9222 5280	3 1147 5263 8 Ye 4 1622 5264 8 Ye 5 2097 5265 13 Ye 6 2572 5266 7 Ye 7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 16 7322 5276 8 Ye 16 7322 5278 13 Ye 18 8272 5278 13								11		
4 1622 5264 8 Yes 5 2097 5265 13 Yes 6 2572 5266 7 Yes 7 3047 5267 7 Yes 8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 12 5422 5273 8 Yes 12 5422 5273 8 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 20 9222 5280 9 Yes	4 1622 5264 8 Ye 5 2097 5265 13 Ye 6 2572 5266 7 Ye 7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23	L									Yes
5 2097 5265 13 Yes 6 2572 5266 7 Yes 7 3047 5267 7 Yes 8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281	5 2097 5265 13 Ye 6 2572 5266 7 Ye 7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 12 5422 5273 8 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20 9222 5280 9 Ye 21 9697 5281 9	1									Yes
6 2572 5266 7 Yes 7 3047 5267 7 Yes 8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282	6 2572 5266 7 Ye 7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12	1									
7 3047 5267 7 Yes 8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282	7 3047 5267 7 Ye 8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 16 7322 5277 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3	1									
8 3522 5268 6 Yes 9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes </td <td>8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>	8 3522 5268 6 Ye 9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye	-								-	
9 3997 5269 9 Yes 10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes <	9 3997 5269 9 Ye 10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6	-							-	-	
10 4472 5270 7 Yes 11 4947 5271 8 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 </td <td>10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td>	10 4472 5270 7 Ye 11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286	-							_		
11 4947 5271 8 Yes 12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287<	11 4947 5271 8 Ye 12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 28 13022 5288 <td< td=""><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	-									
12 5422 5272 3 Yes 13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 30 13972 5290 11 Yes	12 5422 5272 3 Ye 13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye	-							-	-	
13 5897 5273 8 Yes 14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288	13 5897 5273 8 Ye 14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 <	-									
14 6372 5274 9 Yes 15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes </td <td>14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 30 13972 5290 11 Ye 31 14447 5291</td> <td>+</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>	14 6372 5274 9 Ye 15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 30 13972 5290 11 Ye 31 14447 5291	+								-	
15 6847 5275 8 Yes 16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447	15 6847 5275 8 Ye 16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291	\vdash								-	
16 7322 5276 8 Yes 17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes	16 7322 5276 8 Ye 17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye	+							_		
17 7797 5277 8 Yes 18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Ye	17 7797 5277 8 Ye 18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye	+									
18 8272 5278 13 Yes 19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Y	18 8272 5278 13 Ye 19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye	+									
19 8747 5279 9 Yes 20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Y	19 8747 5279 9 Ye 20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye	+									
20 9222 5280 9 Yes 21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	20 9222 5280 9 Ye 21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye	+									
21 9697 5281 9 Yes 22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	21 9697 5281 9 Ye 22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye								_		
22 10172 5282 3 Yes 23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	22 10172 5282 3 Ye 23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye	+									Yes
23 10647 5283 12 Yes 24 11122 5284 9 Yes 25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	23 10647 5283 12 Ye 24 11122 5284 9 Ye 25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye	\top							3		Yes
25 11597 5285 9 Yes 26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	25 11597 5285 9 Ye 26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye	Т	106	47		528	3		12		Yes
26 12072 5286 6 Yes 27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	26 12072 5286 6 Ye 27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye		111	22		528	4		9		Yes
27 12547 5287 9 Yes 28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	27 12547 5287 9 Ye 28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye								9		Yes
28 13022 5288 9 Yes 29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	28 13022 5288 9 Ye 29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye		120	72		528	6		6		Yes
29 13497 5289 9 Yes 30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	29 13497 5289 9 Ye 30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye		125	47		528	7		9		Yes
30 13972 5290 11 Yes 31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	30 13972 5290 11 Ye 31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye		130	22		528	8		9		Yes
31 14447 5291 10 Yes 32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	31 14447 5291 10 Ye 32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye		134	97		528	9		9		Yes
32 14922 5292 4 Yes 33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	32 14922 5292 4 Ye 33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye		139	72							Yes
33 15397 5293 5 Yes 34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	33 15397 5293 5 Ye 34 15872 5294 9 Ye 35 16347 5295 4 Ye										Yes
34 15872 5294 9 Yes 35 16347 5295 4 Yes 36 16822 5296 5 Yes	34 15872 5294 9 Ye 35 16347 5295 4 Ye										Yes
35 16347 5295 4 Yes 36 16822 5296 5 Yes	35 16347 5295 4 Ye										Yes
36 16822 5296 5 Yes		1									Yes
		1									Yes
		1									Yes
											Yes Yes

5.7. BRIDGE MODE RESULTS

Per KDB 905462, Section 5.1 (footnote 1):

Networks Access Points with Bridge and/or MESH modes of operation are permitted to operate in the DFS bands but must employ a DFS function. The functionality of the Bridge mode as specified in §15.403(a) must be validated in the DFS test report. Devices operating as relays must also employ DFS function. The method used to validate the functionality must be documented and validation data must be documented. Bridge mode can be validated by performing a test statistical performance check (Section 7.8.4) on any one of the radar types. This is an abbreviated test to verify DFS functionality. MESH mode operational methodology must be submitted in the application for certification for evaluation by the FCC.

This device does not support Bridge Mode therefore this test was not performed.