

# FCC PART 27 FCC PART 22H, PART 24E **TEST REPORT**

For

## **BLU Products, Inc.**

10814 NW 33rd St # 100 Doral, FL 33172, United States

FCC ID: YHLBLUVIVOXL3

Report Type: **Product Type:** 

Mobile phone Original Report

**Report Number:** RSZ171017001-00D

**Report Date:** 2017-11-08

Candy Li

Reviewed By: RF Engineer

Prepared By:

Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone,

Candy, Li

Shenzhen, Guangdong, China Tel: +86-755-33320018

Fax: +86-755-33320008 www.baclcorp.com.cn

Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp.

## **TABLE OF CONTENTS**

GENERAL INFORMATION	
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	
Objective	
RELATED SUBMITTAL(S)/GRANT(S)	
TEST METHODOLOGY	
Measurement Uncertainty Test Facility	
SYSTEM TEST CONFIGURATION	
DESCRIPTION OF TEST CONFIGURATION	
EQUIPMENT MODIFICATIONS	
BLOCK DIAGRAM OF TEST SETUP	
SUMMARY OF TEST RESULTS	
TEST EQUIPMENT LIST	
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION	
APPLICABLE STANDARD	
TEST RESULT	
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50(C) (D) (H) - RF OUTPUT POWER	1
APPLICABLE STANDARD	1
TEST PROCEDURE	
TEST DATA	1
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	4
APPLICABLE STANDARD	43
Test Procedure	
TEST DATA	4.
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	100
APPLICABLE STANDARD	
TEST PROCEDURE	
Test Data	
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS	148
APPLICABLE STANDARD	
Test Procedure	
Test Data	148
FCC § 22.917 (A); § 24.238 (A); §27.53 (H)(M) - BAND EDGES	15
APPLICABLE STANDARD	
Test Procedure	
Test Data	15
FCC § 2.1055; § 22.355; § 24.235; §27.54; - FREQUENCY STABILITY	214
APPLICABLE STANDARD	
TEST PROCEDURE	
Test Data	215

#### **GENERAL INFORMATION**

#### **Product Description for Equipment under Test (EUT)**

The *BLU Products, Inc.*'s product, model number: VIVO XL3 (*FCC ID: YHLBLUVIVOXL3*) or the "EUT" in this report was a *Mobile phone*, which was measured approximately:  $15.7 \text{ cm (U)} \times 7.7 \text{ cm (W)} \times 0.9 \text{ cm (H)}$ , rated with input voltage: DC 3.85 V battery or DC 5V from adapter.

Adapter Information: Model: US-BM-1500

Input: AC 100-240V, 50/60Hz, 0.25A

Output: DC 5V, 1550 mA

\*All measurement and test data in this report was gathered from production sample serial number: 1702245 (Assigned by BACL, Shenzhen). The EUT supplied by the applicant was received on 2017-10-17.

#### **Objective**

This test report is prepared on behalf of *BLU Products, Inc.* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

#### **Related Submittal(s)/Grant(s)**

FCC Part 15.247 DTS & DSS and Part 15B JBP submissions with FCC ID: YHLBLUVIVOXL3.

#### **Test Methodology**

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services

Part 24 Subpart E - Personal Communication Services

Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

#### **Measurement Uncertainty**

Parameter		uncertainty
Occupied Char	nel Bandwidth	±5%
RF output pov	ver, conducted	±1.5dB
Unwanted Emis	sion, conducted	±1.5dB
Emissions,	Below 1GHz	±4.70dB
radiated	Above 1GHz	±4.80dB
Temperature		±1℃
Supply	voltages	±0.4%

#### **Test Facility**

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

Bay Area Compliance Laboratories Corp. (Shenzhen) has been accredited to ISO/IEC 17025 by CNAS(Lab code: L2408). And accredited to ISO/IEC 17025 by NVLAP(Lab code: 200707-0), the FCC Designation No. CN5001 under the KDB 974614 D01.

The Federal Communications Commission has the reports on file and is listed under FCC Registration No.: 382179. The test site has been approved by the FCC for public use and is listed in the FCC Public Access Link (PAL) database.

Bay Area Compliance Laboratories Corp. (Shenzhen) was registered with ISED Canada under ISED Canada Registration Number 3062B.

#### SYSTEM TEST CONFIGURATION

#### **Description of Test Configuration**

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


#### **Equipment Modifications**

No modification was made to the EUT.

#### **Support Equipment List and Details**

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50- 116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

#### **Block Diagram of Test Setup**



## SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1307, §2.1093	RF Exposure (SAR)	Compliance*
\$2.1046; \$ 22.913 (a); \$ 24.232 (c); \$27.50 (c) (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: \* Please refer to SAR report released by BACL, report number: RSZ171017001-20A.

## TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
		Radiated Emission	on Test		
Sunol Sciences	Horn Antenna	DRH-118	A052604	2014-12-29	2017-12-28
Rohde & Schwarz	Signal ANALYZER	FSIQ26	8386001028	2017-04-24	2018-04-24
Sunol Sciences	Bi-log Antenna	JB1	A040904-2	2014-12-17	2017-12-16
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2017-02-14	2018-02-14
HP	Amplifier	HP8447E	1937A01046	2017-05-21	2017-11-19
Anritsu	Signal Generator	68369B	004114	2016-12-05	2017-12-05
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2016-12-07	2017-12-07
COM POWER	Dipole Antenna	AD-100	041000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2015-08-18	2018-08-17
Ducommun technologies	RF Cable	UFA210A-1-4724- 30050U	MFR64369 223410-001	2017-05-21	2017-11-19
Ducommun technologies	RF Cable	104PEA	218124002	2017-05-21	2017-11-19
Ducommun technologies	RF Cable	RG-214	1	2017-05-21	2017-11-19
Ducommun technologies	RF Cable	RG-214	2	2017-05-22	2017-11-22
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2014-12-29	2017-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2014-12-29	2017-12-28
Ducommun technologies	Pre-amplifier	ALN-22093530-01	991373-01	2017-08-03	2018-08-03

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
		RF Conducted	Test		
Rohde & Schwarz	SPECTRUM ANALYZER	FSU26	200120	2016-12-05	2017-12-05
ESPEC	Temperature & Humidity Chamber	EL-10KA	09107726	2016-11-22	2017-11-22
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Aglient	ESG Vector Signal Generator	E4438C	MY42080875	2017-05-09	2018-05-09
Rohde & Schwarz	Wideband Radio Communication Tester	CMU200	106891	2017-10-18	2018-10-18
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520- wh	2017-04-24	2018-04-24
Rohde & Schwarz	EMI Test Receiver	ESR	1316.3003K03-101746- zn	2017-08-17	2018-08-17
Ducommun technologies	RF Cable	RG-214	3	2017-05-22	2017-11-22
WEINSCHEL	10dB Attenuator	5324	AU 3842	2017-05-23	2017-11-22
WEINSCHEL	3dB Attenuator	N/A	N/A	2017-05-23	2017-11-22
N/A	Power Splitter	N/A	N/A	2017-05-21	2018-05-21

<sup>\*</sup> Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

## FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

## **Applicable Standard**

FCC§1.1310 and §2.1093.

#### **Test Result**

Compliance, please refer to the SAR report: RSZ171017001-20A.

## FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC  $\S$  2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

# FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50(c) (d) (h) - RF OUTPUT POWER

#### **Applicable Standard**

According to FCC  $\S 2.1046$  and  $\S 22.913$  (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

#### **Test Procedure**

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

#### **Test Data**

#### **Environmental Conditions**

Temperature:	25 ℃
Relative Humidity:	50 %
ATM Pressure:	101.0 kPa

The testing was performed by Kobe Li on 2017-10-17.

#### **Conducted Power**

## Cellular Band (Part 22H)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
	128	824.2	31.36	38.45
GSM	190	836.6	31.44	38.45
	251	848.8	31.40	38.45

Mode	Channel	Frequency	Average Output Power (dBm)			Limit	
-12000		(MHz)	1 slot	2 slots	3 slots	4 slots	(dBm)
	128	824.2	31.45	30.24	28.05	26.16	38.45
GPRS	190	836.6	31.47	30.27	28.15	26.24	38.45
	251	848.8	31.42	30.28	28.08	26.11	38.45

Mode	Channal	Frequency	Average Output Power (dBm)				Limit
Mode	Channel	(MHz)	1 slot	2 slots	3 slots	4 slots	(dBm)
	128	824.2	25.32	24.23	23.18	22.06	38.45
EGPRS	190	836.6	25.32	24.22	23.17	22.07	38.45
	251	848.8	25.30	24.21	23.16	22.06	38.45

Mode	Test	Test	3GPP Sub	Ave	erage Output Po (dBm)	wer
Wiode	Condition		Test	Low Frequency	Middle Frequency	High Frequency
		RMC	12.2k	21.80	21.93	21.83
			1	20.57	20.68	20.75
		HSDPA	2	20.51	20.61	20.66
		пзрга	3	20.63	20.71	20.85
			4	20.48	20.56	20.71
		al HSUPA	1	20.14	20.16	19.99
			2	20.01	20.13	19.87
WCDMA (Band V)	Normal		3	20.20	20.21	20.06
(Build 1)			4	20.07	20.11	19.90
			5	20.23	20.22	20.07
			1	20.73	20.79	20.82
		DC-	2	20.64	20.68	20.71
		HSDPA	3	20.70	20.77	20.72
			4	20.63	20.75	20.79
		HSPA+	1	20.91	20.94	20.88

## PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
	512	1850.2	29.07	33
GSM	661	1880.0	28.83	33
	810	1909.8	28.60	33

Mode	Channel	Frequency		Average Ou (dE	-		Limit
		(MHz)	1 slot	2 slots	3 slots	4 slots	(dBm)
	512	1850.2	29.11	28.19	26.85	25.19	33
GPRS	661	1880.0	28.77	27.96	26.45	24.91	33
	810	1909.8	28.62	27.69	26.15	24.53	33

Mode	Channel Frequency		Av	erage Outpu	ıt Power (dI	Bm)	Limit
Mode	Chamiei	(MHz)	1 slot 2 slots 3 slots		4 slots	(dBm)	
	512	1850.2	24.02	22.94	21.79	20.65	33
EGPRS	661	1880.0	23.62	22.56	21.38	20.23	33
	810	1909.8	23.27	22.23	21.02	19.91	33

Mode	Test	Test	3GPP Sub	Avo	erage Output Po (dBm)	wer
Wiode	Condition	Mode	Test	Low Frequency	Middle Frequency	High Frequency
		RMC	12.2k	21.97	21.81	21.68
			1	20.83	20.64	20.48
		HSDPA	2	20.77	20.53	20.44
		пзрга	3	20.95	20.73	20.56
			4	20.71	20.56	20.38
		HSUPA	1	20.33	20.15	20.03
			2	20.21	20.02	19.95
WCDMA (Band II)	Normal		3	20.38	20.27	20.10
(Ballu II)			4	20.29	20.03	19.92
			5	20.44	20.24	20.08
			1	20.82	20.85	20.90
		DC-	2	20.74	20.69	20.83
		HSDPA	3	20.77	20.74	20.78
			4	20.76	20.81	20.85
		HSPA+	1	21.02	21.08	21.01

## Peak-to-average ratio (PAR)

#### **Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)	
	Low	0.21	13	
GSM	Middle	0.16	13	
	High	0.19	13	

Mode	Channel	PAR (dB)	Limit (dB)		
	Low	0.34	13		
EGPRS	Middle	0.32	13		
	High	0.28	13		

Mode	Channel	PAR (dB)	Limit (dB)
5116	Low	3.47	13
RMC (BPSK)	Middle	3.58	13
(BI SIL)	High	3.61	13
Habby	Low	3.62	13
HSDPA (16QAM)	Middle	4.23	13
(10Q/11/1)	High	5.66	13
******	Low	5.19	13
HSUPA (BPSK)	Middle	5.41	13
(BI SIK)	High	4.44	13

#### **PCS Band**

Mode	Channel	PAR (dB)	Limit (dB)
	Low	0.23	13
GSM	Middle	0.09	13
	High	0.13	13

Mode	Channel	PAR (dB)	Limit (dB)
	Low	0.33	13
EGPRS	Middle	0.25	13
	High	0.41	13

Mode	Channel	PAR (dB)	Limit (dB)
2716	Low	3.45	13
RMC (BPSK)	Middle	3.58	13
(Bi Sit)	High	3.23	13
	Low	4.35	13
HSDPA (16QAM)	Middle	4.38	13
(100/11/1)	High	4.24	13
	Low	5.70	13
HSUPA (BPSK)	Middle	4.12	13
(Bi bit)	High	4.33	13

#### **Radiated Power**

#### **GSM Mode:**

	Receiver	Turntable	Rx An	tenna	S	ubstitut	ed	Absolute	FCC Part	t 22H/24E
Frequency (MHz)	lency Reading Angle	Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)	Margin (dB)	
	ERP for Cellular Band (Part 22H), Middle Channel									
836.6	77.76	64	1.4	Н	17.7	0.5	0	17.20	38.45	21.25
836.6	89.20	266	1.4	V	30.1	0.5	0	29.60	38.45	8.85
		EII	RP for PC	S Band	(Part 24E)	, Middle	Channel			
1880.00	90.44	208	1.1	Н	20.4	1.30	8.50	27.60	33	5.40
1880.00	86.60	298	1.2	V	16.3	1.30	8.50	23.50	33	9.50

#### **EDGE Mode:**

Receiver	Receiver	Turntable	Rx Antenna		S	ubstitut	ed	Absolute		
Frequency (MHz)	uency Reading Angle	Angle	Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)	Margin (dB)
	ERP, Cellular Band (Part 22H), Middle Channel									
836.6	76.14	325	2.5	Н	16.1	0.5	0.0	15.60	38.45	22.85
836.6	84.23	174	2.2	V	25.2	0.5	0.0	24.70	38.45	13.75
		Е	IRP, PCS	Band (l	Part 24E),	Middle (	Channel			
1880.00	84.72	68	1.9	Н	15.6	1.30	8.50	22.80	33	10.20
1880.00	85.73	203	1.1	V	16.4	1.30	8.50	23.60	33	9.40

#### **WCDMA Mode:**

Eraguanov Receiver	Turntable	Rx Antenna		S	Substitut	ed	Absolute	FCC Part 22H/24E/27		
Frequency (MHz)	Reading (dBµV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)	Margin (dB)
	ERP for WCDMA Band V (Part 22H), Middle Channel									
836.6	70.65	101	1.7	Н	10.6	0.5	0	10.10	38.45	28.35
836.6	80.99	332	2.1	V	21.9	0.5	0	21.40	38.45	17.05
		EIRP	for WCD	MA Ban	d II (Part	24E), M	iddle Chan	nel		
1880.00	84.26	344	1.7	Н	14.2	1.30	8.50	21.40	33	11.6
1880.00	80.59	245	1.1	V	10.3	1.30	8.50	17.50	33	15.5

#### Note:

 $Absolute\ Level = Substituted\ Level - Cable\ loss + Antenna\ Gain$ 

Margin = Limit- Absolute Level

#### LTE Band 2:

## Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	21.79	22.00	21.77
		RB Size=1, RB Offset=2	21.91	21.53	21.45
		RB Size=1, RB Offset=5	21.35	22.53	21.71
	QPSK	RB Size=3, RB Offset=0	20.58	21.47	21.03
		RB Size=3, RB Offset=1	21.18	21.59	20.67
		RB Size=3, RB Offset=2	21.39	21.10	21.53
1.4		RB Size=6, RB Offset=0	20.14	21.09	20.66
1.4		RB Size=1, RB Offset=0	21.43	21.92	21.90
		RB Size=1, RB Offset=2	21.71	22.29	21.82
		RB Size=1, RB Offset=5	21.53	22.05	22.19
	16QAM	RB Size=3, RB Offset=0	20.86	21.59	21.61
		RB Size=3, RB Offset=1	21.62	21.21	21.59
		RB Size=3, RB Offset=2	21.72	21.20	21.28
		RB Size=6, RB Offset=0	20.23	20.70	20.85
		RB Size=1, RB Offset=0	21.30	22.06	21.34
		RB Size=1, RB Offset=7	21.22	21.39	22.04
		RB Size=1, RB Offset=14	21.27	21.97	22.14
	QPSK	RB Size=8, RB Offset=0	21.08	21.58	21.30
		RB Size=8, RB Offset=4	20.64	21.84	21.35
		RB Size=8, RB Offset=7	21.72	21.19	20.87
3.0		RB Size=15, RB Offset=0	20.52	20.55	20.65
3.0		RB Size=1, RB Offset=0	22.07	21.90	21.38
		RB Size=1, RB Offset=7	21.25	21.81	21.20
		RB Size=1, RB Offset=14	21.98	22.18	22.25
	16QAM	RB Size=8, RB Offset=0	21.60	21.68	21.23
		RB Size=8, RB Offset=4	20.74	21.30	21.45
		RB Size=8, RB Offset=7	21.29	21.64	21.00
		RB Size=15, RB Offset=0	21.03	20.59	20.06

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	21.38	21.95	21.84
		RB Size=1, RB Offset=12	21.74	21.77	21.88
		RB Size=1, RB Offset=24	21.33	21.84	21.74
	QPSK	RB Size=12, RB Offset=0	20.89	21.48	21.65
		RB Size=12, RB Offset=6	21.51	21.82	21.04
		RB Size=12, RB Offset=11	21.70	21.33	21.64
5.0		RB Size=25, RB Offset=0	20.54	21.21	21.05
5.0		RB Size=1, RB Offset=0	21.94	21.98	22.01
		RB Size=1, RB Offset=12	21.25	22.02	21.27
		RB Size=1, RB Offset=24	22.10	22.07	21.76
	16QAM	RB Size=12, RB Offset=0	21.21	21.50	21.49
		RB Size=12, RB Offset=6	20.77	21.17	20.80
		RB Size=12, RB Offset=11	20.88	21.21	21.03
		RB Size=25, RB Offset=0	20.51	20.62	21.07
		RB Size=1, RB Offset=0	22.11	22.37	21.50
		RB Size=1, RB Offset=24	21.51	22.43	21.24
		RB Size=1, RB Offset=49	21.67	21.90	21.71
	QPSK	RB Size=25, RB Offset=0	20.75	21.24	21.13
		RB Size=25, RB Offset=12	21.15	21.18	21.25
		RB Size=25, RB Offset=24	20.93	21.82	21.78
10.0		RB Size=50, RB Offset=0	20.95	21.13	21.11
10.0		RB Size=1, RB Offset=0	21.55	22.12	21.41
		RB Size=1, RB Offset=24	21.43	22.26	21.70
		RB Size=1, RB Offset=49	21.67	21.86	22.08
	16QAM	RB Size=25, RB Offset=0	20.69	21.41	21.69
		RB Size=25, RB Offset=12	20.83	21.34	21.10
		RB Size=25, RB Offset=24	20.77	21.31	21.72
		RB Size=50, RB Offset=0	20.61	21.34	20.55

## Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	2.67	13	Pass
QPSK (100RB Size)	3.20	13	Pass
16QAM (1RB Size)	2.91	13	Pass
16QAM (100%RB Size)	3.90	13	Pass

## **QPSK:**

	Receiver	Turn	Rx An	tenna	S	Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
			. 1	.4 MHz ]	Bandwidth	_			
1880.00	85.99	183	1.8	Н	15.9	1.30	8.50	23.10	33
1880.00	81.65	358	2.3	V	11.4	1.30	8.50	18.60	33
			_	3 MHz B	andwidth	_			
1880.00	85.05	210	1.1	Н	15.0	1.30	8.50	22.20	33
1880.00	81.16	228	2.0	V	10.9	1.30	8.50	18.10	33
				5 MHz B	andwidth				
1880.00	84.48	66	2.1	Н	14.4	1.30	8.50	21.60	33
1880.00	80.58	18	2.1	V	10.3	1.30	8.50	17.50	33
			1	0 MHz I	Bandwidth				
1880.00	85.30	112	1.4	Н	15.3	1.30	8.50	22.50	33
1880.00	81.33	185	1.6	V	11.1	1.30	8.50	18.30	33
			1	5 MHz I	Bandwidth	_			
1880.00	85.13	116	2.1	Н	15.1	1.30	8.50	22.30	33
1880.00	81.47	121	1.1	V	11.2	1.30	8.50	18.40	33
	·		2	20 MHz I	Bandwidth		·		
1880.00	85.17	147	2.3	Н	15.1	1.30	8.50	22.30	33
1880.00	81.23	200	2.3	V	11.0	1.30	8.50	18.20	33

## **16QAM:**

	Receiver Turn Rx Antenna Substit			Substitut	ed	Absolute			
Frequency (MHz)	Receiver Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
			1	.4 MHz	Bandwidth				
1880.00	84.41	317	2.3	Н	14.4	1.30	8.50	21.60	33
1880.00	79.98	84	1.4	V	9.7	1.30	8.50	16.90	33
				3 MHz B	andwidth				
1880.00	84.57	28	1.5	Н	14.5	1.30	8.50	21.70	33
1880.00	80.02	175	1.1	V	9.8	1.30	8.50	17.00	33
				5 MHz B	andwidth				
1880.00	83.45	131	1.1	Н	13.4	1.30	8.50	20.60	33
1880.00	80.60	155	1.6	V	10.3	1.30	8.50	17.50	33
				10 MHz I	Bandwidth				
1880.00	84.12	81	1.4	Н	14.1	1.30	8.50	21.30	33
1880.00	80.42	310	1.3	V	10.2	1.30	8.50	17.40	33
				15 MHz I	Bandwidth				
1880.00	84.74	292	2.1	Н	14.7	1.30	8.50	21.90	33
1880.00	80.45	34	2.1	V	10.2	1.30	8.50	17.40	33
			2	20 MHz I	Bandwidth				
1880.00	84.96	314	2.4	Н	14.9	1.30	8.50	22.10	33
1880.00	81.20	274	2.1	V	10.9	1.30	8.50	18.10	33

#### LTE Band 4:

## Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	22.16	21.96	21.94
		RB Size=1, RB Offset=2	22.40	22.36	22.48
		RB Size=1, RB Offset=5	21.82	22.93	22.71
	QPSK	RB Size=3, RB Offset=0	21.07	20.32	20.22
		RB Size=3, RB Offset=1	20.14	20.95	20.05
		RB Size=3, RB Offset=2	21.19	20.42	20.54
1.4		RB Size=6, RB Offset=0	20.47	21.57	20.49
1.4		RB Size=1, RB Offset=0	21.96	22.46	21.76
		RB Size=1, RB Offset=2	22.42	22.04	22.37
		RB Size=1, RB Offset=5	22.53	22.45	22.38
	16QAM	RB Size=3, RB Offset=0	20.65	21.23	20.40
		RB Size=3, RB Offset=1	20.37	20.82	20.84
		RB Size=3, RB Offset=2	21.13	21.38	20.51
		RB Size=6, RB Offset=0	20.75	21.78	21.20
		RB Size=1, RB Offset=0	22.36	22.16	22.46
		RB Size=1, RB Offset=7	22.39	22.48	21.46
		RB Size=1, RB Offset=14	22.31	22.30	22.44
	QPSK	RB Size=8, RB Offset=0	20.71	21.33	20.31
		RB Size=8, RB Offset=4	20.47	21.11	20.85
		RB Size=8, RB Offset=7	20.49	21.37	20.87
3.0		RB Size=15, RB Offset=0	20.84	21.47	21.47
3.0		RB Size=1, RB Offset=0	21.96	22.69	21.99
		RB Size=1, RB Offset=7	22.18	22.74	21.56
		RB Size=1, RB Offset=14	22.30	22.09	22.14
	16QAM	RB Size=8, RB Offset=0	21.16	21.18	20.58
		RB Size=8, RB Offset=4	20.45	21.04	20.45
		RB Size=8, RB Offset=7	20.48	21.33	21.14
		RB Size=15, RB Offset=0	21.52	21.20	20.53

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	22.10	22.42	22.38
		RB Size=1, RB Offset=12	21.35	22.83	21.79
		RB Size=1, RB Offset=24	22.17	22.28	21.78
	QPSK	RB Size=12, RB Offset=0	20.61	21.12	20.11
		RB Size=12, RB Offset=6	20.78	20.69	20.21
		RB Size=12, RB Offset=11	20.97	20.67	20.21
5.0		RB Size=25, RB Offset=0	21.10	21.11	21.52
5.0		RB Size=1, RB Offset=0	21.62	22.32	21.96
		RB Size=1, RB Offset=12	22.18	21.97	22.10
		RB Size=1, RB Offset=24	21.69	22.84	22.34
	16QAM	RB Size=12, RB Offset=0	20.55	20.46	20.79
		RB Size=12, RB Offset=6	20.52	21.07	20.55
		RB Size=12, RB Offset=11	20.73	20.62	20.46
		RB Size=25, RB Offset=0	21.32	20.89	20.95
		RB Size=1, RB Offset=0	21.96	22.54	22.33
		RB Size=1, RB Offset=24	22.06	22.10	22.06
		RB Size=1, RB Offset=49	22.00	22.74	22.37
	QPSK	RB Size=25, RB Offset=0	20.45	20.99	20.18
		RB Size=25, RB Offset=12	20.15	20.99	20.05
		RB Size=25, RB Offset=24	20.12	20.90	20.35
10.0		RB Size=50, RB Offset=0	21.03	20.97	21.22
10.0		RB Size=1, RB Offset=0	21.56	22.50	22.24
		RB Size=1, RB Offset=24	22.36	22.62	21.69
		RB Size=1, RB Offset=49	21.57	22.13	21.65
	16QAM	RB Size=25, RB Offset=0	20.88	21.25	20.56
		RB Size=25, RB Offset=12	20.95	20.49	20.88
		RB Size=25, RB Offset=24	20.89	20.81	20.95
		RB Size=50, RB Offset=0	21.42	20.92	21.63

## Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result	
QPSK (1RB Size)	5.21	13	Pass	
QPSK (100RB Size)	4.67	13	Pass	
16QAM (1RB Size)	5.39	13	Pass	
16QAM (100%RB Size)	4.92	13	Pass	

## QPSK:

	Receiver	Turn	Rx An	tenna	5	Substitute	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
			1	.4 MHz 1	Bandwidth				
1732.50	85.74	198	1.8	Н	12.6	1.30	9.10	20.40	30
1732.50	81.19	260	2.2	V	8.6	1.30	9.10	16.40	30
			-	3 MHz B	andwidth				
1732.50	86.16	48	1.0	Н	13.0	1.30	9.10	20.80	30
1732.50	83.30	71	2.3	V	10.7	1.30	9.10	18.50	30
			-	5 MHz B	andwidth				
1732.50	86.30	22	1.0	Н	13.1	1.30	9.10	20.90	30
1732.50	83.26	257	1.4	V	10.7	1.30	9.10	18.50	30
			1	10 MHz I	Bandwidth				
1732.50	85.96	255	2.2	Н	12.8	1.30	9.10	20.60	30
1732.50	83.33	120	1.4	V	10.8	1.30	9.10	18.60	30
			1	15 MHz I	Bandwidth				
1732.50	86.17	26	1.0	Н	13.0	1.30	9.10	20.80	30
1732.50	83.58	33	1.2	V	11.0	1.30	9.10	18.80	30
			2	20 MHz I	Bandwidth				
1732.50	86.04	81	1.1	Н	12.9	1.30	9.10	20.70	30
1732.50	82.97	14	2.2	V	10.4	1.30	9.10	18.20	30

## **16QAM:**

	Receiver	Turn	Rx An	tenna		Substitut	ed	Absolute	
Frequency (MHz)	Receiver Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
			1	.4 MHz	Bandwidth	ı.			
1732.50	85.91	80	1.9	Н	12.7	1.30	9.10	20.50	30
1732.50	82.07	96	2.4	V	9.5	1.30	9.10	17.30	30
				3 MHz B	andwidth				
1732.50	86.16	354	2.1	Н	13.0	1.30	9.10	20.80	30
1732.50	81.79	283	2.5	V	9.2	1.30	9.10	17.00	30
				5 MHz B	andwidth				
1732.50	85.84	317	2.2	Н	12.7	1.30	9.10	20.50	30
1732.50	82.43	22	1.3	V	9.9	1.30	9.10	17.70	30
				10 MHz I	Bandwidth				
1732.50	85.75	239	2.4	Н	12.6	1.30	9.10	20.40	30
1732.50	81.96	239	1.3	V	9.4	1.30	9.10	17.20	30
				15 MHz I	Bandwidth				
1732.50	86.03	261	1.6	Н	12.9	1.30	9.10	20.70	30
1732.50	82.16	349	1.5	V	9.6	1.30	9.10	17.40	30
			. 2	20 MHz I	Bandwidth				
1732.50	86.14	139	1.3	Н	13.0	1.30	9.10	20.80	30
1732.50	82.51	98	2.0	V	9.9	1.30	9.10	17.70	30

#### LTE Band 5:

## Maximum Output Power

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	22.14	22.47	22.48
		RB Size=1, RB Offset=2	22.37	22.04	21.63
		RB Size=1, RB Offset=5	22.51	22.57	22.49
	QPSK	RB Size=3, RB Offset=0	20.41	21.02	20.50
		RB Size=3, RB Offset=1	20.30	20.81	20.05
		RB Size=3, RB Offset=2	20.17	20.66	20.47
1.4		RB Size=6, RB Offset=0	20.81	20.86	21.23
1.4		RB Size=1, RB Offset=0	22.45	22.63	21.64
		RB Size=1, RB Offset=2	22.37	22.40	22.33
		RB Size=1, RB Offset=5	21.80	22.26	22.23
	16QAM	RB Size=3, RB Offset=0	20.09	21.29	20.49
		RB Size=3, RB Offset=1	20.68	21.26	20.00
		RB Size=3, RB Offset=2	20.64	20.98	20.79
		RB Size=6, RB Offset=0	21.37	21.17	21.39
		RB Size=1, RB Offset=0	21.69	22.35	22.47
		RB Size=1, RB Offset=7	22.24	22.15	21.54
		RB Size=1, RB Offset=14	21.50	22.62	22.40
	QPSK	RB Size=8, RB Offset=0	20.59	20.81	20.05
		RB Size=8, RB Offset=4	20.39	21.14	20.32
		RB Size=8, RB Offset=7	20.11	20.68	20.33
3.0		RB Size=15, RB Offset=0	21.19	21.52	21.03
3.0		RB Size=1, RB Offset=0	21.54	22.48	21.67
		RB Size=1, RB Offset=7	21.65	21.80	22.18
		RB Size=1, RB Offset=14	22.29	22.60	22.54
	16QAM	RB Size=8, RB Offset=0	20.51	20.40	21.02
		RB Size=8, RB Offset=4	20.02	20.60	20.70
		RB Size=8, RB Offset=7	20.36	21.12	20.50
		RB Size=15, RB Offset=0	21.01	21.17	20.99

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	22.01	22.21	21.96
		RB Size=1, RB Offset=12	22.40	22.74	22.52
		RB Size=1, RB Offset=24	22.63	22.60	22.14
	QPSK	RB Size=12, RB Offset=0	20.08	20.83	20.42
		RB Size=12, RB Offset=6	20.00	20.95	20.12
		RB Size=12, RB Offset=11	21.03	21.28	20.80
5.0		RB Size=25, RB Offset=0	21.18	21.30	21.33
5.0		RB Size=1, RB Offset=0	22.46	22.18	22.18
		RB Size=1, RB Offset=12	22.03	22.56	21.88
		RB Size=1, RB Offset=24	22.43	22.23	22.45
	16QAM	RB Size=12, RB Offset=0	20.85	20.39	20.41
		RB Size=12, RB Offset=6	20.80	20.47	20.28
		RB Size=12, RB Offset=11	21.10	20.93	21.10
		RB Size=25, RB Offset=0	21.43	21.11	20.76
		RB Size=1, RB Offset=0	21.95	21.91	22.01
		RB Size=1, RB Offset=24	21.69	22.15	22.40
		RB Size=1, RB Offset=49	22.12	22.61	22.30
	QPSK	RB Size=25, RB Offset=0	20.64	20.60	20.65
		RB Size=25, RB Offset=12	20.31	20.26	19.92
		RB Size=25, RB Offset=24	20.05	20.83	21.00
10.0		RB Size=50, RB Offset=0	20.63	21.53	20.68
10.0		RB Size=1, RB Offset=0	22.05	21.94	21.74
		RB Size=1, RB Offset=24	22.36	22.73	21.74
		RB Size=1, RB Offset=49	22.14	22.81	22.34
	16QAM	RB Size=25, RB Offset=0	20.76	20.44	20.08
		RB Size=25, RB Offset=12	20.04	20.72	20.23
		RB Size=25, RB Offset=24	20.21	21.24	20.38
		RB Size=50, RB Offset=0	20.92	21.65	20.95

## Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK(1RB Size)	2.01	13	Pass
QPSK(50RB Size)	2.24	13	Pass
16QAM (1RB Size)	2.62	13	Pass
16QAM (100%RB Size)	1.63	13	Pass

## **QPSK:**

	Receiver	Turn	Rx An	tenna	S	Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	ading table	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
			1	.4 MHz ]	Bandwidth				
836.5	83.34	351	2.3	Н	16.6	0.8	0.0	15.80	38.45
836.5	85.13	100	1.2	V	20.9	0.8	0.0	20.10	38.45
				3 MHz B	andwidth				
836.5	83.31	358	2.1	Н	16.6	0.8	0.0	15.80	38.45
836.5	85.09	105	1.0	V	20.9	0.8	0.0	20.10	38.45
			_	5 MHz B	andwidth	_			
836.5	81.46	183	2.4	Н	14.8	0.8	0.0	14.00	38.45
836.5	82.55	310	2.5	V	18.3	0.8	0.0	17.50	38.45
10 MHz Bandwidth									
836.5	81.64	175	1.1	Н	15.0	0.8	0.0	14.20	38.45
836.5	82.69	174	1.4	V	18.5	0.8	0.0	17.70	38.45

## **16QAM:**

	Receiver	Turn	Rx An	tenna		Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level Limit	Limit (dBm)
				Middle	Channel				
			1	.4 MHz	Bandwidth				
836.5	81.25	62	2.0	Н	21.2	0.6	0.0	20.60	38.45
836.5	80.25	348	1.7	V	21.2	0.6	0.0	20.60	38.45
				3 MHz B	andwidth				
836.5	81.65	305	1.5	Н	21.6	0.6	0.0	21.00	38.45
836.5	80.47	120	1.4	V	21.4	0.6	0.0	20.80	38.45
				5 MHz B	andwidth				
836.5	81.21	7	1.1	Н	21.2	0.6	0.0	20.60	38.45
836.5	81.54	133	2.4	V	22.5	0.6	0.0	21.90	38.45
10 MHz Bandwidth									
836.5	80.21	178	2.1	Н	20.2	0.6	0.0	19.60	38.45
836.5	81.65	5	1.0	V	22.6	0.6	0.0	22.00	38.45

## LTE Band 7:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	21.16	21.68	21.48
		RB Size=1, RB Offset=12	21.60	21.37	20.97
		RB Size=1, RB Offset=24	20.83	21.79	21.26
	QPSK	RB Size=12, RB Offset=0	20.68	20.69	21.01
		RB Size=12, RB Offset=6	20.25	20.51	20.15
		RB Size=12, RB Offset=11	21.13	20.71	20.81
5		RB Size=25, RB Offset=0	20.31	20.04	20.41
3		RB Size=1, RB Offset=0	21.01	22.00	21.24
		RB Size=1, RB Offset=12	21.42	21.07	21.36
		RB Size=1, RB Offset=24	21.49	21.68	21.43
	16QAM	RB Size=12, RB Offset=0	20.77	20.81	21.02
		RB Size=12, RB Offset=6	20.45	20.81	21.01
		RB Size=12, RB Offset=11	21.16	21.06	20.67
		RB Size=25, RB Offset=0	20.74	20.51	20.81
	QPSK	RB Size=1, RB Offset=0	21.15	21.86	21.80
		RB Size=1, RB Offset=24	21.08	21.79	20.90
		RB Size=1, RB Offset=49	20.89	21.84	21.11
		RB Size=25, RB Offset=0	20.80	20.72	20.35
		RB Size=25, RB Offset=12	20.40	20.40	20.23
		RB Size=25, RB Offset=24	21.28	21.21	20.72
10		RB Size=50, RB Offset=0	20.38	20.58	20.69
10		RB Size=1, RB Offset=0	20.95	21.28	20.86
		RB Size=1, RB Offset=24	21.08	21.50	21.21
		RB Size=1, RB Offset=49	21.08	21.74	21.85
	16QAM	RB Size=25, RB Offset=0	20.42	20.63	20.71
		RB Size=25, RB Offset=12	20.65	20.51	20.33
		RB Size=25, RB Offset=24	20.40	20.66	20.80
		RB Size=50, RB Offset=0	20.22	20.10	20.63

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	21.00	21.25	21.61
		RB Size=1, RB Offset=37	21.38	21.05	20.99
		RB Size=1, RB Offset=74	21.14	21.97	21.76
	QPSK	RB Size=36, RB Offset=0	20.58	20.70	20.96
		RB Size=36, RB Offset=18	20.47	21.38	20.83
		RB Size=36, RB Offset=37	20.78	20.92	20.71
15		RB Size=75, RB Offset=0	19.97	20.09	20.85
15		RB Size=1, RB Offset=0	21.66	21.30	20.99
		RB Size=1, RB Offset=37	21.34	21.90	21.42
		RB Size=1, RB Offset=74	21.14	21.83	21.31
	16QAM	RB Size=36, RB Offset=0	20.34	21.21	21.37
		RB Size=36, RB Offset=18	20.98	20.98	21.20
		RB Size=36, RB Offset=37	21.27	20.76	20.64
		RB Size=75, RB Offset=0	20.68	20.64	20.33
		RB Size=1, RB Offset=0	21.41	21.61	21.61
		RB Size=1, RB Offset=49	21.23	21.75	21.46
		RB Size=1, RB Offset=99	21.23	22.34	21.76
	QPSK	RB Size=50, RB Offset=0	20.86	21.32	20.41
		RB Size=50, RB Offset=24	21.12	21.34	21.17
		RB Size=50, RB Offset=49	20.40	21.27	21.13
20		RB Size=100, RB Offset=0	20.12	20.49	20.80
20		RB Size=1, RB Offset=0	21.24	21.51	21.59
		RB Size=1, RB Offset=49	21.25	22.17	21.55
		RB Size=1, RB Offset=99	21.63	21.33	21.32
	16QAM	RB Size=50, RB Offset=0	20.44	21.59	20.71
		RB Size=50, RB Offset=24	20.90	21.36	20.48
		RB Size=50, RB Offset=49	20.63	21.14	21.07
		RB Size=100, RB Offset=0	20.80	20.66	19.93

## Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	4.48	13	Pass
QPSK (100RB Size)	3.36	13	Pass
16QAM (1RB Size)	5.24	13	Pass
16QAM (100%RB Size)	3.18	13	Pass

**EIRP:** 

**QPSK:** 

	Receiver	Turn	Rx An	tenna	\$	Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
			]	Middle C	hannel				
			5	MHz Ba	ndwidth	-			
2535.00	80.61	191	1.5	Н	11.1	2.60	9.30	17.80	33
2535.00	84.62	318	1.4	V	15.7	2.60	9.30	22.40	33
			10	MHz Ba	ındwidth				
2535.00	79.85	358	2.1	Н	10.4	2.60	9.30	17.10	33
2535.00	84.67	249	1.2	V	15.8	2.60	9.30	22.50	33
			15	MHz Ba	ındwidth				
2535.00	79.02	115	1.4	Н	9.5	2.60	9.30	16.20	33
2535.00	83.78	171	1.4	V	14.9	2.60	9.30	21.60	33
	20 MHz Bandwidth								
2535.00	80.02	323	2.1	Н	10.5	2.60	9.30	17.20	33
2535.00	84.67	359	1.9	V	15.8	2.60	9.30	22.50	33

## **16QAM:**

	Receiver	Turn	Rx An	tenna		Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
				5 MHz B	andwidth				
2535.00	80.21	339	1.2	Н	10.7	2.60	9.30	17.40	33
2535.00	85.10	47	1.5	V	16.2	2.60	9.30	22.90	33
				10 MHz I	Bandwidth				
2535.00	79.96	231	1.7	Н	10.5	2.60	9.30	17.20	33
2535.00	84.83	192	2.0	V	16.0	2.60	9.30	22.70	33
				15 MHz I	Bandwidth				
2535.00	79.78	132	1.1	Н	10.3	2.60	9.30	17.00	33
2535.00	85.08	149	1.1	V	16.2	2.60	9.30	22.90	33
20 MHz Bandwidth									
2535.00	80.02	274	2.1	Н	10.5	2.60	9.30	17.20	33
2535.00	84.79	67	1.8	V	15.9	2.60	9.30	22.60	33

# LTE Band 12:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	21.77	21.95	21.63
		RB Size=1, RB Offset=2	22.06	22.31	21.46
		RB Size=1, RB Offset=5	22.03	22.81	22.42
	QPSK	RB Size=3, RB Offset=0	21.11	22.21	21.49
		RB Size=3, RB Offset=1	21.59	22.11	20.96
		RB Size=3, RB Offset=2	21.38	21.92	21.94
1 /		RB Size=6, RB Offset=0	21.35	20.95	21.21
1.4		RB Size=1, RB Offset=0	22.23	21.96	22.64
		RB Size=1, RB Offset=2	22.22	22.64	22.42
		RB Size=1, RB Offset=5	22.52	22.24	22.24
	16QAM	RB Size=3, RB Offset=0	21.92	21.86	21.03
		RB Size=3, RB Offset=1	21.56	21.88	21.42
		RB Size=3, RB Offset=2	21.94	22.04	21.13
		RB Size=6, RB Offset=0	20.86	21.04	20.67
		RB Size=1, RB Offset=0	22.06	22.53	21.85
		RB Size=1, RB Offset=7	21.83	21.99	22.41
		RB Size=1, RB Offset=14	22.20	22.50	22.02
	QPSK	RB Size=8, RB Offset=0	21.90	22.08	21.33
		RB Size=8, RB Offset=4	21.05	21.54	20.93
		RB Size=8, RB Offset=7	21.42	22.17	21.98
2		RB Size=15, RB Offset=0	21.60	21.93	20.95
3		RB Size=1, RB Offset=0	22.48	22.13	22.48
		RB Size=1, RB Offset=7	22.11	22.09	21.67
		RB Size=1, RB Offset=14	22.41	22.21	22.78
	16QAM	RB Size=8, RB Offset=0	21.46	22.09	21.94
		RB Size=8, RB Offset=4	20.83	21.64	21.64
		RB Size=8, RB Offset=7	22.05	22.33	22.06
		RB Size=15, RB Offset=0	21.13	21.83	20.72

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	21.67	22.92	22.52
		RB Size=1, RB Offset=12	22.17	22.38	22.57
		RB Size=1, RB Offset=24	22.13	23.05	22.00
	QPSK	RB Size=12, RB Offset=0	21.21	21.82	21.57
		RB Size=12, RB Offset=6	21.02	22.06	21.29
		RB Size=12, RB Offset=11	21.24	22.46	21.22
5		RB Size=25, RB Offset=0	21.00	21.22	21.08
3		RB Size=1, RB Offset=0	21.88	22.71	22.14
		RB Size=1, RB Offset=12	21.66	22.00	21.78
		RB Size=1, RB Offset=24	22.25	22.84	22.73
	16QAM	RB Size=12, RB Offset=0	21.18	22.23	21.28
		RB Size=12, RB Offset=6	21.41	21.49	21.38
		RB Size=12, RB Offset=11	21.51	21.72	22.13
		RB Size=25, RB Offset=0	21.05	21.34	20.79
		RB Size=1, RB Offset=0	22.54	22.06	21.73
		RB Size=1, RB Offset=24	22.58	22.72	22.16
		RB Size=1, RB Offset=49	22.81	22.86	21.92
	QPSK	RB Size=25, RB Offset=0	21.93	22.35	21.70
		RB Size=25, RB Offset=12	21.54	21.47	21.28
		RB Size=25, RB Offset=24	22.16	22.41	21.77
10		RB Size=50, RB Offset=0	20.76	21.37	21.03
10		RB Size=1, RB Offset=0	22.02	22.42	22.72
		RB Size=1, RB Offset=24	22.66	22.00	22.35
		RB Size=1, RB Offset=49	22.84	22.23	22.37
	16QAM	RB Size=25, RB Offset=0	21.50	22.18	21.67
		RB Size=25, RB Offset=12	22.08	22.42	21.54
		RB Size=25, RB Offset=24	21.21	22.24	21.80
		RB Size=50, RB Offset=0	21.32	21.80	21.27

# Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	1.04	13	Pass
QPSK (50RB Size)	1.07	13	Pass
16QAM (1RB Size)	1.68	13	Pass
16QAM (100%RB Size)	1.25	13	Pass

**EIRP:** 

**QPSK:** 

	Receiver	Turn	Rx An	tenna	S	Substitute	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
			]	Middle C	hannel				
			1.4	MHz Ba	andwidth				
707.5	80.12	317	1.0	Н	20.1	0.6	0.0	19.50	34.77
707.5	81.23	110	2.3	V	22.2	0.6	0.0	21.60	34.77
			3	MHz Ba	ndwidth				
707.5	81.12	227	1.1	Н	21.1	0.6	0.0	20.50	34.77
707.5	80.13	30	1.8	V	21.1	0.6	0.0	20.50	34.77
			5	MHz Ba	ndwidth				
707.5	81.25	320	1.5	Н	21.2	0.6	0.0	20.60	34.77
707.5	79.56	162	2.5	V	20.5	0.6	0.0	19.90	34.77
	10 MHz Bandwidth								
707.5	81.23	129	2.5	Н	21.2	0.6	0.0	20.60	34.77
707.5	80.36	285	1.1	V	21.3	0.6	0.0	20.70	34.77

# **16QAM:**

	Receiver	Turn	Rx An	tenna	S	Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
			1	.4 MHz	Bandwidth				
707.5	81.24	240	1.5	Н	21.2	0.6	0.0	20.60	34.77
707.5	82.14	304	2.1	V	23.1	0.6	0.0	22.50	34.77
				3 MHz B	andwidth				
707.5	81.24	124	1.3	Н	21.2	0.6	0.0	20.60	34.77
707.5	82.44	97	2.2	V	23.4	0.6	0.0	22.80	34.77
				5 MHz B	andwidth				
707.5	81.65	2	2.3	Н	21.6	0.6	0.0	21.00	34.77
707.5	82.64	23	2.3	V	23.6	0.6	0.0	23.00	34.77
	10 MHz Bandwidth								
707.5	81.65	30	1.6	Н	21.6	0.6	0.0	21.00	34.77
707.5	82.78	64	1.5	V	23.7	0.6	0.0	23.10	34.77

## LTE Band 17:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
		RB Size=1, RB Offset=0	22.06	22.52	22.61
		RB Size=1, RB Offset=12	21.86	22.32	22.38
		RB Size=1, RB Offset=24	22.70	22.02	22.18
	QPSK	RB Size=12, RB Offset=0	21.73	22.40	21.36
		RB Size=12, RB Offset=6	21.24	22.06	21.87
		RB Size=12, RB Offset=11	21.41	22.23	21.53
5.0		RB Size=25, RB Offset=0	21.51	21.40	20.86
5.0		RB Size=1, RB Offset=0	22.21	22.40	21.77
		RB Size=1, RB Offset=12	21.67	21.91	21.84
		RB Size=1, RB Offset=24	22.62	21.99	22.60
	16QAM	RB Size=12, RB Offset=0	22.01	21.80	21.44
		RB Size=12, RB Offset=6	21.97	21.93	22.02
		RB Size=12, RB Offset=11	21.28	22.55	22.06
		RB Size=25, RB Offset=0	21.62	21.57	20.93
		RB Size=1, RB Offset=0	22.25 22.83		22.38
		RB Size=1, RB Offset=24	22.13	22.60	21.70
		RB Size=1, RB Offset=49	22.00	22.87	22.51
	QPSK	RB Size=25, RB Offset=0	22.56	22.39	22.03
		RB Size=25, RB Offset=12	21.53	22.79	22.01
		RB Size=25, RB Offset=24	22.42	22.70	22.60
10.0		RB Size=50, RB Offset=0	20.91	21.49	20.66
10.0		RB Size=1, RB Offset=0	22.61	22.51	22.34
		RB Size=1, RB Offset=24	21.83	22.32	22.04
		RB Size=1, RB Offset=49	22.69	22.19	22.53
	16QAM	RB Size=25, RB Offset=0	21.45	21.57	21.65
		RB Size=25, RB Offset=12	21.83	22.04	21.36
		RB Size=25, RB Offset=24	21.95	21.85	22.42
		RB Size=50, RB Offset=0	21.71	21.12	21.57

## Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK(1RB Size)	2.23	13	Pass
QPSK(50RB Size)	1.18	13	Pass
16QAM (1RB Size)	1.71	13	Pass
16QAM (100%RB Size)	1.36	13	Pass

#### ERP:

## **QPSK:**

	Receiver	Turn	Rx An	tenna		Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
			]	Middle C	hannel				
			5	MHz Ba	ndwidth				
710	81.25	178	1.6	Н	21.2	0.6	0.0	20.60	34.77
710	82.25	237	2.2	V	23.2	0.6	0.0	22.60	34.77
	10 MHz Bandwidth								
710	79.25	121	1.9	Н	19.2	0.6	0.0	18.60	34.77
710	81.25	101	1.7	V	22.2	0.6	0.0	21.60	34.77

## **16QAM:**

	Receiver	Turn	Rx An	tenna		Substitut	ed	Absolute	
Frequency (MHz)	Reading (dBµV)	table Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)	Level (dBm)	Limit (dBm)
				Middle	Channel				
				5 MHz E	Bandwidth				
710.00	81.54	273	2.0	Н	21.5	0.6	0.0	20.90	34.77
710.00	81.96	282	2.3	V	22.9	0.6	0.0	22.30	34.77
	10 MHz Bandwidth								
710.00	82.65	54	1.1	Н	22.6	0.6	0.0	22.00	34.77
710.00	81.52	16	1.4	V	22.5	0.6	0.0	21.90	34.77

#### Note:

All above data were tested with no amplifier Absolute Level = Substituted Level - Cable loss + Antenna Gain Margin = Limit- Absolute Level

# FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


#### **Applicable Standard**

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

#### **Test Procedure**

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



#### **Test Data**

#### **Environmental Conditions**

Temperature:	24~25 ℃
Relative Humidity:	48~50 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Kobe Li from 2017-10-18 to 2017-10-26.

EUT operation mode: Transmitting

## Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	243.1	319.8
EGPRS(8PSK)	836.6	246.0	312.6


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.124	4.718
HSUPA (BPSK)	836.6	4.124	4.732
HSDPA (16QAM)	836.6	4.124	4.718

# PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	243.1	316.9
EGPRS(8PSK)	1880.0	246.0	315.5

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.124	4.718
HSUPA (BPSK)	1880.0	4.124	4.732
HSDPA (16QAM)	1880.0	4.139	4.732

Cellular Band (Part 22H)
26 dB Emissions &99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 18.0CT.2017 19:33:17

## 26 dB Emissions &99% Occupied Bandwidth for EDGE Mode



Date: 18.0CT.2017 19:43:04

## 26 dB Emissions &99% Occupied Bandwidth for RMC (BPSK) Mode



Date: 18.0CT.2017 20:17:25

#### 26 dB Emissions &99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 18.0CT.2017 20:30:41


26 dB Emissions &99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 18.0CT.2017 20:25:35


PCS Band (Part 24E)

26 dB Emissions &99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 18.0CT.2017 19:38:42

#### 26 dB Emissions &99% Occupied Bandwidth for EDGE Mode



Date: 18.0CT.2017 19:47:10

#### 26 dB Emissions &99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 18.0CT.2017 20:13:20

## 26 dB Emissions &99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 18.0CT.2017 20:28:05

#### 26 dB Emissions &99% Occupied Bandwidth for HSDPA (16QAM) Mode




Date: 18.0CT.2017 20:23:24

# LTE Band 2: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.094	1.309
	16QAM	1.102	1.317
3.0	QPSK	2.692	2.944
	16QAM	2.683	2.952
5.0	QPSK	4.530	5.036
	16QAM	4.501	5.007
10.0	QPSK	8.944	9.783
	16QAM	8.915	9.667
15.0	QPSK	13.459	14.891
	16QAM	13.502	14.674
20.0	QPSK	17.887	19.276
	16QAM	17.887	19.450

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 19:14:38

QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: | 9.007.0017 | 191(6:55

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:15:23

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 19:007.6817 | 19:16:16

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:20:41

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19:000.0017 | 19:10:05

16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 19:20:05

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 | 19:19:38

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 19:21:50

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: | 9.000.0817 | 1820:00

16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:22:34

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.0817 | Infestos

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:26:49

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.2017 | 19:04:01

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 19:26:00

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 19:25:26

QPSK (15.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 19:30:24

QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19:007.6817 | 19182195

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:31:07

16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.0017 | 19182106

QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 19:46:27

QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19:000.0017 | 19884:98

16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:45:47

16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 19:85:19

# LTE Band 4: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.098	1.305
	16QAM	1.102	1.317
3.0	QPSK	2.692	2.944
	16QAM	2.683	2.952
5.0	QPSK	4.515	5.036
	16QAM	4.501	5.007
10.0	QPSK	8.915	9.812
	16QAM	8.915	9.609
15.0	QPSK	13.459	14.718
	16QAM	13.415	14.761
20.0	QPSK	17.945	19.219
	16QAM	17.887	19.334

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 14:24:53

QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: |9:007.6817 | |9:57:05

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 19:54:12

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: |9:00%.6817 | 19554640

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:00:59

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 | 19:59:08

16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:00:29

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 | IR:59:86

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:02:15

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: |9.000.2817 | Shidish

16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:03:08

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 20104:04

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:08:05

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.2017 20:00:01

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:07:31

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 | 20167:01

QPSK (15.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:10:16

QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.2017 20112:16

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:11:00

16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 @0:11:48

QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:15:12

QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.0CT.2017 20:18:08

16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:14:28

16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.0CT.2017 20:18:46

# LTE Band 5: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.094	1.309
	16QAM	1.102	1.313
3.0	QPSK	2.692	2.944
	16QAM	2.683	2.952
5.0	QPSK	4.530	5.065
	16QAM	4.501	5.022
10.0	QPSK	9.001	9.783
	16QAM	8.973	9.696


Report No.: RSZ171017001-00D

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:17:53

QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.0017 | 20169:07

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:18:44

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: | N.OCT. EN17 201(0:00

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:24:44

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.6817 | 28:61:1(

16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:23:56

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.2817 GM:61:69

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:26:21

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Dates Invoctioner Shirtley

16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:26:57

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Dates | NICTOR BHIT SHIPTIST

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:32:11

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Cates | 9:00%.EHT | Shighish

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:31:12

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel



Date: | 9.007.2017 | 20130110

# LTE Band 7: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.486	5.007
	16QAM	4.515	5.051
10.0	QPSK	8.944	9.783
	16QAM	8.915	9.609
15.0	QPSK	13.459	14.805
	16QAM	13.459	14.718
20.0	QPSK	17.887	19.276
	16QAM	17.945	19.334


Report No.: RSZ171017001-00D

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:34:01

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 20:37:28

16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:34:37

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.000.2017 @0186:18

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:40:44

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.0CT.2017 @M:88:48

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:39:56

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.0CT.2017 @0:80:16

QPSK (15.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:42:05

QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 20:14:51

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:42:45

16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2817 98:48:48

QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 20:51:05

QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 @0:48:06

16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 20:50:10

16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel



Date: 19.007.2017 20:49:03

## **BAND 12:**

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.094	1.309
	16QAM	1.102	1.309
3.0	QPSK	2.692	2.926
	16QAM	2.692	2.952
5.0	QPSK	4.530	5.036
	16QAM	4.501	4.993
10.0	QPSK	8.944	9.725
	16QAM	8.944	9.638


Report No.: RSZ171017001-00D

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:16:21

QPSK (1.4 MHz) -26 dB Bandwidth, Middle channel




Dates | 9:007.6817 | 31:01:38

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:18:58

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Dates 19:007.6817 21:08:16

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:41:16

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 21:24:52

16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:27:21

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 21:25:53

QPSK (5 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 21:35:00

QPSK (5 MHz) - 26 dB Bandwidth, Middle channel




Cates 19.007.0017 81:48:08

16-QAM (5 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:39:08

16-QAM (5MHz) - 26 dB Bandwidth, Middle channel




Date: |9:007.2017 | 81:48:19

QPSK (10 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:47:30

QPSK (10 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.007.2017 21:45:48

16-QAM (10MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:47:03

16-QAM (10MHz) - 26 dB Bandwidth, Middle channel




Date: 19.00T.2017 21:46:38

# LTE Band 17: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.501	5.007
	16QAM	4.554	5.080
10.0	QPSK	8.973	9.783
	16QAM	8.972	9.667


Report No.: RSZ171017001-00D

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 19.0CT.2017 21:52:26

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19:007.6817 | 83664:85

16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:53:15

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: | 91007.0017 | 8159158

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:58:50

### QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 19.0CT.2017 21:56:09

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 19.0CT.2017 21:57:57

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel



Date: 19.007.2017 21:57:11

# FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


## **Applicable Standard**

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

### **Test Procedure**

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1 MHz. Sufficient scans were taken to show any out of band emissions up to  $10^{\text{th}}$  harmonic.



### **Test Data**

#### **Environmental Conditions**

Temperature:	21~24 ℃
Relative Humidity:	49~50 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Kobe Li from 2017-10-18 to 2017-10-26.

Test result: Compliance,


EUT operation mode: transmitting

Please refer to the following plots.

Report No.: RSZ171017001-00D


# Cellular Band (Part 22H)

# 30 MHz – 1 GHz (GSM Mode)




Date: 18.OCT.2017 21:19:37

# 1 GHz – 10 GHz (GSM Mode)




Date: 18.0CT.2017 21:17:55

30 MHz – 1 GHz (WCDMA Mode)



Date: 18.0CT.2017 21:29:19


# 1 GHz – 10 GHz (WCDMA Mode)



Date: 18.OCT.2017 21:29:53


## PCS Band (Part 24E)

# 30 MHz - 1 GHz (GSM Mode)




Date: 18.OCT.2017 21:20:45

# 1 GHz – 2 GHz (GSM Mode)




Date: 18.OCT.2017 21:23:07

# 2 GHz - 20 GHz (GSM Mode)




Date: 18.OCT.2017 21:21:54

# 30 MHz – 1 GHz (WCDMA Mode)




Date: 18.OCT.2017 21:27:52

1 GHz – 2 GHz (WCDMA Mode)



Date: 18.OCT.2017 21:26:11


# 2 GHz – 20 GHz (WCDMA Mode)



Date: 18.0CT.2017 21:27:20


#### LTE Band 2:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 18.OCT.2017 22:11:00

1 GHz – 2 GHz (1.4 MHz, Middle Channel)




Date: 18.OCT.2017 22:12:46

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 18.OCT.2017 22:05:24

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:10:47

1 GHz – 2 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:14:08

2 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:06:15

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:10:34

1 GHz – 2 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:14:51

2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:07:46

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:10:19

1 GHz – 2 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:15:19

2 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:08:17

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:10:04

1 GHz – 2 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:15:47

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:08:32

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:09:37

1 GHz – 2 GHz (20.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:17:31


## 2 GHz -20 GHz (20.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:08:46


## LTE Band 4:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 18.0CT.2017 22:23:36

1 GHz – 2 GHz (1.4 MHz, Middle Channel)




Date: 18.OCT.2017 22:24:42

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 18.OCT.2017 22:19:48

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 18.0CT.2017 22:23:22

1 GHz – 2 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:25:35

2 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:20:18

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:23:11

1 GHz – 2 GHz (5.0 MHz, Middle Channel)




2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:20:34

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:22:48

1 GHz – 2 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:27:40

2 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:20:48

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:22:33

1 GHz – 2 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:28:28

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:21:02

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:22:13

1 GHz – 2 GHz (20.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:29:05


2 GHz – 20 GHz (20.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:21:13


## LTE Band 5:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 18.OCT.2017 22:37:54

# 1 GHz – 10 GHz (1.4 MHz, Middle Channel)




Date: 18.0CT.2017 22:33:09

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:37:21

1 GHz – 10 GHz (3.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:33:43

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:36:33

# 1 GHz – 10 GHz (5.0 MHz, Middle Channel)




30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:35:38


1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:34:09


# LTE Band 7:

# 30 MHz – 1 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:43:06

# 1 GHz – 3.0 GHz (5.0 MHz, Middle Channel)




Date: 18.0CT.2017 22:43:44

3.0 GHz - 26 GHz (5.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:40:36

30 MHz - 1.0 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:42:52

1 GHz – 3 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:44:03

3 GHz – 26 GHz (10.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:40:58

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:42:38

# 1 GHz – 3 GHz (15.0 MHz, Middle Channel)




Date: 18.OCT.2017 22:44:16

3 GHz – 26 GHz (15.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:41:13

30 MHz – 1 GHz (20.0 MHz, Middle Channel)



Date: 18.OCT.2017 22:42:16