

TEST REPORT No.: 2-20789055e/10

> According to: FCC Regulations Part 15.209 & 15.247 IC Regulations RSS-210, Issue 7 RSS-Gen, Issue 2

for Everon Oy/AB

Base URG-BAS-002 + Battery pack URG-BAT-002 FCC ID: YLO201002 IC: 9150A-201002



CETECOM GmbH

Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.de • Internet: www.cetecom.com



Table of contents

1. SUMMARY OF TEST RESULTS	3
1.1. TESTS OVERVIEW FCC Part 15and Kanada IC Standards (RSS-210, RSS-Gen)	3
2. ADMINISTRATIVE DATA	5
2.1. Identification of the testing laboratory 2.2. Test location	5 5 5
3. EQUIPMENT UNDER TEST (EUT)	6
3.1. Additional declaration and description of main EUT 3.2. Configuration of cables used for testing 3.3. EUT: Type, S/N etc. and short descriptions used in this test report 3.4. Auxiliary Equipment (AE): Type, S/N etc. and short descriptions 3.5. EUT set-ups 3.6. EUT operating modes	6 7 7
4. DESCRIPTION OF TEST SET-UP'S	8
4.1. Test Set-up for conducted measurements 4.2. Test set-up for radiated measurements	
5. MEASUREMENTS	10
5.1. Conducted emissions on AC-Power lines, \$15.207, RSS-Gen 7.2.2	
6. INSTRUMENTS AND ANCILLARY	
6.1. Used equipment "CTC"	
Table of annex	Total pages
DOCUMENT 2_20789055B_10_A1.PDF, DIAGRAMS OF THE MEASUREMENTS	24
DOCUMENT 2_20789055B_10_A2, PHOTOS OF EUT	6
DOCUMENT 2_20789055B_10_A3.PDF, PHOTOS OF MEASUREMENT SET-UP	4



1. Summary of test results

The presented BASE, type URG-BAS-002 unit, is the fixed part of the GSM/GPRS/GPS Watch Helping Device and contains a 921.4MHz transceiver. Pls. refer to operating manual for further details of the specific function within the system.

The test results apply exclusively to the test samples as presented in chapter 3.1. The CETECOM GmbH does not assume responsibility for any conclusions and generalizations taken in conjunction with other specimens or samples of the type of the item presented to tests.

Following tests have been performed to show compliance with applicable FCC Part 2 and Part 15 rules of the FCC CFR 47 (2010-1-09) and Industry Canada RSS-210, Issue 7 and RSS-Gen, Issue 2 regulations.

1.1. TESTS OVERVIEW FCC Part 15 and Kanada IC Standards RSS-210, RSS-Gen

TEST CASES	PORT	RI	EFERENCES & LIN	MITS		EUT	Result
		FCC Standard	RSS Section	TEST LIMIT	EUT set-up	opera- ting mode	
			TOST N.C. J.				
CID D. I. LIII	Ι		TX-Mode		Π	1 1	
6dB Bandwidth	Antenna terminal (conducted)	§15.247(a)(1)	RSS-210, Issue 7: A8.2 (a)	Minimum 500kHz	2	1	Passed
99% occupied bandwidth	Antenna terminal (conducted)		RSS-210, Issue 7	99% Power bandwidth	2	1	Passed
Transmitter output power (conducted)	Antenna terminal (conducted)	§15.247(b)(1)	RSS-210, Issue 7: A8.4 (4)	0.125 Watt Peak	2	1	Passed
Transmitter Output power (radiated)	Cabinet (radiated)	§15.247(b)(4)	RSS-210, Issue 7: A8.4 (4)	< 4 Watt (EIRP) for antenna with directional gain less 6dBi	2	1	Passed
Out-Of-Band RF- emissions Band-Edge emissions (conducted)	Antenna terminal (conducted)	§15.247 (d)	RSS-210, Issue 7: A8.5	20 dBc	2	1	Passed
Power spectral density	Antenna terminal (conducted)	§15.247(e)	RSS-210, Issue 7: A8.2 (b)	8dBm in any 3kHz band	2	1	Passed



AC-Power Lines	AC- Power	§15.207	RSS-Gen, Issue 2: Chapter 7.2.2	FCC §15.207 limits			_
Conducted Emissions	lines			IC: Table 2, Chapter 7.2.2	3	1	Passed
General field strength emissions + restricted bands (radiated)	Cabinet + Interconn ecting cables (radiated)	§15.247 (d) §15.205 §15.209	RSS-210, Issue 7 §2.6 + §2.7, Table 1,2	Emissions in restricted bands must meet the general field- strength radiated limits §15.209	1+2	1	Passed

		医骨膜肿瘤	RX Mode			ME PROPERTY.
AC-Power Lines Conducted Emissions	AC- Power lines	§15.107	RSS-Gen, Issue 2, Chapter 7.2.2	FCC §15.107 class B limits §15.207 limits IC: Table 2, Chapter 7.2.2	 	Passed, remark 1
RECEIVER Radiated emissions	Cabinet + Interconn ecting cables (radiated)	§15.109 §15.33 §15.35	RSS-Gen, Issue 2, Chapter 6(a)	FCC 15.109 class B limits IC-limits: Table 1, Chapter 6	 	Passed Remark 1
RECEIVER Conducted emissions	Antenna terminal (conducte d)	§2.1051 §15.111	RSS-Gen, Issue 2, Chapter 6(b)	FCC: < 2nW IC: < 2 nW/4kHz (30 <f<1000 MHz) < 5nW/4kHz (f> 1GHz)</f<1000 	 	Passed, remark 1

Remark: 1.) See separate test report 2_20789055f_10 for measurements according Part 15, Subpart B.

ATTESTATION: I declare that all measurements were performed by me or under my supervision and that all measurements have been performed and are correct to my best knowledge and belief to Industry Canada standards. All requirements as shown in above table are met in accordance with enumerated standards.

Dipl.-Ing. W. Richter Responsible for testsection GmbH Im Teelbruch 116 45219 Essen Tel.: + 49 (0) 20 54 / 95 19 - 0 Fax: + 49 (0) 20 54 / 95 19 - 997

Dipl.-Ing. C. Lorenz Responsible for test report



2. Administrative Data

2.1. Identification of the testing laboratory

Company name: CETECOM GmbH

Address: Im Teelbruch 116

45219 Essen - Kettwig

Germany

Laboratory accreditations/Listings: DAR-Registration No. DGA-PL176/94-03

FCC-Registration No. 99538, MRA US-EU 0003

IC-Registration No. 3462D-1, 3462D-2

VCCI Registration No. R-2665, R-2666, C-2914, T-339

Responsible for testing laboratory: Dipl.-Ing. W. Richter

Deputy: Dipl.-Ing. J. Schmitt

2.2. Test location

2.2.1. Test laboratory "CTC"

Company name: see chapter 2.1. Identification of the testing laboratory

2.3. Organizational items

Order No.: 20789055

Responsible for test report and

project leader: Dipl.-Ing. C. Lorenz

Receipt of EUT: 2010-07-05

Date(s) of test: 2010-07-05 to 2010-7-28

Date of report: 2010-08-12

Version of template: 09.06 _All.Dotm

2.4. Applicant's details

Applicant's name: Everon Oy/AB

Address: Vakiotie 9

21420 Lieto Finland

Contact person: Mr. Alain Moisan

2.5. Manufacturer's details

Manufacturer's name: Varitron Technologies Inc.

Address: 4811 Chemin de la Savane

St-Hubert, Quebec

Canada, J3Y 9G1



3. Equipment under test (EUT)

3.1. Additional declaration and description of main EUT

over the second					
Main function	BASE	BASE			
Type	URG-BAS-002				
ISM Band frequency range	902-928MHz band: 6dB	B-bandwidth>500kHz			
Number of channels	1 channel@921.4MHz r	nominal frequency			
(USA/Canada -bands)					
Type of modulation	FSK				
EMISSION DESIGNATOR(S)	908KF1D				
921.4MHz TX antenna	External, no other information available				
FCC-ID	YLO201002				
IC	9150A-201002				
Installed option	■ battery charging option	on			
Power supply	1. Over AC/DC adaptor	r			
	2. Over battery pack				
Special EMI components					
EUT sample type	☐ Production	☑ Pre-Production	☐ Engineering		

3.2. Configuration of cables used for testing

Cable number	Item	Туре	S/N serial number	HW hardware status	Cable length
Cable 1	Power cable from AE1	DC-cable			1.86 m



3.3. EUT: Type, S/N etc. and short descriptions used in this test report

Short description*)	EUT	Туре	S/N serial number	HW hardware status	SW software status
EUT A	BASE	URG-BAS-002	10-22-03-X4- 01004304	03	1009
EUT B	BASE	URG-BAS-002	10-22-05-X4- 01004317	05	1009
EUT C	BASE	URG-BAS-002	10-20-03-X4- 01004295	03	1009
EUT D	Battery pack ^{2.)}	URG-BAT-002			

^{*)} EUT short description is used to simplify the identification of the EUT in this test report.

3.4. Auxiliary Equipment (AE): Type, S/N etc. and short descriptions

AE short description *)	Auxiliary Equipment	Туре	S/N serial number	HW hardware status	SW software status
AE 1	Helms-Man AC/DC Adaptor	SCP0601200P	N20429		

^{*)} AE short description is used to simplify the identification of the auxiliary equipment in this test report.

3.5.EUT set-ups

EUT set-up no.*)	Combination of EUT and AE	Remarks
Set. 1	EUT A + AE 1	Used for radiated emission tests
Set. 2	EUT B + AE 1	Used for conducted-rf and radiated emission tests
Set. 3	EUT C+ AE 1	Conducted emission tests on AC-mains and radiated power measurement

^{*)} EUT set-up no. is used to simplify the identification of the EUT set-up in this test report.

3.6. EUT operating modes

EUT operating mode no.*)	Description of operating modes	Additional information		
op. 1	Transmit mode (TX)	Nominal channel = 921.4MHz Data rate=100kBps, FSK modulated Maximum possible duty cycle was set to approx 50%		
		Maximum possible duty-cycle was set to approx. 50%		

^{*)} EUT operating mode no. is used to simplify the test report.


^{2.)} not used for measurements within this test report



4. DESCRIPTION OF TEST SET-UP's

4.1. Test Set-up for conducted measurements

The EUT was modified in order to facilitate for requested conducted measurements. The customer installs a suitable connector in order to make conducted measurements possible. EUT's RF-signal is first attenuated by 10dB before it is feed to the spectrum analyzer. The specific attenuation losses for the RF-signal path is determined within a path-loss calibration and the spectrum-analyzer readings corrected.



Test set-up: conducted for RF-tests



4.2. Test set-up for radiated measurements

Pls. see above description and schematic for radiated measurements used set-up.

The EUT and accessories are placed on a non-conducting tipping table of 0.8 meter height (semi-anechoic chamber) or 1.55m height (fully-anechoic chamber) which is situated in the middle of the turntable. The turntable can rotate the device under test 360 degree, the tipping table can rotate the device from laid to standing position. This way the device under test can be rotated in all three orthogonal planes in order to maximize the detected emissions. The turn- and tipping table are controlled by a controller unit. All positions manipulations are software controlled from a operator PC.

The measurements are performed for both receiving antenna polarisations: vertical and horizontal.

Up to 18GHz a measurement distance of 3 meters is used, above 18GHz the distance is 1 meter. A biconical-logarithmic antenna up to 1 GHz and a logarithmic-periodic antenna for frequencies above 1 GHz up to 26.5GHz is used. For frequencies above 26.5GHz a horn antenna is used, pls. compare the equipment list for more details.

The EUT is powered either by a external DC-supply with nominal voltage or a AC/DC power supply as accessory.

Anechoic Chamber 3 meter biconical-logarithmic антенна turntable EIIT nosition (elevation) manipulator table low-loss cable 1 or 3 meters horn or log-periodic антенна DC-Power Supply Signalling Unit antenna and filter switch-unit spectrum-analyzer Turntable and position PC + Software manipulator controller

Schematic: radiated measurements test set-up



5. Measurements

5.1. Conducted emissions on AC-Power lines,

§15.207, RSS-Gen 7.2.2

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Essen (Chapter 2.2.1)		☐ Please see Chapter 2.2.2		☐ Please see Chapter 2.2.3	
test site	☐ 333 EMI field	■ 348 EMI cond.	□ 334 EMS-field	□ 335 EMS cond	☐ 347 Radio.lab.	□ 337 OATS
receiver	□ 001 ESS	■ 377 ESCS 30				
LISN	■ 005 ESH2-Z5	□ 007 ESH3-Z6	□ 300 ESH3-Z5 &	50Ω used for AE	☐ no LISN for AE	
signaling	□ 017 CMD 65	□ 323 CMD 55	□ 340 CMD 55			
signaling	□ 298 CMU	□ 460 CMU	□ 295 RACAL	□ 392 MT8820A		·

STANDARDS AND LIMITS: §15.107 (CLASS B), §15.207, RSS-Gen:7.2.2, ANSI C63.10:2009

~	5111 (511155 11 (5 511115) (511155 5), 31115 (5111115) 11 (51 50110)					
Frequency [MHz]	Conducted limit [dBµV]					
	QUASI-Peak	AVERAGE				
0.15 - 0.5	66 to 56*	56 to 46*				
0.5 - 5	56	46				
5 – 30 60 50						
Remark: * decreases with the logarithm of the frequency						

TEST CONDITION AND MEASUREMENT PROCEDURES TEST SET-UP

link to test system (if used):	□ air link □	cable connection		
EUT-grounding	≥ none □	with power supply	□ additional connection	
Equipment set up	区 table top		☐ floor standing	
	(40 cm distance	to reference	EUT stands isolated on reference ground plane (floor)	
	ground plane (w	vall)		
Climatic conditions	Temperature: (2	23°C)	Rel. humidity: (54)%	
EMI-Receiver (Analyzer) Settings	Span/Range:	150 kHz to 30 MF	łz	
	RBW:	9 kHz		
	Detector/Mode:	: Max PEAK-hold,	repetitive scan for preliminary testing	
	Quasi-Peak Detector and Average-Detector for final measurement according			
		ANSI 63.10:2009,	, CISPR 16	

Devices which can be connected to the public AC-power network, should be tested against the radio frequency voltage conducted back into the AC-power line in the frequency range 150kHz to 30 MHz. Compliance should be tested by measuring the radio frequency voltage between each power line and ground at the power terminals in the stated frequency range.

A $50\text{Ohm}/50\mu\text{H}$ line impedance stabilization network (LISN) is used therefore. The EUT power input leads are connected through the LISN to the AC-power source. The LISN enclosure is electrically connected to the GND-plane. The measuring instrument is connected to the coaxial output of the LISN.

Tabletop devices were set-up on a 80 cm height over reference ground plane, floor standing equipment 10 cm raised above ground plane.

Measurements have been performed on each phase line and neutral line of the devices AC-power lines. The EUT was power supplied with 110 V/60Hz.

The EUT was tested in the defined operating mode and installed (connected) to accessory equipment according the general description of use given by the applicant.

Preliminary testing as a first step, determines the worst-case phase line (neutral or phase) as well as the most critical amplitude by changing the operating mode. A complete frequency-sweep is performed with PK-Detector. **Final testing** for power phases and critical frequencies (Margin to AV- or QP limit lower than 3dB) as a second step includes measurements either on discrete frequency components with receivers detector set to Quasi-Peak and Average per frequency component or a complete sweet with corresponding detector.



MEASUREMENT RESULTS

	Type and S/N or EUT set-up no.	EUT set-	EUT set-up 3							
EUT open	cating mode	EUT ope	EUT operating mode 1							
Diagram No.	Command or EUT operating mode or operating mode no.		Detector (Peak, CISPR AV, CISPR QP)	Power line (L1, L2, L3, N)	Additional (scan-) information (e.g. Pre-test Fast scan, Maxhold, Final measurement)	Result (passed / failed /final measurem necessary)				
1.01	EUT operating n	node 1	Peak, AV,QP	L1, N	The Diagram shows PK/AV detector measurements on L1 and N with maxhold mode. Final measurement QP and AV was carried out on at least one frequency (please see diagram)	passed				

Remarks: pls. see annex A1 for detailed diagram

Margin to Limit for verdict: $M = L_T - R_R + C_{Loss}$

Abbreviations used:

 \bullet R_R: Receiver readings in dB μ V

C_{Loss}: cable loss
 L_T: Limit in dBμV

VERDICT

Passed



5.2. Radiated emissions, below 30 MHz,

§15.205 and §15.209, RSS-210, RSS-Gen

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Esse	n (Chapter. 2.2.1)	☐ Please see Chapte	er. 2.2.2	□ Please see Chapt	er. 2.2.3
test site		□ 487 SAR NSA	□ 337 OATS	□ 347 Radio.lab.		
receiver	□ 377 ESCS30	■ 001 ESS				
spectr. analys.	□ 381 380 FSBS	□ 120 FSEM	□ 264 FSEK			
antenna	□ 048 EMCO3143	☐ 133 EMCO3115	□ 302 BBHA9170	□ 289 CBL 6141	■ 030 HFH-Z2	□ 477 GPS
signaling	□ 298 CMU	□ 460 CMU	□ 295 RACAL	□ 392 MT8820A		
power supply	□ 456 EA 3013A	□ 457 EA 3013A	□ 459 EA 2032-50	□ 268 EA- 3050	□ 494 AG6632A	☐ 498 NGPE 40
otherwise	☐ 400 FTC40x15E	□ 401 FTC40x15E	□ 110 USB LWL	☐ 482 Filter Matrix		

STANDARDS AND LIMITS: CFR 47, PART 15, SUBPART B, §15.205, §15.209, ANSI C63.10:2009

Frequency	Field	d strength	Measurement	Remarks						
[MHz]	$[\mu V/m]$	$[\mu V/m] \hspace{1cm} [dBuV/m]$								
0.009 - 0.490	2400/f (kHz)	67.6 – 20Log(f) (kHz)	[meters] 300	Correction factor used due to measurement						
0.009 - 0.490	2400/1 (KHZ)	07.0 - 20L0g(1) (kHz)	300	distance of 3m						
0.490 – 1.705	24000/f (kHz)	87.6 – 20 Log(f) (kHz)	30	Correction factor used due to measurement distance of 3m						
1.705 – 30	30	29.54	30	Correction factor used due to measurement						
				distance of 3m						
Remark: * decreases w	Remark: * decreases with the logarithm of the frequency									

TEST CONDITION AND MEASUREMENT TEST SET-UP

link to test system (if used):	□ air link □ cable connection			
EUT-grounding	■ none □ with power supply	□ additional connection		
Equipment set up	⊠ table top	☐ floor standing		
Climatic conditions	Temperature: (23°C)	Rel. humidity: (52)%		
EMI-Receiver (Analyzer) Settings	Span/Range: 9kHz to 150kHz; 150	kHz to 30 MHz		
	RBW/VBW: 200Hz/auto; 10 kHz/ a	uto (ANSI63.10/CISPR#16)		
	Detector/ Mode: PEAK, TRACE max-l	nold mode, repetitive scan for exploratory measurements		
	Quasi-Peak, for final r	neasurement on critical frequencies (fy<1GHz)		

GENERAL MEASUREMENT PROCEDURES:

The measurement test set-up and test procedure are in accordance with the provisions described in ANSI 63.4: 2003

The **Equipment under Test** (EUT) was set-up to defined operating mode and installed (connected) to accessory equipment according the general description of use given by the applicant.

The measurement loop antenna was situated in 3m distance to the EUT. Radiated magnetic emission measurements were made with the antenna situated in 1 meter height. The loop antenna was moved at least to 2-perpendicular axes (antenna vector in direction of EUT and parallel to EUT) in order to maximize the emissions, the EUT itself either over 3-orthogonal axes (no defined usage position) or 2-orthogonal axis (defined usage position) by the position manipulator.

According the standard the compliance should be checked in 30m and 300m measurement distance. Therefore a additional extrapolation factor was used in order to normalize the measurement data. The frequency dependent extrapolation factor used for this reduced measurement distance, can be found in the chapter annexes.



MEASUREMENT RESULTS

Set-up No.		1	1							
Operating M	Iode	1								
Diagram no.	Frequency (MHz)	MaxPeak (dBμV/m)	Meas. Time (ms)	Bandwidth (kHz)	Antenna height (cm)	Polarity	Turntable position (deg)	Corr. (dB)	Margin (dB)	Limit (dBµV /m) (L _T)
3.01	16.81	23.28 (PK)	10	10.0	1.00		0360°		6.26	29.54 (QP)

Remark: see plots enclosed in annex A1

Margin to L	ımıt:		

$$\begin{split} M &= L_T - R_R + C_F + D_F \\ &= L_T - R_R + \P F_{ANTENNA} + Cable_{LOSS} + D_F \end{split}$$

Remark: positive margin means passed result

Abbreviations used:

• R_R : Receiver readings in $dB\mu V/m$

C_F: Transducer in dB = AF (antenna factor) + CL (cable

 D_F: distance correction factor (if different measurement distance used than specified in the standard

 $\bullet \qquad L_T: Limit \ in \ dB \mu V/m$

VERDICT

Summary of measurement results for radiated frequencies below 30 MHz: Passed



5.3. Radiated emissions, 30 MHz - 1 GHz,

§15.205 and §15.209, RSS-210, RSS-Gen

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Essen (Chapter. 2.2.1)		☐ Please see Chapte	er. 2.2.2	☐ Please see Chapter. 2.2.3		
test site	■ 441 EMISAR	□ 487 SAR NSA	□ 337 OATS	□ 347 Radio.lab.			
receiver	□ 377 ESCS30	≥ 001 ESS					
spectr. analys.	□ 381 380 FSBS	□ 120 FSEM	□ 264 FSEK				
antenna	№ 048 EMCO314	3 □ 133 EMCO3115	□ 302 BBHA9170	□ 289 CBL 6141	□ 030 HFH-Z2	☐ 477 GPS	
signaling	□ 298 CMU	□ 460 CMU	□295 RACAL	□ 392 MT8820A			
power supply	□ 456 EA 3013A	□ 457 EA 3013A	□ 459 EA 2032-50	□ 268 EA- 3050	□ 494 AG6632A	☐ 498 NGPE 40	
otherwise	□ 400 FTC40x15	E □ 401 FTC40x15E	□ 110 USB LWL	¥ 482 Filter Matrix			

STANDARDS AND LIMITS: CFR 47, §15.109 (CLASS B), §15.209, ANSI C63.10:2009

Frequency	Radiated emission limits in 3m measurement distance						
[MHz]	QUASI-Peak	QUASI-Peak					
	[microvolts/meter]	$[dB\mu V/m]$					
30-88	100	40					
88-216	150	43,5					
216-960	200	46,0					
above 960	500	54,0					

TEST CONDITION AND MEASUREMENT TEST SET-UP

link to test system (if used):	□ air link	☐ cable connection					
EUT-grounding	none l	☐ with power supply	□ additional connection				
Equipment set up	table top 0.8i table top 0.8i	m height	☐ floor standing				
Climatic conditions	Temperature: (2	27°C)	Rel. humidity: (41)%				
EMI-Receiver (Analyzer) Settings	Span/Range:	30 MHz to 1 GHz					
	RBW/VBW:	120 kHz / (auto)					
	Detector/ Mode	: PEAK, TRACE max	x-hold mode, repetitive scan				
		Quasi-Peak, for final	Quasi-Peak, for final measurement for critical measurements				

§15.205 - RESTRICTED BANDS OF OPERATION

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
0.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.20725-4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	
13.36-13.41			

Remark: only spurious emissions are allowed within these frequency bands not exceeding the limits per §15.209




GENERAL MEASUREMENT PROCEDURES:

The measurement test set-up and test procedure are in accordance with the provisions described in ANSI 63.10: 2009

The *Equipment under Test* (EUT) set-up to defined operating mode and installed (connected) to accessory equipment according the general description of use given by the applicant.

MEASUREMENT METHOD (30 MHz<f <1 GHz):

A EMI analyzer together with a broadband antenna was used in order to identify the emissions from the EUT by positioning



the antenna close to the EUT surfaces. The interconnecting cables and equipment position were varied in order to maximize the emissions. Then most critical frequencies are recorded for further investigations. Based on the exploratory measurements, the most critical frequencies are re-measured by maintaining the EUT's operating mode, cable position, etc. The EUT was placed on a non-conductive support of 0.8 m height. By rotating the turntable angle in the range 0 to 360 degree, the EUT itself either over

3-orthogonal axis (not defined usage position) or 2-orthogonal axis (defined usage position) and the measurement antenna height from 1 meter to 4 meters, the maximized emissions are recorded. The measurements are performed for both polarizations of the measuring antenna: horizontal and vertical.

RESULTS

All frequencies (outside & inside restricted bands of operation) are under the general limit as stated in \$15.209

Channel 921.4MHz

Channel 921.4MHz										
Set-up No.		1	1							
Operating N	/Iode	de 1								
Diagram no.	Frequenc y (MHz)	MaxPeak (dBµV/m)	Meas. Time (ms)	Bandwidth (kHz)	Antenna height (cm)	Polarity	Turntable position (deg)	Corr. (dB)	Margin (dB)	Limit (dBµV/ m)
								(C_F)	(M)	(L_T)
	312.00	38.1	1000.0	120.000	100.0	Н	195.0	16.3	7.90	
	364.00	36.0	1000.0	120.000	100.0	Н	14.0	17.6	10.00	
2.01	415.98	34.6	1000.0	120.000	100.0	Н	270.0	18.7	11.40	46.00
2.01	505.540	36.0	1000.0	120.000	100.0	V	146.0	20.5	10.00	(QP)
	557.260	37.2	1000.0	120.000	100.0	V	286.0	21.4	8.80	
	609.560	34.9	1000.0	120.000	100.0	V	0.0	22.0	11.10	

Remark: 1.) see also plots enclosed in Annex A1

2.) Wanted transmission signal on 921.4MHz on diagram

Margin to Limit:

$$\begin{split} M &= L_T - R_R + C_F + D_F \\ &= L_T - R_R + \P F_{ANTENNA} + Cable_{LOSS} + D_F \end{split}$$

Remark: positive margin means passed result

Abbreviations used:

- R_R : Receiver readings in $dB\mu V/m$
- CF: Transducer in dB = AF (antenna factor) + CL (cable loss)
- D_F: distance correction factor (if different measurement distance used than specified in the standard
- $\bullet \qquad L_T: Limit \ in \ dB \mu V/m$

VERDICT

Passed



5.4. Radiated emissions, above 1GHz,

§15.205 and §15.209, RSS-210, RSS-Gen

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test site	☐ 441 EMI SAR	□ 348 EMI cond.	■ 443 EMI FAR	☐ 347 Radio.lab.	☐ 337 OATS	
equipment	□ 331 HC 4055					
Spectr. analys.	□ 138 139 FSBS	□ 120 FSEM	□ 264 FSEK	■ 489 ESU		
antenna meas	■ 549 HL025	□ 289 CBL 6141	□ 439 HL 562	☐ 133 EMCO3115	□ 302 BBHA9170	□ 477 GPS
antenna meas	□ 123 HUF-Z2	□ 132 HUF-Z3	□ 030 HFH-Z2			
antenna subst	□ 071 HUF-Z2	□ 020 EMCO3115	□ 063 LP 3146	□ 303 BBHA9170		
power meter	□ 009 NRV	□ 010 URV5-Z2	□ 011 URV5-Z2			
Signalgener.	□ 008 SMG	□ 140 SMHU	□ 263 SMP04			
power meter	□ 262 NRV-S	□ 266 NRV-Z31	□ 265 NRV-Z33	□ 261 NRV-Z55	□ 356 NRV-Z1	
DCpower	□ 086 LNG50-10	□ 087 EA3013	☐ 354 NGPE 40	☐ 349 car battery	☐ 350 Car battery	
multimeter	☐ 341 Fluke 112					
signaling	□ 298 CMU	□ 460 CMU	□ 295 RACAL	□ 392 MT8820A		

STANDARDS AND LIMITS: CFR 47, §15.109 (CLASS B), §15.209, ANSI C63.10:2009

Frequency	Radiated emission limits, 3 meters measurement distance									
[MHz]	AV	AV AV Peak Peak								
	[microvolts/meter] [dB μ V/m] [microvolts/meter] [dB μ V/m]									
above 1GHz	500 54.0 5000 74.0									

TEST CONDITION AND MEASUREMENT TEST SET-UP

link to test system (if used):	□ air link □ cable	connection				
EUT-grounding	⋈ none	ower supply	□ additional connection			
Equipment set up	■ table top 1.5m height		☐ floor standing			
Climatic conditions	Temperature: (26,8°C)		Rel. humidity: (43)%			
	Span/Frequency range : RBW/VBW:	110 GHz +si 1 MHz / 3 MF	ngle frequencies determined in step 1 Iz			
	Detector/ Mode:	Peak/AV, MAX-hold, repetitive scan for exploratory measurement PEAK/ AVERAGE, for final measurement for critical frequencies				
	Antenna Polarisation	Horizontal / Vertical				

GENERAL MEASUREMENT PROCEDURES: the measurement test set-up and test procedure are in accordance with the provisions described in ANSI 63.10: 2009

The *Equipment under Test* (EUT) was placed on a non-conductive positioning table of 0.8 or 1.5 meter height depending from the frequency range. The measuring distance was set to 3 meter for frequencies up to 18GHz and 1 meter above 18GHz.

The EUT was set-up to defined operating mode and installed (connected) to accessory equipment according the general description of use given by the applicant.

- 1. Step Exploratory measurement: see above description as in the frequency range lower 1GHz.
- 2. Step Final Measurement(1 GHz<f <18 GHz): On the Worst-Case EUT configuration, frequency components with a margin lower than 6 dB to the limits, will be re-measured by maintaining the EUT's operating mode, cable position, etc.. For find the worst-case emission, the turntable was changed in the range 0 to 360 degree and the EUT itself either over 3-orthogonal axis (not defined usage position) or 2-orthogonal axis (defined usage position). The measurements are performed for both polarizations of the measuring antenna: horizontal and vertical.</p>



RESULTS:

a.) Spurious emissions outside restricted bands of operation accord. §15.205

Channel 921.4MHz: Maximum field strength in 3 m distance: 104.0 dBuV/m (PK) -> Limit is 20dBc: 84.0 dBuV/m

dBuV/m Set-up No.		2								
Operating N	Mode.	1								
Diagram no.	Frequency (MHz)	MaxPeak (dBµV/m)	Meas. Time (ms)	Bandwidth (kHz)	Antenna height (cm)	Polarity	Turntable position (deg)	Corr. (dB)	Margin (dB)	Limit (dBµV /m) (L _T)
	1842.90	60.10 (PK)	100.0	1000.0	155.0	V	256.0	32.7	>20	(21)
2.11	1960.5	55.76 (PK)	10.0	1000.0	155.0	H/V	0360°		>20	-
	1842.9	47.89 (AV)	10.0	1000.0	155.0	H/V	0360°			
	1757.5	55.13 (PK)	10.0	1000.0	155.0	H/V	0360°		>20	
2.13	1842.4	60.8 (PK)	10.0	1000.0	155.0	Н	310	32.7	>20	
	1842.9	49.2 (AV)	100.0	1000.0	155.0	Н	307.0	32.7		
	2432.5	62.83 (PK)	10.0	1000.0	155.0	H/V	0360°		>20	
	2561.0	62.69 (PK)	10.0	1000.0	155.0	H/V	0360°		>20	
	5527.5	53.43 (PK)	10.0	1000.0	155.0	Н	0360°		>20	
	5527.5	42.71 (AV)	10.0	1000.0	155.0	Н	0360°			
2.12	6448.5	50.52 (PK)	10.0	1000.0	155.0	Н	0360°		>20	84.0
	6449.0	37.37 (AV)	10.0	1000.0	155.0	Н	0360°			04.0
	9215.5	39.41 (AV)	10.0	1000.0	155.0	Н	0360°			
2.14	5529.5	50.55 (PK)	10.0	1000.0	155.0	Н	0360°		>20	
2.14	5527.5	40.07 (AV)	10.0	1000.0	155.0	Н	0360°			
2.33a	1843.30	56.1 (PK)	100.0	1000.0	155.0	V	299.0	32.7	>20	
2.33a	1843.40	44.6 (AV)	100.0	1000.0	155.0	V	266.0	32.7		
2.33b	1842.40	44.2 (AV)	100.0	1000.0	155.0	Н	293.0	32.7		
	5530.10	55.8 (PK)	100.0	1000.0	155.0	V	304.0	4.3	>20	
2.34a	6447.90	51.3 (PK)	100.0	1000.0	155.0	V	188.0	7.5	>20	
2.344	5527.0	45.2 (AV)	100.0	1000.0	155.0	V	110.0	4.3		
	6451.6	38.0 (AV)	100.0	1000.0	155.0	V	166.0	7.5		



2.34b	5530.1 (PK)	55.1	100.0	1000.0	155.0	V	48.0	4.3	>20	
	6451.6 (PK)	55.0	100.0	1000.0	155.0	Н	45.0	7.5	>20	84.0
	5530.0 (AV)	42.1	100.0	1000.0	155.0	V	48.0	4.3		04.0
	6451.6 (AV)	41.6	100.0	1000.0	155.0	Н	45.0	7.5		

Remark: 1.) diagrams shows PK/AV detector measurements

b.) Restricted band of operation: spurious emissions <u>falling inside</u> restricted bands of operation (limits accord. §15.209 applicable)

Channel 921.4MHz

Set-up No.		2	2									
Operating M	Iode	1	1									
Diagram no.	Frequency (MHz)	MaxPeak (dBμV/m)	Meas. Time (ms)	Bandwidth (kHz)	Antenna height (cm)	Polarity	Turntable position (deg)	Corr. (dB)	Margin (dB)	Limit (dBµV /m) (LT)		
2.11	1415.50	53.1 (PK)	100.0	1000.0	155.0	v	67.0	29.6	>20	(==)		
2.11	1563.60	53.4 (PK)	100.0	1000.0	155.0	V	106.0	30.7	>20	74.0 (PK)		
2.13	1387.0	50.93 (PK)	10.0	1000.0	155.0	H/V	0360		>20			
	4095.0	44.09 (PK)	10.0	1000.0	155.0	H/V	0360		>20	74.0 (PK)		
	4606.5	47.89 (PK)	10.0	1000.0	155.0	H/V	0360		>20			
2.12	9487.0	52.84 (PK)	10.0	1000.0	155.0	H/V	0360		>20			
2.12	3686.5	32.61 (AV)	10.0	1000.0	155.0	Н	0360		>20			
	4608.0	34.12 (AV)	10.0	1000.0	155.0	Н	0360		19.88	54.0 (AV)		
	7372.5	37.62 (AV)	10.0	1000.0	155.0	Н	0360		16.38			
2.14	4606.5	34.59 (PK)	10.0	1000.0	155.0	Н	0360		>20	74.0 (PK)		

^{2.)} see plots enclosed in annex A1



2.33a	2763.5 (PK)	63.9	100.0	1000.0	155.0	V	242.0	37.1	10.1	74.0 (PK)
2.33a	2763.4 (AV)	51.1	100.0	1000.0	155.0	V	38.0	37.1	2.9	54.0 (AV)
2 221-	2761.6 (PK)	62.9	100.0	1000.0	155.0	V	106.0	37.0	11.1	74.0 (PK)
2.33b	2765.1 (AV)	50.6	100.0	1000.0	155.0	Н	90.0	37.1	3.4	54.0 (AV)
	2876.4 (PK)	38.5	100.0	1000.0	155.0	Н	315.0	-1.9	35.5	
2.34a	3686.9 (PK)	66.0	100.0	1000.0	155.0	V	9.0	-0.2	8.0	74.0
	4608.5 (PK)	61.7	100.0	1000.0	155.0	V	-11.0	2.0	12.3	(PK)
	8290.1 (PK)	51.2	100.0	1000.0	155.0	V	17.0	12.1	22.8	
	3684.5 (AV)	52.7	100.0	1000.0	155.0	V	7.0	-0.2	1.3	54.0 (AV)
	4605.7 (AV)	48.5	100.0	1000.0	155.0	V	-11.0	2.0	5.5	
	4608.3 (AV)	48.5	100.0	1000.0	155.0	V	-11.0	2.0	5.5	
	8290.4 (AV)	38.8	100.0	1000.0	155.0	V	18.0	12.1	15.2	
	3684.5 (PK)	61.4	100.0	1000.0	155.0	Н	310.0	-0.2	12.6	
	4608.7 (PK)	59.7	100.0	1000.0	155.0	Н	312.0	2.0	14.3	74.0 (PK)
	8289.5 (PK)	54.0	100.0	1000.0	155.0	V	194.0	12.1	20.0	
2.34b	3684.5 (AV)	49.6	100.0	1000.0	155.0	Н	315.0	-0.2	4.4	
	4605.7 (AV)	46.9	100.0	1000.0	155.0	Н	313.0	2.0	7.1	54.0
	4608.3 (AV)	46.6	100.0	1000.0	155.0	Н	312.0	2.0	7.4	(AV)
	8295.0 (AV)	41.0	100.0	1000.0	155.0	V	194.0	12.1	13.0	

Remark: 1.) diagrams shows PK/AV detector measurements

2.) see plots enclosed in annex A1

Margin to Limit:

$$\begin{split} M &= L_T - R_R + C_F + D_F \\ &= L_T - R_R + AF_{ANTENNA} + Cable_{LOSS} + D_F \end{split}$$

Remark: positive margin means passed result

Abbreviations used:

- R_R : Receiver readings in $dB\mu V/m$
- CF: Transducer in dB = AF (antenna factor) + CL (cable loss)
- D_F: distance correction factor (if different measurement distance used than specified in the standard
- $\bullet \qquad L_T: Limit \ in \ dB \mu V/m$

VERDICT

Passed



5.5. 6-dB Bandwidth

FCC 15.247 (2), RSS-210: A8.2(a)

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Essen (Chapter. 2.2.1)		☐ Please see Cha	pter. 2.2.2	☐ Please see Chapter. 2.2.3	
test site	☐ 441 EMI SAR	□ 487 SAR NSA	□ 337 OATS	■ 347 Radio.lab.		
receiver	□ 377 ESCS30	□ 001 ESS	≥ 489 ESU			
otherwise	≥530 Attenuator	Radio lab cable l	K15			

REFERENCES: §15.247(2), RSS210: A8.2(a)

(1) <u>Frequency hopping systems</u> shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater. Alternatively, frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW.

(2) DSSS Systems using <u>digital modulation techniques</u> may operate in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500 kHz.

EUT SETTINGS:

The EUT was instructed to send with maximum power (if adjustable) according applicants instructions. A modified software was used to give the maximum possible duty-cycle.

Different modulation characteristics have been checked, e.g. data rates which EUT can operate.

MEASUREMENT METHOD:

The measurement test set-up and test procedure are in accordance with the provisions described in ANSI 63.10: 2009.

The measurement was performed with the RBW set to 10kHz. The span was set to cover the complete carrier. A DELTA Marker method was set to measure the bandwidth compared to the reference level.

Also the **99% emission bandwidth** was measured in order to verify the calculated emission class and necessary bandwidth. At first approximation the necessary bandwidth and 99% bandwidth should be equal. Two markers are placed on frequency points such that left to lower f-marker and right to higher f-marker only 1% of the TX-power is contained. Between the markers, 99% of the power is laying.

SETTINGS ON SPECTRUM-ANALYZER:

Span	Set as to fully display the emissions and approximate 20dB below the PEAK level
Resolution Bandwidth	Set to approx 1% to 3% of the emission width = 10kHz chosen
(RBW)	
Video Bandwidth (VBW)	3 times the resolution bandwidth = 30kHz
Sweep time	Coupled and low enough to have no gaps within power envelope
Detector	Sample (if bin width: Span/no. of frequency points SA < 0.5*RBW SA otherwise
	Peak detector)
Sweep mode	Repetitive Mode, MAX-HOLD



RESULTS:

Set-up no.: 2	6-dB BANDWIDTH
Op-Mode: 1	@ 921.4MHz channel
$T_{NOM} = 24^{\circ}C$	
$V_{NOM} = 4.2 \text{ V}$	
Results	528.84 kHz

Remark: see diagrams in separate annex A1

Set-up no.: 2 Op-Mode: 1	99% EMISSION BANDWIDTH @ 921.4MHz channel
$T_{NOM} = 24$ °C	
$V_{NOM} = 4.2 \text{ V}$	
Results	908.6538 kHz

Remark: see diagrams in separate annex A1

VERDICT: pass



5.6. Power specification

FCC 15.247 (b)(3), RSS-210: A8.4(4)

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Esset	(Chapter. 2.2.1)	¥ 443 System CTC-FA	AR-EMI-	☐ Please see Chapter. 2.2.3		
test site	☐ 441 EMI SAR	□ 487 SAR NSA	□337 OATS	■ 347 Radio.lab.			
receiver	□ 377 ESCS30	□ 001 ESS	■ 489 ESU				
spectr. analys.	□ 489 ESU	□ 120 FSEM	□ 264 FSEK				
power supply	□ 456 EA 3013A	□ 457 EA 3013A	□ 459 EA 2032-50	□ 268 EA- 3050	□ 494 AG6632A	☐ 498 NGPE 40	
otherwise	≥530 Attenuator	Radio lab cable K15	i				

REFERENCE: §15.247(B)(3)

The maximum peak conducted output power of the intentional radiator shall not exceed the following:

- (1) For frequency hopping systems (FHHS) operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts.
- (2) For frequency hopping systems operating in the 902-928 MHz band: 1 watt for systems employing at least 50 hopping channels; and, 0.25 watts for systems employing less than 50 hopping channels, but at least 25 hopping channels, as permitted under paragraph (a)(1)(i) of this section.
- (3) For systems using digital modulation (DSSS) in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt. As an alternative to a peak power measurement, compliance with the one Watt limit can be based on a measurement of the maximum conducted output power. Maximum Conducted Output Power is defined as the total transmit power delivered to all antennas and antenna elements averaged across all symbols in the signaling alphabet when the transmitter is operating at its maximum power control level. Power must be summed across all antennas and antenna elements. The average must not include any time intervals during which the transmitter is off or is transmitting at a reduced power level. If multiple modes of operation are possible (e.g., alternative modulation methods), the maximum conducted output power is the highest total transmit power occurring in any mode.
- (4) The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

ANTENNA CHARACTERISTICS:

×	Directional	Gain < 6	dBi (1	measured:	difference	between r	neasured	conducte	d and i	radiated ei	rp. po	ower)
	Directional	Gain > 6	dBi (ı	measured /	/ applicant	's declarati	ion) -> c	onducted	power	reduction	neces	ssary

EUT SETTINGS:

The EUT was instructed to send with maximum power (if adjustable) according applicants instructions. Different modulation characteristics have been checked, e.g. data rates which EUT can operate.

MEASUREMENT METHOD:

The measurement test set-up and test procedure are in accordance with the provisions described in ANSI 63.10: 2009.

The power was also checked for different data rates, modulation scheme or packet types if applicable.



SETTINGS ON SPECTRUM-ANALYZER:

Center Frequency	Nominal channel frequency
Span	25 MHz
Resolution Bandwidth (RBW)	5 MHz > 6dB-Bandwidth of the signal
Video Bandwidth (VBW)	10MHz
Sweep time	coupled
Detector	Peak, Max hold mode
Sweep Mode	Repetitive mode

5.6.1. CONDUCTED MEASUREMENT: MAX. PEAK POWER

• Maximum declared antenna gain [isotropical]: no information available

RESULTS

	MAX PEAK POWER (conducted)						
Set-up no. : 2 OP-Mode: 1	@921.4MHz nominal						
Measured Peak power [dBm]	11.33 dBm						
Correction factor- Path loss: [dB]	10.02dB (set as offset in SA)						
10dB Attenuator+ Cable attenuation							
Limit	1 Watt (30dBm)						

VERDICT: passed



5.6.2. RADIATED MEASUREMENT: MAX. E.I.R.P POWER

Test location and equipment (for reference numbers please see chapter 'List of test equipment')

test site	☐ 441 EMI SAR	□ 348 EMI cond.	■ 443 EMI FARr	☐ 347 Radio.lab.	□ 337 OATS	
equipment	□ 331 HC 4055					
Spectr. analys.	□ 489 ESU	□ 120 FSEM	■ 264 FSEK	□ 489 ESU		
antenna meas	□ 048 3143	□ 289 CBL 6141	□ 439 HL 562	☐ 133 EMCO3115	□ 302 BBHA9170	■ 549 HL025
antenna meas	□ 123 HUF-Z2	□ 132 HUF-Z3	□ 030 HFH-Z2			
antenna subst	□ 071 HUF-Z2	□ 020 EMCO3115	□ 063 LP 3146	□ 303 BBHA9170		
power meter	□ 009 NRV	□ 010 URV5-Z2	□ 011 URV5-Z2			
Signalgener.	□ 008 SMG	□ 140 SMHU	□ 263 SMP04			
power meter	□ 262 NRV-S	□ 266 NRV-Z31	□ 265 NRV-Z33	□ 261 NRV-Z55	□ 356 NRV-Z1	
DCpower	□ 086 LNG50-10	□ 087 EA3013	☐ 354 NGPE 40	☐ 349 car battery	☐ 350 Car battery	

EUT SETTINGS:

The EUT was instructed to send with maximum power (if adjustable) according applicants instructions. Different modulation characteristics have been checked, e.g. data rates which EUT can operate if applicable.

MEASURING METHOD: The method is according ANSI/TIA/EIA-603-C-2004 and consist of two steps.

First step: The maximum power was recorded by turning the EUT continuously 360 degree steps, the EUT in horizontal (laying) and vertical (standing) position. Measurements have been performed with the measurement antenna set to horizontal and vertical polarisation. The spectrum analyzer was set to MAX-PEAK Detector, MAX-Hold Mode. The RBW used was bigger than the 20-dB bandwidth of the EUT and set to 3 MHz. VBW set to 10MHz with coupled sweep time. The maximum trace peak value was recorded.

Second step: a horn antenna was set instead of the EUT and connected to the signal generator. The level was adjusted such as the same level as in step 1 could be reached. The conducted power delivered to the antenna was measured and the value corrected with the known antenna eirp gain.

RADIATED MEASUREMENT: MAX. EIRP POWER

Transmitting nominal frequency = 921.4MHz				
Set-up no.: 2	8.06 dBm/0.0064W erp at 920.77MHz			
Op. Mode: 1	(10.2 dBm/0.01047W eirp)			

Remark:--

The difference between the conducted and radiated Max. PK-Power gives at first approximation the antenna gain at the investigated channel/frequency.

Measured antenna gain (rough approximation) = 10.2dBm - 11.33dBm = -1.1dBi

VERDICT: pass, (antenna gain < 6 dBi no reduction of conducted power necessary)



5.7. 20dBc Emission specification

FCC 15.247 (d), RSS-210: A8.5

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	■ CETECOM Essen	(Chapter. 2.2.1)	☐ Please see Chapte	er. 2.2.2	☐ Please see Chapt	er. 2.2.3
test site	☐ 441 EMI SAR	□ 487 SAR NSA	□ 337 OATS	■ 347 Radio.lab.		
receiver	□ 377 ESCS30	□ 001 ESS	■ 489 ESU			
spectr. analys.	□ 489 ESU	□ 120 FSEM	□ 264 FSEK			
power supply	□ 456 EA 3013A	□457 EA 3013A	□ 459 EA 2032-50	□ 268 EA- 3050	□ 494 AG6632A	☐ 498 NGPE 40
otherwise	≥ 530 Attenuator	Radio lab cable K	[15	×		

REFERENCES: §15.247, §15.205, RSS-210: A8.5

(d) In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

EUT SETTINGS:

The EUT was instructed to send continuous mode, with maximum power (if adjustable) according applicants instructions.

MEASUREMENT METHOD:

The frequency spectrum was investigated for **conducted** spurious emissions values lower than 20dB related to the RF-carrier power value. The detector was chosen according §15.209(d). The video bandwidth (VBW) was chosen 10 times the resolution bandwidth (RBW). The frequency scan was up to 10 times the highest channel frequency within the operational mode. The spectrum-analyzer was set to MAX-PEAK Detector, MAX-Hold Mode

The EUT was instructed to send with maximum power (if adjustable) according applicants instructions.

Set-up no.: 2 OP-Mode: 1	RF-CONDUCTED TEST: 2	0 dBc SPURIOUS EMISSIONS			
Frequency Range	Nominal channel@921.4MHz				
		rence (In-Band) '.57 dBµV			
	Frequency [MHz]	Margin to 20dBc-limit (=97.57 dBuV) [dB]			
30 925MHz	100.97MHz	> 37.77 dB			
0.92 GHz 10	1839.42 MHz	> 36.82 dB			
GHz	4603.25 MHz	> 29.84 dB			
	5534.23 MHz	> 42.30 dB			

Remark: for results please see diagrams enclosed in annex A1

The limit on the diagrams is 20dB under the reference level measured In-Band

VERDICT: pass



5.8. Power Spectral Density (PSD)

FCC 15.247(e), RSS-210: A8.3

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Essen (Chapter. 2.2.1)		☐ Please see Chapter. 2.2.2		☐ Please see Chapter. 2.2.3	
test site	☐ 441 EMI SAR	□ 487 SAR NSA	□ 337 OATS	■ 347 Radio.lab.		
receiver	□ 377 ESCS30	□ 001 ESS	■ 489 ESU			
spectr. analys.	□ 489 ESU	□ 120 FSEM	□ 264 FSEK			
power supply	□ 456 EA 3013A	□ 457 EA 3013A	□ 459 EA 2032-50	□ 268 EA- 3050	□ 494 AG6632A	☐ 498 NGPE 40
otherwise	≥ 530 Attenuator	Radio lab cable K	X15	×	•	

REFERENCES: §15.247(E), RSS-210:A8.3

(e) For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

EUT SETTINGS:

The measurement test set-up and test procedure are in accordance with the provisions described in ANSI 63.10: 2009.

The EUT was instructed to send with maximum power (if adjustable) according applicants instructions. Different modulation characteristics have been checked, e.g. data rates which EUT can operate.

MEASUREMENT METHOD:

The measurement method orientates on ANSI63.10-2009, chapter 6.11.2.3.

First a frequency sweep around nominal carrier frequency is performed over the complete power envelope of the signal with PEAK detector, MAX hold mode. The maximum peak is located and the frequency recorded. With the nominal frequency set to the determined frequency in the step before, a new frequency sweep is performed with a lower span, increased sweep time and a resolution bandwidth of 3kHz. The measured value is corrected due to external set-up path loss and the resulting value is compared with the standard requirement.

RESULTS

RESULTS	
Set-up no: 2 Op. Mode: 1	POWER SPECTRAL DENSITY [dBm/3Khz] Nominal channel@921.4MHz nominal
Measured Level	-5.03dBm/3kHz @921.655929487MHz
[dBm/3kHz]	
. ,	10.02.19
Correction factor-	10.02dB
Path loss: [dB]	
10dB Attenuator+	
Cable attenuation	
Resulting value	4.99 dBm/3kHz
Limit	< 8dBm/3kHz

Remark: see diagrams enclosed in Annex A1

VERDICT: passed



5.9. Band-Edge compliance measurements,

FCC 15.247(d), RSS-210: A8.5

TEST LOCATION AND EQUIPMENT (for reference numbers please see chapter 'List of test equipment')

test location	☑ CETECOM Essen (Chapter. 2.2.1)		■ 443 System CTC-FAR-EMI-		☐ Please see Chapter. 2.2.3	
test site	☐ 441 EMI SAR	□ 487 SAR NSA	□ 337 OATS	■ 347 Radio.lab.		
receiver	□ 377 ESCS30	□ 001 ESS	■ 489 ESU			
spectr. analys.	■ 489 ESU	□ 120 FSEM	□ 264 FSEK			
power supply	□ 456 EA 3013A	□ 457 EA 3013A	□ 459 EA 2032-50	□ 268 EA- 3050	□ 494 AG6632A	☐ 498 NGPE 40
otherwise	≥ 530 Attenuator	Radio lab cable K	115			

MEASUREMENT METHOD:

At the Band-Edges at 902/928MHz the value should be at least 20dB under the Reference Value as determined In-Band. This was verified both conducted and radiated. RBW was set to 100kHz and the peak values recorded.

EUT SETTINGS:

For DTS systems the measurement was performed with different modulation, e.g. data rates to find worst-case, if applicable.

RESULTS

Conducted

Conducted							
Set-up no: 2							
Op. Mode: 1							
$T_{NOM} = 24^{\circ}C$	T _{NOM} = 24°C Fundamental value Value at Band-Edges Verdict						
$V_{NOM} = 4.2V$	IN-BAND	(not restricted accord. §15.205)					
	[dBµV]	[dBµV]					
Nominal channel at	117.57 (PK)	902 MHz: 61.13 (PK)	Doggad				
921.4MHz		928 MHz: 69.53 (PK)	Passed				

Remark: see plots in chapter 1.4 annex A1

Radiated

Naulateu							
Set-up no.: 1							
Op. Mode: 1							
T _{NOM} = 24°C Fundamental field strength Value at Band-Edges Verdict							
$V_{NOM} = 4.2V$	value IN-BAND	(not restricted accord. §15.205)					
	[dBµV/m]	[dBµV/m]					
Nominal channel at	104.0 (PK)	902MHz: 46.0 (PK)					
921.4MHz	94.7 (QP)	37.4 (QP)	Passed				
		928 MHz: 58.0 (PK)	rasseu				
		47.9 (QP)					

Remark: see diagram 2.1b in annex A1

VERDICT: passed



5.10. Measurement uncertainties

The reported uncertainties are calculated based on the standard uncertainty multiplied with the appropriate coverage factor \mathbf{k} , such that a confidence level of approximately 95% is achieved.

For uncertainty determination, each component used in the concrete measurement set-up was taken in account and it's contribution to the overall uncertainty according it's statistical distribution calculated.

Following table shows expectable uncertainties for each measurement type performed.

Measurement	Frequency range	Calculated uncertainty based on a confidence level of 95%	Remarks:
RF-Power Output conducted	9 kHz 20 GHz	1.0 dB	
RF-Power Output radiated	30 MHz 4 GHz	3.17 dB	Substitution method
Conducted RF-emissions on antenna ports	9 kHz 20 GHz	1.0 dB	
	150 kHz 30 MHz	5.0 dB	Magnetic field
Radiated RF-emissions	30 MHz 1 GHz	4.2 dB	E-Field
enclosure	1 GHz 18GHz	4.8 dB	E-Field
	1 GHz 20 GHz	3.17 dB	Substitution method
Occupied bandwidth	9 kHz 4 GHz	0.1272 ppm (Delta Marker method)	Frequency error
		1 dB	Power
Emission bandwidth	9 kHz 4 GHz	0.1272 ppm (Delta Marker method)	Frequency error
		1 dB	Power
Frequency stability	9 kHz 20 GHz	0.0636 ppm	
Conducted emissions	9 kHz 150 kHz	4.0 dB	
on AC-mains port (U _{CISPR})	150 kHz 30 MHz	3.6 dB	

Table: measurement uncertainties, valid for conducted/radiated measurements



6. Instruments and Ancillary

6.1. Used equipment "CTC"

The "Ref.-No" in the left column of the following tables allows the clear identification of the laboratory equipment.

6.1.1. Test software and firmware of equipment

RefNo.	Equipment	Туре	Serial-No.	Version of Firmware or Software during the test
001	emi test receiver	ESS	825132/017	Firm.= 1.21, OTP=2.0, GRA=2.0
012	signal generator (EMS-cond.)	SMY 01	839069/027	Firm.= V 2.02
013	power meter (EMS cond.)	NRVD	839111/003	Firm.= V 1.51
017	Communication Tester	CMD 60 M	844365/014	Firmware = V 3.52 .22.01.99, DECT Firmware D2.87
053	audio analyzer	UPA3	860612/022	Firm. V 4.3
119	RT harmonics analyser/dig. flickermeter	B10	G60547	Firm.= V 3.1DHG
140	signal generator	SMHU	831314/006	Firm.= 3.21
261	thermal power sensor	NRV-Z55	825083/0008	EPROM-Datum 02.12.04, SE EE 1 B
262	power meter	NRV-S	825770/0010	Firm.= 2.6
263	signal generator	SMP 04	826190/0007	Firm.=3.21
264	spectrum analyzer	FSEK 30	826939/005	Bios=2.1, Analyzer= 3.20
295	Racal Digital Radio Test Set	6103	1572	UNIT Firmware= 4.04, SW-Main=4.04, SW-BBP=1.04,
298	Radio Communication Tester	CMU 200	832221/091	R&S Test Firmware =3.53 /3.54 (current Testsoftw. f.
323	Communication Tester	CMD 55	825878/0034	Firm.= 3.52 .22.01.99
331	climatic test chamber -40/+80 Grad	HC 4055	43146	TSI 1.53
335	System-CTC-EMS-Conducted	System EMS Conducted	-	EMS-K1 Immunity Test-Software 1.20SR10
340	Communication Tester	CMD 55	849709/037	Firm.= 3.52 .22.01.99
	power meter	URV 5	891310/027	Firm.= 1.31
365	10V Insertion Unit 50 Ohm	URV5-Z2	100880	Eprom Data = 31.03.08
366	Ultra Compact Simulator	UCS 500 M4	V0531100594	Firm. UCS 500=001925/3.06a02, rc=ISMIEC 4.10
371	Bluetooth Tester	CBT32	100153	CBT V4.6.1 + SW-Option K55
377	emi test receiver	ESCS 30	100160	Firm.= 2.30, OTP= 02.01, GRA= 02.36
378	broadband RF field monitor	RadiSense III	03D00013SNO-08	Firm.= V.03D13
383	signal generator	SME 03	842 828 /034	Firm.= 4.61
389	digital multimeter	Keithley 2000	0583926	Firm. = A13 (Mainboard) A02 (Display)
392	Radio Communication Tester	MT8820A	6K00000788	Firm.= 4.50 #005, IPL=4.01#001,OS=4.02#001,
441	System CTC-SAR-EMI Cable Loss	System EMI field (SAR)	-	EMC 32 Version 8.10,10
442	System CTC-SAR-EMS	System EMS field (SAR)	-	EMS-K1 Immunity-Software 1.20SR10
443	System CTC-FAR-EMI-Spuri	System CTC-FAR-EMI-	-	Spuri 7.2.5
444	System CTC_FAR-EMS	System EMS-Field (FAR)	-	EMS-K1 Immunity-Software 1.20SR10
460	Radio Communication Tester	CMU 200	108901	R&S Test Firmware Base=5.14/Messsoftware=
489	emi test receiver	ESU40	1000-30	Firmware=4.33, Bios=V5.1-16-3, Specification=01.00
491	ESD Simulator dito	ESD dito	dito307022	V 2.30
524	Voltage Drop Simulator	VDS 200	0196-16	Software Nr: 000037 Version V4.20a01
526	Burst Generator	EFT 200 A	0496-06	Software Nr. 000034 Version V2.32
527	Micro Pulse Generator	MPG 200 B	0496-05	Software-Nr. 000030 Version V2.43
528	Load Dump Simulator	LD 200B	0496-06	Software-Nr. 000031 Version V2.35a01



6.1.2. Single instruments and test systems

RefNo.	Equipment	Туре	Serial-No.	Manufacturer	Interval of calibration	Remark	Cal due
R					Inte	F	duc
001	emi test receiver	ESS	825132/017	Rohde & Schwarz	12 M	-	31.03.2011
005	AC - LISN (50 Ohm/50μH, test site 1) DC - LISN (50 Ohm/5μH)	ESH2-Z5 ESH3-Z6	861741/005 892563/002	Rohde & Schwarz Rohde & Schwarz	12 M 12 M	-	31.03.2011 31.03.2011
007	power meter (EMS-radiated)	NRV	863056/017	Rohde & Schwarz	12 M	-	31.03.2011
012	signal generator (EMS-cond.)	SMY 01	839069/027	Rohde & Schwarz	36/12 M	-	31.03.2011
013	power meter (EMS cond.)	NRVD	839111/003	Rohde & Schwarz	24 M	-	31.03.2011
014	insertion unit (EMS cond.)	URV5-Z2	838519/029	Rohde & Schwarz	24 M	-	31.03.2011
015	insertion unit (EMS cond.)	URV5-Z4	838570/024 B6366	Rohde & Schwarz	24 M	-	31.03.2011
016 017	line impedance simulating network Communication Tester	Op. 24-D CMD 60 M	844365/014	Spitzenberger+Spies Rohde & Schwarz	36 M 12 M	-	31.03.2013 31.03.2011
021	loop antenna (H-Field)	6502	9206-2770	EMCO	36 M	-	31.03.2013
022	audio measurement amplifier	2636C	1537643	Brüel & Kjaer	12 M	ı	31.03.2011
030	loop antenna (H-field)	HFH-Z2	879604/026	Rohde & Schwarz	36 M	-	31.03.2012
031	absorbing clamp	MDS-21	863325/015	Rohde & Schwarz	24 M	-	31.03.2011
033 048	RF-current probe (100kHz-30MHz) bicon log. antenna (SAR)	ESH2-Z1 3143	879581/18 1108	Rohde & Schwarz EMCO	24 M 36/12 M	-	31.03.2011 30.04.2011
048	current clamp (injection)	F-120-2	48	FCC	12 M	-	31.03.2011
050	3-ph coupling-decoupling-netw. (Burst)	CDN 300	176	Schaffner	12 M	-	31.03.2011
051	VHF-current probe 20-300 MHz	ESV-Z1	872421	Rohde & Schwarz	36 M		31.03.2012
052	notch filter DECT	WRCB 1887,82/1889,55SS	12	Wainwright Industries	pre-m	-	
053	audio analyzer	UPA3	860612/022	Rohde & Schwarz	36 M	1.	31.03.2011
057 058	relay-switch-unit (EMS system) capacitive clamp (Burst)	RSU IP 4	494440/002 99	Rohde & Schwarz Hafely	-	1a 4	30.05.2011
060	power amplifier (DC-2kHz)	PAS 5000	B6363	Spitzenberger+Spies	-	3	
063	logper. antenna (Subst 1)	3146	860941/007	EMCO	36/12 M	-	31.10.2010
067	coupling decoupling-network	CDN801-M2/M3	272	Lüthi	12 M	-	31.03.2011
068	coupling decoupling-network	CDN 801-M5	95226	Lüthi	12 M	-	31.03.2011
069	EM - clamp	EM101	9535159	Lüthi	36 M	-	31.03.2013
071 072	biconical antenna (Subst 1) coupling decoupling-network	HUF-Z2 CDN801-M2/M3	863.029/010 276	Rohde & Schwarz Lüthi	36/12 M 12 M	-	31.10.2010 31.03.2011
083	AC - power supply, 0-10 A	EAC/MT 27010	910502096	EURO TEST	pre-m	2	31.03.2011
084	AC - power supply, 0-5 A	ELABO-8-34214	-	ELABO	pre-m	2	
085	AC - power supply, 0-10 A	R250	-	Schunterm.&Benningh.	pre-m	2	
086	DC - power supply, 0 -10 A	LNG 50-10	-	Heinzinger Electronic	pre-m	2	
087 090	DC - power supply, 0 -5 A Helmholtz coil: 2x10 coils in series	EA-3013 S	-	Elektro Automatik RWTÜV	pre-m pre-m	4	
090	USB-LWL-Converter	OLS-1	007/2006	Ing. Büro Scheiba	- pre-m	4	
094	artificial head (No.1)	4905	1566990	Brüel & Kjaer	pre-m	2	
099	passive voltage probe	ESH2-Z3	299.7810.52	Rohde & Schwarz	36 M	-	31.03.2012
100	passive voltage probe	Probe TK 9416	without	Schwarzbeck	36 M	-	31.03.2012
110	USB-LWL-Converter	OLS-1	- 0.605.45	Extreme USB	-	4	21.02.2012
119 123	RT harmonics analyser/dig. flickermeter biconical antenna (Subst 2)	B10 HUF-Z2,	G60547 860941/007	BOCONSULT Rohde & Schwarz	36 M 36/12 M	-	31.03.2013 30.09.2010
131	RF-Current Probe	F-52	19	FCC	12 M	-	31.03.2011
132	logper. antenna (Subst 2)	HUF-Z3	860862/014	Rohde & Schwarz	36/12 M	-	31.10.2010
134	horn antenna 18 GHz (Subst 2)	3115	9005-3414	EMCO	12 M		31.03.2011
136	adjustable dipole antenna (Dipole 1)	3121C-DB4	9105-0697	EMCO	12 M	-	31.03.2012
140	signal generator	SMHU SMA 64D 2W	831314/006	Rohde & Schwarz	24 M	2	31.03.2012
248 249	attenuator attenuator	SMA 6dB 2W SMA 10dB 10W	-	Radiall Radiall	pre-m pre-m	2	
252	attenuator	N 6dB 12W	-	Radiall	pre-m	2	
256	attenuator	SMA 3dB 2W	-	Radiall	pre-m	2	
257	hybrid	4031C	04491	Narda	pre-m	2	
260	hybrid coupler	4032C	11342	Narda Dalada @ Calanna	pre-m	2	21.02.2012
261 262	thermal power sensor power meter	NRV-Z55 NRV-S	825083/0008 825770/0010	Rohde & Schwarz Rohde & Schwarz	24/12 M 24 M	-	31.03.2012 31.03.2012
263	signal generator	SMP 04	826190/0007	Ronde & Schwarz Rohde & Schwarz	24 M 36 M	-	31.03.2012
264	spectrum analyzer	FSEK 30	826939/005	Rohde & Schwarz	12 M	-	31.03.2011
265	peak power sensor	NRV-Z33, Model 04	840414/009	Rohde & Schwarz	24 M	-	31.03.2012
266	peak power sensor	NRV-Z31, Model 04	843383/016	Rohde & Schwarz	24 M	- 1	31.03.2012
268	AC/DC power supply	EA 3050-A	9823636	- *** 1 1	pre-m	2	
270 271	termination termination	1418 N 1418 N	BB6935 BE6384	Weinschel Weinschel	pre-m	2	
271	attenuator (20 dB) 50 W	Model 47	BE6384 BF6239	Weinschel	pre-m pre-m	2	
273	attenuator, (10 dB) 100 W	Model 48	BF9229	Weinschel	pre-m	2	
274	attenuator (10 dB) 50 W	Model 47 (10 dB) 50 W	BG0321	Weinschel	pre-m	2	
275	DC-Block	Model 7003 (N)	C5129	Weinschel	pre-m	2	
276	DC-Block	Model 7006 (SMA)	C7061	Weinschel	pre-m	2	
279	power divider	1515 (SMA)	LH855	Weinschel	pre-m	2	1



			1				
284	coupling decoupling network	CDN 801-M1	1661	Lüthi	12 M	-	31.03.2011
285 287	coupling decoupling network pre-amplifier 25MHz - 4GHz	CDN 801-S1 AMF-2D-100M4G-35-10P	1642 379418	Lüthi Miteq	12 M 12 M	-	31.03.2011 31.03.2011
289	bicon log. antenna (OATS)	CBL 6141	4107	Schaffner Chase	36/12 M	-	31.10.2010
295	Racal Digital Radio Test Set	6103	1572	Racal	24 M	3	30.11.2010
296	audio measurement amplifier	2636C	R=316568/004	Brüel & Kjaer	18 M	-	31.03.2011
298	Radio Communication Tester	CMU 200	832221/091	Rohde & Schwarz	12 M	-	31.03.2011
299	audio microphone	134	- 002 220/020	Brüel & Kjaer	pre-m	2	21.02.2011
300	AC LISN (50 Ohm/50µH, 1-phase) attenuator (20 dB) 50W, 18GHz	ESH3-Z5 47-20-33	892 239/020 AW0272	Rohde & Schwarz Lucas Weinschel	12 M pre-m	2	31.03.2011
302	horn antenna 40 GHz (Meas 1)	BBHA9170	155	Schwarzbeck	36 M	-	31.03.2011
303	horn antenna 40 GHz (Subst 1)	BBHA9170	156	Schwarzbeck	36 M	-	31.03.2011
304	fix dipole antenna 1,6 GHz	EMCO 3125-307	9907-1001	ETS	24/12 M	-	31.03.2011
305	fix dipole antenna 1,8-2,0 GHz	EMCO 3125-306	9907-1001	ETS	24/12 M	-	31.03.2011
306	fix dipole antenna 2,45 GHz	EMCO 3125-308	9907-1001	ETS	24/12 M	-	31.03.2011
307 317	fix dipole antenna 3 GHz 1000 Hz calibrator 94 dB SPL	EMCO 3125-309 4230 94dB	9907-1001 1542286	ETS Brüel & Kjaer	24/12 M 12 M	-	31.03.2011 31.03.2011
323	Communication Tester	CMD 55	825878/0034	Rohde & Schwarz	12 M	-	31.03.2011
331	climatic test chamber -40/+80 Grad	HC 4055	43146	Heraeus Vötsch	24 M	-	31.10.2010
335	System-CTC-EMS-Conducted	System EMS Conducted	-	Rohde & Schwarz	12 M	5	30.05.2010
340	Communication Tester	CMD 55	849709/037	Rohde & Schwarz	12 M	-	31.03.2011
341	digital multimeter	Fluke 112	81650455	Fluke	24 M	-	31.03.2012
342 344	digital multimeter adaptor 150/50 Ohm	Voltcraft M-4660A 150/50	IB 255466	Voltcraft Krohne	24 M 12 M	-	31.03.2011 31.03.2011
345	adaptor 150/50 Ohm	150/50	_	Krohne	12 M	-	31.03.2011
347	laboratory site	radio lab.	-	-	- 12 IVI	3	21.02.2011
348	laboratory site	EMI conducted	-	-		3	
349	car battery 12 V	car battery 12 V	without	-	-	3	
350	car battery 12 V	car battery 12 V	without	- D 1 1 0 C 1	-	3	
354	DC - power supply 40A	NGPE 40/40	448 891310/027	Rohde & Schwarz	pre-m	-	21.02.2011
355 356	power meter power sensor	URV 5 NRV-Z1	891310/027 882322/014	Rohde & Schwarz Rohde & Schwarz	12 M 24 M	-	31.03.2011 31.03.2011
357	power sensor power sensor	NRV-Z1	861761/002	Rohde & Schwarz	24 M	-	31.03.2011
358	Power Amplifier 10 kHz-220MHz	AR75A220M1	15860	Amplifier Research	12 M	1b	30.04.2011
362	TOSM Calibration Kit 50 Ohm	ZV-Z21/ZV-Z11	without	Rohde&Schwarz	12 M	-	31.03.2011
365	10V Insertion Unit 50 Ohm	URV5-Z2	100880	Rohde & Schwarz	24 M	-	31.03.2012
366	Ultra Compact Simulator	UCS 500 M4	V0531100594	EM-Test	12 M	-	31.03.2011
367 369	audio measurement amplifier insertion unit (SAR-EMS, Ch. A)	2636 URV5-Z2	316832/001 100301	Brüel & Kjaer Rohde & Schwarz	12 M 24 M	-	31.03.2011 31.03.2011
370	insertion unit (SAR-EMS, Ch. A)	URV5-Z2	100301	Rohde & Schwarz	24 M	-	31.03.2011
371	Bluetooth Tester	CBT32	100153	R&S	12 M	-	31.03.2011
373	V-Network 5µH/50 Ohm	ESH3-Z6	100535	Rohde & Schwarz	12 M	-	31.03.2011
	power amplifier 0,8-3 GHz	60S1G3	306528	Amplifier Research	-	1a	30.05.2011
374							
375	directional coupler	DC7144M1	306498	Amplifier Research	-	1a	30.05.2011
375 376	directional coupler horn antenna 6 GHz	DC7144M1 BBHA9120 E	306498 BBHA 9120 E 179	Amplifier Research Schwarzbeck	- 12 M	1a -	31.03.2011
375 376 377	directional coupler horn antenna 6 GHz emi test receiver	DC7144M1 BBHA9120 E ESCS 30	306498 BBHA 9120 E 179 100160	Amplifier Research Schwarzbeck Rohde & Schwarz	- 12 M 12 M	1a - -	31.03.2011 31.03.2011
375 376	directional coupler horn antenna 6 GHz	DC7144M1 BBHA9120 E	306498 BBHA 9120 E 179	Amplifier Research Schwarzbeck	- 12 M	1a -	31.03.2011
375 376 377 378 383 386	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner	- 12 M 12 M 12 M 36 M 12 M	1a - -	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011
375 376 377 378 383 386 387	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffier Lüthi	12 M 12 M 12 M 12 M 36 M 12 M	1a - - - -	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi	- 12 M 12 M 12 M 36 M 12 M 12 M 12 M	1a - - - - -	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 389	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network digital multimeter	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley	12 M 12 M 12 M 12 M 36 M 12 M	1a - - - - - -	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 389 390	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser	12 M 12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M	1a - - - - -	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 389	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network digital multimeter	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley	- 12 M 12 M 12 M 36 M 12 M 12 M 12 M	1a - - - - - - 4	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 390 392 394 399	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer	- 12 M 12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M - 12 M - 12 M	1a 1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 389 390 392 394 399 400	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022)	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi	- 12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M 12 M - 12 M - 12 M - 12 M 36 M	1a - - - - - - 4	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 389 390 392 394 399 400 401	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022)	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 25559 5560	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi	12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M 12 M 12 M - 12 M - 12 M	1a 1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 388 399 390 392 394 399 400 401 431	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi Lüthi EMCO	- 12 M 12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M - 12 M - 12 M - 12 M - 12 M - 12 M	1a 1a 4 - 14	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012
375 376 377 378 383 386 387 388 389 390 392 394 400 401 431 439	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi Edithi Edithi Rome Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz	- 12 M 12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M - 12 M - 12 M - 12 M - 12 M - 12 M	1a 1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012
375 376 377 378 383 386 387 388 399 390 392 394 399 400 401 431	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi Lüthi EMCO	- 12 M 12 M 12 M 12 M 36 M 12 M 12 M 12 M 12 M - 12 M - 12 M - 12 M - 12 M - 12 M	1a 1a 4 - 14	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012
375 376 377 378 383 386 387 388 390 390 394 400 401 431 439 440 441 443	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI-	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K0000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz	- 12 M 12	1a 4 4	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012
375 376 377 378 383 386 387 388 390 392 394 400 401 431 439 440 441 443	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC_FAR-EMS	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR)	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 -	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012
375 376 377 378 383 386 387 388 389 390 392 394 400 401 431 439 440 441 443 444 454	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC FAR-EMS Oscilloscope	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom Hameg		1a 4 5 5 5 4	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012
375 376 377 378 383 386 387 389 390 392 394 400 401 431 439 440 441 443 444 454 455	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR) HM 205-3 HP 54602B	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012
375 376 377 383 388 388 389 390 392 394 401 431 439 440 441 443 444 454 455 456	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope DC-Power supply 0-5A	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012
375 376 377 378 383 386 387 389 390 392 394 400 401 431 439 440 441 443 444 454 455	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR) HM 205-3 HP 54602B	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012
375 376 377 378 383 386 387 390 392 394 400 401 431 443 444 454 455 456 450 460 462	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope DC-Power supply 0-5 A DC -power supply 0-5 A , 0-32 V Radio Communication Tester AF-Generator	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 -	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Rohde & Schwarz Conrad		1a	31.03.2011 31.03.2011 31.03.2011 31.03.2013 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 30.04.2011 31.03.2012 30.04.2011 31.03.2012
375 376 377 383 383 386 387 389 390 400 401 431 444 443 444 454 455 456 459 460 462 463	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMS Oscilloscope Oscilloscope Oscilloscope DC-Power supply 0-5 A , 0-32 V Radio Communication Tester AF-Generator Universal source	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 2831A03472	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Rohde & Schwarz Conrad Agilent	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 383 388 388 389 390 392 394 400 401 431 449 440 441 454 455 456 459 460 462	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope DC-Power supply 0-5A DC -power supply 0-5A DC -power supply 0-5 A , 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI-System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 25559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 390 392 400 401 431 439 440 441 443 454 455 456 460 462 463 466 467	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope DC-Power supply 0-5A DC -power supply 0-5A DC -power supply 0-5A PC -power supply 0-5 A , 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter digital multimeter	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472 89210157 89680306	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA Fluke USA		1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 30.04.2011 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 383 388 389 390 392 400 401 431 444 454 455 456 459 460 462 463 466 467 468	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope DC-Power supply 0-5A DC -power supply 0-5A, 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter digital multimeter digital multimeter digital multimeter	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 25559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA Fluke USA		1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 378 383 386 387 390 392 400 401 431 439 440 441 443 454 455 456 460 462 463 466 467	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope DC-Power supply 0-5 A, 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter digital multimeter ReRadiating GPS-System	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472 89210157 89680306	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Elektro Automatik Elektro Automatik Elektro Automatik Fluke USA Fluke USA Fluke USA Fluke USA Fluke USA		1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 30.04.2011 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 3776 3778 383 388 389 390 392 394 400 401 431 444 444 455 456 459 460 462 463 466 467 468 468 477	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) fultraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope DC-Power supply 0-5A DC -power supply 0-5A QC -power supply 0-5A DC -power	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 Fluke 112 Fluke 117 NRVS FilterMatrix SAR 1	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2565101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472 89210157 89680306 90090455 -	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA Fluke USA	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 30.04.2011 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 3776 3778 388 388 389 390 400 401 431 443 444 454 455 456 466 462 463 464 464 468 477 480 482 487	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope DScilloscope DC-Power supply 0-5A DC -power supply 0	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI-System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 Fluke 112 Fluke 112 Fluke 117 System EMI field (SAR) FilterMatrix SAR 1 System EMI field (SAR)	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472 89210157 89680306 90090455 - 838392/031	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA Fluke USA Fluke USA Automotive Cons. Fink Rohde & Schwarz CETECOM (Brl) ETS CETSCOM (Brl) ETS	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 30.04.2011 30.05.2011 30.05.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2011 30.05.2011 31.03.2012 31.03.2012 31.03.2011
375 376 3776 3778 383 386 387 389 390 392 394 400 401 431 444 445 455 456 459 460 462 463 466 467 468 477 480 487 489	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope DC-Power supply 0-5 A DC -power supply 0-5 A, 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter digital multimeter digital multimeter ReRadiating GPS-System power meter (Fula) filtermatrix System CTC NSA-Verification SAR-EMI emi test receiver	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 Fluke 112 System EMI field (SAR) System CTC-FAR-EMI- System EMS-Field FAR) Furgonia System CMS-Field FAR) Furgonia System CMS-Field FAR) HX 205-3 HY 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HY3245A Fluke 112 Fluke 112 Fluke 112 System EMI field (SAR) ESU40	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 281A03472 89210157 89210157 89383926 1000-30	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Elektro Automatik Elektro Automatik Fluke USA Fluke USA Fluke USA Fluke USA Automotive Cons. Fink Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz	- 12 M 12	1a 1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 30.05.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011
375 376 3776 3778 383 386 387 389 390 400 401 431 444 443 444 454 455 456 459 460 462 463 466 467 480 482 489 491	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope Oscilloscope DC-Power supply 0-5 A , 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter digital multimeter digital multimeter ReRadiating GPS-System power meter (Fula) filtermatrix System CTC NSA-Verification SAR-EMI emi test receiver ESD Simulator dito	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 FSystem EMI field (SAR) System EMS-Field FAR) FIELD THE STATE ST	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 281A03472 89210157 89680306 90090455 - 838392/031 1000-30 dito307022	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Elektro Automatik Rohde & Schwarz Corrad Agilent Fluke USA Fluke USA Fluke USA Automotive Cons. Fink Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz CETECOM (Brl)	- 12 M 12	1a 1a 1a 5 5 5 4 4 3 31 1d	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 30.04.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2011 30.05.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2011
375 376 377 378 383 386 387 390 392 400 401 431 439 440 441 454 454 455 456 460 462 463 466 467 468 477 480 482 487 489 491	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) fultraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMI-Spuri System CTC-FAR-EMI-Spuri System CTC-FAR-EMI-Spuri Universal source digital multimeter digital multimeter digital multimeter digital multimeter ReRadiating GPS-System power Supply emitsel SAR-EMI filtermatrix System CTC NSA-Verification SAR-EMI emi test receiver ESD Simulator dito Power Supply	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System CTC-FAR-EMI-System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 Fluke 112 Fluke 112 Fluke 117 System EMI field (SAR) System EMI Field (SAR) ESU40 ESD dito NGPE 40/40	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 9210 P 29661 US 350 336 45 207810 910722 108901 - 2831A03472 89210157 89680306 90090455 1000-30 dito307022 402	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA Fluke USA Fluke USA Fluke USA Fluke USA Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz CETS-CEM-Test Rohde & Schwarz CETECOM (Brl)	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 30.05.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011
375 376 3776 3778 383 386 387 389 390 400 401 431 444 443 444 454 455 456 459 460 462 463 466 467 480 482 489 491	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope Oscilloscope Oscilloscope DC-Power supply 0-5 A , 0-32 V Radio Communication Tester AF-Generator Universal source digital multimeter digital multimeter digital multimeter ReRadiating GPS-System power meter (Fula) filtermatrix System CTC NSA-Verification SAR-EMI emi test receiver ESD Simulator dito	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 FSystem EMI field (SAR) System EMS-Field FAR) FIELD THE STATE ST	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 281A03472 89210157 89680306 90090455 - 838392/031 1000-30 dito307022	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom ETS Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Elektro Automatik Elektro Automatik Rohde & Schwarz Corrad Agilent Fluke USA Fluke USA Fluke USA Automotive Cons. Fink Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz CETECOM (Brl)	- 12 M 12	1a 1a 1a 5 5 5 4 4 3 31 1d	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 30.05.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011
375 376 377 383 386 387 388 389 390 400 401 431 443 444 454 455 466 467 468 477 480 482 487 489 498 500	directional coupler horn antenna 6 GHz emi test receiver broadband RF field monitor signal generator coupling decoupling network coupling decoupling network coupling decoupling network digital multimeter Industry Acoustic System Radio Communication Tester power amplifier 80-1000 MHz Sound Calibrator ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) ferrite tube (>15 dB, EN 55022) Model 7405 UltraLog-Antenna CDN for Datacable System CTC-SAR-EMI Cable Loss System CTC-FAR-EMI-Spuri System CTC-FAR-EMS Oscilloscope DC-Power supply 0-5A DC -power supply 0-5A	DC7144M1 BBHA9120 E ESCS 30 RadiSense III SME 03 CDN USB/p CDN L-801 M2 CDN L-801 M2 CDN L-801 T2 Keithley 2000 MO 2000 Set MT8820A BLWA 0810-250/200 Sound Calibrator 4231 FTC 40 X 15 E FTC 40 X 15 E Near-Field Probe Set HL 562 CDN-UTP System EMI field (SAR) System EMS-Field (FAR) HM 205-3 HP 54602B EA 3013 S EA-PS 2032-50 CMU 200 MX-2020 HP3245A Fluke 112 Fluke 112 Fluke 112 Fluke 112 Fluke 112 System EMI field (SAR) ESU40 ESD dito NGPE 40/40 MO 2000 Set	306498 BBHA 9120 E 179 100160 03D00013SNO-08 842 828 /034 19397 2051 1929 0583926 2127100123 6K00000788 045610 2665101 5559 5560 9305-2457 100248 CDN-UTP 029 2831A03472 89210157 89680306 90090455 - 838392/031 1000-30 dito307022 402 100048	Amplifier Research Schwarzbeck Rohde & Schwarz DARE B.V. Rohde & Schwarz Schaffner Lüthi Lüthi Lüthi Keithley Sennheiser Anritsu Bonn-Elektronik Bruel & Kjaer Lüthi Lüthi EMCO Rohde + Schwarz EMC Partner AG, ETS ETS-Lindgren/Cetecom Hameg Hawlett Packard Elektro Automatik Rohde & Schwarz Conrad Agilent Fluke USA Fluke USA Fluke USA Automotive Cons. Fink Rohde & Schwarz ETS-CETS Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz EMC-Partner AG, FINE USA Fluke USA Fluke USA Fluke USA Fluke USA Fluke USA Fluke USA Rohde & Schwarz CETECOM (Brl) ETS Rohde & Schwarz EM-Test Rohde & Schwarz	- 12 M 12	1a	31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2011 31.03.2012 31.03.2012 31.03.2012 31.03.2012 31.03.2011 31.03.2012 31.03.2011 31.03.2011 31.03.2011 31.03.2011



517	relais switc matrix	HF Relais Box Keithley	SE 04	-	2		
523	Digitalmultimeter	L4411A	MY46000154	Agilent	24 M	-	31.03.2011
524	Voltage Drop Simulator	VDS 200	0196-16	EM Test	24 M	-	31.03.2011
525	Koppelnetzwerk	CNA 200	1196-01	EM Test	24 M	-	31.03.2011
526	Burst Generator	EFT 200 A	0496-06	EM Test	24 M	-	31.03.2011
527	Micro Pulse Generator	MPG 200 B	0496-05	EM Test	24 M	-	31.03.2011
528	Load Dump Simulator	LD 200B	0496-06	EM Test	24 M	-	31.03.2011
529	6 dB Broadband resistive power divider	Model 1515	LH 855	Weinschel	-	2	
530	10 dB Broadband resistive power divider	R 416110000	LOT 9828	-	pre-m	2	
531	H-field system	Lackman System	without	Lackmann	-	2	
533	Impedance Stabilization Network	ISN T200A	25706	Teseq	12 M	-	31.03.2011
534	Impedance Stabilization Network	ISN T400A	24881	Teseq	12 M	-	31.03.2011
535	Impedance Stabilization Network	ISN T800	26321	Teseq	12 M	-	31.03.2011
536	Impedance Stabilization Network	ISN ST08	25867	Teseq	12 M	-	31.03.2011
541	Impedance Stabilization Network	ISN T8-Cat6	26373	Teseq Berlin	12 M	-	31.03.2011
549	Logarithmic-Per. Antenna	HL025	100060	Rohde & Schwarz	36/12M		10.03.2012
558	System CTC FAR S-VSWR	System CTC FAR S-	-	12 M	-	-	31.08.2010

6.1.3. Legend

0.1.5. Legena		_
Note / remarks		Calibrated during system calibration:
	1a	System CTC-SAR-EMS (RefNo. 442)
	1b	System-CTC-EMS-Conducted (RefNo. 335)
	1c	System CTC-FAR-EMI-spurious emission (RefNo . 443)
	1d	System CTC-SAR-EMI (RefNo . 441)
	1e	System CTC-OATS (EMI radiated) (RefNo. 337)
	1 f	System CTC-CTIA-OTA (RefNo . 420)
	1 g	System CTC-FAR-EMS (RefNo . 444)
	2	Calibration or equipment check immediately before measurement
	3	Regulatory maintained equipment for functional check or support purpose,
	4	Ancillary equipment without calibration e.g. mechanical equipment or monitoring equipment
	5	Test System

Interval of calibration	12 M	12 month
	24 M	24 month
	36 M	36 month
	24/12 M	Calibration every 24 months, between this every 12 months internal validation
	36/12 M	Calibration every 36 months, between this every 12 months internal validation
	Pre-m	Check before starting the measurement
	-	Without calibration



7. Annex – Correction factors due to reduced meas. distance (f< 30 MHz)

The used correction factors when the measurement distance is reduced, are taken from IEEC Transaction EMC, Vol 47, No.3, Aug. 2005, Journal Paper "EXTRAPOLATING NEAR-FIELD EMISSIONS OF LOW-FREQUENCY LOOP TRANSMITTERS".

2 na factor B μV/m 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,	300m to 3m dB -116,7 -116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,2 -116,0 -115,8 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -109,1		4 Cable loss dB	## Section 1:50
B µV/m 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,	300m to 3m dB -116,7 -116,7 -116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -115,0 -114,5 -113,0 -114,5 -113,0 -114,5 -113,0 -114,5 -113,0 -114,5 -113,0 -115,0 -114,5 -113,0 -115,0	30m to 3m	0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	## Company of the co
B µV/m 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,	300m to 3m dB -116,7 -116,7 -116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -115,0 -114,5 -113,0 -114,5 -113,0 -114,5 -113,0 -114,5 -113,0 -114,5 -113,0 -115,0 -114,5 -113,0 -115,0	30m to 3m	0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	dB µV/m -96,7 -96,7 -96,7 -96,7 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	dB -116,7 -116,7 -116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,7 -96,7 -96,7 -96,7 -96,7 -96,6 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,7 -116,7 -116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1	dB	0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,7 -96,7 -96,7 -96,7 -96,7 -96,6 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,7 -116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,7 -96,7 -96,7 -96,7 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,7 -116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,7 -96,6 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,7 -116,6 -116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,7 -96,6 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,6 -116,6 -116,6 -116,6 -116,5 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,0 -115,9 -113,1 -112,2 -111,3 -108,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,6 -96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,6 -116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,6 -96,6 -96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,6 -116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,6 -96,6 -96,5 -96,4 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0	-116,6 -116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,6 -96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-116,5 -116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,5 -96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-116,4 -116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,4 -96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-116,3 -116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,3 -96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-116,2 -116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,2 -96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-116,0 -115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-96,0 -95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-115,8 -115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-95,8 -95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-115,4 -115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0	-95,4 -95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-115,0 -114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0 0,0	-95,0 -94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-114,5 -113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0 0,0	-94,5 -93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-113,9 -113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0 0,0	-93,9 -93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-113,1 -112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0 0,0	-93,1 -92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-112,2 -111,3 -108,3 -105,2 -102,1		0,0 0,0 0,0	-92,2 -91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	-111,3 -108,3 -105,2 -102,1		0,0	-91,3
20,0 20,0 20,0 20,0 20,0 20,0 20,0	-108,3 -105,2 -102,1		0,0	
20,0 20,0 20,0 20,0 20,0 20,0	-105,2 -102,1			-00,5
20,0 20,0 20,0 20,0	-102,1			-85,2
20,0 20,0 20,0			0,0	-82,1
20,0 20,0	00,1		0,0	-79,1
20,0		-56,4	0,1	-36,3
_		-56,2	0,1	-36,1
		-56,0	0,2	-35,8
20,0		-55,7	0,2	-35,5
20,0		-55,4	0,2	-35,2
20,0		-54,9	0,3	-34,6
20,0		-54,4	0,3	-34,1
20,0		-53,7	0,3	-33,4
20,0		-52,9	0,4	-32,5
20,0		-52,0	0,4	-31,6
20,0		-49,8	0,5	-29,3
20,0		-46,6	0,5	-26,1
20,0		-43,3	0,6	-22,7
20,0		-40,1	0,6	-19,5
20,0		-36,8	0,7	-16,1
20,0		-33,5	0,7	-12,8
20,0		-30,3	0,8	-9,5
20,0				-6,2
20,0				-3,0
20,0				-0,3
20,0				1,7
				2,6
,				2,9
				2,8
∠∪,∪		-18,4	1,2	2,8
	20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0 20,0	20,0 -46,6 20,0 -43,3 20,0 -40,1 20,0 -36,8 20,0 -33,5 20,0 -30,3 20,0 -27,0 20,0 -23,9 20,0 -21,2 20,0 -19,3 20,0 -18,4 20,0 -18,2 20,0 -18,3	20,0 -46,6 0,5 20,0 -43,3 0,6 20,0 -40,1 0,6 20,0 -36,8 0,7 20,0 -33,5 0,7 20,0 -30,3 0,8 20,0 -27,0 0,8 20,0 -23,9 0,9 20,0 -21,2 0,9 20,0 -19,3 1,0 20,0 -18,4 1,0 20,0 -18,2 1,1 20,0 -18,3 1,1