

Page 1 of 74



APPLICATION CERTIFICATION FCC Part 15C On Behalf of XIAMEN COMFORT SCIENCE & TECHNOLOGY GROUP CO., LTD

> Massage Chair Model No.: Otamic-2X, OGI-2213B

> > FCC ID: YMX-2213B

Prepared for : XIAMEN COMFORT SCIENCE & TECHNOLOGY GROUP CO.,

LTD

Address : (5/F) NO.168, QIANPU ROAD, SIMING DISTRICT, XIAMEN,

CHINA

Prepared by : Shenzhen Accurate Technology Co., Ltd.

Address : 1/F., Building A, Changyuan New Material Port, Science & Industry

Park, Nanshan District, Shenzhen, Guangdong, P.R. China

Tel: (0755) 26503290 Fax: (0755) 26503396

Report No. : ATE20190997


Date of Test : July 6-July 11, 2019

Date of Report : July 15, 2019



TABLE OF CONTENTS

Descri	iption	Page
Test R	Report Certification	
	E OF CONTENTS	2.
	ENERAL INFORMATION	
	Description of Device (EUT)	
1.1. 1.2.	Accessory and Auxiliary Equipment	
1.2.	Description of Test Facility	
1.4.	Measurement Uncertainty	
	IEASURING DEVICE AND TEST EQUIPMENT	
	PERATION OF EUT DURING TESTING	
3.1.	Operating Mode	
3.1.	Configuration and peripherals	
	EST PROCEDURES AND RESULTS	
	ODB BANDWIDTH TEST	
5.1.	Block Diagram of Test Setup	
5.1.	The Requirement For Section 15.247(a)(1)	
5.3.	EUT Configuration on Test	
5.4.	Operating Condition of EUT	
5.5.	Test Procedure	
5.6.	Test Result	11
6. C	ARRIER FREQUENCY SEPARATION TEST	16
6.1.	Block Diagram of Test Setup	16
6.2.	The Requirement For Section 15.247(a)(1)	
6.3.	EUT Configuration on Test	
6.4.	Operating Condition of EUT	
6.5.	Test Procedure	
6.6.	Test Result	
	UMBER OF HOPPING FREQUENCY TEST	
7.1. 7.2.	Block Diagram of Test Setup The Requirement For Section 15.247(a)(1)(iii)	
7.2.	EUT Configuration on Test	
7.3. 7.4.	Operating Condition of EUT	
7.5.	Test Procedure	
7.6.	Test Result	
8. D'	WELL TIME TEST	26
8.1.	Block Diagram of Test Setup	26
8.2.	The Requirement For Section 15.247(a)(1)(iii)	
8.3.	EUT Configuration on Test	
8.4.	Operating Condition of EUT	
8.5.	Test Procedure	
8.6.	Test Result	
	IAXIMUM PEAK OUTPUT POWER TEST	
9.1.	Block Diagram of Test Setup	





9.2.	The Requirement For Section 15.247(b)(1)	33
9.3.	EUT Configuration on Test	33
9.4.	Operating Condition of EUT	33
9.5.	Test Procedure	33
9.6.	Test Result	34
10. RA	ADIATED EMISSION TEST	40
10.1.	Block Diagram of Test Setup	40
10.2.	The Limit For Section 15.247(d)	
10.3.	Restricted bands of operation	42
10.4.	EUT Configuration on Test	
10.5.	Operating Condition of EUT	43
10.6.	Test Procedure	43
10.7.	Data Sample	44
10.8.	Test Results	44
11. BA	AND EDGE COMPLIANCE TEST	57
11.1.	Block Diagram of Test Setup	57
11.2.	The Requirement For Section 15.247(d)	
11.3.	EUT Configuration on Test	57
11.4.	Operating Condition of EUT	57
11.5.	Test Procedure	58
11.6.	Test Result	58
12. AC	C POWER LINE CONDUCTED EMISSION TEST	69
12.1.	Block Diagram of Test Setup	69
12.2.	Test Limits	
12.3.	EUT Configuration on Test	70
12.4.	Operating Condition of EUT	70
12.5.	Test Procedure	70
12.6.	Data Sample	71
12.7.	Test Results	71
13. AN	TENNA REQUIREMENT	74
13.1.	The Requirement	
13.2.	Antenna Construction	



Report No.: ATE20190997

Page 4 of 74

Test Report Certification

Applicant : XIAMEN COMFORT SCIENCE & TECHNOLOGY GROUP CO., LTD

Address : (5/F) NO.168, QIANPU ROAD, SIMING DISTRICT, XIAMEN,

CHINA

Manufacturer : XIAMEN OGAWA INTELLIGENT HEALTH EQUIPMENT CO.,LTD

Address : THREE FLOOR NO 38-40, TIANYANG ROAD, JIMEI ZONE,

XIAMEN T:3521880

Product : Massage Chair

Model No. : Otamic-2X, OGI-2213B


Measurement Procedure Used:

FCC Rules and Regulations Part 15 Subpart C Section 15.247 ANSI C63.10: 2013

The device described above is tested by Shenzhen Accurate Technology Co., Ltd. to determine the maximum emission levels emanating from the device. The maximum emission levels are compared to the FCC Part 15 Subpart C Section 15.247 limits. The measurement results are contained in this test report and Shenzhen Accurate Technology Co., Ltd. is assumed full responsibility for the accuracy and completeness of these measurements. Also, this report shows that the Equipment Under Test (EUT) is to be technically compliant with the FCC requirements.

This report applies to above tested sample only. This report shall not be reproduced in part without written approval of Shenzhen Accurate Technology Co., Ltd.

Date of Test:	July 6-July 11, 2019
Date of Report :	July 15, 2019
Prepared by :	(St Kang Frouder)
Approved & Authorized Signer :	(Sean Liu, Manager)





1. GENERAL INFORMATION

1.1.Description of Device (EUT)

Model Number : Otamic-2X, OGI-2213B

(Note: We hereby state that these models are identical in interior structure, electrical circuits and components, just model name is

different. Therefore only model Otamic-2X is for tests.)

Bluetooth version : V5.0 classic mode for single mode

Frequency Range : 2402MHz-2480MHz

Number of Channels : 79

Antenna Gain(Max) : 0dBi


Antenna type : Plate loaded antenna

Modulation mode : GFSK, $\pi / 4$ DQPSK, 8DPSK

Power supply : AC 110-120 $V \sim 60$ Hz

1.2. Accessory and Auxiliary Equipment

N/A





1.3.Description of Test Facility

EMC Lab : Recognition of accreditation by Federal Communications

Commission (FCC)

The Designation Number is CN1189 The Registration Number is 708358

Listed by Innovation, Science and Economic Development

Canada (ISEDC)

The Registration Number is 5077A-2

Accredited by China National Accreditation Service for

Conformity Assessment (CNAS)

The Registration Number is CNAS L3193

Accredited by American Association for Laboratory

Accreditation (A2LA)

The Certificate Number is 4297.01

Name of Firm • Shenzhen Accurate Technology Co., Ltd.

Site Location . 1/F., Building A, Changyuan New Material Port, Science

& Industry Park, Nanshan District, Shenzhen, Guangdong,

P.R. China

1.4. Measurement Uncertainty

Radiated Emission Expanded Uncertainty : U=2.66dB, k=2

(9kHz-30MHz)

Radiated Emission Expanded Uncertainty : U=4.28dB, k=2

(30MHz-1000MHz)

Radiated Emission Expanded Uncertainty : U=4.98dB, k=2


(1G-18GHz)

Radiated Emission Expanded Uncertainty : U=5.06dB, k=2

(18G-26.5GHz)

Conduction Emission Expanded Uncertainty : U=2.72dB, k=2

(Mains ports, 9kHz-30MHz)






2. MEASURING DEVICE AND TEST EQUIPMENT

Table 1: List of Test and Measurement Equipment

Kind of equipment	Manufacturer	Type	S/N	Calibrated dates	Cal. Interval
EMI Test Receiver	Rohde&Schwarz	ESCS30	100307	Jan. 05, 2019	One Year
EMI Test Receiver	Rohde&Schwarz	ESR	101817	Jan. 05, 2019	One Year
Spectrum Analyzer	Rohde&Schwarz	FSV-40	101495	Jan. 05, 2019	One Year
Pre-Amplifier (Radiated Emission)	Compliance Direction	RSU-M2	38322	Jan. 05, 2019	One Year
Pre-Amplifier (Radiated Emission)	Agilent	8447D	294A10619	Jan. 05, 2019	One Year
Loop Antenna	Schwarzbeck	FMZB1516	1516131	Jan. 05, 2019	One Year
Bilog Antenna	Schwarzbeck	VULB9163	9163-323	Jan. 05, 2019	One Year
Horn Antenna	Schwarzbeck	BBHA9120D	9120D-655	Jan. 05, 2019	One Year
Horn Antenna	Schwarzbeck	BBHA9170	9170-359	Jan. 05, 2019	One Year
LISN	Schwarzbeck	NSLK8126	8126431	Jan. 05, 2019	One Year
Highpass Filter	Wainwright Instruments	WHKX3.6/18 G-10SS	N/A	Jan. 05, 2019	One Year
Band Reject Filter	Wainwright Instruments	WRCG2400/2 485-2375/2510 -60/11SS	N/A	Jan. 05, 2019	One Year
RF Coaxial Cable (Conducted Emission)	SUHNER	N-2m	No.2	Jan. 05, 2019	One Year
RF Coaxial Cable (Radiated Emission)	RESENBERGER	N-12m	No.11	Jan. 05, 2019	One Year
RF Coaxial Cable (Radiated Emission)	RESENBERGER	N-0.5m	No.12	Jan. 05, 2019	One Year
RF Coaxial Cable (Radiated Emission)	SUHNER	N-2m	No.13	Jan. 05, 2019	One Year
RF Coaxial Cable (Radiated Emission)	SUHNER	N-0.5m	No.15	Jan. 05, 2019	One Year
RF Coaxial Cable (Radiated Emission)	SUHNER	N-2m	No.16	Jan. 05, 2019	One Year
RF Coaxial Cable (Radiated Emission)	RESENBERGER	N-6m	No.17	Jan. 05, 2019	One Year

Conducted Emission Measurement Software: ES-K1 V1.71

Radiated Emission Measurement Software: EZ_EMC V1.1.4.2





3. OPERATION OF EUT DURING TESTING


3.1. Operating Mode


The mode is used: Transmitting mode

Low Channel: 2402MHz Middle Channel: 2441MHz High Channel: 2480MHz

Hopping

3.2. Configuration and peripherals







4. TEST PROCEDURES AND RESULTS


FCC Rules	Description of Test	Result
Section 15.247(a)(1)	20dB Bandwidth Test	Compliant
Section 15.247(a)(1)	Carrier Frequency Separation Test	Compliant
Section 15.247(a)(1)(iii)	Number Of Hopping Frequency Test	Compliant
Section 15.247(a)(1)(iii)	Dwell Time Test	Compliant
Section 15.247(b)(1)	Maximum Peak Output Power Test	Compliant
Section 15.247(d) Section 15.209	Radiated Emission Test	Compliant
Section 15.247(d)	Band Edge Compliance Test	Compliant
Section 15.207	AC Power Line Conducted Emissions Limits Test	Compliant
Section 15.203	Antenna Requirement	Compliant

Report No.: ATE20190997 Page 10 of 74



5. 20DB BANDWIDTH TEST

5.1.Block Diagram of Test Setup



5.2. The Requirement For Section 15.247(a)(1)

Frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater.

5.3.EUT Configuration on Test

The equipment are installed on the emission measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

5.4. Operating Condition of EUT

- 5.4.1. Setup the EUT and simulator as shown as Section 5.1.
- 5.4.2. Turn on the power of all equipment.
- 5.4.3.Let the EUT work in TX (Hopping off) modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2441MHz, and 2480MHz TX frequency to transmit.

5.5.Test Procedure

- 5.5.1.Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 5.5.2. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the EMI receiver or spectrum analyzer shall be between two times and five times the OBW.
- 5.5.3.RBW shall be in the range of 1% to 5% of the OBW and VBW shall be approximately three times RBW.
- 5.5.4.The 20dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 20dB.




5.6.Test Result

Channel	Frequency (MHz)	GFSK 20dB Bandwidth (MHz)	∏/4-DQPSK 20dB Bandwidth (MHz)	8DPSK 20dB Bandwidth (MHz)	Result
Low	2402	0.978	1.356	1.350	Pass
Middle	2441	0.972	1.350	1.356	Pass
High	2480	0.978	1.362	1.350	Pass

The spectrum analyzer plots are attached as below.

GFSK Mode




Date: 11.JUL.2019 16:07:46







Page 12 of 74



Date: 11.JUL.2019 16:08:16




Date: 11.JUL.2019 16:08:42







∏/4-DQPSK Mode




Date: 11.JUL.2019 16:10:02



Date: 11.JUL.2019 16:09:36








Date: 11.JUL.2019 16:09:07

8DPSK Mode




Date: 11.JUL.2019 16:10:50




Page 15 of 74






Date: 11.JUL.2019 16:11:22




Date: 11.JUL.2019 16:12:08





6. CARRIER FREQUENCY SEPARATION TEST

6.1.Block Diagram of Test Setup



6.2. The Requirement For Section 15.247(a)(1)

Frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater. Alternatively, frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW. The system shall hop to channel frequencies that are selected at the system hopping rate from a pseudo randomly ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

6.3.EUT Configuration on Test

The equipment are installed on the emission measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

6.4. Operating Condition of EUT

- 6.4.1. Setup the EUT and simulator as shown as Section 6.1.
- 6.4.2. Turn on the power of all equipment.
- 6.4.3.Let the EUT work in TX (Hopping on) modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2441MHz, and 2480MHz TX frequency to transmit.

Report No.: ATE20190997 Page 17 of 74



6.5. Test Procedure

- 6.5.1. The transmitter output was connected to the spectrum analyzer through a low loss cable.
- 6.5.2. Set RBW of spectrum analyzer to 30 kHz and VBW to 100 kHz. Adjust Span to 3MHz.
- 6.5.3. Set the adjacent channel of the EUT Maxhold another trace.
- 6.5.4. Measurement the channel separation

6.6.Test Result

GFSK Mode

Channel	Frequency	Channel	Limit	Result
Chamie	(MHz)	Separation(MHz)	(MHz)	Kesuit
Lovy	2402	1.002	25KHz or 2/3*20dB	Dogg
Low	2403	1.002	bandwidth	Pass
Middle	2440	0.996	25KHz or 2/3*20dB	Pass
Mildule	2441	0.990	bandwidth	rass
High	2479	1.002	25KHz or 2/3*20dB	Pass
High	2480	1.002	bandwidth	rass

∏/4-DOPSK Mode

	_			
Channel	Frequency	Channel	Limit	Result
Chainlei	(MHz)	Separation(MHz)	(MHz)	Kesuit
Lovy	2402	1 164	25KHz or 2/3*20dB	Dogg
Low	2403	1.164	bandwidth	Pass
Middle	2440	1.002	25KHz or 2/3*20dB	Dogg
Miladie	2441	1.002	bandwidth	Pass
High	2479	1.002	25KHz or 2/3*20dB	Pass
	2480	1.002	bandwidth	rass

8DPSK Mode

Channel	Frequency	Channel	Limit	Result
Chamie	(MHz)	Separation(MHz)	(MHz)	Result
Lavy	2402	1.020	25KHz or 2/3*20dB	Dogg
Low	2403	1.020	bandwidth	Pass
Middle	2440	1.020	25KHz or 2/3*20dB	Pass
Miladie	2441	1.020	bandwidth	rass
High	2479	1.182	25KHz or 2/3*20dB	Pass
nigii	2480	1.182	bandwidth	rass


The spectrum analyzer plots are attached as below.








GFSK Mode



Date: 11.JUL.2019 16:37:18




Date: 11.JUL.2019 16:36:49






Page 19 of 74



Date: 11.JUL.2019 16:36:13

$\Pi/4$ -DQPSK Mode




Date: 11.JUL.2019 16:37:49






Page 20 of 74



Date: 11.JUL.2019 16:38:28




Date: 11.JUL.2019 16:39:00








8DPSK Mode



Date: 11.JUL.2019 16:40:58




Date: 11.JUL.2019 16:40:17





Page 22 of 74




Date: 11.JUL.2019 16:39:38

Report No.: ATE20190997 Page 23 of 74



7. NUMBER OF HOPPING FREQUENCY TEST

7.1.Block Diagram of Test Setup



7.2. The Requirement For Section 15.247(a)(1)(iii)

Frequency hopping systems in the 2400-2483.5 MHz band shall use at least 15 channels.

7.3.EUT Configuration on Test

The equipment are installed on the emission measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

7.4. Operating Condition of EUT

- 7.4.1. Setup the EUT and simulator as shown as Section 7.1.
- 7.4.2. Turn on the power of all equipment.
- 7.4.3.Let the EUT work in TX (Hopping on) modes measure it.

7.5.Test Procedure

- 7.5.1.The transmitter output was connected to the spectrum analyzer through a low loss cable.
- 7.5.2.Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz.
- 7.5.3.Max hold, view and count how many channel in the band.




7.6.Test Result


Total number of	Measurement result(CH)	Limit(CH)	Result
hopping channel	79	≥15	Pass

The spectrum analyzer plots are attached as below.

Number of hopping channels (GFSK Mode)




Date: 11.JUL.2019 16:35:20






N. J. Cl. J. J. (H./Dobgy) A. J.



Date: 11.JUL.2019 16:29:34

Number of hopping channels (8DPSK Mode)



Date: 11.JUL.2019 16:22:17

Report No.: ATE20190997 Page 26 of 74



8. DWELL TIME TEST

8.1.Block Diagram of Test Setup



8.2. The Requirement For Section 15.247(a)(1)(iii)

Frequency hopping systems in the 2400-2483.5 MHz band shall use at least 15 channels. The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed. Frequency hopping systems may avoid or suppress transmissions on a particular hopping frequency provided that a minimum of 15 channels are used.

8.3.EUT Configuration on Test


The equipment are installed on the emission measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

8.4. Operating Condition of EUT

- 8.4.1. Setup the EUT and simulator as shown as Section 8.1.
- 8.4.2. Turn on the power of all equipment.
- 8.4.3.Let the EUT work in TX (Hopping on) modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2441MHz, and 2480MHz TX frequency to transmit.

8.5. Test Procedure

- 8.5.1. The transmitter output was connected to the spectrum analyzer through a low loss cable.
- 8.5.2.Set center frequency of spectrum analyzer = operating frequency.
- 8.5.3.Set the spectrum analyzer as RBW=1MHz, VBW=3MHz, Span=0Hz, Adjust Sweep=5ms, 10ms, 15ms. Get the pulse time.
- 8.5.4.Repeat above procedures until all frequency measured were complete.





8.6.Test Result

Pass.

GFSK Mode (Worse case)

Mode	Channel Frequency (MHz)	Pulse Time (ms)	Dwell Time (ms)	Limit (ms)		
DH1	2441	0.400	128.0	400		
A period to	A period transmit time = $0.4 \times 79 = 31.6$ Dwell time = pulse time $\times (1600/(2*79)) \times 31.6$					
DH3	2441	1.690	270.4	400		
A period to	ransmit time = $0.4 \times 79 =$	31.6 Dwell time = pu	ulse time \times (1600/(4*)	79))×31.6		
DH5	2441	3.010	321.07	400		
A period transmit time = $0.4 \times 79 = 31.6$ Dwell time = pulse time $\times (1600/(6*79)) \times 31.6$						

Π /4-DQPSK Mode (Worse case)

Mode	Channel Frequency (MHz)	Pulse Time (ms)	Dwell Time (ms)	Limit (ms)	
DH1	2441	0.420	134.4	400	
A period to	A period transmit time = $0.4 \times 79 = 31.6$ Dwell time = pulse time $\times (1600/(2*79)) \times 31.6$				
DH3	2441	1.700	272.0	400	
A period to	ransmit time = 0.4×79 =	31.6 Dwell time = pu	ulse time \times (1600/(4*)	79))×31.6	
DH5	2441	3.020	322.13	400	
A period transmit time = $0.4 \times 79 = 31.6$ Dwell time = pulse time $\times (1600/(6*79)) \times 31.6$					

8DPSK Mode (Worse case)

Mode	Channel Frequency (MHz)	Pulse Time (ms)	Dwell Time (ms)	Limit (ms)	
DH1	2441	0.400	128.0	400	
A period transmit time = $0.4 \times 79 = 31.6$ Dwell time = pulse time $\times (1600/(2*79)) \times 31.6$					
DH3	2441	1.700	272.0	400	
A period transmit time = $0.4 \times 79 = 31.6$ Dwell time = pulse time $\times (1600/(4*79)) \times 31.6$					
DH5	2441	3.000	320.0	400	
A period to	ransmit time = $0.4 \times 79 =$	31.6 Dwell time = pu	Dwell time = pulse time $\times (1600/(6*79)) \times 31.6$		

Note: We tested GFSK mode and $\Pi/4$ -DQPSK & 8DPSK mode the low, middle and high channel and recorded the worse case data for all test mode.


The spectrum analyzer plots are attached as below.








GFSK Mode



Date: 11.JUL.2019 16:50:12




Date: 11.JUL.2019 16:49:33





Page 29 of 74




Date: 11.JUL.2019 16:49:04

∏/4-DQPSK Mode


2-DH1 Middle channel RBW 1 MHz Delta 2 [T1] *VBW 3 MHz SWT 5 ms Att 30 dB Ref 10 dBm 420.000000 μs 10 Offset 10 dB 1 [T1 Marker Center 2.441 GHz

Date: 11.JUL.2019 16:54:55






2-DH3 Middle channel




Date: 11.JUL.2019 16:54:14

2-DH5 Middle channel




Date: 11.JUL.2019 16:53:44






8DPSK Mode

3-DH1 Middle channel



Date: 11.JUL.2019 16:59:01


3-DH3 Middle channel



Date: 11.JUL.2019 16:59:46



3-DH5 Middle channel




Date: 11.JUL.2019 17:00:29

Report No.: ATE20190997 Page 33 of 74



9. MAXIMUM PEAK OUTPUT POWER TEST

9.1.Block Diagram of Test Setup



9.2. The Requirement For Section 15.247(b)(1)

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts.

9.3.EUT Configuration on Test


The equipment are installed on the emission Measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

9.4. Operating Condition of EUT

- 9.4.1. Setup the EUT and simulator as shown as Section 9.1.
- 9.4.2. Turn on the power of all equipment.
- 9.4.3.Let the EUT work in TX (Hopping off) modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2441MHz, and 2480MHz TX frequency to transmit.

9.5.Test Procedure

- 9.5.1.The transmitter output was connected to the spectrum analyzer through a low loss cable.
- 9.5.2.Set RBW of spectrum analyzer to 1MHz and VBW to 3MHz, for GFSK mode. Set RBW of spectrum analyzer to 3MHz and VBW to 10MHz, for other mode.
- 9.5.3. Measurement the maximum peak output power.





9.6.Test Result

GFSK Mode

Channel	Frequency (MHz)	Peak Output Power (dBm/W)	Limits (dBm/W)	Result
Low	2402	0.74/0.0012	21 / 0.125	Pass
Middle	2441	0.64/0.0012	21 / 0.125	Pass
High	2480	0.68/0.0012	21 / 0.125	Pass

∏/4-DQPSK Mode

Channel	Frequency (MHz)	Peak Output Power (dBm/W)	Limits (dBm / W)	Result
Low	2402	2.98/0.0020	21 / 0.125	Pass
Middle	2441	2.88/0.0019	21 / 0.125	Pass
High	2480	2.92/0.0020	21 / 0.125	Pass


8DPSK Mode

ODI DII MOGO				
Channel	Frequency (MHz)	Peak Output Power (dBm/W)	Limits (dBm / W)	Result
Low	2402	3.49/0.0022	21 / 0.125	Pass
Middle	2441	3.34/0.0022	21 / 0.125	Pass
High	2480	3.34/0.0022	21 / 0.125	Pass


The spectrum analyzer plots are attached as below.



GFSK Mode




Date: 11.JUL.2019 16:17:40



Date: 11.JUL.2019 16:18:03






Date: 11.JUL.2019 16:18:25

$\Pi/4$ -DQPSK Mode




Date: 11.JUL.2019 16:19:40

Page 37 of 74



Date: 11.JUL.2019 16:19:23



Date: 11.JUL.2019 16:19:02








8DPSK Mode




Date: 11.JUL.2019 16:19:57




Date: 11.JUL.2019 16:20:14



Page 39 of 74



Date: 11.JUL.2019 16:20:31







10. RADIATED EMISSION TEST

10.1.Block Diagram of Test Setup


10.1.1.Block diagram of connection between the EUT and peripherals



10.1.2.Semi-Anechoic Chamber Test Setup Diagram




(B)Radiated Emission Test Set-Up, Frequency 30MHz-1GHz





(C) Radiated Emission Test Set-Up. Frequency above 1GHz



10.2. The Limit For Section 15.247(d)

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a).



10.3.Restricted bands of operation

10.3.1.FCC Part 15.205 Restricted bands of operation

(a) Except as shown in paragraph (d) of this section, Only spurious emissions are permitted in any of the frequency bands listed below:

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
¹ 0.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.17725-4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.20725-4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	(²)
13.36-13.41			

¹Until February 1, 1999, this restricted band shall be 0.490-0.510

(b) Except as provided in paragraphs (d) and (e), the field strength of emission appearing within these frequency bands shall not exceed the limits shown in Section 15.209. At frequencies equal to or less than 1000MHz, Compliance with the limits in Section 15.209 shall be demonstrated using measurement instrumentation employing a CISPR quasi-peak detector. Above 1000MHz, compliance with the emission limits in Section15.209 shall be demonstrated based on the average value of the measured emissions. The provisions in Section 15.35 apply to these measurements.

10.4.EUT Configuration on Test

The equipment is installed on Radiated Emission Measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

²Above 38.6

Report No.: ATE20190997 Page 43 of 74



10.5. Operating Condition of EUT

10.5.1. Setup the EUT and simulator as shown as Section 10.1.

10.5.2. Turn on the power of all equipment.


10.5.3.Let the EUT work in TX modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2441MHz, and 2480MHz TX frequency to transmit.

10.6.Test Procedure

The EUT and its simulators are placed on a turntable, which is 0.1 meter high above ground. The turntable can rotate 360 degrees to determine the position of the maximum emission level. EUT is set 3.0 meters away from the receiving antenna, which is mounted on an antenna tower. The antenna can be moved up and down between 1.0 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bi-log antenna) is used as receiving antenna. Both horizontal and vertical polarizations of the antenna are set on measurement. In order to find the maximum emission levels, all of the EUT location must be manipulated according to ANSI C63.10:2013 on radiated emission measurement. This EUT was tested in 3 orthogonal positions and the Worse case position data was reported.

During the radiated emission test, the spectrum analyzer was set with the following configurations:

- 1. The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 120kHz for Quasi-peak at frequency below 1GHz.
- 2. The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and video bandwidth is 3MHz for peak measurement with peak detector at frequency above 1GHz.
- 3. The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and video bandwidth is 10Hz for Average measurement with peak detection at frequency above 1GHz.
- 4. All modes of operation were investigated and the worse case emissions are reported.





10.7.Data Sample

Frequency	Reading	Factor	Result	Limit	Margin	Remark
(MHz)	(dBµv)	(dB/m)	(dBµv/m)	(dBµv/m)	(dB)	
X.XX	48.69	-13.35	35.34	46	-10.66	QP

Frequency(MHz) = Emission frequency in MHz

Reading($dB\mu\nu$) = Uncorrected Analyzer/Receiver reading

Factor (dB/m) = Antenna factor + Cable Loss - Amplifier gain

Result($dB\mu v/m$) = Reading($dB\mu v$) + Factor(dB/m)

Limit $(dB\mu v/m) = Limit$ stated in standard

Margin (dB) = Result(dB μ v/m) - Limit (dB μ v/m)

QP = Quasi-peak Reading

Calculation Formula:

 $Margin(dB) = Result (dB\mu V/m) - Limit(dB\mu V/m)$

Result($dB\mu V/m$)= Reading($dB\mu V$)+ Factor(dB/m)

The "Margin" column of the following data tables indicates the degree of compliance with the applicable limit. For example, a margin of -7dB means the emission is 7dB below the limit.

10.8.Test Results

Pass.

Note: 1.We tested GFSK, $\Pi/4$ -DQPSK & 8DPSK Mode and recorded the Worse case data (8DPSK mode) for all test mode.

2. Testing is carried out with frequency rang 9kHz to the tenth harmonics, which above 3th Harmonics are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.

The measurements greater than 20dB below the limit from 9kHz to 30MHz and 18 to 26.5GHz.

The spectrum analyzer plots are attached as below.



Page 45 of 74

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #157

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2402MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997




Power Source: AC 120V/60Hz

Date: 2019/07/10 Time: 17:24:49 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	78.2888	47.51	-27.50	20.01	40.00	-19.99	QP	200	55	
2	90.7379	48.39	-27.41	20.98	43.50	-22.52	QP	200	321	
3	103.6989	51.38	-28.11	23.27	43.50	-20.23	QP	200	119	
4	188.4442	56.27	-25.25	31.02	43.50	-12.48	QP	200	220	
5	235.9621	58.66	-23.79	34.87	46.00	-11.13	QP	200	215	
6	241.8377	59.04	-23.71	35.33	46.00	-10.67	QP	200	163	







F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #156

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2402MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997


Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/10 Time: 17:23:51 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	78.5644	56.93	-27.49	29.44	40.00	-10.56	QP	100	63	
2	91.0574	56.41	-27.41	29.00	43.50	-14.50	QP	100	99	
3	113.2199	50.15	-27.32	22.83	43.50	-20.67	QP	100	21	
4	125.3645	49.49	-27.59	21.90	43.50	-21.60	QP	100	331	
5	187.1246	51.31	-25.35	25.96	43.50	-17.54	QP	100	63	
6	240.1442	52.42	-23.72	28.70	46.00	-17.30	QP	100	106	







F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #158

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %


EUT: Massage Chair Mode: TX2441MHz Model: Otamic-2X

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH


Note: Report NO.:ATE20190997

Polarization: Horizontal
Power Source: AC 120V/60Hz

Date: 2019/07/10 Time: 17:25:41 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	78.2888	48.61	-27.50	21.11	40.00	-18.89	QP	200	55	
2	90.7379	48.74	-27.41	21.33	43.50	-22.17	QP	200	331	
3	170.7878	55.87	-26.08	29.79	43.50	-13.71	QP	200	96	
4	189.7732	53.64	-25.14	28.50	43.50	-15.00	QP	200	205	
5	235.9621	58.46	-23.79	34.67	46.00	-11.33	QP	200	221	
6	297.5459	47.15	-21.32	25.83	46.00	-20.17	QP	200	193	







F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #159

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2441MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997


Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/10 Time: 17:26:36 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	78.5644	57.78	-27.49	30.29	40.00	-9.71	QP	100	331	
2	90.7379	57.07	-27.41	29.66	43.50	-13.84	QP	100	99	
3	99.4176	55.79	-27.97	27.82	43.50	-15.68	QP	100	246	
4	112.8229	56.64	-27.32	29.32	43.50	-14.18	QP	100	112	
5	160.8851	57.02	-26.98	30.04	43.50	-13.46	QP	100	62	
6	235.9621	55.50	-23.79	31.71	46.00	-14.29	QP	100	103	j







F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #161

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2480MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997


Polarization: Horizontal

Power Source: AC 120V/60Hz

Date: 2019/07/10 Time: 17:27:35 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	90.4196	48.48	-27.42	21.06	43.50	-22.44	QP	200	193	
2	103.3353	50.90	-28.10	22.80	43.50	-20.70	QP	200	221	
3	143.2717	53.11	-28.00	25.11	43.50	-18.39	QP	200	201	
4	187.1246	54.32	-25.35	28.97	43.50	-14.53	QP	200	96	
5	240.1442	57.49	-23.72	33.77	46.00	-12.23	QP	200	156	
6	300.6988	47.31	-21.20	26.11	46.00	-19.89	QP	200	320	







F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #160

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2480MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/10 Time: 17:26:46 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	78.5644	57.78	-27.49	30.29	40.00	-9.71	QP	100	332	
2	90.7379	57.07	-27.41	29.66	43.50	-13.84	QP	100	129	
3	99.4176	55.79	-27.97	27.82	43.50	-15.68	QP	100	98	
4	160.8851	57.02	-26.98	30.04	43.50	-13.46	QP	100	201	
5	235.9621	52.34	-23.79	28.55	46.00	-17.45	QP	100	33	
6	292.3643	47.65	-21.56	26.09	46.00	-19.91	QP	100	116	



Page 51 of 74

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park, Nanshan Shenzhen, P.R. China

Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #164

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test


Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2402MHz

Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997



Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:31:56 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2402.019	88.17	-6.37	81.80	1	1	peak	200	96	
2	4804.057	42.39	0.70	43.09	74.00	-30.91	peak	200	106	



Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Page 52 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd. Science & Industry Park, Nanshan Shenzhen, P.R. China

> Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:33:18 Engineer Signature: Distance: 3m

Job No.: FRANK2019-BT #165

Standard: FCC Part 15C 3M Radiated


Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2402MHz Model: Otamic-2X

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)		Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark	
1	2402.019	90.22	-6.37	83.85	1	1	peak	150	66		
2	4804.157	43.35	0.70	44.05	74.00	-29.95	peak	150	119		



Page 53 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #167

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2441MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

Polarization: Horizontal

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:35:52 Engineer Signature: Distance: 3m





Page 54 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #166

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2441MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:34:46 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)		Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2441.021	94.91	-6.20	88.71	1	1	peak	150	109	
2	4882.024	45.56	1.07	46.63	74.00	-27.37	peak	150	33	



Page 55 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #168

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2480MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

Polarization: Horizontal

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:37:50 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark	
1	2480.034	89.12	-6.04	83.08	1	1	peak	200	109		
2	4960.044	47.77	1.50	49.27	74.00	-24.73	peak	200	332		



Page 56 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #170

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2480MHz Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH


Note: Report NO.:ATE20190997

Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:39:50 Engineer Signature: Distance: 3m







11.BAND EDGE COMPLIANCE TEST

11.1.Block Diagram of Test Setup



11.2. The Requirement For Section 15.247(d)


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a).

11.3.EUT Configuration on Test

The equipment are installed on the emission Measurement to meet the commission requirements and operating regulations in a manner which tends to maximize its emission characteristics in normal application.

11.4. Operating Condition of EUT

- 11.4.1. Setup the EUT and simulator as shown as Section 11.1.
- 11.4.2. Turn on the power of all equipment.
- 11.4.3.Let the EUT work in TX (Hopping off, Hopping on) modes measure it. The transmit frequency are 2402-2480MHz. We select 2402MHz, 2480MHz TX frequency to transmit.





11.5.Test Procedure

- 11.5.1. The transmitter output was connected to the spectrum analyzer via a low loss cable.
- 11.5.2.Set RBW of spectrum analyzer to 100 kHz and VBW to 300 kHz with convenient frequency span including 100 kHz bandwidth from band edge.
- 11.5.3. The band edges was measured and recorded.

11.6.Test Result

Note: Both hopping-on mode and hopping-off mode had been pre-tested, and only the Worse case was recorded in the test report.


Conducted Band Edge Result

Non-hopping mode


Non-nopping mode	1	1	
Frequency	Result of Band Edge	Limit of Band Edge	Result
(MHz)	(dBc)	(dBc)	
(IVIIIZ)	(dDe)	(dDC)	
	GFSK Mo	de	
2402.0	41.09	> 20dBc	Pass
2402.0	71.07	> 20dBc	1 433
2480.0	47.46	> 20dBc	Pass
2.00.0	177.10	, 20aBe	1 455
	T // D oper		
	Π/4-DQPSK	Mode	
2402.0	40.03	> 20dBc	Pass
2402.0	40.03	> 20dBc	1 488
2480.0	47.39	> 20dBc	Pass
			•
	8DPSK Mo	nde	
		J Total	1
2402.0	38.9	> 20dBc	Pass
2400.0	46.26	20 JD -	D
2480.0	46.36	> 20dBc	Pass

The spectrum analyzer plots are attached as below.





Date: 11.JUL.2019 16:42:30




Date: 11.JUL.2019 16:46:30




Page 60 of 74






Date: 11.JUL.2019 16:43:24



Date: 11.JUL.2019 16:45:22






6 MHz/


Span 60 MHz

Date: 11.JUL.2019 16:44:07

Center 2.4 GHz



Date: 11.JUL.2019 16:44:44





Radiated Band Edge Result

Note:

- 1. Emissions attenuated more than 20 dB below the permissible value are not reported.
- 2. The field strength is calculated by adding the antenna factor, high pass filter loss(if used) and cable loss, and subtracting the amplifier gain(if any)from the measured reading. The basic equation calculation is as follows:

Result = Reading + Corrected Factor

3. Display the measurement of peak values.

Test Procedure:

The EUT and its simulators are placed on a turntable, which is 0.1 meter high above ground. The turntable can rotate 360 degrees to determine the position of the maximum emission level. EUT is set 3.0 meters away from the receiving antenna, which is mounted on an antenna tower. The antenna can be moved up and down between 1.0 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bi-log antenna) is used as receiving antenna. Both horizontal and vertical polarizations of the antenna are set on measurement. In order to find the maximum emission levels, all of the EUT location must be manipulated according to ANSI C63.10:2013 on radiated emission measurement. This EUT was tested in 3 orthogonal positions and the Worse case position data was reported.

Let the EUT work in TX (Hopping off, Hopping on) modes measure it. We select 2402MHz, 2480MHz TX frequency to transmit(Hopping off mode). We select 2402-2480MHz TX frequency to transmit(Hopping on mode).

During the radiated emission test, the spectrum analyzer was set with the following configurations:

- 1. The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and video bandwidth is 3MHz for peak measurement with peak detector at frequency above 1GHz.
- 2.The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and video bandwidth is 10Hz for Average measurement with peak detection at frequency above 1GHz.
- 3.All modes of operation were investigated and the worse case (8DPSK mode) emissions are reported.

The spectrum analyzer plots are attached as below.



Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Page 63 of 74



Non-hopping mode ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China

Polarization: Horizontal

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:52:46 Engineer Signature: Distance: 3m

Job No.: FRANK2019-BT #177

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test


Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2402MHz(8DPSK)

Model: Otamic-2X

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark	
1	2390.000	41.06	-6.32	34.74	74.00	-39.26	peak	200	96		
2	2390.000	31.15	-6.32	24.83	54.00	-29.17	AVG	200	108		
3	2400.000	60.05	-6.27	53.78	74.00	-20.22	peak	200	332		
4	2400.000	50.16	-6.27	43.89	54.00	-10.11	AVG	200	106		



Page 64 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #178

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: TX2402MHz(8DPSK)

Model: Otamic-2X

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 14:54:26 Engineer Signature:

Distance: 3m

90		limit1: — limit2: —
		limit2: —
90		
80		
70		
60		
50	3	*********
40	, 	
30	Making Market	haraphenilandaduntum
2		****************
20.0 2300.000		2440.0 MI
/300 000		2440.0 MH
200.000		
From Ponding Foster Popult Limit Margin		Degree (deg.) Remark
Freq. Reading Factor Result Limit Margin (MHz) (dBuV/m) (dB) (dBuV/m) (dBuV/m) (dB)	tector Height (cm) eak 150	
Freq. Reading Factor Result Limit Margin (MHz) (dBuV/m) (dB) (dBuV/m) (dB) (dBuV/m) (dB) (dB) (2390.000 40.12 -6.32 33.80 74.00 -40.20 pt	(cm)	(deg.) Remark



Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Page 65 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China

Distance: 3m

Job No.: FRANK2019-BT #176 Polarization: Horizontal

Standard: FCC Part 15C 3M Radiated Power Source: AC 120V/60Hz

 Test item:
 Radiation Test
 Date: 2019/07/11

 Temp.(C)/Hum.(%) 25 C / 55 %
 Time: 14:51:06

 EUT:
 Massage Chair
 Engineer Signature:


Model: Otamic-2X

Mode:

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

TX2480MHz(8DPSK)



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	52.64	-5.89	46.75	74.00	-27.25	peak	250	63	
2	2483.500	43.45	-5.89	37.56	54.00	-16.44	AVG	200	115	
3	2500.000	42.08	-5.81	36.27	74.00	-37.73	peak	250	92	
4	2500.000	32.45	-5.81	26.64	54.00	-27.36	AVG	200	109	



Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Page 66 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park, Nanshan Shenzhen, P.R. China

Distance: 3m

Job No.: FRANK2019-BT #175 Polarization: Vertical

Power Source: AC 120V/60Hz Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test Date: 2019/07/11 Temp.(C)/Hum.(%) 25 C / 55 % Time: 14:49:14 EUT: Massage Chair Engineer Signature:


Model: Otamic-2X

Mode:

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Report NO.:ATE20190997 Note:

TX2480MHz(8DPSK)



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark	
1	2483.500	58.37	-5.89	52.48	74.00	-21.52	peak	150	155		
2	2483.500	49.64	-5.89	43.75	54.00	-10.25	AVG	150	96		
3	2500.000	41.11	-5.81	35.30	74.00	-38.70	peak	150	221		
4	2500.000	32.45	-5.81	26.64	54.00	-27.36	AVG	150	103		



Page 67 of 74



Hopping mode ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #188

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: HOPPING(8DPSK)


Model: Otamic-2X

Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997

Polarization: Horizontal
Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 15:24:09 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	42.02	-6.32	35.70	74.00	-38.30	peak	200	196	
2	2390.000	31.48	-6.32	25.16	54.00	-28.84	AVG	200	331	
3	2400.000	50.86	-6.27	44.59	74.00	-29.41	peak	200	201	
4	2400.000	40.78	-6.27	34.51	54.00	-19.49	AVG	200	11	
5	2483.500	45.45	-5.89	39.56	74.00	-34.44	peak	200	82	
6	2483.500	35.48	-5.89	29.59	54.00	-24.41	AVG	200	223	
7	2500.000	42.21	-5.81	36.40	74.00	-37.60	peak	200	301	
8	2500.000	33.50	-5.81	27.69	54.00	-26.31	AVG	200	110	



Page 68 of 74



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd, Science & Industry Park,Nanshan Shenzhen,P.R.China Site: 1# Chamber Tel:+86-0755-26503290 Fax:+86-0755-26503396

Job No.: FRANK2019-BT #187

Standard: FCC Part 15C 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: Massage Chair Mode: HOPPING(8DPSK)

Model: Otamic-2X


Manufacturer: XIAMEN OGAWA INTELLIGENT HEALTH

Note: Report NO.:ATE20190997


Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2019/07/11 Time: 15:19:57 Engineer Signature: Distance: 3m



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	41.42	-6.32	35.10	74.00	-38.90	peak	150	114	
2	2390.000	30.87	-6.32	24.55	54.00	-29.45	AVG	150	96	
3	2400.000	52.36	-6.27	46.09	74.00	-27.91	peak	150	221	
4	2400.000	41.64	-6.27	35.37	54.00	-18.63	AVG	150	33	
5	2483.500	41.83	-5.89	35.94	74.00	-38.06	peak	150	201	
6	2483.500	31.75	-5.89	25.86	54.00	-28.14	AVG	150	85	
7	2500.000	41.86	-5.81	36.05	74.00	-37.95	peak	150	141	
8	2500.000	31.48	-5.81	25.67	54.00	-28.33	AVG	150	112	







12.AC POWER LINE CONDUCTED EMISSION TEST

12.1.Block Diagram of Test Setup

12.1.1.Block diagram of connection between the EUT and simulators




12.1.2.Test System Setup



Note: 1. Support units were connected to second LISN.

2. Both of LISNs (AMN) 80 cm from EUT and at the least 0.1m : from other units and other metal planes support units.





12.2.Test Limits

Frequency	Conducted L	imit dB(μV)
(MHz)	Quasi-peak Level	Average Level
0.15 - 0.50	66.0 – 56.0 *	56.0 – 46.0 *
0.50 - 5.00	56.0	46.0
5.00 - 30.00	60.0	50.0

NOTE1: The lower limit shall apply at the transition frequencies.

NOTE2: The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.50MHz.

12.3.EUT Configuration on Test

The equipments are installed on Power Line Conducted Emission Measurement to meet the commission requirement and operating regulations in a manner, which tends to maximize its emission characteristics in a normal application.

12.4. Operating Condition of EUT

- 12.4.1. Setup the EUT and simulator as shown as Section 12.1.
- 12.4.2. Turn on the power of all equipment.
- 12.4.3.Let the EUT work in test mode and measure it.

12.5.Test Procedure

The EUT is put on the plane 0.1m high above the ground by insulating support and is connected to the power mains through a line impedance stabilization network (L.I.S.N.). This provides a 50ohm coupling impedance for the EUT system. Please refer the block diagram of the test setup and photographs. Both sides of AC lines are checked to find out the maximum conducted emission. In order to find the maximum emission levels, the relative positions of equipment and all of the interface cables shall be changed according to ANSI C63.10: 2013 on Conducted Emission Measurement.

The bandwidth of test receiver is set at 9kHz.

The frequency range from 150kHz to 30MHz is checked.





Page 71 of 74

12.6.Data Sample

Frequency	Transducer	QuasiPeak	Average	QuasiPeak	Average	QuasiPeak	Average	Remark
(MHz)	value	Level	Level	Limit	Limit	Margin	Margin	(Pass/Fail)
	(dB)	$(dB\mu V)$	(dBµV)	(dBµV)	(dBµV)	(dB)	(dB)	
X.XX	10.5	51.1	34.2	56.0	46.0	4.9	11.8	Pass

$$\begin{split} & Frequency(MHz) = Emission \ frequency \ in \ MHz \\ & Transducer \ value(dB) = Insertion \ loss \ of \ LISN + Cable \ Loss \\ & Level(dB\mu V) = Quasi-peak \ Reading/Average \ Reading + Transducer \ value \\ & Limit \ (dB\mu V) = Limit \ stated \ in \ standard \\ & Margin = Limit \ (dB\mu V) - Level \ (dB\mu V) \end{split}$$

Calculation Formula:

 $Margin = Limit (dB\mu V) - Level (dB\mu V)$

12.7.Test Results

Pass.

The frequency range from 150kHz to 30MHz is checked.

Maximizing procedure was performed on the six (6) highest emissions of the EUT. Emissions attenuated more than 20 dB below the permissible value are not reported.

All data was recorded in the Quasi-peak and average detection mode.

The spectral diagrams are attached as below.







CONDUCTED EMISSION STANDARD FCC PART 15 C

Massage Chair M/N:Otamic-2X EUT:

XIAMEN OGAWA INTELLIGENT HEALTG EQUIPMENT CO., LTD Manufacturer:

Operating Condition: BT Communication 1#Shielding Room Test Site:

Operator: Frank Test Specification: L 120V/60Hz

Comment: Report NO.: ATE20190997 7/6/2019 / 10:55:47AM Start of Test:

SCAN TABLE: "V 9K-30MHz fin" Short Description: SU

_SUB_STD_VTERM2 1.70

Step Stop IF Start Detector Meas. Transducer


Frequency Frequency Width Bandw. Time

9.0 kHz 150.0 kHz 100.0 Hz QuasiPeak 1.0 s 200 Hz NSLK8126 2008

Average

150.0 kHz 30.0 MHz 5.0 kHz QuasiPeak 1.0 s 9 kHz NSLK8126 2008

Average



MEASUREMENT RESULT: "F-0997-1 fin"

6/2019 10:5	9AM						
Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.155000	55.50	10.5	66	10.2	QP	Ll	GND
0.500000	52.50	10.6	56	3.5	QP	L1	GND
1.135000	45.40	10.7	56	10.6	QP	L1	GND
2.140000	39.30	10.7	56	16.7	QP	L1	GND
12.190000	40.00	10.9	60	20.0	QP	L1	GND
12.625000	40.00	10.9	60	20.0	QP	L1	GND
	Frequency MHz 0.155000 0.500000 1.135000 2.140000 12.190000	Frequency MHz dBμV 0.155000 55.50 0.500000 52.50 1.135000 45.40 2.140000 39.30 12.190000 40.00	Frequency MHz dBμV dB 0.155000 55.50 10.5 0.500000 52.50 10.6 1.135000 45.40 10.7 2.140000 39.30 10.7 12.190000 40.00 10.9	Frequency MHz dBμV dB dBμV 0.155000 55.50 10.5 66 0.500000 52.50 10.6 56 1.135000 45.40 10.7 56 2.140000 39.30 10.7 56 12.190000 40.00 10.9 60	Frequency MHz Level dBμV Transd dB dBμV Limit dBμV Margin dB 0.155000 55.50 10.5 66 10.2 0.500000 52.50 10.6 56 3.5 1.135000 45.40 10.7 56 10.6 2.140000 39.30 10.7 56 16.7 12.190000 40.00 10.9 60 20.0	Frequency MHz Level dBμV Transd dB dBμV Limit dBμV Margin dB Detector dB 0.155000 55.50 10.5 66 10.2 QP 0.500000 52.50 10.6 56 3.5 QP 1.135000 45.40 10.7 56 10.6 QP 2.140000 39.30 10.7 56 16.7 QP 12.190000 40.00 10.9 60 20.0 QP	Frequency MHz Level dBμV Transd dB dBμV Limit dBμV Margin dB Detector Line dBμV 0.155000 55.50 10.5 66 10.2 QP L1 0.500000 52.50 10.6 56 3.5 QP L1 1.135000 45.40 10.7 56 10.6 QP L1 2.140000 39.30 10.7 56 16.7 QP L1 12.190000 40.00 10.9 60 20.0 QP L1

MEASUREMENT RESULT: "F-0997-1 fin2"

7/6/2019 10:5 Frequency MHz	9AM Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.325000	35.90	10.6	50	13.7	AV	L1	GND
0.500000	43.00	10.6	46	3.0	AV	L1	GND
0.985000	35.30	10.7	46	10.7	AV	L1	GND
2.220000	33.30	10.7	46	12.7	AV	L1	GND
10.285000	34.80	10.9	50	15.2	AV	L1	GND
12.655000	33.70	10.9	50	16.3	AV	L1	GND



Page 73 of 74



ACCURATE TECHNOLOGY CO., LTD

CONDUCTED EMISSION STANDARD FCC PART 15 C

EUT: Massage Chair M/N:Otamic-2X

XIAMEN OGAWA INTELLIGENT HEALTG EQUIPMENT CO., LTD Manufacturer:

Operating Condition: BT Communication 1#Shielding Room Test Site:

Frank Operator: Test Specification: N 120V/60Hz

Comment: Report NO.: ATE20190997 Start of Test: 7/6/2019 / 10:59:55AM

SCAN TABLE: "V 9K-30MHz fin"
Short Description: _SU _SUB_STD_VTERM2 1.70

Stop Step IF Start Detector Meas. Transducer


Frequency Frequency Width Bandw. Time

QuasiPeak 1.0 s 200 Hz NSLK8126 2008 9.0 kHz 150.0 kHz 100.0 Hz

Average

150.0 kHz 30.0 MHz 5.0 kHz QuasiPeak 1.0 s 9 kHz NSLK8126 2008

Average



MEASUREMENT RESULT: "F-0997-2 fin"

7/6/2019 11:0	D3AM						
Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.165000	53.70	10.5	65	11.5	QP	N	GND
0.515000	49.30	10.6	56	6.7	QP	N	GND
0.960000	39.80	10.7	56	16.2	QP	N	GND
2.610000	41.10	10.8	56	14.9	QP	N	GND
10.885000	41.30	10.9	60	18.7	QP	N	GND
13.360000	40.70	10.9	60	19.3	QP	N	GND

MEASUREMENT RESULT: "F-0997-2 fin2"

7	/6/2019 11:0 Frequency MHz	3AM Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
	0.150000	39.00	10.5	56	17.0	AV	N	GND
	0.510000	38.00	10.6	46	8.0	AV	N	GND
	2.060000	32.30	10.7	46	13.7	AV	N	GND
	2.540000	32.50	10.8	46	13.5	AV	N	GND
	10.930000	35.90	10.9	50	14.1	AV	N	GND
	15.325000	36.70	10.9	50	13.3	AV	N	GND



Page 74 of 74


13.ANTENNA REQUIREMENT

13.1.The Requirement

According to Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

13.2.Antenna Construction

Device is equipped with permanent attached antenna, which isn't displaced by other antenna. The Max Antenna gain of EUT is 0dBi. Therefore, the equipment complies with the antenna requirement of Section 15.203.



***** End of Test Report *****