


REV: V10



The power domain of these 2 pins are VDD\_EMI. Don't connect these 2 pins to 2.8V  
 UART interface for the purpose of HardWare flow control.If you need 2.8V  
 Hardware flow control , please use the pin mux of KROW3 and KC0L3 or UTXD2 and URXD2.



## Memory




SHOLD : SI03

SWP : SI02


SOUT : SQI\_SI : DQ0

SIN : SQI\_SO : DQ1





DRAWN: WSR	DATED: 20111203	COMPANY:	
CHECKED: <Checked By>	DATED: <Checked Date>	TITLE:	
QUALITY CONTROL: <QC By>	DATED: <QC Date>	TJ CODE: <Code>	REV: V10
RELEASED: <Released By>	DATED: <Release Date>	SIZE: A1	SHEET: 2 of 7

## BB PMU



## Battery Connectors




DRAWN:	WSR	DATE:	20111203	COMPANY:	
CHECKED:	<Checked By>	DATE:	<Checked Date>	TITLE:	
QUALITY CONTROL:	<QC By>	DATE:	<QC Date>	TJ CODE: <Code>	REV: V10
RELEASED:	<Released By>	DATE:	<Release Date>	SIZE: A1	SHEET: 3 OF 7

BlueTooth


BT/FM

Bluetooth: 2400 MHz –2483.5 MHz (TX/RX)




DRAWN: WSR	DATED: 20111203	COMPANY:	
CHECKED: <Checked By>	DATED: <Checked Date>	TITLE:	
QUALITY CONTROL: <QC By>	DATED: <QC Date>	TJ CODE: <Code>	REV: V10
RELEASED: <Released By>	DATED: <Release Date>	SIZE: A1	SHEET: 4 of 7


Normal Microphone




## Normal Receiver




Earphone    Microphone




Earphone Receiver



Ear JACK





## Audio Amplifier & Speaker




DRAWN:	WSR	DATED:	20111203	COMPANY:		
CHECKED:	<Checked By>	DATED:	<Checked Date>	TITLE:		
QUALITY CONTROL:	<QC By>	DATED:	<QC Date>	TJ CODE:	<Code>	REV: V10
RELEASED:	<Released By>	DATED:	<Release Date>	SIZE: A1		SHEET: 5 of 7

## Main Camera




Near TP connector, default=NC  
For ESD issue, mount adequate varistors.




# LED Light

DRAWN:	WSR	DATED:	20111203	COMPANY:	
CHECKED:	<Checked By>	DATED:	<Checked Date>	TITLE:	
QUALITY CONTROL:	<QC By>	DATED:	<QC Date>	T.J CODE: <Code>	REV: V10
RELEASED:	<Released By>	DATED:	<Released Date>	SIZE: A1	SHEET: 6 OF 7


# TFCard




# Dual SIM Card




# 5 PIN SYSTEM IO



# KEY\_CON



# Motor



DRAWN: WSR	DATED: 20111203	COMPANY:	
CHECKED: <Checked By>	DATED: <Checked Date>	TITLE:	
QUALITY CONTROL: <QC By>	DATED: <QC Date>	TJ CODE: <Code>	REV: V10
RELEASED: <Released By>	DATED: <Release Date>	SIZE: A1	SHEET: 7 of 7