## Appendix A

## RF Test Data for BT V4.2 (Conducted Measurement)

Product Name: SumUp Air Lite v2

Trade Mark: SumUp Air Lite v2


Test Model: SumUp Air Lite v2

#### **Environmental Conditions**

Temperature:	22.9 °C
Relative Humidity:	54.2%
ATM Pressure:	100.0 kPa
Test Engineer:	SCOUT WU
Supervised by:	Tom.Liu


## A.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




## A.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	4.383	30	PASS
BT LE	MCH	4.24	30	PASS
BT LE	HCH	4.103	30	PASS




#### SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID:YRW-SUMUPAIRLITE Report No.: LCS200106032AEA




#### **A.3 Maximum Power Spectral Density**

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-13.389	8	PASS
BT LE	MCH	-13.755	8	PASS
BT LE	HCH	-13.622	8	PASS




#### SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID: YRW-SUMUPAIRLITE Report No.: LCS200106032AEA




#### A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6845	≥0.5	PASS
BT LE	MCH	0.6891	≥0.5	PASS
BT LE	HCH	0.6737	≥0.5	PASS





#### SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID: YRW-SUMUPAIRLITE Report No.: LCS200106032AEA




## A.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	4.271	-36.855	-15.729	PASS
BT LE	MCH	4.201	-35.924	-15.799	PASS
BT LE	НСН	4.078	-35.870	-15.922	PASS









### A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	3.800	-49.904	-16.2	PASS
BT LE	HCH	4.090	-47.170	-15.91	PASS





# A.7 Restrict-band band-edge measurements

Test Mode	Test Chann el	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/ m]	Verdi
		Ant1	2310.0	-43.08	2.0	0	54.15	PEAK	74	PASS
	2402	Ant1	2310.0	-53.21	2.0	0	44.02	AV	54	PASS
		Ant1	2390.0	-42.01	2.0	0	55.22	PEAK	74	PASS
		Ant1	2390.0	-52.97	2.0	0	44.26	AV	54	PASS
BT LE		Ant1	2483.5	-32.44	2.0	0	64.79	PEAK	74	PASS
	2480	Ant1	2483.5	-52.52	2.0	0	44.71	AV	54	PASS
		Ant1	2500.0	-42.75	2.0	0	54.48	PEAK	74	PASS
		Ant1	2500.0	-52.35	2.0	0	44.88	AV	54	PASS



# Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_AV





#### Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_AV

