

Digital wireless remote control switch manual

First, the product uses:


The digital wireless remote control switch is widely used in multi-tube lamp or light fixture, can choose for different home appliances products, you only need the remote control, can easily master the home electrical appliances or lighting systems.

Second, the technical parameters:

- 1, Input voltage: AC220V \pm 10%, 50Hz/60Hz.
- 2, the output voltage: AC220V \pm 10%, 50Hz/60Hz.
- 3, each load: incandescent \leq 1000W, energy-saving lamps \leq 200W.
- 4, the operating frequency: 433.92MHz.
- 5, Modulation: ASK modulation.
- 6, the receiver sensitivity: -103dB.
- 7, Control distance: <20 meters.
- 8, ambient temperature: -10 \sim +60 .

Third, the installation:

Please correct wiring diagram wiring products. Antenna to be straightened.



IV Features:

- 1, using the manual function (wall switch), the time interval of each switch can not exceed 3 seconds.
- 2, the remote control transmitter 1,2,3 corresponding to the number keys on the receiver 1, group 2, group 3 groups, each group separate independent switch.

FCC NOTE : THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference, and 2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with fcc's RF exposure guidelines: This device and its antennas must operate with a separation distance of at least 20cm from all persons.