#### Request for Modular/Limited Modular Approval

Date:	August 27, 2019				
Subje	ect: Manufacturer's Declaration for	<ul><li>□ - Modular Approval</li><li>⊠ - Limited Modular Approval</li></ul>	□ - Split Modu □ - Limited Sp		
Conf	identiality Request for: YSD-5840-S	S-1920			
		sic Requirements – FCC Part 15.212(			
	For Items Marked "NO(*)", the	Limited Module Description Must be lapproval Requirement	Filled Out on the F		
1.	The modular transmitter must have its ow does not have to rely upon the shielding p all modular transmitter emissions to comp between the RF circuitry of the module ar module is installed. Such coupling may re tuning capacitors may be located external	n RF shielding. This is intended to ensur rovided by the device into which it is ins bly with FCC limits. It is also intended to and any wires or circuits in the device into sult in non-compliant operation. The ph	talled in order for prevent coupling which the ysical crystal and	- YES	ment Met  ⊠ - NO(*)
	Details: <example contain<br="" module="" the="" –="">on the top of the board next to antenna c</example>		omponents and circ	uitry. The sh	ield is located
2.	The modular transmitter must have buffer ensure that the module will comply with F or over-modulation. 15.212(a)(1)(ii)	ed modulation/data inputs (if such inputs FCC requirements under conditions of ex	s are provided) to cessive data rates	⊠ - YES	□ - NO(*)
	Details: <example -="" application="" data="" modular="" the="" to=""></example>	tion circuit is buffered as described in th	he operational desc	ription provid	led with the
	The modular transmitter must have its own to ensure that the module will comply with supplying circuitry in the device into which	h FCC requirements regardless of the de-	sign of the power	⊠ - YES	□ - NO(*)
	Details: <example application="" contain="" module="" the="" –=""></example>	ns its own power supply regulation. Ple	ase refer to schema	tic filed with	this
4.	The modular transmitter must comply with 15.203, 15.204(b), 15.204(c), 15.212(a), a attached or employ a "unique" antenna contenna, including the cable). The "profess applicable to modules but can apply to lim 15.212(a)(1)(iv)	and 2.929(b). The antenna must either be oupler (at all connections between the massional installation' provision of § 15.20	permanently odule and the 03 is not	⊠ - YES	□ - NO(*)
	Details: <example a="" and="" antennas="" application="" connectornector.="" list="" module="" of="" tested="" the="" –=""></example>				
	The modular transmitter must be tested in inside another device during testing. This complying with Part 15 emission limits re Unless the transmitter module will be batt requirements found in Section 15.207. AC to the module must not contain ferrites, ur 15.27(a)). The length of these lines shall be unknown, at least 10 centimeters to insure and supporting equipment. Any accessorie module during testing shall be unmodified 15.212(a)(1)(v)	is intended to demonstrate that the modu gardless of the device into which it is ev- ery powered, it must comply with the AC or DC power lines and data input/outpu- nless they will be marketed with the mod- be length typical of actual use or, if that le- that there is no coupling between the ca- es, peripherals, or support equipment cor-	ale is capable of entually installed. If line conducted it lines connected ule (see Section ength is se of the module unected to the	⊠ - YES	□ - NO(*)
	Details: <example module="" td="" tes<="" the="" was="" –=""><td>ted stand-alone as shown in test setup p</td><td>hotographs filed w</td><td>ith this applic</td><td>ration&gt;</td></example>	ted stand-alone as shown in test setup p	hotographs filed w	ith this applic	ration>

	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748).  If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when		
	the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	⊠ - YES	□ - NO(*)
	If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)		
	Details: <example a="" application.="" are="" as="" exhibit="" filed="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" the="" there="" this="" with="" –=""></example>	application.	Host specific
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: <example 15c="" application.="" complies="" fcc="" filed="" in="" installation="" instructions="" manual="" module="" online="" part="" requirements.="" the="" this="" to="" with="" –=""></example>	EM installer (	are provided
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
	Details: <example application.="" as="" exclusion="" exposure="" in="" info="" levels="" meets="" module="" portable="" rf="" shown="" the="" –=""></example>	rmation filed	with this

Limited Module Description – When Applicable
* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.
Details: <example -="" a="" n=""></example>

	Software Considerations VDD 504290 / VDD 442912 (O. S.) C. W.		
	Software Considerations - KDB 594280 / KDB 442812 (One of the follow	ing 2 items must be applied)	)
	Requirement	Requirement M	let
1.	For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	☐ - Provided in Separate Cover Letter	⊠ - N/A
	Details: <example adjusted="" application.="" be="" by="" can="" cover="" device="" filed="" firmware="" letter="" modified="" not="" of="" or="" the="" this="" with="" –=""></example>	the end user as described in a	a separate
2.	For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	⊠ - N/A
	Details: <example -n="" a=""></example>		

Split Modular Requirements			
Requirement	Provided in Manual		
<ol> <li>For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.</li> </ol>	☐ - Provided in Separate  Cover Letter	⊠ - N/A	
Details: <example a="" n="" –=""></example>			

	OE	M Integration Manual Gui	idance – KDB 996369 D03 Section 2	
	Clear and Spec for th	cific Instructions Describin ard-parties to use and/or in	ng the Conditions, Limitations, and Proceedings the module into a host device.	edures
Requ	irement			
	ule intended for	□ - YES	⊠ - No,	
For exampl grantees own	2019, the FCC requuld include information on treading the information on treading the incolutes and not its and no	ires ALL the following inf ation in their instructions f ace antenna design could i ntended for sale to third p	ual – See KDB 996369 D03, Section 2 formation to be in the installation manual for all these items indicating clearly when ndicate "Not Applicable". Also if a mod arties, the user instructions may not need intion, but this should include a cover le	they are not applicablude is limited to only and to be detailed and the
1. List of appl	icable FCC rules. K	DB 996369 D03, Section 2.	2	tter as cheu above.
a	FCC Part 15.247			
	the specific operation	onal use conditions. KDB 99	96369 D03, Section 2.3	
a	systems, professi N/A	as limits on antennas, cable onal installation info	loss, reduction of power for point to point	
3. Limited Mo	dule Procedures. KI	OB 996369 D03, Section 2.4	-	
a.	Describe alternat limiting condition Applicant contro	ns	ses to verify the host meets the necessary	
b	<ul> <li>When RF exposit that compliance in</li> </ul>	re evaluation is necessary, s s ensured, such as Class II f	state how control will be maintained such for new hosts, etc.	☐ - All Items shown
4 Trace anten	warnings are in	Osers Manual have required 06369 D03, Section 2.5	20 cm separation requirements	the left are provided i
a.	Layout of trace d design verification confidential, the	esign, parts list, antenna, co on, and production test proce	ennectors, isolation requirements, tests for edures for ensuring compliance. If ential must be identified and information	the Modular Integration Guide (or UM) for Fu Modular Approval (MA) or LMA.
5. RF exposur		DB 996369 D03, Section 2.6		☑ - An LMA applie
a.	Clearly and expli module. Two type define conditions needed to be pro-	citly state conditions that all bes of instructions are necess (mobile, portable – xx cm for vided to the end user in the leaves	low host manufacturers to use the sary: first to the host manufacturer to from body) and second additional text nost product manuals.	and is approved ONL for use by the grantee their own products, an not intended for sale t
6 Antennas k	Warnings are in CDB 996369 D03, Se	Users Manual have required	20 cm separation requirements	3 <sup>rd</sup> parties as provided a separate cover letter
a.	List of antennas i instructions when (monopole, PIFA	ncluded in the application a applicable. The antenna lis	nd all applicable professional installer t shall also identify the antenna types ini-directional" is not considered a type) mas are used.	Therefore the information shown to the left is found in the theory of operation.
a.	ompliance informati Advice to host in "Contains FCC II See label exhibit	on. KDB 996369 D03, Secti tegrators that they need to p D: " with their finished prod	ion 2.8 rovide a physical or e-label stating luct	
8. Information a.	Test modes that s	dditional testing requirement hould be taken into consider essary for stand-alone and si	nts. KDB 996369 D03, Section 2.9 ration by host integrators including imultaneous configurations.	
b.	N/A	ion on how to configure test		
Additional t	esting, Part 15 Subpapplicant applying S	art B disclaimer. KDB 9963 DoC Procedure	69 D03, Section 2.10	
	Unital F. Wolth		Michael F Violette	
:	-			
	(Signatu	re/Title <sup>1</sup> )	(Print name	