



# RMTP&RF2.4G Dongle user manual



### Statement

### SUYIN

#### **Federal Communication Commission Interference Statement**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### **IMPORTANT NOTE:**

**Radiation Exposure Statement:** 

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. To maintain compliance with FCC RF exposure compliance requirements, please follow operation instruction as documented in this manual.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.



### Introduction



This is an innovative wireless Multi function Touch-Pad having all the functions of a standard wireless mouse. Combining advanced RF transceiver, an easy to use miniature Touch-Pad, built-in G-sensor and backlight keyboard, you can now easily control or edit your target by just slightly moving or touching your thumb on the Touch-Pad, just like how you operate your Laptop, PC, Media center & STB, while you are walking around the classroom, meeting room, living room etc. it is a very good assistant for normal users & lecturers, and is an essential & efficiency equipment for media center, laptop, AIO PC and digital interface TVs.



### **Features**

SUYIN

- >RF 2.4G reliable wireless
- Wireless connection with up to 20 meter range.(Open space)



- ➤ G-sensor inside
- ➤ Low power consumption
- ➤ Plug & Play
- ➤ Win, MAC & Linux base supported
- Backlight keyboard operation
- ➤ USB rechargeable power design














### **Appearances**











#### **Device**





### Mouse mode



Function description	
Power on	Blue (flash 3 times)






### Mouse mode



#### **Function description**

Slide finger on the touch pad area as cursor control(similar mouse's left key)

Touch icon O to enable property page(similar mouse's right key)





### Keyboard mode



#### **Function description**



To touch icon to enable keyboard mode for typing

Backlight flash when entry character






# Zoom in/out mode

#### **Function description**

Place 2 fingers on the touch pad area and slide up & down for performing zoom in/out function





### Scrolling mode




#### **Function description**



Place 1 fingers on icon and another finger place touch pad area to

slide up & down for scrolling bar



## SUYIN Pictures rotation mode

#### **Function description**

Place 1 fingers on the touch pad area and swipe

left & right for controlling the picture rotation

