

Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 1 of 82

## ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E

OF

**Product Name: TG03** 

FCC ID: **YUW-TU12-J01** 

**Report No.:** EH/2010/80010

**Issue Date:** Aug. 25, 2010

**FCC Rule Part:** 2,22H & 24E

Fujitsu Toshiba Mobile Communications Limited **Prepared for:** 

1-1, Kamiodanaka 4, Nakahara, Kawasaki,

211-8588, JAPAN

Prepared by: SGS Taiwan Ltd.

**Electronics & Communication Laboratory** 

No. 134, Wu Kung Rd., Wuku Industrial Zone,

Taipei County, Taiwan.

**Note:** This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and con for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alle tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 2 of 82

## CERTIFICATION OF COMPLIANCE

**Applicant:** Fujitsu Toshiba Mobile Communications Limited

1-1, Kamiodanaka 4, Nakahara, Kawasaki, 211-8588, JAPAN

**Product Name: TG03** 

FCC ID: YUW-TU12-J01 File Number: EH/2010/80010

Aug. 05, 2010 ~ Aug. 20, 2010 Date of test:

Aug. 05, 2010 **Date of EUT Received:** 

## We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule PART 22 subpart H, PART 24 subpart E.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Jason Whe	Date:	Aug. 25, 2010	
Prepared By:	Jason Wu/Asst. Supervisor Tiffany Kao	Date:	Aug. 25, 2010	
Approved By:	Tiffany Kao / Clerk  Arno Hsieh / Asst. Supervisor	Date:	Aug. 25, 2010	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written accessed to the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written accessed to the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 3 of 82

## Version

Version No.	Date	Description
00	Aug. 25, 2010	Initial creation of document

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 4 of 82

## **Table of Contents**

1.	GEN	NERAL INFORMATION	6
	1.1	Product Description	6
	1.2	Related Submittal(s) / Grant (s)	9
	1.3	Test Methodology	9
	1.4	Test Facility	9
	1.5	Special Accessories	9
	1.6	Equipment Modifications	9
2.	SYS	TEM TEST CONFIGURATION	10
	2.1	EUT Configuration	10
	2.2	EUT Exercise	10
	2.3	Test Procedure	10
	2.4	Measurement Equipment Used:	11
	2.5	Configuration of Tested System	13
3.	SUN	MARY OF TEST RESULTS	14
4.	DES	SCRIPTION OF TEST MODES	15
5.	RF I	POWER OUTPUT MEASUREMENT	16
	5.1	Standard Applicable:	16
	5.2	Test Set-up:	17
	5.3	Measurement Procedure:	17
	5.4	Measurement Equipment Used:	17
	5.5	Measurement Result:	18
6.	ERF	P/EIRP MEASUREMENT	23
	6.1	Standard Applicable	23
	6.2	Test SET-UP (Block Diagram of Configuration)	23
	6.3	Measurement Procedure	25
	6.4	Measurement Equipment Used:	25
	6.5	Measurement Result	25
7.	99%	OCCUPIED BANDWIDTH MEASUREMENT	32
	7.1	Standard Applicable	
	7.2	Test Set-up:	32
	7.3	Measurement Procedure	32
	7.4	Measurement Equipment Used:	32
	7.5	Measurement Result:	33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Tailer County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 5 of 82

8.	OUT	COF BAND EMISSION AT ANTENNA TERMINALS	44
	8.1	Standard Applicable	44
	8.2	Test SET-UP	44
	8.3	Measurement Procedure	44
	8.4	Measurement Equipment Used:	44
	8.5	Measurement Result	44
9.	FIEI	LD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	57
	9.1	Standard Applicable	
	9.2	EUT Setup (Block Diagram of Configuration)	57
	9.3	Measurement Procedure	59
	9.4	Measurement Equipment Used:	59
	9.5	Measurement Result	59
10.	FRE	QUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	78
	10.1	Standard Applicable	
	10.2	Test Set-up:	78
	10.3	Measurement Procedure	78
	10.4	Measurement Equipment Used:	78
	10.5	Measurement Result	79
11.	FRE	QUENCY STABILITY V.S. VOLTAGE MEASUREMENT	81
	11.1	Standard Applicable	81
	11.2	Test Set-up:	81
	11.3	Measurement Procedure	81
	11.4	Measurement Equipment Used:	81
	11.5	Measurement Result	82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 6 of 82

### **GENERAL INFORMATION**

#### 1.1 **Product Description**

#### General:

Product Name:	TG03		
FCC ID:	SP2-TU12-J01		
Data Cable (USB)	Model: HPC1579-010910(Type B), Supplier: Hoshiden		
Dawar Supply	3.9 Vdc re-chargeable battery		
Power Supply:	Battery: Model No.: UF424261F-HMN, Supplier: Sanyo		

### **GSM / WCDMA:**

	Operating Frequency	Rated Power	
	GSM/GPRS/EDGE 850, Class 12	1 X/4 / MIH7_ X4X XMIH7	
Cellular Phone Standards Frequency Range and	GSM/GPRS/EDGE 1900, Class 12 1850.2MHz – 1909.8MHz		30 dBm
Power	EDGE 850 Class 12	824.2 MHz- 848.8MHz	27 dBm
	EDGE 1900 Class 12	1850.2MHz – 1909.8MHz	26 dBm
	WCDMA/HSUPA/HSDPA Band V	826.4MHz –846.6MHz	24 dBm
IMEI:	353861040000133		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 7 of 82

## **Final Amplifier Voltage and Current Information:**

Test Mode	DC voltage (V)	DC current (mA)
GSM 850	3.9Vdc	340
DCS 1900	3.9Vdc	265
EDGE 850	3.9Vdc	205
EDGE 1900	3.9Vdc	180
WCDMA B5	3.9Vdc	535
HSUPA B5	3.9Vdc	530

### WLAN:

Frequency Range & Channel number:	802.11 b/g: 2412 – 2462 MHz
Rated Power:	802.11 b: 15.94 dBm 802.11 g: 21.89 dBm
Modulation type:	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM
Transmission Rate:	802.11 b: 1/2/5.5/11 Mbps; 802.11 g: 6/9/12/18/24/36/48/54 Mbps
Antenna Designation:	Chip Antenna / Gain: -0.85 dBi

The EUT is compliance with IEEE 802.11 b/g Standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 8 of 82

### **Bluetooth:**

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V2.1 + EDR (GFSK + $\pi$ /4DQPSK + 8DPSK)
Channel number:	79 channels
Transmit Power:	8.52 dBm (Peak)
Modulation type:	Frequency Hopping Spread Spectrum
Antenna Designation:	Chip Antenna / antenna gain: -0.85dBi

The EUT is compliance with Bluetooth 2.1 + EDR Standard.

#### **GPS**:

Receiver Frequency	L1 Band, 1575.42MHz
Frequency Conversion os- cillator	19.2MHz
Antenna Designation	PIFA Antenna

FeliCa Receive Frequency:	13.56MHz
---------------------------	----------

The FeliCa only support receiving function.

This test report applies for GSM/GPRS/EDGE 850/1900 and WCDMA Band V.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, Inis occurrent is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/terms.and-conditions.htm">www.sgs.com/terms.and-conditions.htm</a> and for electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions.htm">www.sgs.com/terms.and-conditions.htm</a> and for electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 9 of 82

## **Related Submittal(s) / Grant (s)**

This submittal(s) (test report) is intended for FCC ID: YUW-TU12-J01 filing to comply with Section Part 22 subpart H, Part 24 subpart E of the FCC CFR 47 Rules.

#### 1.3 **Test Methodology**

Both conducted and radiated testing were performed according to the procedures of FCC 47 CFR 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055, 2.1057.

## **Test Facility**

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number are: 990257 and 236194, Canada Registration Number: 4620A-4

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

#### 1.5 **Special Accessories**

Not available for this EUT intended for grant.

#### 1.6 **Equipment Modifications**

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and con for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 10 of 82

## SYSTEM TEST CONFIGURATION

## 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

The Fujitsu Toshiba TG03 FCC ID: YUW-TU12-J01 was Tested With AC Adapter. The EUT was stayed in normal operation mode with CMU200. The EUT (Transmitter) was operated in the engineering mode to fix the Tx frequency which was for the purpose of the measurements.

### 2.3 Test Procedure

#### 2.3.1 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

### 2.3.2 Radiated Emissions (ERP/EIRP):

According to measurement procured TIA/EIA 603C. The EUT is placed on a turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max, emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes according to the requirements.

A standard antenna was used to replace the EUT and connect to the SG. Adjust the SG output level to reach the max emission level which were measured above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and con for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 11 of 82

## 2.4 Measurement Equipment Used:

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY43360126	04/19/2010	04/18/2012	
Spectrum Analyzer	Agilent	E4440A	US41160416	01/25/2010	01/24/2011	
Radio Communication Analyzer	R&S	CMU200	111787	10/31/2008	10/30/2010	
800 – 1000MHz Filter	Micro-Tronics	BRM13462	001	01/05/2010	01/04/2011	
1800 – 2000MHz Filter	Micro-Tronics	BRM13463	001	01/05/2010	01/04/2011	
Temperature Chamber	TERCHY	MHG-120LF	911009	04/30/2010	04/29/2012	
Temperature Chamber	GIANT FORCE	GTH-150-40- CP-AR	MAA0512-018	02/24/2010	02/23/2012	
DC Block	Agilent	BLK-18	155452	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S20W5	N/A	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S10W5	N/A	07/05/2010	07/04/2011	
Attenuator	Mini-Circuit	BW-S6W5	N/A	07/05/2010	07/04/2011	
Splitter	Agilent	11636B	N/A	07/05/2010	07/04/2011	
DC Power Supply	Chroma	41901	777188	04/15/2010	04/14/2012	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 12 of 82

ERP, E	IRP MEASUREM	ENT EQUIPN	MENT List 966	6 Chamber	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	R&S	FSP 40	100034	02/12/2010	02/11/2011
Bilog Antenna	SCHWAZBECK	VULB9160	3136	11/19/2009	11/18/2010
Dipole Antenna	SCHWAZBECK	VHAP	908/909	07/17/2010	07/16/2012
Dipole Antenna	SCHWAZBECK	UHAP	891/892	07/17/2010	07/16/2012
Horn antenna	SCHWAZBECK	BBHA 9120D	309/320	03/09/2009	03/08/2011
Signal Generator	R&S	SMR40	100210	02/10/2010	02/09/2012
Signal Generator	Agilent	E4438C	MY45093613	07/08/2010	07/07/2011
Pre-Amplifier	Agilent	8447D	1937A02834	11/28/2009	11/27/2010
Pre-Amplifier	Agilent	8449B	3008A01973	01/05/2010	01/04/2011
Attenuator	Mini-Circuit	BW-S20W5	BW-S20W5 001 07/05/2		07/04/2011
Attenuator	Mini-Circuit	BW-S10W5	001	07/05/2010	07/04/2011
Attenuator	Mini-Circuit	BW-S6W5	001	07/05/2010	07/04/2011
Radio Communication Analyzer	R&S	CMU200	111787	10/31/2008	10/30/2010
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R
Controller	HD	HD100	N/A	N.C.R	N.C.R
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA-10M	10m	01/05/2010	01/04/2011
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA-3M	3m	01/05/2010	01/04/2011
Filter 800-1000	Micro-Tronics	BRM13462	1	01/05/2010	01/04/2011
Filter 1800-2000	Micro-Tronics	BRM13463	1	01/05/2010	01/04/2011
3m Site	SGS	966 chamber	N/A	11/08/2009	11/09/2010

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com




Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 13 of 82

#### **Configuration of Tested System** 2.5

Fig. 2-1 Configuration of Tested System (Fixed Channel)



### **Remote Side**

**CMU200** 

**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord	
1.	Adapter	Cosmos HosiDEN	0203PQA	N/A	N/A	Un-shielded	
2.	Universal Radio Communication Tester	R&S	CMU200	102189	N/A	Un-shielded	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request of accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alterative forms and conditions of Service Printed Company. The Company is an advised that information contained hereon reflects the Company of the Company. Any unauthorized alterative forms and conditions of Service Printed Company. The Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company. The Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company. The Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company. The Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condition of Service Printed Company in the Company is a condit tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 14 of 82

## **SUMMARY OF TEST RESULTS**

FCC Rules	Description Of Test	Result
§2.1046(a)		
§22.913(a) (2)	RF Power Output	Compliant
§24.232(c)		
§2.1046(a)		
§22.913(a)(2)	ERP/ EIRP measurement	Compliant
§24.232(c)		
§2.1049(h)	99% Occupied Bandwidth	Compliant
§2.1051	Out of Band Emissions at Antenna	
§22.917(a)	Terminals and	Compliant
§24.238(a)	Band Edge	
§2.1053		
§22.917(a)	Field Strength of Spurious Radiation	Compliant
§24.238(a)		
§2.1055(a)(1)		
§22.355	Frequency Stability vs. Temperature	Compliant
§24.235		
§2.1055(d)(2)		
§22.355	Frequency Stability vs. Voltage	Compliant
§24.235		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 15 of 82

## **DESCRIPTION OF TEST MODES**

The EUT has been tested under operating condition.

Set EUT power control "all up bits" for all test mode through base station.

Channel Low, Mid and High for each type of bands with rated data rate were chosen for full testing.

The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for GSM 850 and PCS 1900 with power adaptor. The worst-case of H position for GSM 850 band and E2 position for PCS 1900 band were reported.

Max ERP/EIRP measurement result:

	dBm		W
GPRS 850 Band	32.10	ERP	1.622
GPRS 1900 Band	29.17	EIRP	0.826
EDGE 850 Band	30.40	ERP	1.096
EDGE 1900 Band	29.11	EIRP	0.815
WCDMA Band V	22.62	EIRP	0.183
HSUPA Band V	23.57	EIRP	0.228

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 16 of 82

### RF POWER OUTPUT MEASUREMENT

#### 5.1 **Standard Applicable:**

According to FCC §2.1046.

FCC 22.913(a) Mobile station are limited to 7W.

FCC 24.232(c) Peak Power Measurement limited to 2W

3GPP Power limitation for HSDPA and HSUPA

#### **Maximum Output Powers for HSDPA**

Sub-test in ta-	Power (	Class 3	Power Class 4			
ble C.10.1.4	Power (dBm)	Tol (dB)	Power (dBm)	Tol (dB)		
1	+24	+1.7/-3.7	+21	+2.7/-2.7		
2	+24	+1.7/-3.7	+21	+2.7/-2.7		
3	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7		
4	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7		

#### **Maximum Output Powers for HSUPA**

Sub-test in table	Power (	Class 3	Power Class 4			
C.11.1.3	Power (dBm)	Tol (dB)	Power (dBm)	Tol (dB)		
1	+24	+1.7/-6.7	+21	+2.7/-5.7		
2	+22	+3.7/-5.2	+19	+4.7/-4.2		
3	+23	+2.7/-5.2	+20	+3.7/-4.2		
4	+22	+3.7/-5.2	+19	+4.7/-4.2		
5	+24	+1.7/-6.7	+21	+2.7/-5.7		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, This accurrent is issued by the Configurary student to its General Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for mexercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 17 of 82

#### **Test Set-up:** 5.2



**Note:** Measurement setup for testing on Antenna connector

#### **Measurement Procedure:**

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. The Procedure of KDB941225 KDB941125(SAR Measurement Procedures for 3G devices, WCDMA/HSDPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing

#### **5.4 Measurement Equipment Used:**

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 18 of 82

#### **Measurement Result:**

## 5.5.1 RF Conducted Output Power

## 5.5.1.1.: GPRS/EDGE (GMSK; 8-PSK)

### **Result:**

			1 Tim	e Slot		2 Time Slot				
Fre-		GMSK Mode		8-PSK Mode		GMSK	GMSK Mode		8-PSK Mode	
quency (MHz)	СН	Peak AV Power		Peak AV Power Power		Peak AV Power Power		Peak Power	AV Power	
		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	
824.2	128	33.20	33.10	31.40	28.30	31.10	31.00	29.00	26.00	
836.6	190	32.90	32.80	31.10	28.00	30.80	30.70	28.80	25.80	
848.8	251	33.00	32.90	31.30	28.20	31.00	30.90	28.90	25.90	
1850.2	512	29.10	29.00	29.30	26.10	27.60	27.50	26.80	23.70	
1880.0	661	29.30	29.10	29.50	25.90	27.30	27.20	26.50	23.30	
1909.8	810	29.40	29.30	29.70	26.10	27.50	27.30	26.60	23.50	

	СН		3 Tim	e Slot		4 Time Slot				
Fre-		GMSK Mode		8-PSK	Mode	GMSK Mode		8-PSK	Mode	
quency (MHz)		Peak Power (dBm)	AV Power (dBm)	Peak Power (dBm)	AV Power (dBm)	Peak Power (dBm)	AV Power (dBm)	Peak Power (dBm)	AV Power (dBm)	
824.2	128	29.70	29.60	27.50	24.50	27.30	27.20	26.60	23.60	
836.6	190	29.50	29.40	27.30	24.40	27.10	27.00	26.40	23.40	
848.8	251	29.60	29.50	27.40	24.50	27.30	27.10	26.50	23.60	
1850.2	512	26.00	25.90	25.20	22.20	25.00	24.90	24.20	21.20	
1880.0	661	25.70	25.60	24.90	21.80	24.70	24.60	23.90	20.90	
1909.8	810	25.90	25.70	25.00	21.90	24.90	24.70	24.00	21.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, Inis occurrent is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/terms.and-conditions.htm">www.sgs.com/terms.and-conditions.htm</a> and for electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions.htm">www.sgs.com/terms.and-conditions.htm</a> and for electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for Electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for Electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this docurrent is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this docurrent does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document annot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan Industrial Zone



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 19 of 82

#### 5.5.1.2.: WCDMA mode

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

#### **Results:**

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg Power (dBm)	
MCDM	826.4	4132	26.18	22.74	
WCDMA Band V	836.6	4183	26.30	22.76	
	846.6	4233	25.51	22.08	

Note: The results above reflect max power with all up bits.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 20 of 82

#### 5.5.1.3.:HSDPA Release 6 mode

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

### **HSDPA SUB-TEST Setting**

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	βа	β <sub>d</sub> (SF)	βc/βd	βнs (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

#### **Results:**

Mode	Sub-test	DMS	Power (d	Rm)	Power Class 3 Limita-	Comments
Mode	Sub-test	KIVIS	Channel	DIII)	tion (dBm)	Comments
		1312	1413	1513	tion (ubin)	
HSDPA	<b>1</b> 22.96 23.01		22.27	20.3dBm – 25.7dBm	Pass	
	2	22.67	22.65	21.95	20.3dBm – 25.7dBm	Pass
	3	22.50	22.53	21.78	19.8dBm – 25.7dBm	Pass
	4	22.55	22.57	21.84	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 21 of 82

### 5.5.1.3.:HSPA(HSDPA & HSUPA) Release 6 mode

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

## **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	β <sub>c</sub>	$eta_{ m d}$	β <sub>d</sub> (SF)	$\beta_c/\beta_d$	$eta_{ m HS}$	$oldsymbol{eta_{ec}}$	$eta_{ m ed}$	β <sub>ed</sub> (SF)	β <sub>ed</sub> (Codes)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β <sub>ed</sub> 1: 47/15 β <sub>ed</sub> 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

#### Results:

Mode	Sub-test	RMS	` ′		Power Class 3 Limitation (dBm)	Comments
		1312			, , ,	
HSUPA	1	22.70	22.69	22.00	18.8dBm – 25.7dBm	Pass
	2	20.76	20.77	20.04	16.8dBm – 25.7dBm	Pass
	3	21.74	21.75	21.08	17.8dBm – 25.7dBm	Pass
	4	20.81	20.81 20.83 20.12		16.8dBm – 25.7dBm	Pass
ı	5	22.56	22.52	22.89	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 22 of 82

#### 5.5.2. Minimum Communications Power Measurement

#### **PCS 1900 band**

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.1	27.8	25.6	23.6	21.7	19.8	18.1	16.6	14.9
PCL	9	10	11	12	13	14	15	16	17
Output power (dBm)	13.3	11.7	10.2	8.8	7.6	6.5	5.6		

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

### WCDMA/HSDPA/HSUPA band V

N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, This obcurrent is issued by the Company subject to its General Conditions for Service primited overhead, available on request or accessible at <a href="https://www.sgs.com/terms-and-conditions.htm">www.sgs.com/terms-and-conditions.htm</a> and for electronic Document, but www.sgs.com/terms-and-conditions for Electronic Documents at <a href="https://www.sgs.com/terms-and-conditions-in-and-in-a SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 23 of 82

## **ERP/EIRP MEASUREMENT**

## **6.1 Standard Applicable**


According to FCC §2.1046

FCC 22.913(a)(2) Mobile station are limited to 7W ERP.

FCC 24.232(c) Mobile station are limited to 2W EIRP.

## **6.2** Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 24 of 82

## (B) Radiated Emission Test Set-UP Frequency Over 1 GHz



### (C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, This documents is issued by the Company subject to its General Conditions of Service printed overhear, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 25 of 82

#### **6.3 Measurement Procedure**

The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 824.2 –848.80.8MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1850.2 –1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

ERP = S.G. output (dBm) + Antenna Gain (dBd) - Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain (dBi) – Cable Loss (dB)

## 6.4 Measurement Equipment Used:

Refer to section 2.4 in this report

## 6.5 Measurement Result

Refer to following pages for detail.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indem-nification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 26 of 82

### **6.5.1. Measurement Result:**

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBdi)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
			Н	V	129.99	43.60	-7.87	3.62	32.10	38.45
			11	Н	117.14	30.87	-7.87	3.62	19.37	38.45
	824.20	128	E1	V	118.23	31.84	-7.87	3.62	20.34	38.45
	024.20	120		Н	129.72	43.45	-7.87	3.62	31.95	38.45
			E2	V	117.59	31.20	-7.87	3.62	19.70	38.45
			LZ	Н	128.98	42.71	-7.87	3.62	31.21	38.45
			Н	V	128.66	42.41	-7.88	3.65	30.88	38.45
			11	Н	115.31	29.08	-7.88	3.65	17.55	38.45
GSM 850	836.60	190	90 E1 E2	V	116.52	30.27	-7.88	3.65	18.74	38.45
G5W 650	030.00			Н	128.16	41.93	-7.88	3.65	30.40	38.45
				V	116.29	30.04	-7.88	3.65	18.51	38.45
			LZ	Н	127.87	41.64	-7.88	3.65	30.11	38.45
			Н	V	127.46	41.34	-7.88	3.68	29.78	38.45
	848.80 2		11	Н	115.08	28.89	-7.88	3.68	17.33	38.45
		251	E1	V	115.06	28.94	-7.88	3.68	17.38	38.45
		231	151	Н	126.81	40.62	-7.88	3.68	29.06	38.45
			E2	V	115.85	29.73	-7.88	3.68	18.17	38.45
			L:Z	Н	126.43	40.24	-7.88	3.68	28.68	38.45

#### Remark:

(1) The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, Inis occurrent is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/terms.and-conditions.htm">www.sgs.com/terms.and-conditions.htm</a> and for electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions.htm">www.sgs.com/terms.and-conditions.htm</a> and for electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for Electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for Electronic Docurrents at <a href="https://www.sgs.com/terms.and-conditions">www.sgs.com/terms.and-conditions</a> for the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this docurrent is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this docurrent does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document annot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan Industrial Zone



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 27 of 82

### **Measurement Result:**

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)
			Н	V	121.10	16.71	9.90	5.56	21.05	33.00
			11	Н	123.64	19.46	9.90	5.56	23.80	33.00
	1850.20	512	E1	V	126.04	21.65	9.90	5.56	25.99	33.00
	1030.20	312	Li	Н	119.76	15.58	9.90	5.56	19.92	33.00
			E2	V	113.71	9.32	9.90	5.56	13.66	33.00
			E2	Н	125.70	21.52	9.90	5.84	25.58	33.00
			Н	V	122.25	17.89	9.99	5.61	22.27	33.00
			11	Н	125.22	21.08	9.99	5.61	25.45	33.00
PCS 1900	1880.00	661	E1	V	127.64	23.28	9.99	5.61	27.66	33.00
FCS 1900	1000.00	001	Li	Н	120.21	16.07	9.99	5.61	20.44	33.00
			E2	V	115.50	11.14	9.99	5.61	15.52	33.00
			EZ	Н	127.69	23.55	9.99	5.61	27.92	33.00
			Н	V	123.15	18.82	10.08	5.66	23.24	33.00
			11	Н	126.73	22.62	10.08	5.66	27.04	33.00
	1909.80	910	E1	V	128.89	24.56	10.08	5.66	28.98	33.00
		909.80   810	EI	Н	121.38	17.27	10.08	5.66	21.69	33.00
			E2	V	117.15	12.82	10.08	5.66	17.24	33.00
			L'A	Н	128.86	24.75	10.08	5.66	29.17	33.00

### Remark:

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and,

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 28 of 82

### **Measurement Result:**

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
			Н	V	128.22	41.83	-7.87	3.62	30.33	38.45
			11	Н	115.47	29.20	-7.87	3.62	17.70	38.45
	824.20	128	E1	V	116.63	30.24	-7.87	3.62	18.74	38.45
	024.20	120	L1	Н	128.17	41.90	-7.87	3.62	30.40	38.45
			E2	V	116.14	29.75	-7.87	3.62	18.25	38.45
			E2	Н	127.33	41.06	-7.87	3.62	29.56	38.45
			Н	V	126.87	40.62	-7.88	3.65	29.09	38.45
			11	Н	113.55	27.32	-7.88	3.65	15.79	38.45
EDGE 850	836.60	190	E1	V	114.84	28.59	-7.88	3.65	17.06	38.45
EDGE 650	830.00	190 E1	EI	Н	126.58	40.35	-7.88	3.65	28.82	38.45
			E2	V	114.61	28.36	-7.88	3.65	16.83	38.45
			E2	Н	125.89	39.66	-7.88	3.65	28.13	38.45
			Н	V	125.69	39.57	-7.88	3.68	28.01	38.45
	848.80 251		11	Н	113.42	27.23	-7.88	3.68	15.67	38.45
		251	E1	V	113.31	27.19	-7.88	3.68	15.63	38.45
		8.80   251	151	Н	125.00	38.81	-7.88	3.68	27.25	38.45
			E2 -	V	114.11	27.99	-7.88	3.68	16.43	38.45
			L'Z	Н	124.39	38.20	-7.88	3.68	26.64	38.45

### Remark:

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 29 of 82

### **Measurement Result:**

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)
			Н	V	121.67	17.28	9.90	5.56	21.62	33.00
			11	Н	124.37	20.19	9.90	5.56	24.53	33.00
	1850.20	512	E1	V	125.70	21.31	9.90	5.56	25.65	33.00
	1030.20	312	Li	Н	119.18	15.00	9.90	5.56	19.34	33.00
			E2	V	113.73	9.34	9.90	5.56	13.68	33.00
			E2	Н	126.87	22.69	9.90	5.84	26.75	33.00
			Н	V	122.68	18.32	9.99	5.61	22.70	33.00
		661	11	Н	126.11	21.97	9.99	5.61	26.34	33.00
EDGE 1900	1880.00		1 E1	V	127.73	23.37	9.99	5.61	27.75	33.00
	1000.00	001		Н	120.76	16.62	9.99	5.61	20.99	33.00
			E2	V	116.05	11.69	9.99	5.61	16.07	33.00
			1.2	Н	128.58	24.44	9.99	5.61	28.81	33.00
			Н	V	123.44	19.11	10.08	5.66	23.53	33.00
	1909.80 810		11	Н	127.14	23.03	10.08	5.66	27.45	33.00
		810	E1	V	129.02	24.69	10.08	5.66	29.11	33.00
1909.8	1707.00	010	LI	Н	121.74	17.63	10.08	5.66	22.05	33.00
			E2 -	V	117.61	13.28	10.08	5.66	17.70	33.00
			L'A	Н	128.49	24.38	10.08	5.66	28.80	33.00

#### Remark:

The RBW, VBW of SPA for frequency (1) RBW=300 KHz, VBW=1MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 30 of 82

### **Measurement Result:**

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
			Н	V	120.35	33.99	-7.88	3.63	22.48	38.45
			Н	Н	107.98	21.72	-7.88	3.63	10.22	38.45
	826.40	4132	E1	V	106.99	20.63	-7.88	3.63	9.12	38.45
	620.40	4132	151	Н	118.14	31.88	-7.88	3.63	20.38	38.45
			E2	V	108.16	21.80	-7.88	3.63	10.29	38.45
			E2	Н	119.70	33.44	-7.88	3.63	21.94	38.45
			Н	V	120.40	34.15	-7.88	3.65	22.62	38.45
			11	Н	107.63	21.40	-7.88	3.65	9.87	38.45
WCDMA V	836.60	4183	E1	V	108.21	21.96	-7.88	3.65	10.43	38.45
W CDMA V	830.00	4103	EI	Н	119.66	33.43	-7.88	3.65	21.90	38.45
			E2	V	108.29	22.04	-7.88	3.65	10.51	38.45
			EZ	Н	119.54	33.31	-7.88	3.65	21.78	38.45
			Н	V	118.82	32.67	-7.88	3.67	21.12	38.45
			11	Н	106.43	20.23	-7.88	3.67	8.68	38.45
	846.60	1233	E1	V	109.46	23.31	-7.88	3.67	11.76	38.45
		46.60 4233	151	Н	120.30	34.10	-7.88	3.67	22.55	38.45
			E2	V	107.06	20.91	-7.88	3.67	9.36	38.45
			E2	Н	117.96	31.76	-7.88	3.67	20.21	38.45

## Remark:

(1) The RBW, VBW of SPA for frequency

RBW = 5MHz, VBW = 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 31 of 82

### **Measurement Result:**

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
			Н	V	121.08	34.72	-7.88	3.63	23.21	38.45
			П	Н	108.86	22.60	-7.88	3.63	11.10	38.45
	826.40	4132	E1	V	108.11	21.75	-7.88	3.63	10.24	38.45
	820.40	4132	151	Н	119.25	32.99	-7.88	3.63	21.49	38.45
			E2	V	109.43	23.07	-7.88	3.63	11.56	38.45
			E2	Н	120.60	34.34	-7.88	3.63	22.84	38.45
			Н	V	121.36	35.10	-7.88	3.65	23.57	38.45
			11	Н	108.72	22.49	-7.88	3.65	10.96	38.45
HSUPA	836.60	4183	E1	V	109.50	23.24	-7.88	3.65	11.71	38.45
Band V	830.00	4103		Н	120.83	34.60	-7.88	3.65	23.07	38.45
			E2	V	109.64	23.38	-7.88	3.65	11.85	38.45
			E2	Н	120.48	34.25	-7.88	3.65	22.72	38.45
			Н	V	119.82	33.67	-7.88	3.67	22.12	38.45
			11	Н	107.31	21.11	-7.88	3.67	9.56	38.45
	846.60	1233	E1	V	109.78	23.62	-7.88	3.67	12.07	38.45
		46.60 4233	151	Н	120.97	34.77	-7.88	3.67	23.22	38.45
			E2	V	108.43	22.28	-7.88	3.67	10.73	38.45
			ĽZ	Н	118.90	32.70	-7.88	3.67	21.15	38.45

## Remark:

(1) The RBW, VBW of SPA for frequency

RBW = 5MHz, VBW = 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010


Page: 32 of 82

### 99% OCCUPIED BANDWIDTH MEASUREMENT

## 7.1 Standard Applicable

According to §FCC 2.1049.

## 7.2 Test Set-up:



Note: Measurement setup for testing on Antenna connector

#### 7.3 Measurement Procedure

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW (10/30KHz) was set to about 1% of emission BW, VBW= 3 times RBW(30/100KHz), -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.

### 7.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 33 of 82

## 7.5 Measurement Result:

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	824.20	128	0.2448
GSM 850	836.60	190	0.2452
	848.80	251	0.2452

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	1850.20	512	0.2435
PCS 1900	1880.00	661	0.2438
	1909.80	810	0.2439

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	824.20	128	0.2452
EDGE 850	836.60	190	0.2451
	848.80	251	0.2451

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	1850.20	512	0.2477
EDGE 1900	1880.00	661	0.2477
	1909.80	810	0.2474

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 34 of 82

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA V	826.4	4132	4.1718
	836.6	4183	4.1724
	846.6	4233	4.1721

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA V	826.40	4132	4.1754
	836.60	4183	4.1735
	846.60	4233	4.1723

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 35 of 82

Figure 7-1: GSM Channel Low





Figure 7-2 GSM Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 36 of 82

Figure 7-3: GSM Channel High




Figure 7-4: PCS Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 37 of 82

Figure 7-5 PCS Channel Mid



Figure 7-6: PCS Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 38 of 82

Figure 7-7: EDGE 850 Channel Low




Figure 7-8 EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 39 of 82

Figure 7-9: EDGE 850 Channel High





Figure 7-10: EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 40 of 82

Figure 7-11 EDGE 1900 Channel Mid





Figure 7-12: EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 41 of 82

## Figure 7-13 WCDMA V Channel Low





Figure 7-14 WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 42 of 82

Figure 7-15 WCDMA V Channel High





Figure 7-16 HSUPA V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 43 of 82

## Figure 7-17 HSUPA V Channel Mid





Figure 7-18 HSUPA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 44 of 82


#### **OUT OF BAND EMISSION AT ANTENNA TERMINALS**

# 8.1 Standard Applicable

According to FCC §2.1051.

FCC §22.917(a),§24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than  $43 + 10 \log$  (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

## 8.2 Test SET-UP



**Note:** Measurement setup for testing on Antenna connector

#### **8.3** Measurement Procedure

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10th harmonic. Limit = -13dBm

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

# 8.4 Measurement Equipment Used:

Refer to section 2.4 in this report

#### 8.5 Measurement Result

Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and con for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized altr tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134號 t (886-2) 2299-3279


SGS Taiwan Ltd.

Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 45 of 82

Figure 8-1: Out of Band emission at antenna terminals-GSM 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 46 of 82

Figure 8-2: Out of Band emission at antenna terminals –GSM 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.


No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 47 of 82

Figure 8-3: Out of Band emission at antenna terminals-GSM 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 48 of 82

Figure 8-4: Band edge emission at antenna terminals – GSM 850 Channel Lowest





Figure 8-5: Band edge emission at antenna terminals – GSM 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 49 of 82

Figure 8-6: Out of Band emission at antenna terminals—PCS 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 50 of 82

Figure 8-7: Out of Band emission at antenna terminals –PCS 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279


f (886-2) 2298-0488

Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 51 of 82

Figure 8-8: Out of Band emission at antenna terminals-PCS 1900 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 52 of 82

Figure 8-9: Bad edge emission at antenna terminals – PCS 1900 Channel Lowest



Figure 8-10: Band edge emission at antenna terminals – PCS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留00天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 53 of 82

Figure 8-11: Out of Band emission at antenna terminals—WCDMA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 54 of 82

Figure 8-12: Out of Band emission at antenna terminals –WCDMA V Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.


No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 55 of 82

Figure 8-13: Out of Band emission at antenna terminals-WCDMA V Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 56 of 82

Figure 8-14: Bad edge emission at antenna terminals –WCDMA V Channel Lowest





Figure 8-55: Band edge emission at antenna terminals –WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留00天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized al tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 57 of 82

#### FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT


#### 9.1 **Standard Applicable**

According to FCC §2.1053,

FCC §22.917(a),§24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than  $43 + 10 \log$  (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

#### 9.2 **EUT Setup (Block Diagram of Configuration)**

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alte tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 58 of 82

## (B) Radiated Emission Test Set-UP Frequency Over 1 GHz



### (C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, This documents is issued by the Company subject to its General Conditions of Service printed overhear, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 59 of 82

#### **Measurement Procedure** 9.3

The EUT was placed on a non-conductive, The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission were identified, the power of the emission was determined using the substitution method.

ERP in frequency band 824.2 –848.8MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1850.2 –1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP = S.G. output (dBm) + Antenna Gain(dBd) - Cable Loss <math>(dB)EIRP = S.G. output (dBm) + Antenna Gain(dBi) – Cable Loss (dB)

#### 9.4 **Measurement Equipment Used:**

Refer to section 2.4 in this report

#### 9.5 **Measurement Result**

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and con for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized altr tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 60 of 82

## Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode : TX CH Low Mode Test Date: Aug. 20, 2010

Fundamental Frequency : 824.20 MHz Test By: Jason Temperature Ver : 25°℃ Pol:

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	49.69	V	-53.04	-4.16	0.91	-58.11	-13.00	-45.11
67.83	44.69	V	-67.00	-0.95	1.14	-69.09	-13.00	-56.09
90.14	47.62	V	-55.56	-7.75	1.27	-64.58	-13.00	-51.58
101.78	45.01	V	-56.75	-7.76	1.37	-65.87	-13.00	-52.87
153.19	33.44	V	-64.14	-7.80	1.60	-73.54	-13.00	-60.54
557.68	33.47	V	-58.57	-7.76	2.97	-69.31	-13.00	-56.31
824.00	81.90	V	-4.49	-7.87	3.62	-15.99	-13.00	-2.99
1644.00	46.30	V	-58.29	9.27	5.22	-54.23	-13.00	-41.23
2463.00	45.40	V	-55.67	10.08	6.51	-52.11	-13.00	-39.11
3289.00	36.40	V	-62.47	12.15	7.70	-58.02	-13.00	-45.02
4164.00	35.72	V	-60.24	12.62	8.91	-56.53	-13.00	-43.53
4934.00	36.18	V	-56.35	12.65	9.73	-53.42	-13.00	-40.42
5769.40		V		13.55	10.54		-13.00	
6593.60		V		12.05	11.30		-13.00	
7417.80		V		11.49	12.10		-13.00	
8242.00		V		11.48	12.71		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 61 of 82

## Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode : TX CH Low Mode Test Date: Aug. 20, 2010

Fundamental Frequency : 824.20 MHz Test By: Jason Temperature : 25°℃ Pol: Hor

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	46.10	Н	-57.09	-3.25	0.90	-61.24	-13.00	-48.24
70.74	46.26	Н	-66.05	-1.18	1.16	-68.39	-13.00	-55.39
90.14	43.52	Н	-60.21	-7.75	1.27	-69.23	-13.00	-56.23
101.78	40.82	Н	-61.99	-7.76	1.37	-71.12	-13.00	-58.12
148.34	33.42	Н	-64.52	-7.80	1.58	-73.90	-13.00	-60.90
385.99	35.97	Н	-60.68	-7.65	2.47	-70.80	-13.00	-57.80
824.00	68.60	Н	-17.67	-7.87	3.62	-29.17	-13.00	-16.17
1644.00	44.47	Н	-59.94	9.27	5.22	-55.88	-13.00	-42.88
2463.00	48.88	Н	-52.09	10.08	6.51	-48.53	-13.00	-35.53
3296.80		Н		12.17	7.71		-13.00	
4121.00		Н		12.61	8.86		-13.00	
4945.20		Н		12.65	9.74		-13.00	
5769.40		Н		13.55	10.54		-13.00	
6593.60		Н		12.05	11.30		-13.00	
7417.80		Н		11.49	12.10		-13.00	
8242.00		Н		11.48	12.71		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 62 of 82

## Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode : TX CH Mid Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 836.60 MHz Test By: Jason Temperature Pol: Ver : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	49.99	V	-52.74	-4.16	0.91	-57.81	-13.00	-44.81
67.83	44.83	V	-66.86	-0.95	1.14	-68.95	-13.00	-55.95
90.14	48.50	V	-54.68	-7.75	1.27	-63.70	-13.00	-50.70
101.78	45.55	V	-56.21	-7.76	1.37	-65.33	-13.00	-52.33
153.19	34.04	V	-63.54	-7.80	1.60	-72.94	-13.00	-59.94
620.73	33.42	V	-55.88	-7.80	3.08	-66.76	-13.00	-53.76
1679.00	40.28	V	-64.27	9.38	5.28	-60.17	-13.00	-47.17
2498.00	46.68	V	-54.15	10.06	6.57	-50.66	-13.00	-37.66
3346.40		V		12.28	7.79		-13.00	
4183.00		V		12.62	8.93		-13.00	
5019.60		V		12.67	9.81		-13.00	
5856.20		V		13.68	10.62		-13.00	
6692.80		V		11.95	11.39		-13.00	
7529.40		V		11.45	12.20		-13.00	
8366.00		V		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belongs to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 63 of 82

## Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode : TX CH Mid Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 836.60 MHz Test By: Jason Temperature Pol: Hor : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.36	Н	-57.83	-3.25	0.90	-61.98	-13.00	-48.98
70.74	44.80	Н	-67.51	-1.18	1.16	-69.85	-13.00	-56.85
90.14	44.06	Н	-59.67	-7.75	1.27	-68.69	-13.00	-55.69
101.78	41.01	Н	-61.80	-7.76	1.37	-70.93	-13.00	-57.93
145.43	33.27	Н	-64.98	-7.80	1.57	-74.34	-13.00	-61.34
392.78	34.96	Н	-61.58	-7.66	2.49	-71.73	-13.00	-58.73
1679.00	40.54	Н	-63.83	9.38	5.28	-59.73	-13.00	-46.73
2498.00	47.74	Н	-53.00	10.06	6.57	-49.51	-13.00	-36.51
3346.40		Н		12.28	7.79		-13.00	
4183.00		Н		12.62	8.93		-13.00	
5019.60		Н		12.67	9.81		-13.00	
5856.20		Н		13.68	10.62		-13.00	
6692.80		Н		11.95	11.39		-13.00	
7529.40		Н		11.45	12.20		-13.00	
8366.00		Н		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 64 of 82

## Radiated Spurious Emission Measurement Result: GSM 850 Mode

: TX CH High Mode Operation Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 848.80 MHz Test By: Jason Temperature Pol: Ver : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	49.80	V	-52.93	-4.16	0.91	-58.00	-13.00	-45.00
67.83	44.83	V	-66.86	-0.95	1.14	-68.95	-13.00	-55.95
90.14	48.05	V	-55.13	-7.75	1.27	-64.15	-13.00	-51.15
101.78	48.72	V	-53.04	-7.76	1.37	-62.16	-13.00	-49.16
155.13	32.83	V	-64.92	-7.80	1.60	-74.33	-13.00	-61.33
664.38	33.73	V	-55.34	-7.82	3.20	-66.36	-13.00	-53.36
850.00	78.87	V	-7.24	-7.88	3.68	-18.80	-13.00	-5.80
1693.00	39.39	V	-65.15	9.42	5.30	-61.03	-13.00	-48.03
2533.00	41.37	V	-59.33	10.16	6.61	-55.78	-13.00	-42.78
3394.00		V		12.38	7.86		-13.00	
4213.00	35.28	V	-60.49	12.63	8.97	-56.84	-13.00	-43.84
5092.80		V		12.74	9.88		-13.00	
5941.60		V		13.81	10.70		-13.00	
6790.40		V		11.86	11.48		-13.00	
7639.20		V		11.40	12.27		-13.00	
8488.00		V		11.70	12.91		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 65 of 82

## Radiated Spurious Emission Measurement Result: GSM 850 Mode

: TX CH High Mode Operation Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 848.80 MHz Test By: Jason Temperature Pol: Hor : 25°℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.84	Н	-57.35	-3.25	0.90	-61.50	-13.00	-48.50
70.74	48.61	Н	-63.70	-1.18	1.16	-66.04	-13.00	-53.04
90.14	43.55	Н	-60.18	-7.75	1.27	-69.20	-13.00	-56.20
101.78	43.49	Н	-59.32	-7.76	1.37	-68.45	-13.00	-55.45
395.69	37.42	Н	-59.08	-7.66	2.50	-69.23	-13.00	-56.23
604.24	33.11	Н	-57.51	-7.79	3.04	-68.34	-13.00	-55.34
850.00	68.16	Н	-18.03	-7.88	3.68	-29.59	-13.00	-16.59
1693.00	39.93	Н	-64.42	9.42	5.30	-60.30	-13.00	-47.30
2533.00	45.74	Н	-54.90	10.16	6.61	-51.35	-13.00	-38.35
3394.00		Н		12.38	7.86		-13.00	
4234.00	38.30	Н	-57.55	12.63	8.99	-53.91	-13.00	-40.91
5092.80		Н		12.74	9.88		-13.00	
5941.60		Н		13.81	10.70		-13.00	
6790.40		Н		11.86	11.48		-13.00	
7639.20		Н		11.40	12.27		-13.00	
8488.00		Н		11.70	12.91		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 66 of 82

## Radiated Spurious Emission Measurement Result: PCS 1900 Mode

Operation Mode : TX CH Low Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 1850.20MHz Test By: Jason Temperature Pol: Ver : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	50.69	V	-52.04	-4.16	0.91	-57.11	-13.00	-44.11
67.83	43.17	V	-68.52	-0.95	1.14	-70.61	-13.00	-57.61
92.08	48.42	V	-54.51	-7.75	1.29	-63.55	-13.00	-50.55
101.78	46.00	V	-55.76	-7.76	1.37	-64.88	-13.00	-51.88
155.13	32.75	V	-65.00	-7.80	1.60	-74.41	-13.00	-61.41
499.04	32.45	V	-61.69	-7.72	2.80	-72.20	-13.00	-59.20
1850.00	80.21	V	-24.18	9.90	5.56	-19.84	-13.00	-6.84
3688.00	39.61	V	-58.37	12.61	8.29	-54.06	-13.00	-41.06
5543.00	44.89	V	-45.97	13.21	10.32	-43.08	-13.00	-30.08
7400.80		V		11.50	12.08		-13.00	
9251.00		V		11.92	13.50		-13.00	
11101.20		V		11.66	15.11		-13.00	
12951.40		V		13.63	16.60		-13.00	
14801.60		V		12.76	17.95		-13.00	
16651.80		V		15.92	19.14		-13.00	
18502.00		V		18.75	10.40		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 67 of 82

## Radiated Spurious Emission Measurement Result: PCS 1900 Mode

Operation Mode : TX CH Low Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 1850.20MHz Test By: Jason Temperature Pol: Hor : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.79	Н	-57.40	-3.25	0.90	-61.55	-13.00	-48.55
70.74	42.15	Н	-70.16	-1.18	1.16	-72.50	-13.00	-59.50
92.08	44.08	Н	-59.51	-7.75	1.29	-68.55	-13.00	-55.55
104.69	42.05	Н	-60.46	-7.76	1.38	-69.60	-13.00	-56.60
140.58	33.91	Н	-64.85	-7.79	1.55	-74.18	-13.00	-61.18
439.34	32.48	Н	-61.95	-7.69	2.63	-72.27	-13.00	-59.27
1850.00	73.94	Н	-30.24	9.90	5.56	-25.90	-13.00	-12.90
3688.00	38.38	Н	-59.72	12.61	8.29	-55.40	-13.00	-42.40
5543.00	40.87	Н	-50.21	13.21	10.32	-47.31	-13.00	-34.31
7400.80		Н		11.50	12.08		-13.00	
9251.00		Н		11.92	13.50		-13.00	
11101.20		Н		11.66	15.11		-13.00	
12951.40		Н		13.63	16.60		-13.00	
14801.60		Н		12.76	17.95		-13.00	
16651.80		Н		15.92	19.14		-13.00	
18502.00		Н		18.75	10.40		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 68 of 82

## Radiated Spurious Emission Measurement Result: PCS 1900 Mode

Operation Mode : TX CH Mid Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 1880MHz Test By: Jason Temperature Pol: Ver : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	50.32	V	-51.85	-3.25	0.90	-55.99	-13.00	-42.99
67.83	43.66	V	-68.03	-0.95	1.14	-70.12	-13.00	-57.12
92.08	49.16	V	-53.77	-7.75	1.29	-62.81	-13.00	-49.81
101.78	46.29	V	-55.47	-7.76	1.37	-64.59	-13.00	-51.59
153.19	33.36	V	-64.22	-7.80	1.60	-73.62	-13.00	-60.62
458.74	32.48	V	-61.49	-7.70	2.68	-71.87	-13.00	-58.87
3793.00	34.93	V	-62.58	12.60	8.43	-58.41	-13.00	-45.41
5634.00	41.17	V	-49.43	13.35	10.41	-46.48	-13.00	-33.48
7520.00		V		11.45	12.19		-13.00	
9400.00		V		11.93	13.61		-13.00	
11280.00		V		11.92	15.27		-13.00	
13160.00		V		13.33	16.71		-13.00	
15040.00		V		13.76	18.15		-13.00	
16920.00		V		15.27	19.32		-13.00	
18800.00		V		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 69 of 82

## Radiated Spurious Emission Measurement Result: PCS 1900 Mode

Operation Mode : TX CH Mid Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 1880MHz Test By: Jason Temperature Pol: Hor : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.93	Н	-57.26	-3.25	0.90	-61.41	-13.00	-48.41
70.74	42.64	Н	-69.67	-1.18	1.16	-72.01	-13.00	-59.01
92.08	44.13	Н	-59.46	-7.75	1.29	-68.50	-13.00	-55.50
140.58	33.61	Н	-65.15	-7.79	1.55	-74.48	-13.00	-61.48
478.14	32.80	Н	-60.84	-7.71	2.74	-71.29	-13.00	-58.29
737.13	33.18	Н	-61.39	-7.87	3.42	-72.68	-13.00	-59.68
3758.00	37.65	Н	-60.13	12.60	8.39	-55.92	-13.00	-42.92
5634.00	41.57	Н	-49.20	13.35	10.41	-46.26	-13.00	-33.26
7520.00		Н		11.45	12.19		-13.00	
9400.00		Н		11.93	13.61		-13.00	
11280.00		Н		11.92	15.27		-13.00	
13160.00		Н		13.33	16.71		-13.00	
15040.00		Н		13.76	18.15		-13.00	
16920.00		Н		15.27	19.32		-13.00	
18800.00		Н		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 70 of 82

## Radiated Spurious Emission Measurement Result: PCS 1900 Mode

Operation Mode : TX CH High Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 1909.8 MHz Test By: Jason Temperature Pol: Ver : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	50.06	V	-52.67	-4.16	0.91	-57.74	-13.00	-44.74
67.83	42.94	V	-68.75	-0.95	1.14	-70.84	-13.00	-57.84
92.08	49.06	V	-53.87	-7.75	1.29	-62.91	-13.00	-49.91
104.69	45.57	V	-55.92	-7.76	1.38	-65.06	-13.00	-52.06
465.53	33.23	V	-60.77	-7.71	2.70	-71.17	-13.00	-58.17
662.44	32.69	V	-56.36	-7.82	3.19	-67.37	-13.00	-54.37
1910.00	77.37	V	-26.96	10.08	5.66	-22.54	-13.00	-9.54
3814.00	36.09	V	-61.33	12.60	8.46	-57.19	-13.00	-44.19
5718.00	40.52	V	-49.83	13.48	10.49	-46.84	-13.00	-33.84
7629.00	37.38	V	-43.12	11.41	12.27	-43.98	-13.00	-30.98
9549.00		V		11.95	13.74		-13.00	
11458.80		V		12.17	15.43		-13.00	
13368.60		V		12.97	16.82		-13.00	
15278.40		V		15.00	18.29		-13.00	
17188.20		V		14.47	19.52		-13.00	
19098.00		V		18.66	20.78		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 71 of 82

## Radiated Spurious Emission Measurement Result: PCS 1900 Mode

: TX CH High Mode Operation Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 1909.8 MHz Test By: Jason Temperature Pol: Hor : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	46.33	Н	-56.86	-3.25	0.90	-61.01	-13.00	-48.01
56.19	38.33	Н	-71.31	-0.51	1.09	-72.91	-13.00	-59.91
70.74	41.81	Н	-70.50	-1.18	1.16	-72.84	-13.00	-59.84
92.08	43.65	Н	-59.94	-7.75	1.29	-68.98	-13.00	-55.98
318.09	32.84	Н	-64.65	-7.82	2.24	-74.71	-13.00	-61.71
565.44	32.93	Н	-58.48	-7.77	2.98	-69.23	-13.00	-56.23
1910.00	83.81	Н	-20.30	10.08	5.66	-15.88	-13.00	-2.88
3814.00	36.01	Н	-61.52	12.60	8.46	-57.38	-13.00	-44.38
5718.00	42.10	Н	-48.39	13.48	10.49	-45.40	-13.00	-32.40
7629.00	35.48	Н	-44.97	11.41	12.27	-45.82	-13.00	-32.82
9549.00		Н		11.95	13.74		-13.00	
11458.80		Н		12.17	15.43		-13.00	
13368.60		Н		12.97	16.82		-13.00	
15278.40		Н		15.00	18.29		-13.00	
17188.20		Н		14.47	19.52		-13.00	
19098.00		Н		18.66	20.78		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 72 of 82

## Radiated Spurious Emission Measurement Result: HSUPA BandV Mode (Worst Case)

Operation Mode : TX CH Low Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 826.4 MHz Jason Test By: Temperature Pol: Ver : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	50.16	V	-52.57	-4.16	0.91	-57.64	-13.00	-44.64
67.83	44.16	V	-67.53	-0.95	1.14	-69.62	-13.00	-56.62
90.14	47.83	V	-55.35	-7.75	1.27	-64.37	-13.00	-51.37
101.78	46.55	V	-55.21	-7.76	1.37	-64.33	-13.00	-51.33
153.19	33.20	V	-64.38	-7.80	1.60	-73.78	-13.00	-60.78
431.58	36.48	V	-58.03	-7.69	2.60	-68.32	-13.00	-55.32
824.00	69.81	V	-16.58	-7.87	3.62	-28.08	-13.00	-15.08
1644.00	39.25	V	-65.34	9.27	5.22	-61.28	-13.00	-48.28
2479.20	35.80	V	-65.16	10.07	6.54	-61.63	-13.00	-48.63
3305.60	35.18	V	-63.69	12.19	7.73	-59.23	-13.00	-46.23
4132.00		V		12.62	8.87		-13.00	
4958.40		V		12.65	9.75		-13.00	
5784.80		V		13.58	10.55		-13.00	
6611.20		V		12.03	11.31		-13.00	
7437.60		V		11.48	12.12		-13.00	
8264.00		V		11.50	12.73		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 73 of 82

### Radiated Spurious Emission Measurement Result: HSUPA V Mode

Operation Mode : TX CH Low Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 826.4MHz Test By: Jason Temperature Pol: Hor : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.32	Н	-57.87	-3.25	0.90	-62.02	-13.00	-49.02
70.74	44.03	Н	-68.28	-1.18	1.16	-70.62	-13.00	-57.62
90.14	44.22	Н	-59.51	-7.75	1.27	-68.53	-13.00	-55.53
104.69	41.13	Н	-61.38	-7.76	1.38	-70.52	-13.00	-57.52
155.13	33.56	Н	-64.61	-7.80	1.60	-74.01	-13.00	-61.01
546.04	33.56	Н	-58.30	-7.76	2.95	-69.00	-13.00	-56.00
824.00	62.19	Н	-24.08	-7.87	3.62	-35.58	-13.00	-22.58
1644.00	37.05	Н	-67.36	9.27	5.22	-63.30	-13.00	-50.30
2463.00	36.61	Н	-64.36	10.08	6.51	-60.80	-13.00	-47.80
3324.00	35.92	Н	-63.16	12.23	7.76	-58.69	-13.00	-45.69
4132.00		Н		12.62	8.87		-13.00	
4958.40		Н		12.65	9.75		-13.00	
5784.80		Н		13.58	10.55		-13.00	
6611.20		Н		12.03	11.31		-13.00	
7437.60		Н		11.48	12.12		-13.00	
8264.00		Н		11.50	12.73		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 74 of 82

## Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode : TX CH Mid Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 836.6MHz Test By: Jason Temperature Pol: Ver : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	49.67	V	-53.06	-4.16	0.91	-58.13	-13.00	-45.13
67.83	44.05	V	-67.64	-0.95	1.14	-69.73	-13.00	-56.73
90.14	47.20	V	-55.98	-7.75	1.27	-65.00	-13.00	-52.00
101.78	46.45	V	-55.31	-7.76	1.37	-64.43	-13.00	-51.43
162.89	33.90	V	-64.55	-7.81	1.62	-73.98	-13.00	-60.98
657.59	33.54	V	-55.46	-7.82	3.18	-66.46	-13.00	-53.46
1673.20	36.67	V	-67.89	9.36	5.27	-63.79	-13.00	-50.79
2509.80	35.71	V	-65.07	10.09	6.58	-61.57	-13.00	-48.57
3394.00	36.67	V	-62.18	12.38	7.86	-57.67	-13.00	-44.67
4183.00		V		12.62	8.93		-13.00	
5019.60		V		12.67	9.81		-13.00	
5856.20		V		13.68	10.62		-13.00	
6692.80		V		11.95	11.39		-13.00	
7529.40		V		11.45	12.20		-13.00	
8366.00		V		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 75 of 82

## Radiated Spurious Emission Measurement Result: HSUPA V Mode

Operation Mode : TX CH Mid Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 836.6MHz Test By: Jason Temperature Pol: Hor : 25℃

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.28	Н	-57.91	-3.25	0.90	-62.06	-13.00	-49.06
70.74	44.37	Н	-67.94	-1.18	1.16	-70.28	-13.00	-57.28
90.14	43.59	Н	-60.14	-7.75	1.27	-69.16	-13.00	-56.16
104.69	41.18	Н	-61.33	-7.76	1.38	-70.47	-13.00	-57.47
155.13	33.06	Н	-65.11	-7.80	1.60	-74.51	-13.00	-61.51
266.68	33.88	Н	-64.82	-7.90	2.05	-74.77	-13.00	-61.77
1673.20	36.23	Н	-68.15	9.36	5.27	-64.05	-13.00	-51.05
2509.80	35.30	Н	-65.40	10.09	6.58	-61.90	-13.00	-48.90
3346.40	35.05	Н	-64.01	12.28	7.79	-59.53	-13.00	-46.53
4183.00		Н		12.62	8.93		-13.00	
5019.60		Н		12.67	9.81		-13.00	
5856.20		Н		13.68	10.62		-13.00	
6692.80		Н		11.95	11.39		-13.00	
7529.40		Н		11.45	12.20		-13.00	
8366.00		Н		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 76 of 82

## Radiated Spurious Emission Measurement Result: HSUPA V Mode

Operation Mode : TX CH High Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 846.6MHz Test By: Jason Temperature Pol: Ver : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
36.79	50.30	V	-52.43	-4.16	0.91	-57.50	-13.00	-44.50
67.83	44.38	V	-67.31	-0.95	1.14	-69.40	-13.00	-56.40
90.14	47.77	V	-55.41	-7.75	1.27	-64.43	-13.00	-51.43
101.78	46.33	V	-55.43	-7.76	1.37	-64.55	-13.00	-51.55
153.19	33.64	V	-63.94	-7.80	1.60	-73.34	-13.00	-60.34
470.38	33.05	V	-60.97	-7.71	2.72	-71.39	-13.00	-58.39
850.00	68.32	V	-17.79	-7.88	3.68	-29.35	-13.00	-16.35
1749.00	38.07	V	-66.42	9.59	5.39	-62.22	-13.00	-49.22
2519.00	37.93	V	-62.82	10.12	6.60	-59.30	-13.00	-46.30
3386.40	34.51	V	-64.34	12.36	7.85	-59.83	-13.00	-46.83
4233.00		V		12.63	8.99		-13.00	
5079.60		V		12.73	9.87		-13.00	
5926.20		V		13.79	10.69		-13.00	
6772.80		V		11.87	11.47		-13.00	
7619.40		V		11.41	12.26		-13.00	
8466.00		V		11.68	12.89		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 **Issue Date: Aug. 25, 2010** 

Page: 77 of 82

## Radiated Spurious Emission Measurement Result: HSUPA V Mode

Operation Mode : TX CH High Mode Test Date: Aug. 20, 2010

Fundamental Frequency: 846.6MHz Test By: Jason Temperature Pol: Hor : 25°C

Humidity : 65%

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Output (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
38.73	45.63	Н	-57.56	-3.25	0.90	-61.71	-13.00	-48.71
70.74	44.35	Н	-67.96	-1.18	1.16	-70.30	-13.00	-57.30
90.14	44.25	Н	-59.48	-7.75	1.27	-68.50	-13.00	-55.50
101.78	41.46	Н	-61.35	-7.76	1.37	-70.48	-13.00	-57.48
155.13	33.03	Н	-65.14	-7.80	1.60	-74.54	-13.00	-61.54
426.73	33.68	Н	-61.39	-7.68	2.59	-71.66	-13.00	-58.66
850.00	60.92	Н	-25.27	-7.88	3.68	-36.83	-13.00	-23.83
1693.20	36.30	Н	-68.05	9.42	5.30	-63.93	-13.00	-50.93
2539.80	36.00	Н	-64.62	10.18	6.62	-61.06	-13.00	-48.06
3386.40	34.68	Н	-64.35	12.36	7.85	-59.84	-13.00	-46.84
4233.00		Н		12.63	8.99		-13.00	
5079.60		Н		12.73	9.87		-13.00	
5926.20		Н		13.79	10.69		-13.00	
6772.80		Н		11.87	11.47		-13.00	
7619.40		Н		11.41	12.26		-13.00	
8466.00		Н		11.68	12.89		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

#### Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms\_e-document.htm">www.sqs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 78 of 82

## 10. FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT


## 10.1 Standard Applicable

According to FCC §2.1055(a)(1)

Frequency Tolerance: +/- 2.5 ppm

## 10.2 Test Set-up:

#### Temperature Chamber



Variable Power Supply

Measurement setup for testing on Antenna connector

### 10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to  $-30^{\circ}$ C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

# 10.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alte tion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 79 of 82

### 10.5 Measurement Result

Reference Frequency: GSM Mid Channel 836.6 MHz°C						
D C 1	Limit: +/- 2.5 ppm = 2091 Hz					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature (°C)	(MHz)	Delta (TE)			
3.9	-30	836.59999	-15.00	2091		
3.9	-20	836.599984	-9.00	2091		
3.9	-10	836.599987	-12.00	2091		
3.9	0	836.599978	-3.00	2091		
3.9	10	836.599982	-7.00	2091		
3.9	20	836.599975	0.00	2091		
3.9	30	836.599981	-6.00	2091		
3.9	40	836.599971	4.00	2091		
3.9	50	836.599983	-8.00	2091		

Reference Frequency: PCS Mid Channel 1880 MHz					
	Limit: +/- 2.5 ppm = 4700 Hz				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature (°C)	(MHz)			
3.9	-30	1879.999968	-7.00	4700	
3.9	-20	1879.999957	4.00	4700	
3.9	-10	1879.999934	27.00	4700	
3.9	0	1879.999947	14.00	4700	
3.9	10	1879.999971	-10.00	4700	
3.9	20	1879.999961	0.00	4700	
3.9	30	1879.999972	-11.00	4700	
3.9	40	1879.999956	5.00	4700	
3.9	50	1879.999962	-1.00	4700	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 80 of 82

Reference Frequency: WCDMA V Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm = 2091 Hz				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature (°C)	(MHz)		
3.9	-30	836.599992	5.00	2091
3.9	-20	836.599985	12.00	2091
3.9	-10	836.599991	6.00	2091
3.9	0	836.599994	3.00	2091
3.9	10	836.599998	-1.00	2091
3.9	20	836.599997	0.00	2091
3.9	30	836.599986	11.00	2091
3.9	40	836.599981	16.00	2091
3.9	50	836.599999	-2.00	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 81 of 82


# 11. FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT

## 11.1 Standard Applicable

According to FCC §2.1055(d)(2)

Frequency Tolerance: +/- 2.5 ppm

## 11.2 Test Set-up:



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

#### 11.3 Measurement Procedure

Set chamber temperature to  $25^{\circ}$ C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specified extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.

## 11.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號

分有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.



Report No.: EH/2010/80010 Issue Date: Aug. 25, 2010

Page: 82 of 82

### 11.5 Measurement Result

Reference Frequency: GSM Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm = 2091 Hz				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature (°C)	(MHz)		
4.2	25.00	836.599979	-4.00	2091.00
3.9	25.00	836.599975	0.00	2091.00
3.315	25.00	836.599971	4.00	2091.00
2.8 (End Point)	25.00	836.599618	357.00	2091.00

Reference Frequency: PCS Mid Channel 1880 MHz					
	Limit: +/- 2.5 ppm = 4700 Hz				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ( $^{\circ}$ C)	(MHz)			
4.2	25	1879.999974	-13.00	4700	
3.9	25	1879.999961	0.00	4700	
3.315	25	1879.999977	-16.00	4700	
2.8	25	1070 00071	000.00	4700	
(Endpoint)	25	1879.999071	890.00	4700	

Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
	Limit: +/- 2.5 ppm = 2091 Hz				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature (°C)	(MHz)			
4.2	25	836.5999990	-2.00	2091	
3.9	25	836.5999970	0.00	2091	
3.315	25	836.6000030	-6.00	2091	
2.8	25	926 5000010	6.00	2001	
(Endpoint)	25	836.5999910	6.00	2091	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號