



U1A



AS5


DDR2/DDR3/LPDDR2 Interface


SMIO Interface








AEE Wireless Technology Co.,Ltd

File	DSP-DDR_Card	Rev	V1.0
Size	Document Number		
Date:	Thursday, May 09, 2013	Sheet	3 of 25












Title		
DDR3/memory		
Size	Document	Rev
A	K1	<RevCode>
Date:	Thursday, May 09, 2013	Sheet 8 of 25


TO POWER BOARD




Mini HDMI Type C Connector




TO Connect Board



TO LCD BOARD








TO Sensor BOARD





AEE Wireless Technology Co.,Ltd


Title			Connect/HDMI
Size	Document Number	Rev	
A3	K1	V1.0	
Date:	Wednesday, May 08, 2013	Sheet	11 of 25





















- 1.RECORD_MODE
- 2.SETUP_MODE
- 3.G_SENSOR_MODE
- 4.DSP_STATUS





AEE Wireless Technology Co.,Ltd			
Title	MCU		
Size	Document Number	Rev	
A4	K1	A	
Date:	Thursday, May 09, 2013	Sheet	15 of 25



TO MAIN BOARD






CN1
CON_40P-0.5-F




<i>AEE Wireless Technology Co.,Ltd</i>			
Title			
CONNECT			
Size	Document		Rev
A4	K1		V1.0
Date:	Wednesday, May 08, 2013		
	Sheet	17	of 25



Pin connection diagram for CN8 CON_40P-0.5-F. The diagram shows a 40-pin connector with pins numbered 1 to 40. Pins 1-10 are labeled: SLVS N0, SLVS P0, SLVS N1, SLVS P1, SLVS P3, SLVS N3, SLVS CLKIN, and SLVS CLKIP. Pins 11-20 are labeled: SLVS P2, SLVS N2, CLK SI, and SEN RESET. Pins 40-41 are VIN. Pins 39-40 are VDD1.8V. Pins 38-39 are V3.3D. Pins 27-28 are V2.8D. Pins 23-24 are IDG CLK. Pins 22-23 are IDG DATA. Pin 21 is VDD0.8V. The connector is labeled CN8 CON_40P-0.5-F.



1. VDDIO: 1.8V/2.8V
2. VDD_PLL: 2.8V
3. VDD: 1.8V
VDD_HISPI: 1.8V
VDD_HISPI_TX: 0.4V/1.8V
4. VAA_PIX: 2.8V
VAA: 2.8V
5. VAA_NPIX: 8V(VPP for OTPM)




T7 TEMP <<TEMP

T8

T9

CON_10P-0.5-F
CN2



T1







T2

T3

T4




CON_20P-0.5-F
CN1

TO MAIN BOARD




M2

M1






Title		
audio amp		
Size	Document	Rev
A	K1	<RevCode>
Date:	Wednesday, May 08, 2013	Sheet 21 of 25



AEE Wireless Technology Co.,Ltd

Title LCD		
Size A4	Document Number K1	Rev A
Date: Thursday, May 09, 2013	Sheet 22	of 25





A



Title			
BUZZER			
Size	Document		Rev
A	K1		<RevCode>
Date:	Wednesday, May 08, 2013	Sheet	23 of 25

5 4 3 2 1






TO Main Board



Title		
CONNECT		
Size	Document Number	Rev
A4	K1	A
Date:	Wednesday, May 08, 2013	Sheet 24 of 25



Title			
<Title>			
Size	Document		Rev
A	K1		<RevCode>
Date:	Wednesday, May 08, 2013	Sheet	25 of 25



Title		MCU
Size	Document Number	Rev
A3	K1	<RevCode>
Date:	Thursday, May 09, 2013	Sheet 3 of 3