


Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz





15.000 M 100.00 k 837.846154 M -46.63 -67.39 -346.63


Date: 18.APR.2019 20:36:27

5.000 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:37:27



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

QPSK FRB 1.4MHz



	Tx Channel				BW_1_4_MHz_lov				Mz_lower T	er UL	
Bandwidth Start		1.4 MHz		Ήz	Power		20.13 dBm				
		Stop		RBW	Fr	Freq		PwrRel	∆ Limit		
[Hz]		[Hz]		[Hz]	[H	z]	[dBm]	[dBc]	[dB]		
	-2.500 M	-1.700	M	1.00	M 822.	953205 M	1 -22.78	-42.91	-9.78		
	-1.700 M	-700.000	k	20.00	k 823.	321795 M	-37.05	-57.18	-24.05		
	700.000 k	2.500	M	100.00	k 826.	190385 м	-29.89	-50.02	-329.89		

Date: 18.APR.2019 20:08:22



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:11:24



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

3MHz




5.000 M 100.00 k 827.006410 M -25.19 -45.46 -325.19

Date: 18.APR.2019 20:13:17



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:16:27




-50.11 -330.04

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

5MHz



7.500 M 100.00 k 829.000000 M -30.04

Date: 18.APR.2019 20:20:37



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:24:41




-55.81 -335.77

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz





15.000 M 100.00 k 834.000000 M -35.77


Date: 18.APR.2019 20:35:33

5.000 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:38:25




-29.98

-51.24

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

1RB 1.4MHz



-1.700 M -700.000 k 20.00 k 823.994872 M


2.500 M 100.00 k 826.046154 M

Date: 18.APR.2019 20:08:52



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:10:56




-67.75 -346.40

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

3MHz




5.000 M 100.00 k 827.038462 M -46.40

Date: 18.APR.2019 20:13:46



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:15:56



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

5MHz



7.500 M 100.00 k 830.899038 M -46.39 -67.49 -346.39


Date: 18.APR.2019 20:21:09



-56.31 -22.26

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:24:16

3.500 M




-67.69 -346.26

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz





15.000 M 100.00 k 837.798077 M -46.26


Date: 18.APR.2019 20:35:59

5.000 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:37:58




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

Band XII 16QAM FRB 1.4MHz





 Start
 Stop
 RBW
 Freq
 PwrAbs
 PwrRel
 ALimit

 [Hz]
 [Hz]
 [Hz]
 [dBm]
 [dBc]
 [dB]

 -2.500 M
 -1.700 M
 1.00 M
 697.993269 M
 -26.02
 -45.79
 -13.02

 -1.700 M
 -700.000 k
 20.00 k
 698.986859 M
 -28.70
 -48.48
 -15.70


 700.000 k
 2.500 M
 100.00 k
 700.405128 M
 -22.64
 -42.41
 -322.64

Date: 18.APR.2019 20:41:50



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:45:55



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

3MHz



Tx Channel				BW_3_MHz_lower UL			
Bandwidth		3 MH	z Pow	er		20.08 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	∆ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-2.500 M	1.00 M	697.951923 M	1 -21.70	-41.78	-8.70	
-2.500 M	-1.500 M	30.00 k	698.977564 M	-28.45	-48.53	-15.45	
1.500 M	5.000 M	100.00 k	702.006410 M	-23.58	-43.66	-323.58	

Date: 18.APR.2019 20:46:55



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:50:28




-47.70 -327.39

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

5MHz



7.500 M 100.00 k 704.000000 M -27.39

Date: 18.APR.2019 20:54:01




-42.05

-8.73

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010





1.00 M 717.057692 M -21.73

Date: 18.APR.2019 20:57:44


3.500 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz




Date: 18.APR.2019 20:58:37



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 21:02:12



-27.77


-48.60

-65.26 -344.43

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

1RB 1.4MHz



-1.700 M -700.000 k 20.00 k 698.994872 M


2.500 M 100.00 k 701.030128 M

Date: 18.APR.2019 20:43:20



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:44:22



-20.50

-42.12


-66.69 -345.07

-7.50

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

3MHz



-1.500 M 30.00 k 698.977564 M

5.000 M 100.00 k 704.250000 M -45.07

Date: 18.APR.2019 20:48:13

-2.500 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:49:12




-67.55 -345.26

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

5MHz




7.500 M 100.00 k 707.966346 M -45.26

Date: 18.APR.2019 20:55:17



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:56:20




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz





15.000 M 100.00 k 717.221154 M -46.30 -68.60 -346.30


Date: 18.APR.2019 20:59:55

5.000 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 21:00:57



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

QPSK FRB 1.4MHz




	Tx Channel				20.84 dBm			
Bandwidth Start			1.4	MHz				Power
		Stop	RBW	Freq	PwrAbs	PwrRel	∆ Limit	
	[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
	-2.500 M	-1.700	M 1.00	м 697.96923	1 M -23.16	-44.00	-10.16	
	-1.700 M	-700.000	k 20.00	k 698.99487	'2 M -26.97	-47.82	-13.97	
	700.000 k	2.500	M 100.00	k 700.40512	8 M -20.89	-41.74	-320.89	

Date: 18.APR.2019 20:42:18



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:45:30



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

3MHz



5.000 M 100.00 k 702.006410 M -22.24 -43.37 -322.24

Date: 18.APR.2019 20:47:20



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:50:05




-47.48 -326.17

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

5MHz



7.500 M 100.00 k 704.000000 M -26.17

Date: 18.APR.2019 20:54:25



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:57:21



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz




Date: 18.APR.2019 20:59:05



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 21:01:46



-23.42


-45.30

-65.30 -343.42

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

1RB 1.4MHz



-1.700 M -700.000 k 20.00 k 698.994872 M


2.500 M 100.00 k 701.038141 M

Date: 18.APR.2019 20:42:46



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:45:04



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

3MHz




5.000 M 100.00 k 704.298077 M -45.13 -67.51 -345.13

Date: 18.APR.2019 20:47:44



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 20:49:47




-67.14 -344.88

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

5MHz




7.500 M 100.00 k 707.990385 M -44.88

Date: 18.APR.2019 20:54:50



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 20:56:51



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz




Date: 18.APR.2019 20:59:28



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 21:01:26



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

Band XIII 16QAM FRB 5MHz



Tx Channel					BW_5_1	MHz_lower UL
Bandwidth		5	MHz	Power		18.94 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	∆ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500	M 1.00	м 775.96634	6 M -30.80	-49.74	-17.80
-3.500 M	-2.500	M 50.00	k 776.97596	2 M -31.62	-50.56	-18.62
2.500 M	7.500	м 100.00	k 782.00000	0 M -26.27	-45.21	-326.27

Date: 18.APR.2019 21:04:19



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 21:07:50




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz





15.000 M 1.00 M 788.057692 M -26.49 -45.25 -13.49


Date: 18.APR.2019 21:12:45

6.000 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 21:09:27




-45.34

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

1RB 5MHz




7.500 M 100.00 k 785.966346 M

Date: 18.APR.2019 21:05:30



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



1.00 M 788.250000 M -36.34

Date: 18.APR.2019 21:06:24

3.500 M




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz






Date: 18.APR.2019 21:11:30



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010




Date: 18.APR.2019 21:10:48



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

QPSK FRB 5MHz




IX Chaimer					PM_2_1	MHZ_IOWEL U
Bandwidth		5 M	Mz P	ower		18.94 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	∆ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500	M 1.00	м 775.966346	M -30.80	-49.74	-17.80
-3.500 M	-2.500	M 50.00	k 776.975962	M -31.62	-50.56	-18.62
2.500 M	7.500	M 100.00	k 782.000000	M -26.27	-45.21	-326.27

Date: 18.APR.2019 21:04:19



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



1.00 M 788.538462 M -28.53 -46.99 -15.53

Date: 18.APR.2019 21:07:50

3.500 M




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz





15.000 M 1.00 M 788.057692 M -26.49 -45.25 -13.49


Date: 18.APR.2019 21:12:45

6.000 M



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 21:09:27




-45.34

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

1RB 5MHz



7.500 M 100.00 k 785.966346 M


Date: 18.APR.2019 21:05:30



-56.07 -23.34

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



1.00 M 788.250000 M -36.34

Date: 18.APR.2019 21:06:24

3.500 M




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10MHz






Date: 18.APR.2019 21:11:30



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010



Date: 18.APR.2019 21:10:48

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004




Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010 9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%(\pm 2.5 \text{ ppm})$ of the center frequency.

9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
 - After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

9.2.1 Frequency Stability vs. Temperature									
		GSM 850			GSM 1900				
CH128	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH512	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	25.00	0.030			-20	57.00	0.031	
	-10	33.00	0.040			-10	51.00	0.028	
	0	26.00	0.032			0	44.00	0.024	
	10	31.00	0.038]		10	46.00	0.025	
	20	28.00	0.034	±2.5		20	18.00	0.010	±2.5
	30	21.00	0.025	±2.3		30	65.00	0.035	±2.3
	40	25.00	0.030			40	67.00	0.036	
	50	27.00	0.033			50	78.00	0.042	
132Vac	25	27.00	0.033		132Vac	25	22.00	0.012	
108Vac	25	28.00	0.034		108Vac	25	24.00	0.013	
CH188	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH661	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	20.00	0.024			-20	94.00	0.050	
	-10	32.00	0.038			-10	90.00	0.048	
	0	30.00	0.036			0	89.00	0.047	i
	10	29.00	0.035]		10	33.00	0.018	
	20	27.00	0.032	±2.5		20	30.00	0.016	±2.5
	30	21.00	0.025	±2.3		30	66.00	0.035	=2.3
	40	27.00	0.032			40	77.00	0.041	
	50	31.00	0.037			50	117.00	0.062	
132Vac	25	27.00	0.032]	132Vac	25	29.00	0.015	
108Vac	25	30.00	0.036		108Vac	25	31.00	0.016	
CH251	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH810	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	25.00	0.029			-20	84.00	0.044	
	-10	23.00	0.027			-10	70.00	0.037	
	0	27.00	0.032			0	69.00	0.036	
	10	20.00	0.024			10	38.00	0.020	
	20	27.00	0.032	±2.5		20	22.00	0.012	±2.5
	30	21.00	0.025			30	75.00	0.039	±∠.3
	40	16.00	0.019			40	70.00	0.037	
	50	24.00	0.028			50	94.00	0.049	
132Vac	25	28.00	0.033]	132Vac	25	23.00	0.012	
108Vac	25	32.00	0.038		108Vac	25	28.00	0.015	



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

WCDMA Band II			WCDMA Band V						
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	-3.58	-0.002			-20	-2.01	-0.002	
	-10	-2.10	-0.001			-10	2.41	0.003	Ī
	0	-3.19	-0.002			0	3.03	0.004	Ī
	10	-2.25	-0.001			10	1.99	0.002	Ī
	20	-9.00	-0.005	12.5		20	3.07	0.004	12.5
	30	4.96	0.003	±2.5		30	3.04	0.004	±2.5
	40	7.08	0.004			40	3.96	0.005	Ī
	50	6.64	0.004			50	4.22	0.005	Ī
132Vac	25	7.62	0.004		132Vac	25	2.33	0.003	
108Vac	25	-8.65	-0.005		108Vac	25	2.46	0.003	Ī
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	-3.93	-0.002			-20	-2.15	-0.003	
	-10	-3.35	-0.002			-10	-2.20	-0.003	
	0	-4.13	-0.002			0	-2.65	-0.003	
	10	-4.76	-0.003			10	-1.79	-0.002	
	20	-4.66	-0.002	±2.5		20	-1.73	-0.002	±2.5
	30	-4.01	-0.002	12.3		30	-2.83	-0.003	12.3
	40	-4.26	-0.002			40	-2.15	-0.003	
	50	-4.05	-0.002			50	-2.13	-0.003	
132Vac	25	-4.68	-0.002		132Vac	25	-1.83	-0.002	
108Vac	25	-3.88	-0.002		108Vac	25	-2.39	-0.003	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	-5.39	-0.003			-20	-2.17	-0.003	<u> </u>
	-10	-4.19	-0.002			-10	-2.22	-0.003	
	0	-4.83	-0.003			0	-2.87	-0.003	
	10	-4.67	-0.002			10	-2.09	-0.002	
	20	-7.66	-0.004	±2.5		20	-3.33	-0.004	±2.5
	30	-8.79	-0.005	±2.5		30	-3.13	-0.004	±∠.3
	40	-9.43	-0.005			40	-3.35	-0.004	
	50	-9.66	-0.005			50	-4.03	-0.005	
132Vac	25	-8.78	-0.005		132Vac	25	-3.31	-0.004	
108Vac	25	-7.54	-0.004		108Vac	25	-3.56	-0.004	



Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

LTE Band II QPSK 10MHz FRB					LTE Band IV QPSK 10MHz FRB				3
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	-3.00	-0.002			-20	10.00	0.006	
	-10	3.00	0.002			-10	19.00	0.011	
	0	4.00	0.002			0	23.00	0.013	
	10	0.50	0.000			10	35.00	0.020	
	20	1.00	0.001	±2.5		20	44.00	0.025	12.5
	30	-7.00	-0.004	±2.5		30	53.00	0.031	±2.5
	40	3.00	0.002			40	25.00	0.014	
	50	2.00	0.001	1		50	28.00	0.016	
132Vac	25	-7.00	-0.004	1	132Vac	25	31.00	0.018	
108Vac	25	-5.00	-0.003	1	108Vac	25	48.00	0.028	

LTE Band V QPSK 10MHz FRB					LTE Band XII QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-20	4.00	0.005			-20	3.00	0.004	
	-10	-4.00	-0.005			-10	1.00	0.001	
	0	-1.00	-0.001			0	4.00	0.006	
	10	3.00	0.004			10	1.00	0.001	
	20	4.00	0.005	±2.5		20	5.00	0.007	±2.5
	30	2.00	0.002	±2.3		30	1.00	0.001	±2.3
	40	3.00	0.004			40	3.00	0.004	
	50	2.00	0.002			50	1.00	0.001	
132Vac	25	3.00	0.004		132Vac	25	2.00	0.003	
108Vac	25	3.00	0.004		108Vac	25	2.00	0.003	

LTE Band XIII QPSK 10MHz FRB							
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)			
	-20	4.00	0.005				
	-10	-3.00	-0.004				
	0	4.00	0.005				
	10	8.00	0.010				
	20	8.00	0.010	±2.5			
	30	1.00	0.001	±2.5			
	40	3.00	0.004				
	50	3.00	0.004				
132Vac	25	3.00	0.004				
108Vac	25	4.00	0.005				

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010

10 Maximum Permissible Exposure

10.1 RF Exposure Compliance Requirements

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a "worst case" or conservative prediction.

$$S = \frac{PG}{4 \pi R^2}$$

S – Power Density

P – Output power ERP

R – Distance

D – Cable Loss

AG – Antenna Gain

GSM Band 850 MHz							
Item	Unit	Value	Remarks				
P	dBm/mW		Peak value				
D	dB						
AG	dBi						
G			Calculated Value				
R	cm		Assumed value				
S	mW/cm ²		Calculated value				

Limits:

Limit for General Population / Uncontrolled Exposure				
Frequency (MHz)	Power Density (mW/cm ²)			
1500 – 100.000	1.0			

Explanation: Please refer to the SAR report.

Report Number: W6M21903-18857-P-247

FCC ID: YY3-182010


Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-93.40	peak	23.76	-69.64	-13.00	150	160	-56.64	
*	171.7234	-82.86	peak	23.60	-59.26	-13.00	150	205	-46.26	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	49.0782	-85.13	peak	23.41	-61.72	-13.00	150	145	-48.72	
	178.1964	-88.14	peak	24.62	-63.52	-13.00	150	220	-50.52	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	764.3287	-51.83	peak	-2.37	-54.20	-13.00	150	330	-41.20	
*	955.1102	-47.33	peak	-0.86	-48.19	-13.00	150	95	-35.19	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	730.6613	-38.40	peak	-1.30	-39.70	-13.00	150	160	-26.70	
*	746.6934	-37.29	peak	-1.47	-38.76	-13.00	150	245	-25.76	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-46.42	peak	0.94	-45.48	-13.00	150	205	-32.48	
*	2472.946	-50.76	peak	5.80	-44.96	-13.00	150	160	-31.96	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-50.30	peak	2.67	-47.63	-13.00	150	220	-34.63	
*	2472.946	-52.20	peak	7.41	-44.79	-13.00	150	130	-31.79	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-92.63	peak	23.76	-68.87	-13.00	150	185	-55.87	
*	179.8998	-83.50	peak	23.67	-59.83	-13.00	150	245	-46.83	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-84.08	peak	23.28	-60.80	-13.00	150	95	-47.80	
	175.1303	-88.69	peak	24.54	-64.15	-13.00	150	330	-51.15	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	764.3287	-50.51	peak	-2.37	-52.88	-13.00	150	195	-39.88	
*	955.1102	-47.32	peak	-0.86	-48.18	-13.00	150	330	-35.18	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	304.2084	-58.43	peak	-5.56	-63.99	-13.00	150	245	-50.99	
	772.3447	-69.00	peak	-1.08	-70.08	-13.00	150	160	-57.08	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-46.61	peak	1.10	-45.51	-13.00	150	75	-32.51	
*	2509.018	-43.24	peak	5.97	-37.27	-13.00	150	330	-24.27	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-47.23	peak	2.79	-44.44	-13.00	150	305	-31.44	
*	2509.018	-43.22	peak	7.57	-35.65	-13.00	150	160	-22.65	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	76.3327	-93.10	peak	23.74	-69.36	-13.00	150	330	-56.36	
*	181.6032	-84.05	peak	23.69	-60.36	-13.00	150	95	-47.36	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-84.55	peak	23.30	-61.25	-13.00	150	305	-48.25	
	181.6032	-87.96	peak	24.59	-63.37	-13.00	150	95	-50.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-41.79	peak	-1.64	-43.43	-13.00	150	220	-30.43	
	955.1102	-46.68	peak	-0.86	-47.54	-13.00	150	195	-34.54	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	296.1923	-56.94	peak	-5.81	-62.75	-13.00	150	35	-49.75	
	730.6613	-65.43	peak	-1.30	-66.73	-13.00	150	160	-53.73	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1697.395	-48.26	peak	1.26	-47.00	-13.00	150	220	-34.00	
*	2545.090	-43.07	peak	6.06	-37.01	-13.00	150	130	-24.01	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-47.87	peak	2.79	-45.08	-13.00	150	220	-32.08	
	2509.018	-56.44	peak	7.57	-48.87	-13.00	150	130	-35.87	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM850-CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	78.0361	-92.88	peak	23.76	-69.12	-13.00	150	110	-56.12	
*	170.3607	-83.58	peak	23.59	-59.99	-13.00	150	205	-46.99	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-85.06	peak	23.28	-61.78	-13.00	150	245	-48.78	
	97.1142	-90.95	peak	23.85	-67.10	-13.00	150	130	-54.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-49.44	peak	-2.38	-51.82	-13.00	150	220	-38.82	
*	955.1102	-47.06	peak	-0.86	-47.92	-13.00	150	130	-34.92	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0020	-56.06	peak	-5.47	-61.53	-13.00	150	160	-48.53	
	729.0581	-65.54	peak	-1.29	-66.83	-13.00	150	245	-53.83	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-56.14	peak	7.75	-48.39	-13.00	150	245	-35.39	
	5547.094	-61.33	peak	10.42	-50.91	-13.00	150	160	-37.91	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-92.89	peak	23.39	-69.50	-13.00	150	160	-56.50	
*	178.1964	-83.24	peak	23.66	-59.58	-13.00	150	245	-46.58	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	49.4188	-85.39	peak	23.43	-61.96	-13.00	150	245	-48.96	
	181.6032	-87.38	peak	24.59	-62.79	-13.00	150	220	-49.79	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-44.93	peak	-2.38	-47.31	-13.00	150	95	-34.31	
	955.1102	-47.70	peak	-0.86	-48.56	-13.00	150	330	-35.56	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-55.81	peak	-5.50	-61.31	-13.00	150	220	-48.31	
	746.6934	-61.45	peak	-1.47	-62.92	-13.00	150	195	-49.92	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-41.81	peak	7.89	-33.92	-13.00	150	245	-20.92	
	5635.270	-63.09	peak	10.67	-52.42	-13.00	150	160	-39.42	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-46.35	peak	8.47	-37.88	-13.00	150	200	-24.88	
	5643.287	-54.93	peak	10.94	-43.99	-13.00	150	130	-30.99	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-93.17	peak	23.76	-69.41	-13.00	150	160	-56.41	
*	172.0641	-83.23	peak	23.61	-59.62	-13.00	150	205	-46.62	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-83.80	peak	23.30	-60.50	-13.00	150	205	-47.50	
	179.8998	-88.65	peak	24.67	-63.98	-13.00	150	130	-50.98	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	767.5351	-52.94	peak	-2.34	-55.28	-13.00	150	160	-42.28	
*	955.1102	-47.77	peak	-0.86	-48.63	-13.00	150	245	-35.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	733.8677	-54.60	peak	-1.34	-55.94	-13.00	150	220	-42.94	
*	924.6493	-54.72	peak	-0.70	-55.42	-13.00	150	130	-42.42	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-43.83	peak	7.82	-36.01	-13.00	150	220	-23.01	
	5242.485	-46.19	peak	8.03	-38.16	-13.00	150	130	-25.16	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-43.50	peak	8.59	-34.91	-13.00	150	205	-21.91	
	5731.463	-64.72	peak	11.08	-53.64	-13.00	150	160	-40.64	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM1900-CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.3988	-92.93	peak	23.78	-69.15	-13.00	150	110	-56.15	
*	171.7234	-82.53	peak	23.60	-58.93	-13.00	150	205	-45.93	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-80.99	peak	23.30	-57.69	-13.00	150	305	-44.69	
	181.6032	-87.58	peak	24.59	-62.99	-13.00	150	160	-49.99	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-39.81	peak	-2.38	-42.19	-13.00	150	205	-29.19	
	955.1102	-46.94	peak	-0.86	-47.80	-13.00	150	130	-34.80	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0020	-56.69	peak	-5.47	-62.16	-13.00	150	220	-49.16	
	911.8236	-68.28	peak	-0.67	-68.95	-13.00	150	195	-55.95	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-50.40	peak	7.82	-42.58	-13.00	150	245	-29.58	
	5555.110	-63.97	peak	10.44	-53.53	-13.00	150	110	-40.53	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-55.02	peak	8.53	-46.49	-13.00	150	245	-33.49	
	5643.287	-58.06	peak	10.94	-47.12	-13.00	150	160	-34.12	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	87.5752	-91.97	peak	23.20	-68.77	-13.00	150	110	-55.77	
*	175.1303	-82.60	peak	23.63	-58.97	-13.00	150	305	-45.97	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.3746	-83.09	peak	23.32	-59.77	-13.00	150	245	-46.77	
	94.7295	-90.36	peak	23.86	-66.50	-13.00	150	160	-53.50	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-42.13	peak	-2.38	-44.51	-13.00	150	220	-31.51	
	955.1102	-47.26	peak	-0.86	-48.12	-13.00	150	130	-35.12	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	307.4148	-57.68	peak	-5.65	-63.33	-13.00	150	220	-50.33	
	958.3166	-66.21	peak	-0.74	-66.95	-13.00	150	130	-53.95	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-48.81	peak	7.75	-41.06	-13.00	150	205	-28.06	
	5643.287	-66.57	peak	10.69	-55.88	-13.00	150	160	-42.88	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-40.89	peak	8.53	-32.36	-13.00	150	330	-19.36	
	5643.287	-63.26	peak	10.94	-52.32	-13.00	150	160	-39.32	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-93.05	peak	23.76	-69.29	-13.00	150	110	-56.29	
*	178.1964	-83.29	peak	23.66	-59.63	-13.00	150	300	-46.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-83.29	peak	23.28	-60.01	-13.00	150	335	-47.01	
	176.8337	-87.68	peak	24.58	-63.10	-13.00	150	195	-50.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-38.87	peak	-1.64	-40.51	-13.00	150	220	-27.51	
	955.1102	-45.97	peak	-0.86	-46.83	-13.00	150	130	-33.83	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-57.83	peak	-5.50	-63.33	-13.00	150	195	-50.33	
	770.7415	-66.30	peak	-1.11	-67.41	-13.00	150	330	-54.41	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-41.28	peak	7.89	-33.39	-13.00	150	245	-20.39	
	5723.447	-65.15	peak	10.91	-54.24	-13.00	150	160	-41.24	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-40.20	peak	8.59	-31.61	-13.00	150	205	-18.61	
	5539.078	-65.54	peak	10.77	-54.77	-13.00	150	160	-41.77	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band2-CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.7836	-93.24	peak	23.65	-69.59	-13.00	150	330	-56.59	
*	172.0641	-83.45	peak	23.61	-59.84	-13.00	150	95	-46.84	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-81.96	peak	23.28	-58.68	-13.00	150	220	-45.68	
	51.8035	-87.37	peak	23.51	-63.86	-13.00	150	130	-50.86	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-37.13	peak	-1.64	-38.77	-13.00	150	245	-25.77	
	955.1102	-46.16	peak	-0.86	-47.02	-13.00	150	160	-34.02	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	275.3507	-55.10	peak	-7.77	-62.87	-13.00	150	130	-49.87	
*	299.3987	-56.00	peak	-5.50	-61.50	-13.00	150	220	-48.50	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1769.539	-53.88	peak	1.73	-52.15	-13.00	150	160	-39.15	
*	2484.970	-41.00	peak	5.87	-35.13	-13.00	150	245	-22.13	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-58.78	peak	2.67	-56.11	-13.00	150	160	-43.11	
*	2472.946	-44.44	peak	7.41	-37.03	-13.00	150	205	-24.03	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-93.77	peak	23.76	-70.01	-13.00	150	160	-57.01	
*	170.3607	-83.13	peak	23.59	-59.54	-13.00	150	205	-46.54	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	51.1222	-83.76	peak	23.49	-60.27	-13.00	150	220	-47.27	
	179.8998	-87.78	peak	24.67	-63.11	-13.00	150	160	-50.11	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-39.40	peak	-2.38	-41.78	-13.00	150	245	-28.78	
	955.1102	-48.32	peak	-0.86	-49.18	-13.00	150	130	-36.18	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0020	-55.66	peak	-5.47	-61.13	-13.00	150	245	-48.13	
	746.6934	-64.84	peak	-1.47	-66.31	-13.00	150	110	-53.31	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1727.455	-55.15	peak	1.46	-53.69	-13.00	150	95	-40.69	
*	2515.030	-39.76	peak	5.99	-33.77	-13.00	150	305	-20.77	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1709.419	-57.87	peak	2.98	-54.89	-13.00	150	160	-41.89	
*	2515.030	-38.45	peak	7.57	-30.88	-13.00	150	245	-17.88	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.3988	-93.02	peak	23.78	-69.24	-13.00	150	220	-56.24	
*	170.3607	-83.37	peak	23.59	-59.78	-13.00	150	75	-46.78	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.0120	-85.14	peak	23.24	-61.90	-13.00	150	245	-48.90	
	181.6032	-88.13	peak	24.59	-63.54	-13.00	150	15	-50.54	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	738.6774	-40.96	peak	-2.04	-43.00	-13.00	150	220	-30.00	
	955.1102	-46.51	peak	-0.86	-47.37	-13.00	150	130	-34.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	276.9540	-57.79	peak	-7.63	-65.42	-13.00	150	160	-52.42	
*	304.2084	-58.45	peak	-5.56	-64.01	-13.00	150	245	-51.01	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-49.82	peak	1.22	-48.60	-13.00	150	95	-35.60	
*	2545.090	-36.09	peak	6.06	-30.03	-13.00	150	330	-17.03	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1709.419	-56.78	peak	2.98	-53.80	-13.00	150	220	-40.80	
*	2545.090	-38.90	peak	7.55	-31.35	-13.00	150	130	-18.35	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA-Band5-CH4233

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.3988	-92.81	peak	23.78	-69.03	-13.00	150	130	-56.03	
*	171.7234	-82.00	peak	23.60	-58.40	-13.00	150	220	-45.40	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-82.43	peak	23.28	-59.15	-13.00	150	245	-46.15	
	181.6032	-88.17	peak	24.59	-63.58	-13.00	150	160	-50.58	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-35.06	peak	-2.38	-37.44	-13.00	150	220	-24.44	
	955.1102	-47.24	peak	-0.86	-48.10	-13.00	150	160	-35.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	302.6051	-57.18	peak	-5.51	-62.69	-13.00	150	245	-49.69	
	729.0581	-67.70	peak	-1.29	-68.99	-13.00	150	195	-55.99	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-46.06	peak	7.75	-38.31	-13.00	150	245	-25.31	
	5635.270	-52.90	peak	10.67	-42.23	-13.00	150	160	-29.23	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-39.04	peak	8.16	-30.88	-13.00	150	245	-17.88	
	5635.270	-45.70	peak	10.93	-34.77	-13.00	150	160	-21.77	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-1.4M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-92.67	peak	23.76	-68.91	-13.00	150	110	-55.91	
*	176.4930	-83.18	peak	23.64	-59.54	-13.00	150	245	-46.54	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	94.7295	-90.17	peak	23.86	-66.31	-13.00	150	245	-53.31	
*	176.4930	-86.99	peak	24.58	-62.41	-13.00	150	160	-49.41	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	730.6613	-37.97	peak	-1.71	-39.68	-13.00	150	260	-26.68	
	955.1102	-46.84	peak	-0.86	-47.70	-13.00	150	130	-34.70	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0020	-56.84	peak	-5.47	-62.31	-13.00	150	160	-49.31	
	729.0581	-61.25	peak	-1.29	-62.54	-13.00	150	245	-49.54	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-53.60	peak	7.82	-45.78	-13.00	150	220	-32.78	
	5635.270	-62.88	peak	10.67	-52.21	-13.00	150	160	-39.21	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-50.66	peak	8.53	-42.13	-13.00	150	245	-29.13	
	5627.255	-63.39	peak	10.92	-52.47	-13.00	150	160	-39.47	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND2-QPSK-20M-1RB-CH18900

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	78.0361	-93.79	peak	23.76	-70.03	-13.00	150	110	-57.03	
*	171.7234	-83.42	peak	23.60	-59.82	-13.00	150	145	-46.82	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.7154	-82.73	peak	23.34	-59.39	-13.00	150	245	-46.39	
	178.1964	-87.32	peak	24.62	-62.70	-13.00	150	160	-49.70	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-39.91	peak	-1.64	-41.55	-13.00	150	220	-28.55	
	955.1102	-46.46	peak	-0.86	-47.32	-13.00	150	130	-34.32	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	297.7956	-55.78	peak	-5.65	-61.43	-13.00	150	245	-48.43	
	770.7415	-67.52	peak	-1.11	-68.63	-13.00	150	160	-55.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-48.30	peak	7.89	-40.41	-13.00	150	245	-27.41	
	5498.998	-64.64	peak	10.28	-54.36	-13.00	150	160	-41.36	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-49.14	peak	8.59	-40.55	-13.00	150	245	-27.55	
	5811.623	-65.35	peak	11.21	-54.14	-13.00	150	160	-41.14	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-1.4M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-93.49	peak	23.76	-69.73	-13.00	150	110	-56.73	
*	178.1964	-83.12	peak	23.66	-59.46	-13.00	150	105	-46.46	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	50.1002	-84.07	peak	23.46	-60.61	-13.00	150	245	-47.61	
	176.4930	-87.13	peak	24.58	-62.55	-13.00	150	110	-49.55	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	740.2806	-44.24	peak	-2.11	-46.35	-13.00	150	205	-33.35	
	955.1102	-45.92	peak	-0.86	-46.78	-13.00	150	160	-33.78	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	268.9380	-56.36	peak	-8.34	-64.70	-13.00	150	245	-51.70	
*	297.7956	-58.48	peak	-5.65	-64.13	-13.00	150	185	-51.13	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-49.95	peak	7.82	-42.13	-13.00	150	220	-29.13	
	5490.982	-65.46	peak	10.21	-55.25	-13.00	150	130	-42.25	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-48.65	peak	8.53	-40.12	-13.00	150	205	-27.12	
	5811.623	-66.24	peak	11.21	-55.03	-13.00	150	160	-42.03	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND4-QPSK-20M-1RB-CH20175

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.3988	-93.23	peak	23.78	-69.45	-13.00	150	130	-56.45	
*	173.0862	-83.39	peak	23.61	-59.78	-13.00	150	220	-46.78	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.7154	-83.06	peak	23.34	-59.72	-13.00	150	245	-46.72	
	173.4270	-88.12	peak	24.49	-63.63	-13.00	150	160	-50.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-43.27	peak	-1.64	-44.91	-13.00	150	245	-31.91	
	955.1102	-45.47	peak	-0.86	-46.33	-13.00	150	110	-33.33	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	252.9058	-56.53	peak	-9.44	-65.97	-13.00	150	175	-52.97	
*	307.4148	-57.07	peak	-5.65	-62.72	-13.00	150	330	-49.72	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2442.886	-43.22	peak	5.64	-37.58	-13.00	150	220	-24.58	
	2509.018	-45.94	peak	5.97	-39.97	-13.00	150	130	-26.97	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

N	Λk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	2442.886	-46.52	peak	7.22	-39.30	-13.00	150	330	-26.30	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-50.27	peak	8.59	-41.68	-13.00	150	165	-28.68	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-1.4M-1RB-CH20525

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-93.17	peak	23.76	-69.41	-13.00	150	205	-56.41	
*	170.3607	-83.70	peak	23.59	-60.11	-13.00	150	130	-47.11	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-85.72	peak	23.28	-62.44	-13.00	150	245	-49.44	
*	178.1964	-86.93	peak	24.62	-62.31	-13.00	150	130	-49.31	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-40.65	peak	-2.38	-43.03	-13.00	150	220	-30.03	
	955.1102	-45.89	peak	-0.86	-46.75	-13.00	150	130	-33.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	273.7475	-54.97	peak	-7.91	-62.88	-13.00	150	245	-49.88	
*	301.0020	-57.25	peak	-5.47	-62.72	-13.00	150	110	-49.72	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1895.792	-51.36	peak	2.57	-48.79	-13.00	150	160	-35.79	
*	2424.850	-46.79	peak	5.55	-41.24	-13.00	150	245	-28.24	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2424.850	-43.04	peak	7.11	-35.93	-13.00	150	305	-22.93	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-50.69	peak	8.53	-42.16	-13.00	150	330	-29.16	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND5-QPSK-10M-1RB-CH20525

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.3988	-93.82	peak	23.78	-70.04	-13.00	150	305	-57.04	
*	179.8998	-83.33	peak	23.67	-59.66	-13.00	150	95	-46.66	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	51.8035	-83.22	peak	23.51	-59.71	-13.00	150	220	-46.71	
	178.1964	-87.13	peak	24.62	-62.51	-13.00	150	130	-49.51	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	746.6934	-41.53	peak	-2.38	-43.91	-13.00	150	205	-30.91	
	955.1102	-46.10	peak	-0.86	-46.96	-13.00	150	160	-33.96	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0020	-55.61	peak	-5.47	-61.08	-13.00	150	330	-48.08	
	745.0902	-59.94	peak	-1.45	-61.39	-13.00	150	95	-48.39	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2424.850	-47.10	peak	5.55	-41.55	-13.00	150	160	-28.55	
*	2448.898	-45.43	peak	5.68	-39.75	-13.00	150	220	-26.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1889.780	-51.19	peak	3.90	-47.29	-13.00	150	245	-34.29	
*	2424.850	-47.03	peak	7.11	-39.92	-13.00	150	160	-26.92	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-1.4M-1RB-CH23095

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	83.4870	-93.49	peak	23.52	-69.97	-13.00	150	160	-56.97	
*	178.1964	-82.55	peak	23.66	-58.89	-13.00	150	205	-45.89	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-83.70	peak	23.28	-60.42	-13.00	150	245	-47.42	
	178.1964	-86.99	peak	24.62	-62.37	-13.00	150	195	-49.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	740.2806	-50.73	peak	-2.11	-52.84	-13.00	150	220	-39.84	
*	955.1102	-45.67	peak	-0.86	-46.53	-13.00	150	130	-33.53	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	296.1923	-56.88	peak	-5.81	-62.69	-13.00	150	95	-49.69	
	360.3206	-59.50	peak	-7.17	-66.67	-13.00	150	330	-53.67	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2424.850	-46.89	peak	5.55	-41.34	-13.00	150	175	-28.34	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2424.850	-46.65	peak	7.11	-39.54	-13.00	150	20	-26.54	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-51.28	peak	7.82	-43.46	-13.00	150	300	-30.46	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-50.91	peak	8.59	-42.32	-13.00	150	110	-29.32	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND12-QPSK-10M-1RB-CH23095

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	83.4870	-93.61	peak	23.52	-70.09	-13.00	150	245	-57.09	
*	170.3607	-84.09	peak	23.59	-60.50	-13.00	150	160	-47.50	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.7154	-83.75	peak	23.34	-60.41	-13.00	150	145	-47.41	
	181.6032	-88.23	peak	24.59	-63.64	-13.00	150	55	-50.64	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-36.28	peak	-1.64	-37.92	-13.00	150	330	-24.92	
	955.1102	-45.54	peak	-0.86	-46.40	-13.00	150	160	-33.40	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-55.37	peak	-5.50	-60.87	-13.00	150	195	-47.87	
	746.6934	-59.48	peak	-1.47	-60.95	-13.00	150	245	-47.95	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2424.850	-41.84	peak	5.55	-36.29	-13.00	150	220	-23.29	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2424.850	-41.95	peak	7.11	-34.84	-13.00	150	220	-21.84	
	2442.886	-43.96	peak	7.22	-36.74	-13.00	150	130	-23.74	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-50.44	peak	7.89	-42.55	-13.00	150	305	-29.55	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-5M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-93.58	peak	23.39	-70.19	-13.00	150	160	-57.19	
*	170.3607	-83.35	peak	23.59	-59.76	-13.00	150	245	-46.76	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-84.29	peak	23.26	-61.03	-13.00	150	245	-48.03	
	178.1964	-87.82	peak	24.62	-63.20	-13.00	150	110	-50.20	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	730.6613	-38.29	peak	-1.71	-40.00	-13.00	150	330	-27.00	
	955.1102	-45.61	peak	-0.86	-46.47	-13.00	150	160	-33.47	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-56.27	peak	-5.50	-61.77	-13.00	150	220	-48.77	
	746.6934	-64.61	peak	-1.47	-66.08	-13.00	150	195	-53.08	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1889.780	-51.90	peak	2.53	-49.37	-13.00	150	220	-36.37	
*	2424.850	-46.94	peak	5.55	-41.39	-13.00	150	130	-28.39	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1895.792	-51.29	peak	3.93	-47.36	-13.00	150	245	-34.36	
*	2424.850	-47.44	peak	7.11	-40.33	-13.00	150	160	-27.33	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22/24/27 Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: BAND13-QPSK-10M-1RB-CH23230

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	173.8477	42.72	peak	-10.29	32.43	43.50	100	70	-11.07	
	228.2766	34.51	peak	-8.64	25.87	46.00	100	135	-20.13	
	341.0220	33.42	peak	-4.77	28.65	46.00	100	60	-17.35	
	914.4690	28.69	peak	5.11	33.80	46.00	100	360	-12.20	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	40.08	peak	-10.29	29.79	43.50	100	325	-13.71	
	465.4310	33.30	peak	-2.78	30.52	46.00	100	40	-15.48	
	572.3447	37.11	peak	-1.16	35.95	46.00	100	180	-10.05	
*	910.5812	31.43	peak	5.05	36.48	46.00	100	265	-9.52	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2388.778	45.20	peak	-4.21	40.99	74.00	150	75	-33.01	
*	7340.681	42.04	peak	5.74	47.78	74.00	150	110	-26.22	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4352.705	42.58	peak	0.78	43.36	74.00	150	315	-30.64	
*	7579.158	42.35	peak	6.05	48.40	74.00	150	60	-25.60	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 850 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 850 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 850 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 850 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 850 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 850 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	171.9038	42.43	peak	-10.13	32.30	43.50	100	55	-11.20	
	342.9660	33.19	peak	-4.73	28.46	46.00	100	200	-17.54	
	403.2265	32.10	peak	-3.22	28.88	46.00	100	180	-17.12	
	568.4568	31.68	peak	-1.17	30.51	46.00	100	325	-15.49	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	162.1844	34.33	peak	-8.89	25.44	43.50	100	170	-18.06	
	403.2265	29.13	peak	-3.22	25.91	46.00	100	255	-20.09	
	556.7936	31.00	peak	-1.16	29.84	46.00	100	35	-16.16	
*	823.1062	29.03	peak	3.19	32.22	46.00	100	10	-13.78	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2402.806	44.95	peak	-4.13	40.82	74.00	150	170	-33.18	
*	7452.906	41.69	peak	5.97	47.66	74.00	150	330	-26.34	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4142.284	42.81	peak	0.67	43.48	74.00	150	360	-30.52	
*	7326.653	42.26	peak	5.66	47.92	74.00	150	155	-26.08	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 1900 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 1900 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: GSM 1900 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: GSM 1900 Idle


Note:

M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	171.9038	37.68	peak	-10.13	27.55	43.50	100	80	-15.95	
	307.9760	30.92	peak	-5.39	25.53	46.00	100	175	-20.47	
	403.2265	32.35	peak	-3.22	29.13	46.00	100	90	-16.87	
*	826.9940	28.59	peak	3.29	31.88	46.00	100	250	-14.12	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	171.9038	35.80	peak	-10.13	25.67	43.50	100	110	-17.83	
	479.0381	30.47	peak	-2.52	27.95	46.00	100	285	-18.05	
	556.7936	32.32	peak	-1.16	31.16	46.00	100	75	-14.84	
*	896.9740	28.84	peak	4.82	33.66	46.00	100	40	-12.34	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	42.13	peak	-0.63	41.50	74.00	150	85	-32.50	
*	7340.681	42.05	peak	5.74	47.79	74.00	150	165	-26.21	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3707.415	41.51	peak	-1.01	40.50	74.00	150	215	-33.50	
*	7340.681	41.99	peak	5.74	47.73	74.00	150	90	-26.27	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


Test Mode: WCDMA Band 2 Idle

Note:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


Test Mode: WCDMA Band 2 Idle

Note:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	l
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: WCDMA Band 2 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	171.9038	38.94	peak	-10.13	28.81	43.50	100	155	-14.69	
	422.6653	31.99	peak	-3.24	28.75	46.00	100	30	-17.25	
	652.0440	28.83	peak	0.37	29.20	46.00	100	240	-16.80	
*	937.7956	27.84	peak	5.49	33.33	46.00	100	245	-12.67	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	169.9600	34.59	peak	-9.96	24.63	43.50	100	320	-18.87	
	438.2164	29.40	peak	-3.16	26.24	46.00	100	45	-19.76	
	556.7936	30.00	peak	-1.16	28.84	46.00	100	175	-17.16	
*	852.2645	28.68	peak	3.93	32.61	46.00	100	60	-13.39	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2388.778	44.10	peak	-4.21	39.89	74.00	150	325	-34.11	
*	7130.261	42.09	peak	5.30	47.39	74.00	150	180	-26.61	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4142.284	42.56	peak	0.67	43.23	74.00	150	235	-30.77	
*	7004.008	42.37	peak	5.45	47.82	74.00	150	50	-26.18	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	l
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: WCDMA Band 5 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: WCDMA Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: WCDMA Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: WCDMA Band 5 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	38.27	peak	-10.29	27.98	43.50	100	80	-15.52	
	403.2265	31.11	peak	-3.22	27.89	46.00	100	45	-18.11	
	648.1563	28.92	peak	0.30	29.22	46.00	100	170	-16.78	
*	931.9640	29.09	peak	5.40	34.49	46.00	100	290	-11.51	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	168.0160	34.93	peak	-9.70	25.23	43.50	100	110	-18.27	
	376.0120	28.56	peak	-3.86	24.70	46.00	100	235	-21.30	
	556.7936	32.54	peak	-1.16	31.38	46.00	100	90	-14.62	
*	900.8617	28.71	peak	4.89	33.60	46.00	100	15	-12.40	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2388.778	45.04	peak	-4.21	40.83	74.00	150	85	-33.17	
*	7565.130	41.75	peak	6.02	47.77	74.00	150	190	-26.23	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4128.257	42.24	peak	0.55	42.79	74.00	150	140	-31.21	
*	7144.288	41.94	peak	5.31	47.25	74.00	150	85	-26.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: LTE Band 2 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 2 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 4 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	38.82	peak	-10.29	28.53	43.50	100	100	-14.97	
	403.2265	31.52	peak	-3.22	28.30	46.00	100	255	-17.70	
	700.6413	28.81	peak	0.86	29.67	46.00	100	80	-16.33	
*	931.9640	28.66	peak	5.40	34.06	46.00	100	310	-11.94	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 4 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	34.78	peak	-10.29	24.49	43.50	100	345	-19.01	
	387.6754	28.14	peak	-3.54	24.60	46.00	100	0	-21.40	
	556.7936	29.43	peak	-1.16	28.27	46.00	100	170	-17.73	
*	667.5952	29.12	peak	0.53	29.65	46.00	100	55	-16.35	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 4 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2725.451	44.73	peak	-3.84	40.89	74.00	150	275	-33.11	
*	7775.551	41.45	peak	6.29	47.74	74.00	150	180	-26.26	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 4 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4268.537	41.97	peak	1.03	43.00	74.00	150	45	-31.00	
*	7326.653	42.18	peak	5.66	47.84	74.00	150	20	-26.16	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 4 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: LTE Band 4 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: LTE Band 4 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 4 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 4 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 4 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	38.09	peak	-10.29	27.80	43.50	100	210	-15.70	
	403.2265	31.44	peak	-3.22	28.22	46.00	100	65	-17.78	
	640.3808	28.59	peak	0.08	28.67	46.00	100	20	-17.33	
*	896.9740	28.47	peak	4.82	33.29	46.00	100	190	-12.71	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	35.29	peak	-10.29	25.00	43.50	100	150	-18.50	
	479.0381	30.29	peak	-2.52	27.77	46.00	100	360	-18.23	
	556.7936	32.95	peak	-1.16	31.79	46.00	100	5	-14.21	
*	801.7234	29.37	peak	2.63	32.00	46.00	100	95	-14.00	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2529.058	43.14	peak	-3.62	39.52	74.00	150	340	-34.48	
*	6302.605	40.89	peak	4.25	45.14	74.00	150	225	-28.86	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4352.705	42.45	peak	0.78	43.23	74.00	150	100	-30.77	
*	7565.130	42.20	peak	6.02	48.22	74.00	150	5	-25.78	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	l
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 5 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 12 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	37.74	peak	-10.29	27.45	43.50	100	20	-16.05	
	306.0321	30.67	peak	-5.43	25.24	46.00	100	140	-20.76	
	422.6653	31.90	peak	-3.24	28.66	46.00	100	325	-17.34	
*	885.3106	28.47	peak	4.59	33.06	46.00	100	75	-12.94	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 12 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	171.9038	34.90	peak	-10.13	24.77	43.50	100	95	-18.73	
	479.0381	31.84	peak	-2.52	29.32	46.00	100	315	-16.68	
	556.7936	34.10	peak	-1.16	32.94	46.00	100	20	-13.06	
*	949.4590	28.76	peak	5.68	34.44	46.00	100	170	-11.56	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 12 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3146.293	42.73	peak	-2.86	39.87	74.00	150	65	-34.13	
*	7551.102	42.17	peak	5.99	48.16	74.00	150	110	-25.84	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 12 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3819.639	42.59	peak	-0.58	42.01	74.00	150	10	-31.99	
*	7509.018	41.73	peak	5.90	47.63	74.00	150	335	-26.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 12 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: LTE Band 12 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: LTE Band 12 Idle

Note:


M/N:

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 12 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 12 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 12 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	171.9038	37.83	peak	-10.13	27.70	43.50	100	225	-15.80	
	311.8637	31.01	peak	-5.31	25.70	46.00	100	180	-20.30	
	422.6653	32.21	peak	-3.24	28.97	46.00	100	60	-17.03	
*	850.3206	29.09	peak	3.90	32.99	46.00	100	5	-13.01	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	171.9038	35.68	peak	-10.13	25.55	43.50	100	110	-17.95	
	479.0381	31.23	peak	-2.52	28.71	46.00	100	315	-17.29	
	556.7936	33.32	peak	-1.16	32.16	46.00	100	20	-13.84	
*	898.9178	28.38	peak	4.86	33.24	46.00	100	65	-12.76	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	42.90	peak	-0.63	42.27	74.00	150	200	-31.73	
*	7509.018	43.01	peak	5.90	48.91	74.00	150	105	-25.09	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3959.920	41.61	peak	-0.08	41.53	74.00	150	75	-32.47	
*	7228.457	42.32	peak	5.41	47.73	74.00	150	280	-26.27	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

EUT: W6M21903-18857 Power: 120 Va.c.

Test Mode: LTE Band 13 Idle

Note:


M/N:

I	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Distance: 3m



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 13 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

EUT: W6M21903-18857 Power: 120 Va.c.


M/N: Distance: 3m

Test Mode: LTE Band 13 Idle

Mk.	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: LTE Band 13 Idle

Mk.	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	