















Test Mode :	TX N-20M Mode_ANT 1

Report No.: BTL-FCCP-1-1807T018





TX N-20M mode CH01



TX N-20M mode CH11



Report No.: BTL-FCCP-1-1807T018 Page 136 of 180














Report No.: BTL-FCCP-1-1807T018 Page 138 of 180












t Mode : TX	N-20M Mode_ANT 2	

Report No.: BTL-FCCP-1-1807T018






TX N-20M mode CH01




TX N-20M mode CH11



Report No.: BTL-FCCP-1-1807T018 Page 141 of 180



















Report No.: BTL-FCCP-1-1807T018 Page 144 of 180





Test Mode : TX	N-40M Mode_ANT 1

Report No.: BTL-FCCP-1-1807T018





TX N-40M mode CH03



TX N-40M mode CH09



Report No.: BTL-FCCP-1-1807T018 Page 146 of 180
























Report No.: BTL-FCCP-1-1807T018





TX N-40M mode CH03



TX N-40M mode CH09



Report No.: BTL-FCCP-1-1807T018 Page 151 of 180







Report No.: BTL-FCCP-1-1807T018 Page 152 of 180








Report No.: BTL-FCCP-1-1807T018 Page 153 of 180











ATTACHMENT	H - POWER	SPECTRAL	DENSITY

Report No.: BTL-FCCP-1-1807T018 Page 155 of 180





Test Mode :TX B Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	2.00	1.58	8.00	Complies
2437	3.07	2.03	8.00	Complies
2462	1.09	1.29	8.00	Complies

TX CH01



Report No.: BTL-FCCP-1-1807T018 Page 156 of 180





TX CH06



TX CH11



Report No.: BTL-FCCP-1-1807T018 Page 157 of 180





Test Mode :TX B Mode_CH01/06/11_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.19	0.08	8.00	Complies
2437	-10.71	0.08	8.00	Complies
2462	-8.00	0.16	8.00	Complies

TX CH01



Report No.: BTL-FCCP-1-1807T018 Page 158 of 180





TX CH06



TX CH11



Report No.: BTL-FCCP-1-1807T018 Page 159 of 180





Test Mode :TX B Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	2.20	1.66	8.00	Complies
2437	3.25	2.11	8.00	Complies
2462	1.59	1.44	8.00	Complies

Report No.: BTL-FCCP-1-1807T018 Page 160 of 180






Test Mode :TX G Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-14.66	0.03	8.00	Complies
2437	-10.13	0.10	8.00	Complies
2462	-12.96	0.05	8.00	Complies

TX CH01




Report No.: BTL-FCCP-1-1807T018 Page 161 of 180






TX CH06



TX CH11



Report No.: BTL-FCCP-1-1807T018 Page 162 of 180






Test Mode :TX G Mode_CH01/06/11_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-15.40	0.03	8.00	Complies
2437	-11.36	0.07	8.00	Complies
2462	-12.99	0.05	8.00	Complies

TX CH01




Report No.: BTL-FCCP-1-1807T018 Page 163 of 180






TX CH06



TX CH11



Report No.: BTL-FCCP-1-1807T018 Page 164 of 180





Test Mode :TX G Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-12.00	0.06	8.00	Complies
2437	-7.69	0.17	8.00	Complies
2462	-9.96	0.10	8.00	Complies

Report No.: BTL-FCCP-1-1807T018 Page 165 of 180






Test Mode: TX N-20M Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-14.97	0.03	8.00	Complies
2437	-10.79	0.08	8.00	Complies
2462	-14.59	0.03	8.00	Complies

TX CH01




Report No.: BTL-FCCP-1-1807T018 Page 166 of 180





TX CH06



TX CH11



Report No.: BTL-FCCP-1-1807T018 Page 167 of 180






Test Mode: TX N-20M Mode_CH01/06/11_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-14.89	0.03	8.00	Complies
2437	-11.54	0.07	8.00	Complies
2462	-13.61	0.04	8.00	Complies

TX CH01




Report No.: BTL-FCCP-1-1807T018 Page 168 of 180






TX CH06



TX CH11



Report No.: BTL-FCCP-1-1807T018 Page 169 of 180





Test Mode : TX N-20M Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.92	0.06	8.00	Complies
2437	-8.14	0.15	8.00	Complies
2462	-11.06	0.08	8.00	Complies

Report No.: BTL-FCCP-1-1807T018 Page 170 of 180






Test Mode: TX N-40M Mode_CH03/06/09_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-20.48	0.01	8.00	Complies
2437	-15.39	0.03	8.00	Complies
2452	-17.91	0.02	8.00	Complies

TX CH03




Report No.: BTL-FCCP-1-1807T018 Page 171 of 180






TX CH06



TX CH09



Report No.: BTL-FCCP-1-1807T018 Page 172 of 180






Test Mode: TX N-40M Mode_CH03/06/09_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-20.45	0.01	8.00	Complies
2437	-14.98	0.03	8.00	Complies
2452	-18.67	0.01	8.00	Complies

TX CH03




Report No.: BTL-FCCP-1-1807T018 Page 173 of 180






TX CH06



TX CH09



Report No.: BTL-FCCP-1-1807T018 Page 174 of 180





Test Mode: TX N-40M Mode_CH03/06/09_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-17.45	0.02	8.00	Complies
2437	-12.17	0.06	8.00	Complies
2452	-15.26	0.03	8.00	Complies

Report No.: BTL-FCCP-1-1807T018 Page 175 of 180





APPENDIX – VERIFY DATA

Report No.: BTL-FCCP-1-1807T018 Page 176 of 180





Vertical 120.0 dBuV/m 110 100 90 80 70 3 X 60 50 40 30 20 10 0.0 2352.000 2372.00 2552.00 MHz 2392.00 2412.00 2432.00 2452.00 2472.00 2492.00 2512.00


No.	MŁ	c. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	Χ	2452.000	72.51	31.20	103.71	74.00	29.71	peak	No Limit
2	*	2452.000	63.92	31.20	95.12	54.00	41.12	AVG	No Limit
3		2483.500	35.41	31.31	66.72	74.00	-7.28	peak	
4		2483.500	20.96	31.31	52.27	54.00	-1.73	AVG	

Report No.: BTL-FCCP-1-1807T018 Page 177 of 180





Vertical




	No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
			MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
	1		4904.000	60.09	-11.34	48.75	74.00	-25.25	peak	
	2		4904.000	49.51	-11.34	38.17	54.00	-15.83	AVG	
-	3		9808.000	54.44	1.27	55.71	74.00	-18.29	peak	
	4	*	9808.000	48.12	1.27	49.39	54.00	-4.61	AVG	

Report No.: BTL-FCCP-1-1807T018 Page 178 of 180





Horizontal




	No.	M	k. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
			MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
	1	Χ	2452.000	71.21	31.20	102.41	74.00	28.41	peak	No Limit	
	2	*	2452.000	62.69	31.20	93.89	54.00	39.89	AVG	No Limit	
-	3		2483.623	32.16	31.31	63.47	74.00	-10.53	peak		
	4		2483.623	18.03	31.31	49.34	54.00	-4.66	AVG		

Report No.: BTL-FCCP-1-1807T018 Page 179 of 180





Horizontal



	No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
			MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
-	1		4904.000	64.23	-11.34	52.89	74.00	-21.11	peak		
-	2		4904.000	51.59	-11.34	40.25	54.00	-13.75	AVG		
	3		9808.000	53.97	1.27	55.24	74.00	-18.76	peak		
	4	*	9808.000	45.18	1.27	46.45	54.00	-7.55	AVG		

Report No.: BTL-FCCP-1-1807T018 Page 180 of 180