

DUETECH

ELECTROMAGNETIC EMISSION COMPLIANCE REPORT FOR LOW-POWER, NON-LICENSED TRANSMITTER

Test Report No. : W17DR-D030

AGR No. : A17NA-396

Applicant : LG Innotek Co., Ltd.

Address : 26, Hanamsandan 5beon-ro Gwangsan-gu, 506-731, Gwangju, South Korea

Manufacturer : SUZHOU NIHONE Electronics Technology Co., LTD.

Address : No.185 Xiao Xiang Road Suzhou High tech Zone

Type of Equipment : Electronic Shelf Label

FCC ID. : YZP-REBETZ42B2

Model Name : REBE-TZ42B

Multiple Model Name: REBE-MZ42B

Serial number : N/A

Total page of Report : 6 pages (including this page)

Date of Incoming: November 28, 2017

Date of issue : December 15, 2017

SUMMARY

The equipment complies with the regulation; FCC PART 15 SUBPART C Section 15.247

This test report only contains the result of a single test of the sample supplied for the examination.

It is not a generally valid assessment of the features of the respective products of the mass-production.

Reviewed by

Ki-Hong, Nam / Asst, Chief Engineer ONETECH Corp.

Approved by:

Keun-Young, Choi / Vice President

Report No.: W17DR-D030

ONETECH Corp.





CONTENTS

	IAGE
1. VERIFICATION OF COMPLIANCE	4
2. GENERAL INFORMATION	5
2.1 PRODUCT DESCRIPTION	5
2.2 ALTERNATIVE TYPE(S)/MODEL(S); ALSO COVERED BY THIS TEST REPORT.	5
3. EUT MODIFICATIONS	5
4. MAXIMUM PERMISSIBLE EXPOSURE	6
4.1 RF Exposure Limit	6
4.2 EUT DESCRIPTION	<i>.</i>
4.3 TEST RESULT	<i>6</i>

Report No.: W17DR-D030



DUETECH

REVISION HISTORY

Issued Report No.	Issued Date	Revisions	Effect Section
W17DR-D030	December 15, 2017	Initial Issue	All

Report No.: W17DR-D030



Page 4 of 6 Report No.: W17DR-D030

1. VERIFICATION OF COMPLIANCE

Applicant : LG Innotek Co., Ltd.

Address : 26, Hanamsandan 5beon-ro Gwangsan-gu, 506-731, Gwangju, South Korea

Contact Person : Jeong, Inchang / Director

Telephone No. : +86-62-950-0332

FCC ID : YZP-REBETZ42B2

Model Name : REBE-TZ42B

Serial Number : N/A

Date : December 15, 2017

EQUIPMENT CLASS	DTS – DIGITAL TRNSMISSION SYSTEM		
E.U.T. DESCRIPTION	Electronic Shelf Label		
THIS REPORT CONCERNS	Original Grant		
MEASUREMENT PROCEDURES	ANSI C63.10: 2013		
TYPE OF EQUIPMENT TESTED	Pre-Production		
KIND OF EQUIPMENT			
AUTHORIZATION REQUESTED	Certification		
EQUIPMENT WILL BE OPERATED	FOG DART 15 GURDART OF CALL 15 247		
UNDER FCC RULES PART(S)	FCC PART 15 SUBPART C Section 15.247		
Modifications on the Equipment to Achieve	Name -		
Compliance	None		
Final Test was Conducted On	3 m, Semi Anechoic Chamber		

^{-.} The above equipment was tested by ONETECH Corp. for compliance with the requirement set forth in the FCC Rules and Regulations. This said equipment in the configuration described in this report, shows the maximum emission levels emanating from equipment are within the compliance requirements.





2. GENERAL INFORMATION

2.1 Product Description

The LG Innotek Co., Ltd., Model REBE-TZ42B (referred to as the EUT in this report) is a Electronic Shelf Label. The product specification described herein was obtained from product data sheet or user's manual.

Device Type	Electronic Shelf Label			
Temperature Range	0 °C ~ +40 °C			
Operating Frequency	2 405 MHz ~ 2 480 MHz			
RF Output Power	5.15 dBm			
Number of Channel	16 Channel			
Modulation Type	O-QPSK			
Antenna Type	PCB Pattern Antenna			
Antenna Gain	0.28 dBi			
List of each Osc. or crystal				
Freq.(Freq. >= 1 MHz)	16 MHz			
RATED SUPPLY VOLTAGE	3.0 V Battery			

2.2 Alternative type(s)/model(s); also covered by this test report.

-. The following lists consist of the added model and their differences.

Model Name	Differences			
REBE-TZ42B	Basic Model.	M		
	(DISPLAY: COLOR)	V		
REBE-MZ42B	These models are identical to basic model except for the DISPLAY.			
KEDE-WIZ-42D	(DISPLAY: MONO)			

Note: 1. Applicant consigns only basic model to test. Therefore this test report just guarantees the units, which have been tested.

2. The Applicant/manufacturer is responsible for the compliance of all variants.

3. EUT MODIFICATIONS

-. None

Report No.: W17DR-D030



Page 6 of 6 Report No.: W17DR-D030

4. MAXIMUM PERMISSIBLE EXPOSURE

4.1 RF Exposure Limit

According to the FCC rule 1.1310, the limit for General Population/Uncontrolled exposure is 1 mW/cm^2 for the device operating $1500 \sim 100000 \text{ MHz}$.

4.2 EUT Description

4.2 EUT Description					
Kind of EUT	Electronic Shelf Label				
	☐ Wireless Microphone: 494.000 MHz ~ 501.000 MHz				
	and 498.200 MHz ~ 505.200 MHz				
	□ WLAN: 2 412 MHz ~ 2 462 MHz				
Operating Frequency Band	□ WLAN: 5 180 MHz ~ 5 320 MHz / 5 500 MHz ~ 5 700 MHz				
	□ WLAN: 5 745 MHz ~ 5 825 MHz				
	☐ Bluetooth: 2 402 MHz ~ 2 480 MHz				
	■ Zigbee: 2 405 MHz ~ 2 480 MHz				
	☐ Portable (< 20 cm separation)				
Device Category	☐ Mobile (> 20 cm separation)				
	■ Others				
Max. Output Power	5.15 dBm				
Used Antenna	PCB Pattern Antenna				
Used Antenna Gain	0.28 dBi				
	■ MPE				
Exposure Evaluation Applied	□ SAR				
	□ N/A				

4.3 Test Result

According to above equation, the following result was obtained.

Operating Mode	Target Power W/tolerance	Max tune up power		Antenna Gain		Safe Distance	Power Density (mW/cm²) @ 20 cm	Limit (mW/cm²)
	(dBm)	(dBm)	(mW)	Log	Linear	(cm)	Separation	
Zigbee	5.15 ± 0.50	5.65	3.67	0.28	1.07	0.56	0.000 8	1.00

Tested by: Tae-Ho, Kim / Manager