承認書

SPECIFICATION FOR APPROVAL

■樣品承認□新品承認□規格/材質變更承認

客戶名稱(Customer):	東荃科技股份有限公司			
客戶料號(Customer P/N):	5060-A137CC+460			
產品料號(Product No.):	A8-A006-00522			
產品品名(Product Name):	PCB 2.4GHz~2.5GHz/5.15~5.85GHz 3dBi/4.5dBi 31mmx17mm T0.8 black OD1.13 normal 65mm I-PEX plug			
文件編號(Approved No):				
日期(Issued Date):	2018 年 12	月 21 日		
	In Charge	Checked	Approval	
客戶承認簽章 Customer Approval Signature				

■■SKY 天凱科技股份有限公司TSKY CO., LTD.

新竹縣竹北市自強南路8號21F-2 Tel:03-5502626 Fax:03-5503131 21F-2,No.8,Ziqiang S.Rd., Jhubei City, Hsinchu County 30264,Taiwan (R.O.C.)

業務	核准	審核	主辨員



Contents

Item	Description	Page
1.	Cover	1
2.	Contents	2
3.	Specification	3
4.	Drawing	4
5.	Test Report	5~15
6.	SGS	16~158



Specification

Electrical Properties :

1. Frequency: 2.4GHz~2.5GHz/5.15~5.85GHz

2. Impedance : 50Ω

3. Return Loss : \leq -10dB

4. Peak Gain: 3dBi / 4.5dBi


Physical Properties :

1. Material: FR-4 T=0.8mm

2. Cable: OD1.13 NORMAL

3. Connector: I-PEX







Test Report

TECHNICAL DEVELOPMENT ZONE, JIANG SU)

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 1 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC &

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 南亞塑膠工業股份有限公司 (NAN YA PLASTICS CORPORATION)

樣品名稱(Sample Description) LAMINATE (UL E98983) 樣品型號(Style/Item No.) NP-140R/NP-140TL

買主/訂單號碼(Buyer/Order No.) 7A10213 收件日期(Sample Receiving Date) 2017/12/04

測試期間(Testing Period) 2017/12/04 TO 2017/12/13

測試需求(Test Requested):

- (1) 依據客戶指定,參考RoHS2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

結論(Conclusion) (1) 根據客戶所提供的樣品,其鐍、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的 測試結果符合RoHS指令暨(EU) 2015/863之限值要求. (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS and amending Directive (EU) 2015/863.)



ocument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://ww Inis document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sg.com/en/Tems-and-Conditions.aspx. Attention is and, for electronic Doraments, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sg.com/en/Tems-and-Conditions/Ferm



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 2 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試結果(Test Results)

測試部位(PART NAME)No.1 : 銅色板子 (COPPER COLORED SHEET)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
鎬 / Cadmium (Cd)		参考IEC 62321-5 (2013),以感應耦合電漿 原子發射光譜儀檢測. / With reference	2	n. d.	100
鉛 / Lead (Pb)	mg/kg	to IEC 62321-5 (2013) and performed by ICP-AES.	2	4. 47	1000
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4 (2013),以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321-7-2 (2017),以UV-VIS檢 測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.	8	n. d.	1000
鈹 / Beryllium (Be)	mg/kg	參考US EPA 3052 (1996),以感應耦合電漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n. d.	-
氧化鈹 / Beryllium oxide (BeO)***	mg/kg	参考US EPA 3052 (1996),以感應耦合電漿原子發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.***	-	n. d.	-
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	参考IEC 62321 (2008),以氣相層析/質譜 儀檢測. / With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 3 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值	結果 (Result)	限值 (Limit)
	(unit)	(method)	(MDL)	No. 1	(Dimit)
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	_	Negative	_
砷 / Arsenic (As) (※2)	mg/kg	参考SGS內部方法RSTS-EE-SVHC-007,以感應耦合電漿原子發射光譜儀檢測. / SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES.	50	n. d.	-
五氧化二砷 / Diarsenic pentaoxide*** (CAS No.: 1303-28-2)	mg/kg	参考SGS內部方法RSTS-EE-SVHC-007,以感 應耦合電漿原子發射光譜儀檢測./ SGS	-	n. d.	_
三氧化二砷 / Diarsenic trioxide*** (CAS No.: 1327-53-3)	mg/kg	In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES.***	_	n. d.	-
硼 / Boron (B) (※2)	mg/kg	參考SGS內部方法RSTS-EE-SVHC-007,以感應耦合電漿原子發射光譜儀檢測. / SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES.	50	n. d.	-
硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1)	mg/kg	参考SGS內部方法RSTS-EE-SVHC-007,以感 應耦合電漿原子發射光譜儀檢測./ SGS	-	n. d.	_
無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	mg/kg	In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES.***	_	n. d.	-
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267- 73-1) (*2)	mg/kg	參考SGS內部方法RSTS-EE-SVHC-007,以感應耦合電漿原子發射光譜儀檢測. / SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES.	_	n. d.	-
三丁基錫 / Tributyl Tin (TBT)	mg/kg	參考ISO 17353 (2004),以氣相層析儀/火	0.03	n. d.	-
三苯基錫 / Triphenyl Tin (TphT)		焰光度偵測器檢測. / With reference to	0.03	n. d.	_
二丁基錫 / Dibutyl Tin (DBT)	mg/kg	ISO 17353 (2004). Analysis was	0.03	n. d.	-
二辛基錫 / Dioctyl Tin (DOT)	mg/kg	performed by GC/FPD.	0.03	n. d.	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 4 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN)

(南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C (2007),以液相層析/質 譜儀檢測. / With reference to US EPA	10	n. d.	-
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	3550C (2007). Analysis was performed by LC/MS.	10	n. d.	-
2-[2-羟基-3',5'-二-叔-丁基苯基]-苯並三唑 (紫外線吸收劑320) / 2-benzotriazo1-2-y1- 4,6-di-tert-buty1pheno1 (UV-320) (CAS No.: 3846-71-7)	mg/kg	參考US EPA 3550C (2007),以氣相層析/質 譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n. d.	1
二氯化鈷 / Cobalt dichloride (CAS No.: 7646-79-9)	mg/kg	參考SGS內部方法RSTS-EE-SVHC-007,以感應耦合電漿原子發射光譜儀檢測. / SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES.	50	n. d.	-
多氯聯苯 / Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg		0.5	n. d.	-
多氣奈 / Polychlorinated Naphthalene (PCNs)	mg/kg	參考US EPA 3550C (2007),以氣相層析/質	5	n. d.	_
多氣三聯苯 / Polychlorinated Terphenyls (PCTs)	mg/kg	譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed	0. 5	n. d.	-
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	by GC/MS.	100	n. d.	-
双(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No.: 111-96-6)	mg/kg	參考US EPA 3550C (2007),以氣相層析/質	10	n. d.	-
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC) (CAS No.: 127-19-5)	mg/kg	譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed	10	n. d.	-
乙二醇二甲醚 / Ethylene glycol dimethyl ether (EGDME) (CAS No.: 110-71-4)	mg/kg	by GC/MS.	10	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 5 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.	_
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.	-
へ溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg	參考IEC 62321-6 (2015),以氣相層析/質譜儀檢	5	n. d.	_
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	測. / With reference to IEC 62321-6 (2015) and performed by GC/MS.	_	n. d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	and periormed by 60/mo.	5	n. d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.	_
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.	_
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.	-
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.	-
富馬酸二甲酯 / Dimethyl Fumarate (CAS No.: 624-49-7)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀 檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0. 1	n. d.	-
磷酸三(2-氯乙基)酯 / Tris (2- chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 6 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
磷酸三(1-氣-2-丙基)酯 / Tris(1-chloro- 2-propyl) phosphate (TCPP) (CAS No.: 13674-84-5)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀 檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n. d.	-
磷酸三(1,3-二氯異丙基)酯 / Tris(1,3-dichloro-2-propyl)phosphate (TDCPP) (CAS No.: 13674-87-8)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n. d.	1
磷酸三(二甲苯)酯 / Trixylyl phosphate (TXP) (CAS No.: 25155-23-1)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀 檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	25	n. d.	-
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No.: 140-66-9)	mg/kg	参考US EPA 3550C (2007),以液相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n. d.	ı
石綿 / Asbestos					
陽起石綿 / Actinolite (CAS No.: 77536-66-4)	%		_	Negative	-
鐵石綿(褐石綿) / Amosite (CAS No.: 12172-73-5)	%	参考EPA 600/R-93/116 (1993) / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM)及X光繞	-	Negative	ı
斜方角閃石綿 / Anthophyllite (CAS No.: 77536-67-5)	%	射光譜分析法(XRD)/ With reference to EPA 600/R-93/116 (1993). Analysis was performed	_	Negative	_
溫石綿(白石綿) / Chrysotile (CAS No.: 12001-29-5)	%	by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-	-	Negative	-
青石綿 / Crocidolite (CAS No.: 12001-28-4)	%	PLM) and X-ray Diffraction Spectrometer (XRD).	-	Negative	-
透閃石綿 / Tremolite (CAS No.: 77536-68-6)	%		-	Negative	-
過氣酸鹽 / Perchlorate (CAS No.: 14797-73-0)	mg/kg	以離子層析儀檢測. / Analysis was performed by IC.	0.006	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 7 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	限值 (Limit)
偶氮 (AZO)			(===)	No. 1	
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
2): 聯苯胺 / BENZIDINE (CAS No.: 92-87-5)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
3): 4-氣鄰甲苯胺 / 4-CHLORO-O- TOLUIDINE (CAS No.: 95-69-2)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
5): 鄰氨基二甲基偶氮 / 0- AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	_
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	_
7): 對氣苯胺 / P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 615-05-4)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101- 77-9)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 91-94-1)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 8 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 119-90-4)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	ı
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	I
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'-DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	I
14): 2-甲氧基-5-甲基聯苯 / P-CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	າວ	n. d.	ı
15): 4,4'-亞甲基雙 (氯苯胺) / 4,4'- METHYLENE-BIS- (2-CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	ı
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	ຕ	n. d.	ı
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 139-65-1)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
18): 鄰甲苯胺 / O-TOLUIDINE (CAS No.: 95-53-4)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 9 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 90-04-0)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	-
22): 對氨基偶氮苯 / 4-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	_
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 95-68-1)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	_
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 87-62-7)	mg/kg	参考LFGB 82.02-2 (2013),以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	_
氫氟碳化物 / HFCs (Hydrofluorocarbon)					
氫氟碳化物 (HFC)-23 (CHF3) (CAS No.: 75-46-7)	mg/kg		1	n. d.	_
氫氟碳化物 (HFC)-32 (CH2F2) (CAS No.: 75-10-5)	mg/kg		1	n. d.	_
氫氟碳化物 (HFC)-41 (CH3F) (CAS No.: 593-53-3)	mg/kg		1	n. d.	_
氫氟碳化物 (HFC)-43-10mee (C5H2F10)	mg/kg	多考US EPA 5021A (2014),以氣相層析/質譜儀	1	n. d.	-
氫氟碳化物 (HFC)-125 (C2HF5)	mg/kg	檢測. / With reference to US EPA 5021A	1	n. d.	_
氫氟碳化物 (HFC)-134 (C2H2F4)	mg/kg	(2014). Analysis was performed by GC/MS.	1	n. d.	-
氫氟碳化物(HFC)-134a(CH2FCF3)(CAS No.: 811-97-2)	mg/kg		1	n. d.	-
氫氟碳化物 (HFC)-143 (CH3F3)	mg/kg		1	n. d.	-
氫氟碳化物 (HFC)-143a (CH3F3)	mg/kg		1	n. d.	-
氫氟碳化物(HFC)-152a(C2H4F2)(CAS No.: 75-37-6)	mg/kg		1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 10 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
氫氟碳化物 (HFC)-227ea (C3HF7) (CAS No.: 431-89-0)	mg/kg		1	n. d.	-
氫氟碳化物(HFC)-236fa(C3H2F6)	mg/kg		1	n.d.	-
氫氟碳化物 (HFC)-236ea (C3H2F6) (CAS No.: 431-63-0)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A	1	n. d.	-
氫氟碳化物(HFC)-245ca(C3H3F5)	mg/kg	(2014). Analysis was performed by GC/MS.	1	n. d.	-
氫氟碳化物 (HFC)-245fa (C3H3F5)	mg/kg		1	n. d.	-
氫氟碳化物 (HFC)-365mfc (C4H5F5)	mg/kg		1	n. d.	-
全氟碳化物 / PFCs (Perfluorocarbon)					
四氟甲烷 / F14 (CAS No.: 75-73-0)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
六氟乙烷 / Fluorocarbon 116 (CAS No.: 76-16-4)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
八氟丙烷 / Freon 218 (CAS No.: 76-19-7)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
十氟丁烷 / Decafluorobutane (CAS No.: 355-25-9)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
八氟環丁烷 / Freon C318 (CAS No.: 115-25-3)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
全氟-1-丁烯 / Perfluor-1-butene (CAS No.: 357-26-6)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
全氟異丁烯 / perfluorisobutene (CAS No.: 382-21-8)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 11 of 39 **Test Report**

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
1,4-二氫八氟丁烷 / 1,4- dihydrooctafluorobutane (CAS No.: 377-36-6)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
2-全氟甲基丁烷 / nonafluor-2- (trifluoromethyl)butane (CAS No.: 594-91-2)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
全氟戊烷 / perfluoro-n-pentane (CAS No.: 678-26-2)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
2-全氟甲基戊烷 / 2-perfluoromethylpentane (CAS No.: 355-04-4)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
全氟己烷 / perfluorohexane (CAS No.: 355-42-0)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
氟氯碳化物 / CFCs (Chlorofluorocarbons)					
Group I					
氟氯碳化物 (Chlorofluorocarbon)-11 (CAS No.: 75-69-4)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-12 (CAS No.: 75-71-8)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-113 (CAS No.: 76-13-1)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
氟氯碳化物(Chlorofluorocarbon)-114 (CAS No.: 76-14-2)	mg/kg	(2011). American was performed by 60/mo.	1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-115 (CAS No.: 76-15-3)	mg/kg		1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 12 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
Group III					
氟氯碳化物 (Chlorofluorocarbon)-13 (CAS No.: 75-72-9)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-111 (CAS No.: 354-56-3)	mg/kg		1	n. d.	-
氟氯碳化物 (Chlorofluorocarbon)-112 (CAS No.: 76-12-0)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-211 (CAS No.: 422-78-6)	mg/kg		1	n. d.	-
氟氯碳化物 (Chlorofluorocarbon)-212 (CAS No.: 3182-26-1)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀	1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-213 (CAS No.: 2354-06-5)	mg/kg	檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-214 (CAS No.: 29255-31-0)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-215 (CAS No.: 4259-43-2)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-216 (CAS No.: 661-97-2)	mg/kg		1	n. d.	_
氟氯碳化物 (Chlorofluorocarbon)-217 (CAS No.: 422-86-6)	mg/kg		1	n. d.	_
氟氯氫碳化物 / HCFCs					
(Hydrochlorofluorocarbons)					
氟氯氫碳化物 (HCFC)-21 (CAS No.: 75-43-4)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A	1	n. d.	-
氟氯氫碳化物 (HCFC)-22 (CAS No.: 75-45-6)	mg/kg	微測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 13 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
氟氯氫碳化物 (HCFC)-31 (CAS No.: 593-70-4)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-121 (CAS No.: 354-14-3)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-122 (CAS No.: 354-21-2)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-123 (CAS No.: 306-83-2)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-124 (CAS No.: 2837-89-0)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-131 (CAS No.: 359-28-4)	mg/kg		1	n. d.	_
氟氯氫碳化物 (HCFC)-132b (CAS No.: 1649-08-7)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-133a (CAS No.: 75-88-7)	mg/kg	參考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A	1	n. d.	_
氟氯氫碳化物 (HCFC)-141b (CAS No.: 1717-00-6)	mg/kg	(2014). Analysis was performed by GC/MS.	1	n. d.	-
氟氯氫碳化物 (HCFC)-142b (CAS No.: 75-68-3)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-221 (CAS No.: 422-26-4)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-222 (CAS No.: 422-49-1)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-223 (CAS No.: 422-52-6)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-224 (CAS No.: 422-54-8)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-225ca (CAS No.: 422-56-0)	mg/kg		1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 14 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
氟氯氫碳化物 (HCFC)-225cb (CAS No.: 507-55-1)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-226 (CAS No.: 431-87-8)	mg/kg		1	n. d.	_
氟氯氫碳化物 (HCFC)-231 (CAS No.: 421-94-3)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-232 (CAS No.: 460-89-9)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-233 (CAS No.: 7125-84-0)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-234 (CAS No.: 425-94-5)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-235 (CAS No.: 460- 92-4)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-241 (CAS No.: 666-27-3)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
氟氯氫碳化物 (HCFC)-242 (CAS No.: 460-63-9)	mg/kg	(2014). Analysis was performed by GC/MS.	1	n. d.	_
氟氯氫碳化物 (HCFC)-243 (CAS No.: 460-69-5)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-244	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-251 (CAS No.: 421-41-0)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-252 (CAS No.: 819-00-1)	mg/kg		1	n. d.	-
氟氯氫碳化物 (HCFC)-253 (CAS No.: 460-35-5)	mg/kg		1	n. d.	_
氟氯氫碳化物 (HCFC)-261 (CAS No.: 420- 97-3)	mg/kg		1	n. d.	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 15 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
氟氯氫碳化物 (HCFC)-262 (CAS No.: 421-02-03)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀	1	n. d.	-
氟氯氫碳化物 (HCFC)-271 (CAS No.: 430-55-7)	mg/kg	檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
海龍 (Halons)					
海龍 (Halon)-1211 (CAS No.: 353-59-3)	mg/kg	參考US EPA 5021A (2014),以氣相層析/質譜儀	1	n. d.	-
海龍 (Halon)-1301 (CAS No.: 75-63-8)	mg/kg	檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
海龍 (Halon)-2402 (CAS No.: 124-73-2)	mg/kg	(2014). Marysrs was perioriled by 6c/ms.	1	n. d.	_
溴甲烷 / Bromomethane (CAS No.: 74-83-9)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A(2014). Analysis was performed by GC/MS.	1	n. d.	1
不完全鹵化氟溴化物 / HBFCs (Hydrobromofluorocarbons)					
不完全鹵化氟溴化物 (HBFC)-21B2 (CHFBr2) (CAS No.: 1868-53-7)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-22B1 (CHF2Br) (CAS No.: 1511-62-2)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-31B1 (CH2FBr) (CAS No.: 373-52-4)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物(HBFC)-121B4 (C2HFBr4)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-122B3 (C2HF2Br3)	mg/kg	(2014). Analysis was performed by 00/mo.	1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-123B2 (C2HF3Br2)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(HBFC)-124B1 (C2HF4Br)	mg/kg		1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 16 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
不完全鹵化氟溴化物 (HBFC)-131B3 (C2H2FBr3)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-132B2 (C2H2F2Br2)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-133B1 (C2H2F3Br)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-141B2 (C2H3FBr2)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-142B1 (C2H3F2Br)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-151B1 (C2H4FBr)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(HBFC)-221B6 (C3HFBr6)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀	1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-222B5 (C3HF2Br5)	mg/kg	檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-223B4 (C3HF3Br4)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-224B3 (C3HF4Br3)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-225B2 (C3HF5Br2)	mg/kg		1	n. d.	_
不完全鹵化氟溴化物 (HBFC)-226B1 (C3HF6Br)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-231B5 (C3H2FBr5)	mg/kg		1	n. d.	-
不完全鹵化氟溴化物 (HBFC)-232B4 (C3H2F2Br4)	mg/kg		1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 17 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項 (Test It	•	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
不完全鹵化氟溴化物(H (C3H2F3Br3)	HBFC)-233B3	mg/kg		1	n. d.	-
不完全鹵化氟溴化物(H (C3H2F4Br2)	IBFC)-234B2	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H2F5Br)	IBFC)-235B1	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H3FBr4)	IBFC)-241B4	mg/kg		1	n. d.	-
不完全鹵化氟溴化物(H (C3H3F2Br3)	IBFC)-242B3	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H3F3Br2)	IBFC)-243B2	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H3F4Br)	IBFC)-244B1	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
不完全鹵化氟溴化物(H (C3H4FBr3)	IBFC)-251B3	mg/kg	(2014). Analysis was performed by 00/ms.	1	n. d.	-
不完全鹵化氟溴化物(H (C3H4F2Br2)	IBFC)-252B2	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H4F3Br)	IBFC)-253B1	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H5FBr2)	IBFC)-261B2	mg/kg		1	n. d.	_
不完全鹵化氟溴化物(H (C3H5F2Br)	IBFC)-262B1	mg/kg		1	n. d.	-
不完全鹵化氟溴化物(H (C3H6FBr)	IBFC)-271B1	mg/kg		1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 18 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
氯化碳氫化物 / CHCs (Chlorinate hydrocarbon)					
1,1,1,2-四氯乙烷 / 1,1,1,2- Tetrachloroethane (CAS No.: 630-20-6)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,1,1-三氯乙烷 / 1,1,1-Trichloroethane (CAS No.: 71-55-6)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,1,2,2-四氯乙烷 / 1,1,2,2- Tetrachloroethane (CAS No.: 79-34-5)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,1,2-三氯乙烷 / 1,1,2-Trichloroethane (CAS No.: 79-00-5)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,1-二氯乙烷 / 1,1-Dichloroethane (CAS No.: 75-34-3)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,1-二氯乙烯 / 1,1-Dichloroethene (CAS No.: 75-35-4)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,1-二氯丙烯 / 1,1-Dichloropropene (CAS No.: 563-58-6)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1, 2, 3-三氯丙烷 / 1, 2, 3- Trichloropropane (CAS No.: 96-18-4)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 19 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
1,2-二氯丙烷 / 1,2-Dichloropropane (CAS No.: 78-87-5)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
1,3-二氯丙烷 / 1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	I
2,2-二氯丙烷 / 2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	Ι
四氯甲烷(四氯化碳)/ Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	ı
氣乙烷 / Chloroethane (CAS No.: 75-00-3)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	Ι
氣仿 / Chloroform (CAS No.: 67-66-3)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
氯甲烷 / Chloromethane (CAS No.: 74-87-3)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
順-1,2-二氯乙烯 / cis-1,2- Dichloroethene (CAS No.: 156-59-2)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
順-1,3-二氯丙烯 / cis-1,3- Dichloropropene (CAS No.: 10061-01-5)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
六氯丁二烯 / Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 20 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值	結果 (Result)	限值 (Limit)
(Test Teems)	(01111)	(me thou)	(MDL)	No. 1	(21210)
二氯甲烷 / Dichloromethane (CAS No.: 75-09-2)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
四氯乙烯 / Tetrachloroethene (CAS No.: 127-18-4)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
反-1,2-二氯乙烯 / trans-1,2- Dichloroethene (CAS No.: 156-60-5)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
反-1,3-二氯丙烯 / trans-1,3- Dichloropropene (CAS No.: 10061-02-6)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	mg/kg	参考US EPA 5021A(2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	-
六氟化硫 / Sulfur Hexafluoride (SF6) (CAS No.: 2551-62-4)	mg/kg	参考US EPA 5021A (2014),以氣相層析/質譜儀 檢測. / With reference to US EPA 5021A (2014). Analysis was performed by GC/MS.	1	n. d.	_
N-苯基苯胺與苯乙烯和2,4,4-三甲基戊烯的反應物 / Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene (BNST) (CAS No.: 68921-45-9)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	100	n. d.	-
2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) / 2-(2H-benzotriazol-2- y1)-4,6-ditertpentylphenol (UV-328) (CAS No.: 25973-55-1)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 21 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
二辛基錫 / Dioctyl Tin (DOT)	mg/kg	参考SGS內部方法RSTS-EE-SVHC-007,以氣相層析/質譜儀定性、氣相層析儀/火焰光度偵測器定量./ SGS In-House method-RSTS-EE-SVHC-007. Qualitative by GC/MS. Quantitative by GC/FPD.	230	n. d.	Т
二正辛基-雙(2-乙基己基巯基乙酸酯)錫 / 2-ethylhexyl 10-ethyl-4, 4-dioctyl-7-oxo-8-oxa-3, 5-dithia-4-stannatetradecanoate (DOTE)*** (CAS No.: 15571-58-1)	mg/kg	參考SGS內部方法RSTS-EE-SVHC-007,以氣相層析/質譜儀定性、氣相層析儀/火焰光度偵測器定量./ SGS In-House method-RSTS-EE-SVHC-007. Qualitative by GC/MS. Quantitative by GC/FPD.***	ı	n. d.	1
單辛基錫 / MonooctylTin (MOT)	mg/kg	參考SGS內部方法RSTS-EE-SVHC-007,以氣相層析/質譜儀定性、氣相層析儀/火焰光度偵測器定量./ SGS In-House method-RSTS-EE-SVHC-007. Qualitative by GC/MS. Quantitative by GC/FPD.	138	n. d.	1
二正辛基-雙 $(2-乙基己基巯基乙酸酯)$ 錫和單辛基-三 $(2-乙基己基巯基乙酸酯)$ 錫的反應物 / Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[$[2-[(2-ethylhexyl)oxy]-2-oxoethyl]$ thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)***	mg/kg	參考SGS內部方法RSTS-EE-SVHC-007,以氣相層析/質譜儀定性、氣相層析儀/火焰光度偵測器定量./ SGS In-House method-RSTS-EE-SVHC-007. Qualitative by GC/MS. Quantitative by GC/FPD.***	-	n. d.	-
鄰苯二甲酸二己酯(支鏈和直鏈) / 1,2- Benzenedicarboxylic acid, dihexyl ester, branched and linear (CAS No.: 68515-50-4)	mg/kg	參考IEC 62321-8 (2017),以氣相層析儀/質譜儀	50	n. d.	-
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 22 of 39 號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	限值 (Limit)
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.	1000
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg		50	n. d.	-
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	參考IEC 62321-8 (2017),以氣相層析儀/質譜儀	50	n. d.	-
鄰苯二甲酸二正己酯 / DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg	檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.	-
鄰苯二甲酸二 (C6-8支鏈與直鏈)烷基酯, 富C7 / DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888-89-6)	mg/kg		50	n. d.	-
鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 / DHNUP (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg		50	n. d.	-
鄰苯二甲酸二 (2-甲氧基乙基)酯 / DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg		50	n. d.	-
鄰苯二甲酸二異戊酯 / DIPP (Di-iso- pentyl phthalate) (CAS No.: 605-50-5)	mg/kg		50	n. d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 23 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	限值 (Limit)
鄰苯二甲酸二(支鏈及直鏈戊基)酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS No.: 84777-06-0)	mg/kg	參考IEC 62321-8 (2017),以氣相層析儀/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	No. 1 n. d.	-
鄰苯二甲酸二戊酯 / Di-n-pentyl phthalate (CAS No.: 131-18-0)	mg/kg		50	n. d.	-
鄰苯二甲酸正戊異戊酯 / NPIPP (N-pentyl-isopentyl phtalate) (CAS No.: 776297-69-9)	mg/kg		50	n. d.	-
氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO)*** (CAS No.: 56-35-9)	mg/kg	參考ISO 17353 (2004),以氣相層析儀/火焰光度 偵測器檢測. / With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	-	n. d.	-
鄰苯二甲酸二乙酯 / DEP (Di-ethyl phthalate) (CAS No.: 84-66-2)	mg/kg	参考IEC 62321-8 (2017),以氣相層析儀/質譜儀 檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.	-
鄰苯二甲酸二甲酯 / DMP (Di-methyl phthalate) (CAS No.: 131-11-3)	mg/kg		50	n. d.	_
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582 (2016),以離子層析儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	364	_
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	参考BS EN 14582 (2016),以離子層析儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	54600	_
紅磷 / Red phosphorus	**	以熱裂解-氣相層析/質譜儀分析. / Analysis was performed by Pyrolyzer-GC/MS.	-	Negative	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 24 of 39

Test Report

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 石綿定性分析試驗範圍: <0.1%~100%, 石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為 "Negative " · / Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. ***: 該物質是由二辛基錫、單辛基錫、三丁基錫或各別元素(例如: 砷、硼、鈹)之測試結果計算得知. 其MDL是針對二辛 基錫、單辛基錫、三丁基錫或元素(例如: 砷、硼、鈹)之評估. (The substance was calculated by the test results of Dioctyl Tin (DOT), MonooctylTin (MOT), Tributyl Tin (TBT) or element (Ex. Arsenic, Boron, Beryllium respectively). The MDL was evaluated for Dioctyl Tin (DOT), MonooctylTin (MOT), Tributyl Tin (TBT) or element (Ex. Arsenic, Boron, Beryllium respectively.))
- 9. (*2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).
- 10. 參數換算表 / Parameter Conversion Table: http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
- 11. (※2): 被萃取出的溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之. / The extracted soluble Boron / Arsenic are detected by ICP-AES.
- 12. 鈹青銅是一種主要成份為鈹及銅的合金,當偵測不到總鈹含量時,亦表示不含鈹青銅. (Since beryllium copper is a metal alloy of copper and beryllium and the test result is n.d. for beryllium, we can have conclusion that the beryllium copper is n.d..)

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層 材料中不得超過lµg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1 $\mu g/m^2$.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 25 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)


(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)

- 測試人員:王志瑋/Technician:JR Wang
- 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 26 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

■ 測試人員:王志瑋 / Technician: JR Wang 測試負責人:張啟興 / Supervisor: Troy Chang

元素以 ICP-AES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-AES)



F	
鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
玻璃 / Glass	硝酸,氫氟酸 / HNO₃/HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO ₃
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention of the



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 27 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

分析流程圖 / Analytical flow chart

測試人員:涂雅苓 / Technician: Yaling Tu 測試負責人:張啟興 / Supervisor: Troy Chang

【富馬酸二甲酯(DMFU)、六溴環十二烷(HBCDD)、乙二醇醚及其酯類(Ethylene glycol ether)、BNST】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report


號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 28 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員: 陳恩臻 / Technician: Rita Chen 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 29 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)


(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

測試人員:徐毓明 / Technician: Andy Shu

測試負責人:張啟興 / Supervisor nt: Troy Chang

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention of the



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 30 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

紅磷分析流程 / Analytical flow chart - Red phosphorus

測試人員:涂雅苓/Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 31 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

揮發性有機化合物分析流程圖 / <u>Analytical flow chart - volatile organic compounds (VOCs)</u>

測試人員:吳椿景 / Technician: Chun Wu 測試負責人: 陳新智 / Supervisor: Shinjyh Chen

【参考方法(Reference method): US EPA 5021, 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention of the



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 32 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)


(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos

測試人員:高鍵忠 / Technician: Victor Kao

■ 測試負責人:魏明芬 / Supervisor: Wendy Wei

【参考方法(Reference method): EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.7ferms



Test Report


號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 33 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

■ 測試人員:涂雅苓 / Technician: Yaling Tu 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report


號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 34 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)



二氯化鈷分析流程圖 / Analytical flow chart - Cobalt dichloride

測試人員:王志瑋 / Technician: JR Wang 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention of the



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 35 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

TECHNICAL DEVELOPMENT ZONE, JIANG SU)

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 36 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC &

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 37 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)


(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

分析流程圖 / Analytical flow chart

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

【多氯三聯苯(PCTs)、多氯奈(PCNs)、多氯聯苯(PCBs)、氯化石蠟(SCCP)】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 38 of 39


南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

■ 測試人員:涂雅苓 / Technician: Yaling Tu 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process -確認程序 / Confirmation process - - - - →



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report


號碼(No.): CE/2017/C0524 日期(Date): 2017/12/15 頁數(Page): 39 of 39

南亞塑膠工業股份有限公司(台灣) / NAN YA PLASTICS CORPORATION (TAIWAN) (南亞電子材料(昆山)有限公司 / NAN YA ELECTRONIC MATERIALS (KUNSHAN) CORP., LTD.) (南亞電子材料(惠州)有限公司 / NAN YA ELECTRONIC MATERIALS (HUIZHOU) CORP., LTD.) 台灣台北市敦化北路201號 / 201 TUNG HWA NORTH ROAD, TAIPEI, TAIWAN (江蘇省昆山昆山市長江南路201號 / 201 CHANG JIANG ROAD(S) KUNSHAN ECONOMIC & TECHNICAL DEVELOPMENT ZONE, JIANG SU)

(廣東省惠州市博羅縣石灣鎮永石大道 / YONGSHI BOULEVARD SHIWAN TOWN BOLUO COUNTY HUIZHOU CITY GUANG DONG)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2017/C0524



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report No. CANEC1709291703 Date: 26 May 2017 Page 1 of 6

SHENZHEN YICHENG ELECTRONIC TECHNOLOGY CO.,LTD.

4J/4H XIANJI BUILDING, BAOMING ROAD 2, XIXIANG BAOAN, SHENZHEN CITY **CHINA**

The following sample(s) was/were submitted and identified on behalf of the clients as: Use for nickel

YC-51A/YC-51-1A/YC-51-2A/YC-51-3A

SGS Job No.: CP17-027516 - SZ

Date of Sample Received : 22 May 2017

Testing Period: 22 May 2017 - 25 May 2017

Test Requested: Selected test(s) as requested by client.

Test Method: Please refer to next page(s). Test Results: Please refer to next page(s).

Based on the performed tests on submitted sample(s), the results of Lead, Conclusion:

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs),

Polybrominated diphenyl ethers (PBDEs) and Phthalates such as

Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl

phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Alkene Liang Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. CANEC1709291703

Date: 26 May 2017

Page 2 of 6

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description SN₁ CAN17-092917.003 Green liquid

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: (1)With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.

(2) With reference to IEC 62321-5:2013, determination of Lead by ICP-OES. (3) With reference to IEC 62321-4:2013, determination of Mercury by ICP-OES.

(4)With reference to IEC 62321-7-2:2017, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis and/or with reference to IEC 62321-5:2013, determination of Chromium by

ICP-OES.

(5)With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.

(6) With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Test Report	No. CANEC17092917	ANEC1709291703 Date: 26 May 20		26 May 2017	Page 3 of 6
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>	
Sum of PBDEs	1,000	mg/kg	-	ND	
Monobromodiphenyl ether	-	mg/kg	5	ND	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND	
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND	
Bis (2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.IEC 62321 series is equivalent to EN 62321 series
- http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:12586 37,25.
- (2) The result of Hexavalent Chromium (Cr(VI)) is "ND" as the result of Chromium (Cr) is "ND", and confirmation test of Hexavalent Chromium (Cr(VI)) is not required.
- (3) If the Chromium (Cr) content is greater than the MDL of Hexavalent Chromium (Cr(VI)). And confirmation test of Hexavalent Chromium (Cr(VI)) is required.

Remark: The result(s) shown is/are of the total weight of wet sample.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.



No. CANEC1709291703


Page 4 of 6

Date: 26 May 2017

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Edith Zhang / Sunny Hu
- 2) Name of the person in charge of testing: Bella Wang / Qiong Liu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded).





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



No. CANEC1709291703


Page 5 of 6

Date: 26 May 2017

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Sunny Hu
- 2) Name of the person in charge of testing: Qiong Liu







No. CANEC1709291703

Page 6 of 6

Date: 26 May 2017

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***







Test Report

报告编号 A2180018420101022E

第1页 共9页

Page 1 of 9

申请单位

Report No.

湖南利尔电子材料有限公司

Applicant H

HUNAN LIER ELECTRONIC MATERIALS CO.,LTD

地 址

湖南省长沙市国家生物医药园产业基地

Address

CHANGSHA NATIONAL BIOMEDICAL INDUSTRIAL BASE .HUNAN

以下测试之样品及样品信息由申请者提供并确认

A2180018420101022E

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

样品名称

抗氧化剂

Sample Name

Organic Solderability Preservatives

样品型号

PA-300DT

Part No.

PA-300DT

样品接收日期

2018.02.26

Sample Received Date

Feb. 26, 2018

样品检测日期

2018.02.26-2018.03.05

Testing Period

Feb. 26, 2018 to Mar. 5, 2018

检测要求

根据客户要求,对所提交样品中的铅(Pb),镉(Cd),汞(Hg),六价

铬(Cr(VI)),多溴联苯(PBBs),多溴二苯醚(PBDEs),邻苯二甲酸酯(DBP,

BBP, DEHP, DIBP), 氟(F), 氯(C1), 溴(Br), 碘(I), 全氟辛烷磺

酸(PFOS),全氟辛烷酸(PFOA)进行测试。

Test Requested

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP), Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I), Perfluorooctane Sulfonates (PFOS), Perfluorooctanoic

Acid (PFOA) in the submitted sample(s).

检测依据/检测结果

请参见下页。

Test Method/Test Result(s)

Please refer to the following page(s).



No. R294341993

深圳市宝安区新安街道留仙三路 4 号华测检测大楼

Centre Testing International Group Co., Ltd. CTI Building, No. 4, Liuxian 3rd road, Xin'an Street, Bao'an District, Shenzhen, P. R. China



报告编号 Report No. A2180018420101022E

A2180018420101022E

共9页

Page 2 of 9

结论 Conclusion

测试样品 Tested Sample

依据指令 According to directive

结果 Result

提交样品 Submitted Sample

欧盟RoHS指令2011/65/EU及其修订指 令(EU) 2015/863

符合

RoHS Directive 2011/65/EU with amendment

Pass

(EU) 2015/863

符合表示检测结果满足欧盟RoHS指令2011/65/EU及其修订指令(EU) 2015/863要求的限值。 Pass means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.





























































报告编号 A2180018420101022E Report No. A2180018420101022E 第3页 共9页

Page 3 of 9

检测依据 Test Method

测试项目 Test Item(s)	测试方法 Test Method	测试仪器 Measured Equipment(s)
铅 Lead(Pb)	IEC 62321-5:2013	ICP-OES
镉 Cadmium(Cd)	IEC 62321-5:2013	ICP-OES
汞 Mercury(Hg)	IEC 62321-4:2013	ICP-OES
六价铬 Hexavalent Chromium(Cr(VI))	IEC 62321-7-2:2017和/或IEC 62321-5:2013 测试总铬含量 IEC 62321-7-2:2017 and/or determination of Total Chromium by IEC 62321-5:2013	UV-Vis/ICP-OES
多溴联苯 Polybrominated Biphenyls(PBBs)	IEC 62321-6:2015	GC-MS
多溴二苯醚 Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS
氟 Fluorine (F)	参考EN 14582:2016 Refer to EN 14582:2016	IC
氯 Chlorine (Cl)	参考EN 14582:2016 Refer to EN 14582:2016	IC
溴 Bromine (Br)	参考EN 14582:2016 Refer to EN 14582:2016	IC
碘 Iodine (I)	参考EN 14582:2016 Refer to EN 14582:2016	IC
全氟辛烷磺酸 Perfluorooctane Sulfonates (PFOS)	参考US EPA 3550C:2007 & US EPA 8321B:2007 Refer to US EPA 3550C:2007 & US EPA 8321B:2007	LC-MS-MS
全氟辛烷酸 Perfluorooctanoic Acid (PFOA)	参考US EPA 3550C:2007 & US EPA 8321B:2007 Refer to US EPA 3550C:2007 & US EPA 8321B:2007	LC-MS-MS













报告编号 A2180018420101022E Report No. A2180018420101022E 第4页 共9页

Page 4 of 9

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result		限值 Limit
铅 Lead(Pb)	N.D.	2 mg/kg	1000 mg/kg
镉 Cadmium(Cd)	N.D.	2 mg/kg	100 mg/kg
汞 Mercury(Hg)	N.D.	2 mg/kg	1000 mg/kg
六价铬 Hexavalent Chromium(Cr(VI))	N.D.	8 mg/kg	1000 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
多溴联苯 Polybrominated Biphenyl	s(PBBs)	100	13
一溴联苯 Monobromobiphenyl	N.D.	5 mg/kg	(3)
二溴联苯 Dibromobiphenyl	N.D.	5 mg/kg	100
三溴联苯 Tribromobiphenyl	N.D.	5 mg/kg	
四溴联苯 Tetrabromobiphenyl	N.D.	5 mg/kg	
五溴联苯 Pentabromobiphenyl	N.D.	5 mg/kg	1000 mg/kg
六溴联苯 Hexabromobiphenyl	N.D.	5 mg/kg	2
七溴联苯 Heptabromobiphenyl	N.D.	5 mg/kg	
八溴联苯 Octabromobiphenyl	N.D.	5 mg/kg	100
九溴联苯 Nonabromobiphenyl	N.D.	5 mg/kg	(3)
十溴联苯 Decabromobiphenyl	N.D.	5 mg/kg	160

测试项目 Tested Item(s)	Tested Item(s) 结果 Result		限值 Limit
多溴二苯醚 Polybrominated Diphenyl	Ethers (PBDEs)	(c.	S3)
一溴二苯醚 Monobromodiphenyl ether	N.D.	5 mg/kg	
二溴二苯醚 Dibromodiphenyl ether	N.D.	5 mg/kg	
三溴二苯醚 Tribromodiphenyl ether	N.D.	5 mg/kg	113
四溴二苯醚 Tetrabromodiphenyl ether	N.D.	5 mg/kg	(88)
五溴二苯醚 Pentabromodiphenyl ether	N.D.	5 mg/kg	1000 mg/kg
六溴二苯醚 Hexabromodiphenyl ether	N.D.	5 mg/kg	
七溴二苯醚 Heptabromodiphenyl ether	N.D.	5 mg/kg	-
八溴二苯醚 Octabromodiphenyl ether	N.D.	5 mg/kg	(2)
九溴二苯醚 Nonabromodiphenyl ether	N.D.	5 mg/kg	1
十溴二苯醚 Decabromodiphenyl ether	N.D.	5 mg/kg	1





Test Report

报告编号 A2180018420101022E Report No. A2180018420101022E

第5页 共9页

Page 5 of 9

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
邻苯二甲酸酯 Phthalates (DBP, BBP, DEHP, DII	BP)		
邻苯二甲酸二丁酯 Dibutyl	N.D.	50 mg/kg	1000 mg/kg
phthalate(DBP)		2.0	
CAS#:84-74-2		(a	12
邻苯二甲酸丁基苄基酯 Butyl benzyl	N.D.	50 mg/kg	1000 mg/kg
phthalate(BBP)			0 0
CAS#:85-68-7			
邻苯二甲酸二(2-乙基)己酯 Di-	N.D.	50 mg/kg	1000 mg/kg
(2-ethylhexyl) phthalate(DEHP)			
CAS#:117-81-7			
邻苯二甲酸二异丁酯 Diisobutyl	N.D.	50 mg/kg	1000 mg/kg
phthalate(DIBP)			8 8
CAS#:84-69-5			

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
氟 Fluorine(F)	N.D.	10 mg/kg
氯 Chlorine(Cl)	200 mg/kg	10 mg/kg
溴 Bromine(Br)	N.D.	10 mg/kg
碘 Iodine(I)	N.D.	10 mg/kg

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
全氟辛烷磺酸 Perfluorooctane	N.D.	0.01 mg/kg
Sulfonates(PFOS)	6.5	

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
全氟辛烷酸 Perfluorooctanoic	N.D.	0.01 mg/kg
Acid(PFOA)		

测试样品/部位描述

浅蓝色液体

Tested Sample/Part Description

Light blue liquid

备注:

对于检测铅, 镉, 汞之样品已完全溶解。

-N.D. = 未检出(小于方法检出限)

-mg/kg = ppm = 百万分之一

-1000 mg/kg = 0.1%

Remark:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (< MDL)

-mg/kg = ppm = parts per million

-1000 mg/kg = 0.1%

Hotline: 400-6788-333 www.cti-cert.com E-mail: info@cti-cert.com Complaint call: 0755-33681700 Complaint E-mail: complaint@cti-cert.com




Test Report

报告编号 A2180018420101022E Report No. A2180018420101022E 第 6 页 共 9 页 Page 6 of 9

检测流程 Test Process


1. 铅(Pb),镉(Cd),铬(Cr)

Lead(Pb), Cadmium(Cd), Chromium(Cr)




2. 汞(Hg)

Mercury(Hg)



3. 六价铬(Cr(VI))

Hexavalent Chromium(Cr(VI))






Test Report

报告编号 A2180018420101022E Report No. A2180018420101022E 第7页 共9页

Page 7 of 9


4. 多溴联苯(PBBs), 多溴二苯醚(PBDEs)

Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers (PBDEs)




5. 邻苯二甲酸酯(DBP, BBP, DEHP, DIBP)

Phthalates (DBP, BBP, DEHP, DIBP)



6. 氟(F), 氯(C1), 溴(Br), 碘(I)

Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I)






Test Report

报告编号 A2180018420101022E Report No. A2180018420101022E 第 8 页 共 9 页 Page 8 of 9

7. 全氟辛烷磺酸(PFOS), 全氟辛烷酸(PFOA)

Perfluorooctane Sulfonates (PFOS), Perfluorooctanoic Acid (PFOA)





Hotline: 400-6788-333 www.cti-cert.com E-mail: info@cti-cert.com Complaint call: 0755-33681700 Complaint E-mail: complaint@cti-cert.com



报告编号 A2180018420101022E Report No. A2180018420101022E

共9页 9页 Page 9 of 9

样品图片 Photo(s) of the sample(s)



报告结束

*** End of report ***

声明Statement:

- 检测报告无批准人签字、"专用章"及报告骑缝章无效;
 - This report is considered invalidated without approval signature, special seal and the seal on the perforation;
- 样品及样品信息由申请者提供,申请者应对其真实性负责, CTI未核实其真实性;
 - The sample(s) and sample information was/were provided by the client who should be responsible for the autenticity which CTI hasn't verified;
- 3. 本报告检测结果仅对送测样品负责;
 - The result(s) shown in this report refer(s) only to the sample(s) tested;
- 未经CTI书面同意,不得部分复制本报告;
 - Without written approval of CTI, this report can't be reproduced except in full;
- 如检测报告中的英文内容与中文内容有差异,以中文为准。
- In case of any discrepancy between the English version and Chinese version of the testing reports (if genrated), the Chinese version shall prevail.















Test Report No. CANML1717828601 Date: 12 Sep 2017 Page 1 of 12

HONGDA ELECTRONIC EQUIPMENT CO., LTD

E SIDE OF SHAYUAN ROAD LONGQI VILLAGE, SHAWAN TOWN, PANYU, GUANGZHOU, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as:

Liquid Photo imadeable Solder Mask

SGS Job No.: GZIN1709043003PC - GZ

Client Ref. Info.: HD-500BKE, BKME/HD-500H1 MIXTURE

Date of Sample Received: 06 Sep 2017

Testing Period: 06 Sep 2017 - 12 Sep 2017

Test Requested: Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Based on the performed tests on submitted sample(s), the results of Lead, Conclusion:

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs),

Polybrominated diphenyl ethers (PBDEs) and Phthalates such as

Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl

phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Echo

Echo Yeung Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn



Test Report No. CANML1717828601 Date: 12 Sep 2017 Page 2 of 12

Test Results:

Test Part Description:

Specimen No. SGS Sample ID **Description** SN₁ CAN17-178286.001 Black liquid

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

ction report & certificate, please contact us at telephone: (86-755) 8307 1443,



Test Report	No. CANML17178286	601	Date: 12 Sep 2017		Page 3 of 12
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Dibutyl phthalate (DBP)	1000	mg/kg	50	70	
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND	
Bis (2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.IEC 62321 series is equivalent to EN 62321 series

http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:12586 37,25

Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

<u>Unit</u>	<u>MDL</u>	<u>001</u>
mg/kg	50	149
mg/kg	50	206
mg/kg	50	ND
mg/kg	50	ND
	mg/kg mg/kg mg/kg	mg/kg 50 mg/kg 50 mg/kg 50

Elementary Analysis

Test Method: With reference to US EPA method 3050B:1996, analysis was performed by ICP-OES.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Antimony (Sb)	mg/kg	10	ND
Beryllium (Be)	mg/kg	5	ND
Arsenic (As)	mg/kg	10	ND

Hexabromocyclododecane (HBCDD)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No. CANML1717828601 Date: 12 Sep 2017 Page 4 of 12

Test Method: With reference to IEC 62321:2008, analysis was performed by GC-MS.

Test Item(s) MDL Unit 001 Hexabromocyclododecane (HBCDD) mg/kg 10 ND

Phthalate

Test Method: With reference to EN14372: 2004. Analysis was performed by GC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	MDL	<u>001</u>
Dibutyl Phthalate (DBP)	84-74-2	%(w/w)	0.003	0.007
Benzylbutyl Phthalate (BBP)	85-68-7	%(w/w)	0.003	ND
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%(w/w)	0.003	ND
Diisononyl Phthalate (DINP)	28553-12-0 /	%(w/w)	0.010	ND
	68515-48-0			
Di-n-octyl Phthalate (DNOP)	117-84-0	%(w/w)	0.003	ND
Diisodecyl Phthalate (DIDP)	26761-40-0 /	%(w/w)	0.010	ND
	68515-49-1			
Dimethyl Phthalate (DMP)	131-11-3	%(w/w)	0.003	ND
Diethyl Phthalate (DEP)	84-66-2	%(w/w)	0.003	ND
Diisobutyl Phthalate (DIBP)	84-69-5	%(w/w)	0.003	ND
Dinonyl Phthalate (DNP)	84-76-4	%(w/w)	0.003	ND
Diisooctyl Phthalate (DIOP)	27554-26-3	%(w/w)	0.010	ND
Dipropyl Phthalate (DPrP)	131-16-8	%(w/w)	0.003	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	%(w/w)	0.003	ND
Di-n-pentyl Phthalate (DnPP)	131-18-0	%(w/w)	0.003	ND
Dibenzyl Phthalate (DBzP)	523-31-9	%(w/w)	0.003	ND
Diphenyl Phthalate (DPhP)	84-62-8	%(w/w)	0.003	ND
Di-n-hexyl Phthalate (DnHP)	84-75-3	%(w/w)	0.003	ND
Diallyl Phthalate (DAP)	131-17-9	%(w/w)	0.003	ND
n-decyl, n-octyl Phthalate (nDnOP)	119-07-3	%(w/w)	0.003	ND
Bis(2-methoxyethyl) Phthalate (DMEP)	117-82-8	%(w/w)	0.003	ND
Diisopentyl Phthalate (DIPP)	605-50-5	%(w/w)	0.003	ND
Di-n-decyl Phthalate (DnDP)	84-77-5	%(w/w)	0.003	ND

Notes:

(1)DBP,BBP,DEHP Reference information: Entry 51 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC):



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

ection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. CANML1717828601

Date: 12 Sep 2017 Page 5 of 12

i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles.

ii) Toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

(2)DINP, DNOP, DIDP Reference information: Entry 52 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC).

- i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.
- ii) Such toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

PFOA & PFOS (Perfluorooctanoic acid & Perfluorooctane sulfonates)

Test Method: With reference to CEN/TS15968:2010, analysis was performed by LC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Perfluorooctane Sulfonates (PFOS) [^]	-	mg/kg	10	ND
Perfluorooctanoic acid (PFOA)	335-67-1	mg/kg	10	ND
Notes:				

Notes :

(1) ^ PFOS refer to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.

Remark: The result(s) shown is/are of the total weight of wet sample.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



No. CANML1717828601


Page 6 of 12

Date: 12 Sep 2017

ATTACHMENTS

Pb/Cd/Hg/Cr6+/PBBs/PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Edith Zhang / Sunny Hu
- 2) Name of the person in charge of testing: Bella Wang / Qiong Liu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded).







No. CANML1717828601


Page 7 of 12

Date: 12 Sep 2017

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Sunny Hu
- 2) Name of the person in charge of testing: Qiong Liu







No. CANML1717828601


Page 8 of 12

Date: 12 Sep 2017

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Bruce Xiao
- 2) Name of the person in charge of testing: Bella Wang







No. CANML1717828601


Page 9 of 12

Date: 12 Sep 2017

ATTACHMENTS

PFOA / PFOS Testing Flow Chart

- 1) Name of the person who made testing: Zhihong Wang
- 2) Name of the person in charge of testing: Qiong Liu







No. CANML1717828601


Page 10 of 12

Date: 12 Sep 2017

ATTACHMENTS

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Sunny Hu
- 2) Name of the person in charge of testing: Qiong Liu







No. CANML1717828601


Page 11 of 12

Date: 12 Sep 2017

ATTACHMENTS

Elementary Testing Flow Chart

- 1) Name of the person who made testing: Edith Zhang
- 2) Name of the person in charge of testing: Bella Wang







No. CANML1717828601

Page 12 of 12

Date: 12 Sep 2017

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***





Test Report No. SHAEC1802904705 Date: 14 Feb 2018 Page 1 of 11

CHANGZHOU HENGFENG SPECIAL CONDUCTOR CO., LTD. 26 FENGHUANG ROAD, CHANGZHOU CITY

The following sample(s) was/were submitted and identified on behalf of the clients as : SILVER-COATED

COPPER WIRE

SGS Job No.: SP18-004187 - SH

Composition : Cu \ Ag

Date of Sample Received: 06 Feb 2018

Testing Period: 06 Feb 2018 - 14 Feb 2018

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted sample(s), the results of Cadmium,

Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs),

Polybrominated diphenyl ethers (PBDEs) and Phthalates such as

Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Helen Liu

Approved Signatory

Hele Lin



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443

or email: CN. Doccheck@sgs.com 13 * Building.No.889 Yishan Road Xuhui District, Shenghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAEC1802904705 Date: 14 Feb 2018 Page 2 of 11

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description Copper metal(base) SN₁ SHA18-029047.005 SN2 SHA18-029047.006 Silvery metal(plating)

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013, IEC62321-7-1:2015, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>005</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))▼	-	µg/cm²	0.10	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3¹⁶Building,No.889 Yishan Road Xuhui District, Shenghai China 200233

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

†E&E (86-21) 61402553 | fE&E (86-21)64953679 | www.sgsgroup.com.cn tHL (86-21) 61402594 fHL (86-21) 61156899



Test Report	No. SHAEC18029047	No. SHAEC1802904705		14 Feb 2018	Page 3 of 11
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>005</u>	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Di-butyl Phthalate (DBP)	1000	mg/kg	50	ND	
Benzyl Butyl Phthalate (BBP)	1000	mg/kg	50	ND	
Di-2-Ethyl Hexyl Phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

Notes:

- (1)The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG ID:1258637,25
- (2)▼ = a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 µg/cm². The sample coating is considered to contain CrVI
 - b. The sample is negative for CrVI if CrVI is ND (concentration less than 0.10 $\mu g/cm^2$). The coating is considered a non-CrVI based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013 and IEC62321-7-1:2015, analyzed by ICP-OES and UV-Vis.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>006</u>
Cadmium (Cd)	100	mg/kg	10	ND
Lead (Pb)	1000	mg/kg	10	ND
Mercury (Hg)	1000	mg/kg	10	ND
Hexavalent Chromium (Cr(VI))▼	-	μg/cm²	0.10	ND

Notes:

(1)The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excensive to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

13"Bulldina.No.889 Yishan Road Xuhui District, Shenghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAEC1802904705 Date: 14 Feb 2018 Page 4 of 11

http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG ID:1258637,25

- (2) ▼ = a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 μg/cm². The sample coating is considered to contain CrVI
 - b. The sample is negative for CrVI if CrVI is ND (concentration less than $0.10~\mu g/cm^2$). The coating is considered a non-CrVI based coating
 - c. The result between 0.10 $\mu g/cm^2$ and 0.13 $\mu g/cm^2$ is considered to be inconclusive unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

Element(s)

Test Method: With reference to US EPA Method 3050B:1996, analysis was performed by ICP-OES.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>005</u>
Antimony (Sb)	mg/kg	10	ND
Beryllium (Be)	mg/kg	5	ND

PFOS (Perfluorooctane Sulfonates)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by HPLC-MS.

<u>l est ltem(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>006</u>
Perfluorooctanesulfonate (PFOS) [^]	1000	mg/kg	10	ND

Notes:

- (1) Max. limit specified by commission regulation (EU) No. 757/2010 amending regulation (EC) No 850/2004
- (2)^ PFOS refer to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamidoethanol.

Benzenamine, N-phenyl-, Reaction Products with Styrene and 2,4,4-Trimethylpentene (BNST)

Test Method: With reference to EPA method 3550C:2007 & EPA method 8270D: 2014, analysis was performed by GC-MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

3st Building,No.889 Yishan Road Xuhui District,Shanghal China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 v t HL (86-21) 61402594 f HL (86-21)61156899



Test Report No. SHAEC1802904705 Date: 14 Feb 2018 Page 5 of 11

Test Item(s) CAS NO. Unit **MDL** 005 Benzenamine, N-phenyl-, Reactio 68921-45-9 mg/kg 10 ND

n Products with Styrene and 2,4,4-Trimethylpentene (BNST)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Totack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Totack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Totack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443

3rdBuilding,No.889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn tHL (86-21) 61402594 fHL (86-21) 61156899




Test Report No. SHAEC1802904705 Date: 14 Feb 2018 Page 6 of 11

ATTACHMENTS

Pb/Cd/Hg/Cr⁶⁺/PBBs/PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Meria Jin/Gary Xu/ Xiaolong Yang/Sielina Song
- 2) Name of the person in charge of testing: Jan Shi/Myra Ma/Luna Xu/Shara Wang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21)61156899



No. SHAEC1802904705


Page 7 of 11

Date: 14 Feb 2018

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Sherlock Gao
- 2) Name of the person in charge of testing: Jessy Huang





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Test Report No. SHAEC1802904705 Date: 14 Feb 2018 Page 8 of 11

ATTACHMENTS

Plating Pb/Cd/Hg/Cr⁶⁺ Testing Flow Chart

- 1) Name of the person who made testing: Sielina Song/Xiaolong Yang
- 2) Name of the person in charge of testing: Luna Xu/Shara Wang





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3¹⁶Building,No.889 Yishan Road Xuhui District, Shenghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 †E&E (86-21) 61402553 | fE&E (86-21)64953679 | www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



No. SHAEC1802904705


Page 9 of 11

Date: 14 Feb 2018

ATTACHMENTS

Elements Testing Flow Chart

- 1) Name of the person who made testing: Meria Jin/Sielina Song
- 2) Name of the person in charge of testing: Luna Xu/Jan Shi





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. SHAEC1802904705


Page 10 of 11

Date: 14 Feb 2018

ATTACHMENTS

PFOS Testing Flow Chart

- 1) Name of the person who made testing: Jane Yang
- 2) Name of the person in charge of testing: Judy Li





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. SHAEC1802904705

Page 11 of 11

Date: 14 Feb 2018

Sample photo:





SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3¹⁴Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899





检测报告

Test Report

报告编号 A2180086608101001E

第1页 共5页

Page 1 of 5

申请单位

Report No.

无锡市明星精密线材有限公司

Applicant 地 址 WUXI CITY MINGXING PRECISION CO.,LTD 江苏省无锡市鹅湖镇甘露甘厚路工业集中区

Address

GANHOU ROAD, INDUSTRIAL FOCUS AREAS, GANLU E' HU TOWN, WUXI CITY,

JIANGSU PROVINCE

A2180086608101001E

以下测试之样品及样品信息由申请者提供并确认

The following sample(s) and sample information was/were submitted and identified by/on the behalf

of the client

样品名称

镀锡铜线

Sample Name

TINNDE COPPER WIRE

样品接收日期

2018.06.04

Sample Received Date

Jun. 4, 2018

样品检测日期

2018.06.04-2018.06.07

Testing Period

Jun. 4, 2018 to Jun. 7, 2018

检测要求

根据客户要求,对所提交样品中的铅(Pb),镉(Cd),汞(Hg),六价

铬(Cr(VI))进行测试。

Test Requested

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent

Chromium(Cr(VI)) in the submitted sample(s).


检测依据/检测结果

请参见下页。

Test Method/Test Result(s)

Please refer to the following page(s).





No. R201802152 上海市浦东新区新金桥路 1996 号 No.1996, Xinjinqiao Road, Pudong New District, Shanghai, China

Hotline: 400-6788-333 www.cti-cert.com E-mail: info@cti-cert.com Complaint call: 0755-33681700 Complaint E-mail: complaint@cti-cert.com



检测报告 Test Report

报告编号 A2180086608101001E Report No. A2180086608101001E 第2页 共5页

Page 2 of 5

结论 Conclusion

测试样品依据标准/指令结果Tested SampleAccording to standard/directiveResult提交样品欧盟RoHS指令2011/65/EU符合Submitted SampleRoHS Directive 2011/65/EUPass





检测报告

Test Report

报告编号 A2180086608101001E Report No. A2180086608101001E

共 5 页 第3页

Page 3 of 5

检测依据 Test Method

测试项目 Test Item(s)	测试方法 Test Method	测试仪器 Measured Equipment(s)
铅 Lead(Pb)	IEC 62321-5:2013	ICP-OES
镉 Cadmium(Cd)	IEC 62321-5:2013	ICP-OES
汞 Mercury(Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
六价铬 Hexavalent Chromium(Cr(VI))	IEC 62321-7-1:2015	UV-Vis

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL	限值 Limit
铝 Lead(Pb)	N.D.	2 mg/kg	1000 mg/kg
镉 Cadmium(Cd)	N.D.	2 mg/kg	100 mg/kg
汞 Mercury(Hg)	N.D.	2 mg/kg	1000 mg/kg
六价铬 Hexavalent Chromium(Cr(VI))	N.D. ▼	0.10 μg/cm ² (LOQ)	1000 mg/kg

测试样品/部位描述

有银色镀层的金属丝

Tested Sample/Part Description

Metal wire with silvery plating

备注:

对于检测铅,镉,汞之样品已完全溶解。

- -N.D. = 未检出 (小于方法检出限或定量限)
- -mg/kg = ppm = 百万分之一
- -1000 mg/kg = 0.1%
- -LOQ = 定量限,六价铬的定量限为 $0.10 \,\mu g/cm^2$
- -▼六价铬浓度小于0.10 µg/cm², 样品未检出六价铬。

Remark:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

- -MDL = Method Detection Limit
- -N.D. = Not Detected (<MDL or LOQ)
- -mg/kg = ppm = parts per million
- -1000 mg/kg = 0.1%
- -LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 µg/cm²
- The sample is negative for Cr(VI) − The Cr(VI) concentration is below 0.10 μg/cm². The coating is considered a non-Cr(VI) based coating.













检测报告

Test Report


报告编号 A2180086608101001E Report No. A2180086608101001E

第 4 页 共 5 页 Page 4 of 5

检测流程 Test Process


1. 铅(Pb), 镉(Cd)

Lead(Pb), Cadmium(Cd)




2. 汞(Hg)

Mercury(Hg)



3. 六价铬(Cr(VI))

Hexavalent Chromium(Cr(VI))



Hotline: 400-6788-333 www.cti-cert.com E-mail: info@cti-cert.com Complaint call: 0755-33681700 Complaint E-mail: complaint@cti-cert.com



检测报告 **Test Report**

报告编号 A2180086608101001E Report No. A2180086608101001E

共 5 页 第 5 页 Page 5 of 5

样品图片 Photo(s) of the sample(s)



报告结束

*** End of report ***

声明Statement:

- 检测报告无批准人签字、"专用章"及报告骑缝章无效;
 - This report is considered invalidated without approval signature, special seal and the seal on the perforation;
- 样品及样品信息由申请者提供,申请者应对其真实性负责, CTI未核实其真实性;
 - The sample(s) and sample information was/were provided by the client who should be responsible for the autenticity which CTI hasn't verified;
- 3. 本报告检测结果仅对送测样品负责;
 - The result(s) shown in this report refer(s) only to the sample(s) tested;
- 未经CTI书面同意,不得部分复制本报告;
 - Without written approval of CTI, this report can't be reproduced except in full;
- 如检测报告中的英文内容与中文内容有差异,以中文为准。
 - In case of any discrepancy between the English version and Chinese version of the testing reports (if genrated), the Chinese version shall prevail.















Test Report No. SHAEC1804226801 Date: 14 Mar 2018 Page 1 of 11

COLORANT CHROMATICS TRADING(SHANGHAI)CO.,LTD 2F,BLOCK C,VI-HUB@JINQIAO,200 JINSU ROAD,PUDONG,SHANGHAI

The following sample(s) was/were submitted and identified on behalf of the clients as: FEP Colormasterbatch

SGS Job No.: SP18-006609 - SH

Lot No.: 5763809

Date of Sample Received: 08 Mar 2018

Testing Period: 08 Mar 2018 - 14 Mar 2018

Test Requested: Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted sample(s), the results of Cadmium,

Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs),

Polybrominated diphenyl ethers (PBDEs) and Phthalates such as

Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Helen Liu

Approved Signatory

Hele Lin



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3stBuilding,No.889 Yishan Road Xuhui District,Shanghal China 200233 中国 · 上海 · 徐汇区宜山路889号3号楼 邮編: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21)61156899



Test Report No. SHAEC1804226801 Date: 14 Mar 2018 Page 2 of 11

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description
SN1 SHA18-042268.001 Black solid pellet

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

are mail: CN. Doccheck@sgs.com

[3"Building,No.889 Yishan Road Xuhui District, Shenghai China 200233 t E&E (86–21) 61402553 f E&E (86–21) 64953679 www.sgsgroup.com.cn

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

tHL (86-21) 61402594 fHL (86-21)61156899



Test Report	No. SHAEC1804226801		Date:	14 Mar 2018	Page 3 of 11
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Di-butyl Phthalate (DBP)	1000	mg/kg	50	ND	
Benzyl Butyl Phthalate (BBP)	1000	mg/kg	50	ND	
Di-2-Ethyl Hexyl Phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

Notes:

- (1)The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25
- (2)On 4 June 2015, Commission Directive (EU) 2015/863 was published in the Official Journal of the European Union (OJEU) to include the phthalates BBP, DBP, DEHP and DIBP into ANNEX II of the Rohs Recast Directive. The new law restricts each phthalate to no more than 0.1% in each homogeneous material of an electrical product.
- (3)The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (4)The restriction of DEHP, BBP, DBP and DIBP shall not apply to cables or spare parts for the repair, the reuse, the updating of functionalities or upgrading of capacity of EEE placed on the market before 22 July 2019, and of medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, placed on the market before 22 July 2021.
- (5)The restriction of DEHP, BBP and DBP shall not apply to toys which are already subject to the restriction of DEHP, BBP and DBP through entry 51 of Annex XVII to Regulation (EC) No 1907/2006.

Halogen

Test Method: With reference to EN 14582: 2016, analysis was performed by IC.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Fluorine (F)	mg/kg	50	>100000
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excentate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authorities of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.

t HL (86-21) 61402594 f HL (86-21) 61156899

e sgs.china@sgs.com



Test Report No. SHAEC1804226801 Date: 14 Mar 2018 Page 4 of 11

 Test Item(s)
 Unit
 MDL
 001

 lodine (I)
 mg/kg
 50
 ND

Element(s)

Test Method: With reference to ASTM D 4004-06(2012), analysis was performed by ICP-OES.

 Test Item(s)
 Unit
 MDL
 001

 Antimony (Sb)
 mg/kg
 50
 ND

Hexabromocyclododecane (HBCDD)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Hexabromocyclododecane	25637-99-4,	mg/kg	10	ND
(HBCDD)	3194- 55-6			

Phthalates Content

Test Method: With reference to EN 14372:2004, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Diisononyl Phthalate (DINP)	28553-12-0	%	0.01	ND
	/68515-48-0			
Di-n-octyl Phthalate (DNOP)	117-84-0	%	0.003	ND
Diisodecyl Phthalate (DIDP)	26761-40-0	%	0.01	ND
	/68515-49-1			
Di-n-hexyl Phthalate (DnHP)	84-75-3	%	0.003	ND

Notes:

(1) DINP, DNOP, DIDP Reference information: Entry 52 of Regulation (EC) No 552/2009 amending



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3 ⁴Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

www.sgsgroup.com.cn e sgs.china@sgs.com



No. SHAEC1804226801

Page 5 of 11

Date: 14 Mar 2018

Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC).

- i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.
- ii) Such toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

PFOS (Perfluorooctane Sulfonates) and PFOA (Perfluorooctanoic Acid)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by HPLC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Perfluorooctanesulfonate (PFOS) [^]	1000	mg/kg	10	ND
Perfluorooctanoic Acid (PFOA)	-	mg/kg	10	ND

Notes:

(1) Max. limit specified by commission regulation (EU) No. 757/2010 amending regulation (EC) No 850/2004

(2)^ PFOS refer to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, any unauthorized atteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443.




Test Report No. SHAEC1804226801 Date: 14 Mar 2018 Page 6 of 11

ATTACHMENTS

Pb/Cd/Hg/Cr⁶⁺/PBBs/PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Meria Jin/Gary Xu/ Xiaolong Yang/Sielina Song
- 2) Name of the person in charge of testing: Jan Shi/Myra Ma/Luna Xu/Shara Wang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (

中国・上海・徐汇区宜山路889号3号楼 邮編: 200233



No. SHAEC1804226801


Page 7 of 11

Date: 14 Mar 2018

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Sherlock Gao
- 2) Name of the person in charge of testing: Jessy Huang





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. SHAEC1804226801


Page 8 of 11

Date: 14 Mar 2018

ATTACHMENTS

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Gary Xu
- 2) Name of the person in charge of testing: Myra ma





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sqs.com"



No. SHAEC1804226801


Page 9 of 11

Date: 14 Mar 2018

ATTACHMENTS

Halogen Testing (oxygen bomb) Flow Chart

- 1) Name of the person who made testing: Kevin Xu
- 2) Name of the person in charge of testing: Sisily Yin





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. SHAEC1804226801


Page 10 of 11

Date: 14 Mar 2018

ATTACHMENTS

PFOS/PFOA Testing Flow Chart

- 1) Name of the person who made testing: Jane Yang
- 2) Name of the person in charge of testing: Judy Li





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No. SHAEC1804226801

Page 11 of 11

Date: 14 Mar 2018

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



No.:CE /2018/20648

Date: 2018 \(\dagger{D} \) 2 \(\dagger{D} \) 8

Page: 1 of 4

DAI-ICH ISEKOCO...LTD.

Test Requested

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC [Y, TAIPE 1235, TAIWAN, R.O.C.

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : DAI-ICH ISE KOCO., LTD.

Sam ple Description : METAL (2893-002)

Style/Item № o. : C 5210R Sample Receiring Date : 2018 /02 /02

Testing Period : 2018 \(\delta 2 \delta 2 \text{ T O 2018 \(\delta 2 \delta 8 \text{ A8} \)

: As specified by client, with reference to Roll S Directive 2011.65 EU Annex II to determine Cadmim, Lead, Mercury, Cr(/I) contents in the submitted sample(s).

Test Method : Pleas e refer to following pages.

Test Result(s) : Please refer to following pages.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



N o.:CE 2018 20648

Date: 2018 \(\dagger{0} \text{2018} \)

Page:2 of4

DAI-ICH ISEKOCO...LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC ITY, TAIPE 1235, TAIWAN, R.O.C.



Test Result(s)

PART NAMENo.1 : COPPER COLORED METAL

Test Item(s)	Unit	Method	MDL	Result
				No.1
Cadmim (Cd)	m gkg	With reference to EC 62321-5 (2013) and performed by ICP AES.	2	n.d.
Lead (Pb)	m gkg	With reference to EC 62321-5 (2013) and performed by ICP AES.	2	15.2
Merany (fg)	m gkg	With reference to EC 62321-4 (2013) and performed by ICP AES.	2	n.d.
H exavalentChromim Cr(/I)(#2)	µg/cm²	W ith reference to EC 62321-7-1 (2015) and perform ed by U V → IS.	0.10	n.d.

Note:

- 1. m g/kg = ppm ; 0.1 w t% = 1000 ppm
- 2. n.d. = N ot D etected
- 3. M Dl = M ethod D etection L im it
- 4. (#2)=
 - a. The sample is positive for $Cr(V \mid I)$ if the $Cr(V \mid I)$ concentration is greater than 0.13μ g/cm². The sample opating is onsidered to opating Cr(/ I)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The wating is considered a non Cr(/I) based wating
 - c. The result between $0.10\,\mu$ g/cm² and $0.13\,\mu$ g/cm² is considered to be in conclusive -unavoidable coating variations may in fluence the determination.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.:CE 2018 20648

Date: 2018 .02 .08

Page: 3 of 4


DAI-ICH ISE K O CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC [Y, TAIPE 1235, TAIWAN, R.O.C.

Analytical flow chart of Heavy Metal

These samples were disolved totally by pre-conditioning method according to be bw flow chart. (Cr6+ test method excluded)

Technician: JR Wang Supervior: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.:CE 2018 20648

Date: 2018 .02 .08

Page: 4 of 4


DAI-ICH ISE KOCO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC [Y, TAIPE 1235, TAIWAN, R.O.C.



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2018/20648



** End ofReport **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention of advant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document one of the company and their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report No.: KA/2018/50624 Date: 2018/05/22 Page: 1 of 9

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Description : PBT

Style/Item No. : 310NF ED3002 / Lot No.7374770

Color : ED3002 Sample Receiving Date : 2018/5/10

Testing Period : 2018/5/10 TO 2018/05/22

Sample Submitted By : POLYPLASTICS TAIWAN CO., LTD.

Test Requested

Ray Chang Ph.D. Signed for and on b **SGS Taiwan Limited**

As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample.

Please refer to next page(s). (2)

Test Result(s) : Please refer to next page(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有說明,此戰告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be represented to the fullest extent of the law.

SCS Taiwan Ltd. No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

台灣檢驗科技股份有限公司

高雄市楠梓加工出口區開發路61號

t + 886 (07)301 2121

www.tw.sgs.com



Test Report Page: 2 of 9 No.: KA/2018/50624 Date: 2018/05/22

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Test Result(s)

PART NAME No.1 ED3002 PBT

Test Item(s)	Unit	Method	MDL	Result No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321-7-2:2017 and performed by UV-VIS.	8	n.d.
Sum of PBBs		With reference to IEC 62321-6: 2015 and performed by GC/MS.	-	n.d.
Monobromobiphenyl			5	n.d.
Dibromobiphenyl			5	n.d.
Tribromobiphenyl			5	n.d.
Tetrabromobiphenyl			5	n.d.
Pentabromobiphenyl	mg/kg		5	n.d.
Hexabromobiphenyl			5	n.d.
Heptabromobiphenyl			5	n.d.
Octabromobiphenyl			5	n.d.
Nonabromobiphenyl			5	n.d.
Decabromobiphenyl			5	n.d.
Sum of PBDEs		With reference to IEC 62321-6: 2015 and performed by GC/MS.	-	n.d.
Monobromodiphenyl ether			5	n.d.
Dibromodiphenyl ether			5	n.d.
Tribromodiphenyl ether			5	n.d.
Tetrabromodiphenyl ether			5	n.d.
Pentabromodiphenyl ether	mg/kg		5	n.d.
Hexabromodiphenyl ether			5	n.d.
Heptabromodiphenyl ether			5	n.d.
Octabromodiphenyl ether			5	n.d.
Nonabromodiphenyl ether			5	n.d.
Decabromodiphenyl ether	7		5	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is appearance of this document is any to present and the false to the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867

www.tw.sgs.com



Test Report Page: 3 of 9 No.: KA/2018/50624 Date: 2018/05/22

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Test Item(s)	Unit	Method	MDL	Result
				No.1
DIBP (Di-isobutyl phthalate)			50	n.d.
(CAS No.: 84-69-5)				
DBP (Dibutyl phthalate)			50	n.d.
(CAS No.: 84-74-2)	- mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.		
BBP (Butyl Benzyl phthalate)			50	n.d.
(CAS No.: 85-68-7)		,		
DEHP (Di- (2-ethylhexyl) phthalate)			50	n.d.
(CAS No.: 117-81-7)				
Halogen				
Halogen-Fluorine (F) (CAS No.:			50	930
14762-94-8)				
Halogen-Chlorine (CI) (CAS No.:			50	n.d.
22537-15-1)		With reference to DS EN 14592:2016 Analysis		
Halogen-Bromine (Br) (CAS No.:	– mg/kg –	With reference to BS EN 14582:2016. Analysis was performed by IC.	50	n.d.
10097-32-2)				
Halogen-lodine (I) (CAS No.: 14362-			50	n.d.
44-8)				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is appearance of this document is any to present and the false to the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

t + 886 (07)301 2121

台灣檢驗科技股份有限公司

Member of the SGS Group



Test Report Page: 4 of 9 No.: KA/2018/50624 Date: 2018/05/22

POLYPLASTICS TAIWAN CO., LTD. NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is appearance of this document is appearance of this document is appearance. the transaction documents. This document calified be reproduced except at long minutes and the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867 www.tw.sgs.com



Test Report Page: 5 of 9 No.: KA/2018/50624 Date: 2018/05/22


POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

Technician : Jony Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有說明,此戰告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and

jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document carried be reproduced each to the fullest extent of the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867




Test Report Page: 6 of 9 No.: KA/2018/50624 Date: 2018/05/22

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

PBB/PBDE analytical FLOW CHART

- 1) Name of the person who made measurement: Dorothy Chen
- 2) Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is appearance of this document is appearance of this document is appearance. the transaction documents. This document carmon be reproduced each to the fullest extent of the law.

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867 高雄市楠梓加工出口區開發路61號 www.tw.sgs.com




Test Report Page: 7 of 9 No.: KA/2018/50624 Date: 2018/05/22

POLYPLASTICS TAIWAN CO., LTD. NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Analytical flow chart of phthalate content

- Name of the person who made measurement: Dorothy Chen
- Name of the person in charge of measurement: Ray Chang

[Test method: IEC 62321-8]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有說明,此戰告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document carmon be reproduced each to the fullest extent of the law.

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867 www.tw.sgs.com



Chemical Laboratory - Kao., SGS Taiwan Ltd.


Test Report Page: 8 of 9 No.: KA/2018/50624 Date: 2018/05/22

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Jean Hung
- 2) Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有說明,此戰告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and

jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except the full stransaction document is unlawful and offenders may be prosecuted to the full stransaction of the law.

SGS Taiwan Ltd. No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

台灣檢驗科技股份有限公司 f + 886 (07)3010867



Chemical Laboratory - Kao., SGS Taiwan Ltd.


Test Report No.: KA/2018/50624 Date: 2018/05/22 Page: 9 of 9

POLYPLASTICS TAIWAN CO., LTD.

NO. 13, JIANYE RD., DALIAO DIST., KAOHSIUNG CITY 831, TAIWAN (R.O.C.)

* The tested sample / part is marked by an arrow if it's shown on the photo. *

KA/2018/50624



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有說明,此戰告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and

jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document carmon be reproduced assessment of the fullest extent of the Jaw.

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 高雄市楠梓加工出口區開發路61號

台灣檢驗科技股份有限公司 t + 886 (07)301 2121

www.tw.sgs.com



No.: CE/2018/24608

Date: 2018/02/27

Page : 1 of 5

DAI-ICHI SEIKO CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNG-HE CITY, TAIPEI 235, TAIWAN, R. O. C.

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

: DAI-ICHI SEIKO CO., LTD. Sample Submitted By Sample Description : PLATING(1568-0003) Style/Item No. : PLATING14(Au/Ni)

Sample Receiving Date : 2018/02/21

Testing Period : 2018/02/21 TO 2018/02/27

Test Requested

- : (1) As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI) contents in the submitted sample(s).
 - (2) As specified by client, to test PFOS contents in the submitted sample.

Test Result(s) : Please refer to following pages.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



No.: CE/2018/24608

Date: 2018/02/27

Page: 2 of 5

DAI-ICHI SEIKO CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNG-HE CITY, TAIPEI 235, TAIWAN, R. O. C.

Test Result(s)

PART NAME No.1 PLATING LAYER OF GOLDEN COLORED METAL

Test Item(s)	Unit	Method	MDL	Result No.1
Cadmium (Cd)	mg/kg	IEC 62321-5 (2013) application of modified digestion by surface etching and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	IEC 62321-5 (2013) application of modified digestion by surface etching and performed by ICP-AES.	2	20.6
Mercury (Hg)	mg/kg	IEC 62321-4 (2013) application of modified digestion by surface etching and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)(#2)	μ g/cm²	With reference to IEC 62321-7-1 (2015) and performed by UV-VIS.	0.10	n.d.
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	μg/m²	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	1	n.d.

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µ g/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µ g/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.

PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1 µ g/m².

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions



No.: CE/2018/24608 Date: 2018/02/27

Page : 3 of 5


DAI-ICHI SEIKO CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNG-HE CITY, TAIPEI 235, TAIWAN, R. O. C.

The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

Technician: JR Wang Supervisor: Troy Chang

Flow Chart of Stripping method for metal analysis





No.: CE/2018/24608 Date: 2018/02/27 Page: 4 of 5


DAI-ICHI SEIKO CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNG-HE CITY, TAIPEI 235, TAIWAN, R. O. C.



Analytical flow chart - PFOS

Technician: Yaling Tu Supervisor: Troy Chang





No.: CE/2018/24608

Date: 2018/02/27


Page : 5 of 5

DAI-ICHI SEIKO CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNG-HE CITY, TAIPEI 235, TAIWAN, R. O. C.

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2018/24608



** End of Report **



N o.:CE 2018 20647

Date: 2018 \(\dagger{D} \text{20} \dagger{D} \text{8} \)

Page: 1 of 4

DAI-ICH ISEKOCO...LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC [Y, TAIPE 1235, TAIWAN, R.O.C.

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : DAI-ICH ISE KOCO., LTD.

Sam ple Description : METAL (2927-0001)

Style/Item № o. : C 5 1 91R Sample Receiring Date : 2018 /02 /02

Testing Period : 2018 \(\delta 2 \delta 2 \text{ T O 2018 \(\delta 2 \delta 8 \text{ O2 } \delta 8 \text{ O3 } \delta 8 \text{ O4 } \delta 8 \text{ O5 } \delta 8 \text{

: As specified by client, with reference to Roll S Directive 2011.65 EU Annex II to Test Requested

determine Cadmim, Lead, Mercury, Cr(/I) contents in the submitted sample(s).

Test Method : Please refer to following pages.

Test Result(s) : Please refer to following pages.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



No.:CE 2018 20647

Date: 2018 \(\dagger{D} \) 2 \(\dagger{D} \)

Page:2 of4

DAI-ICH ISEKOCO...LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC ITY, TAIPE 1235, TAIWAN, R.O.C.



Test Result(s)

PART NAMENo.1 : COPPER COLORED METAL

Test Item(s) Unit Meth		Method	MDL	Result
rest item(s)	Oill	Wethou	WIDL	No.1
Cadmim (Cd)	m gkg	With reference to EC 62321-5 (2013) and performed by ICP AES.	2	n.d.
Lead (Pb)	m gkg	With reference to EC 62321-5 (2013) and performed by ICP AES.	2	7.34
Merany (fg)	m gkg	With reference to EC 62321-4 (2013) and performed by ICP AES.	2	n.d.
H exavalentChromim Cr(√1)(#2)	⊭ g /cm ²	W ith reference to EC 62321-7-1 (2015) and perform ed by U V → IS.	0.10	n.d.

Note:

- 1. m g/kg = ppm ; 0.1 w t% = 1000 ppm
- 2. n.d. = N ot D etected
- 3. M Dl = M ethod D etection L im it
- 4. (#2)=
 - a. The sample is positive for $Cr(V \mid I)$ if the $Cr(V \mid I)$ concentration is greater than 0.13μ g/cm². The sample opating is owns idered to owntain Cr(/ I)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The wating is considered a non Cr(/I) based wating
 - c. The result between $0.10\,\mu$ g/cm² and $0.13\,\mu$ g/cm² is considered to be in conclusive -unavoidable coating variations may in fluence the determination.



No.:CE 2018 20647

Date: 2018 .02 .08

Page: 3 of 4


DAI-ICH ISE K O CO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC [Y, TAIPE 1235, TAIWAN, R.O.C.

Analytical flow chart of Heavy Metal

These samples were disolved totally by pre-conditioning method according to be bw flow chart. (Cr6+ test method excluded)

Technician: JR Wang Supervior: Troy Chang





No.:CE 2018 20647

Date: 2018 .02 .08

Page: 4 of 4


DAI-ICH ISE KOCO., LTD.

7F-5, NO. 700, JUNG-JENG RD, JUNGHEC ITY, TAIPE 1235, TAIWAN, R.O.C.



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2018/20647



** End ofReport **



No.: CE/2018/12760 Date: 2018/01/19 Page: 1 of 7

DEXERIALS CORPORATION

8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Description : ADHESIVE

G9000 SERIES (G9000, G9000 C, G9000-SY, G9000W, G9010, G9011, G9012) Style/Item No.

The Testing Sample G9000-SY Lot No. : 7A03

Sample Receiving Date : 2018/01/12

Testing Period : 2018/01/12 TO 2018/01/19

Test Requested

- (1) As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample(s).
 - (2) As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample.

Test Result(s) : Please refer to following pages.





No.: CE/2018/12760 Date: 2018/01/19 Page: 2 of 7

DEXERIALS CORPORATION

8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



Test Result(s)

TRANSPARENT DOUBLE SIDED ADHESIVE (EXCLUDING THE RELEASE LINER) PART NAME No.1

Took Home(a)	Unit	I I - i 4 Bill - i 4	MDI	Result
Test Item(s)	Onit	Method	MDL	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.	8	n.d.
Sum of PBBs	mg/kg		-	n.d.
Monobromobiphenyl	mg/kg	1	5	n.d.
Dibromobiphenyl	mg/kg		5	n.d.
Tribromobiphenyl	mg/kg		5	n.d.
Tetrabromobiphenyl	mg/kg		5	n.d.
Pentabromobiphenyl	mg/kg		5	n.d.
Hexabromobiphenyl	mg/kg	1	5	n.d.
Heptabromobiphenyl	mg/kg		5	n.d.
Octabromobiphenyl	mg/kg		5	n.d.
Nonabromobiphenyl	mg/kg		5	n.d.
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6	5	n.d.
Sum of PBDEs	mg/kg	(2015) and performed by GC/MS.	-	n.d.
Monobromodiphenyl ether	mg/kg	1	5	n.d.
Dibromodiphenyl ether	mg/kg	1	5	n.d.
Tribromodiphenyl ether	mg/kg	1	5	n.d.
Tetrabromodiphenyl ether	mg/kg		5	n.d.
Pentabromodiphenyl ether	mg/kg	1	5	n.d.
Hexabromodiphenyl ether	mg/kg]	5	n.d.
Heptabromodiphenyl ether	mg/kg]	5	n.d.
Octabromodiphenyl ether	mg/kg]	5	n.d.
Nonabromodiphenyl ether	mg/kg]	5	n.d.
Decabromodiphenyl ether	mg/kg]	5	n.d.



No.: CE/2018/12760 Date: 2018/01/19 Page: 3 of 7

DEXERIALS CORPORATION

8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN

Test Item(s)	Unit	Method	MDL	Result
				No.1
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg		50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.

Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated



Page: 4 of 7 No.: CE/2018/12760 Date: 2018/01/19


DEXERIALS CORPORATION 8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

Technician : JR Wang Supervisor: Troy Chang





No.: CE/2018/12760

Page: 5 of 7

DEXERIALS CORPORATION

8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



Analytical flow chart - PBB / PBDE


Date: 2018/01/19

Technician: Yaling Tu

Supervisor: Troy Chang

First testing process -Optional screen process ••••

Confirmation process






No.: CE/2018/12760 Date: 2018/01/19 Page: 6 of 7

DEXERIALS CORPORATION 8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN

Analytical flow chart - Halogen

Technician: Rita Chen Supervisor: Troy Chang






Page: 7 of 7 No.: CE/2018/12760 Date: 2018/01/19

DEXERIALS CORPORATION 8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2018/12760



** End of Report **



Test Report Page: 1 of 5 No.: CE/2018/22628 Date: 2018/02/22

DEXERIALS CORPORATION 8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



The following samples was/were submitted and identified by/on behalf of the applicant as:

Sample Description : ADHESIVE

Style/Item No. G9000 SERIES (G9000, G9000 C, G9000-SY, G9000W, G9010, G9011, G9012)

The Testing Sample : G9000-SY Lot No. : 7H02

Sample Receiving Date: 2018/02/09

Testing Period 2018/02/09 TO 2018/02/22

Test Requested

- (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
- (2) Please refer to next pages for the other item(s).

: Please refer to following pages. Test Result(s)





No.: CE/2018/22628

Date: 2018/02/22

Page: 2 of 5

DEXERIALS CORPORATION

8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



Test Result(s)

: TRANSPARENT DOUBLE SIDED ADHESIVE (EXCLUDING THE RELEASE LINER) PART NAME No.1

Test Item(s)	Unit	Method	MDL	Result
rest item(s)	Offic	Metriod	IVIDE	No.1
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DEP (Di-ethyl phthalate) (CAS No.: 84-66-2)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DMP (Di-methyl phthalate) (CAS No.: 131-11-3)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
Antimony (Sb)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.

Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm2. MDL = Method Detection Limit

3. n.d. = Not Detected = less than MDL



No.: CE/2018/22628

Date: 2018/02/22

Page: 3 of 5


DEXERIALS CORPORATION

8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN

These samples were dissolved totally by pre-conditioning method according to below flow chart.

Technician: JR Wang Supervisor: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion



Test Report Page: 4 of 5 No.: CE/2018/22628 Date: 2018/02/22


DEXERIALS CORPORATION 8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



Analytical flow chart - Phthalate

Technician: Andy Hsu Supervisor: Troy Chang

[Test method: IEC 62321-8]





Test Report Page: 5 of 5 No.: CE/2018/22628 Date: 2018/02/22

DEXERIALS CORPORATION 8F, 1-11-2, OSAKI, SHINAGAWA-KU, TOKYO, 141-0032 JAPAN



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2018/22628



** End of Report **



Test Report No. SHAEC1800689313 Date: 16 Jan 2018 Page 1 of 16

DAIKIN FLUORO CHEMICALS(CHINA) CO., LTD.

NO.8 JINYU ROAD(WEST) ADVANCED MATERIALS INDUSTRIAL PARK, CHANGSHU, JIANGSU 215522, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: NEOFLON FEP

SGS Job No.: SP18-000471 - SH

Model No.: NP-20,NP-30,NP-101,NP-120,NP-1105 MIX

Date of Sample Received: 10 Jan 2018

Testing Period: 10 Jan 2018 - 16 Jan 2018

Test Requested: Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Conclusion: Based on the performed tests on submitted sample(s), the results of Cadmium,

Please refer to next page(s).

Lead, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) do not exceed the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Helen Liu

Test Results:

Approved Signatory

Hele Lin



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443

3¹⁶Bullding,No.889 Yishan Road Xuhui District,Shenghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21)61156899

www.sgsgroup.com.cn e sgs.china@sgs.com



Test Report No. SHAEC1800689313 Date: 16 Jan 2018 Page 2 of 16

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

SN1 SHA18-006893.007 Transparent solid pellet

Remarks:

(1) 1 mg/kg = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC62321-5:2013, IEC62321-7-2:2017 and IEC 62321-6:2015, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>007</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com
| 3"Building,No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn

中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

tHL (86-21) 61402594 fHL (86-21)64953679



Test Report	No. SHAEC18006893	No. SHAEC1800689313		16 Jan 2018	Page 3 of 16
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>007</u>	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

Notes:

- (1)The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG ID:1258637,25
- (2)On 4 June 2015, Commission Directive (EU) 2015/863 was published in the Official Journal of the European Union (OJEU) to include the phthalates BBP, DBP, DEHP and DIBP into ANNEX II of the Rohs Recast Directive. The new law restricts each phthalate to no more than 0.1% in each homogeneous material of an electrical product.
- (3)The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (4) The restriction of DEHP, BBP, DBP and DIBP shall not apply to cables or spare parts for the repair, the reuse, the updating of functionalities or upgrading of capacity of EEE placed on the market before 22 July 2019, and of medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, placed on the market before 22 July 2021.
- (5)The restriction of DEHP, BBP and DBP shall not apply to toys which are already subject to the restriction of DEHP, BBP and DBP through entry 51 of Annex XVII to Regulation (EC) No 1907/2006.

<u>Halogen</u>

Test Method: With reference to EN 14582: 2016, analysis was performed by IC.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>007</u>
Fluorine (F)	mg/kg	50	>100000
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

Element(s)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3^{**}Building,No.889 Yishan Road Xuhui Distriot,Shenghai China 200233 中国 •上海 •徐汇区宜山路889号3号楼 邮编: 200233 

Test Report No. SHAEC1800689313 Date: 16 Jan 2018 Page 4 of 16

Test Method: With reference to ASTM D 4004-06(2012), analysis was performed by ICP-OES.

Test Item(s) **Unit** MDL *007* Antimony (Sb) mg/kg 50 ND

Hexabromocyclododecane (HBCDD)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by GC-MS.

Test Item(s) CAS NO. <u>Unit</u> MDL 007 Hexabromocyclododecane 25637-99-4. mg/kg 10 ND (HBCDD) 3194-55-6

Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCP)

Test Method: With reference to ISO 18219: 2015, analysis was performed by GC-NCI-MS

Test Item(s) Unit MDL 007 Alkanes C10-C13, chloro (short-chain chlorinated 50 ND mg/kg

paraffins) (SCCP)

Tetrabromobisphenol A (TBBP-A)

Test Method: With reference to US EPA 3540C: 1996, analysis was performed by GC-MS.

Test Item(s) Unit 007 Tetrabromobisphenol A (TBBP-A) mg/kg 10 ND

PFOS (Perfluorooctane Sulfonates) and PFOA (Perfluorooctanoic Acid)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by HPLC-MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3¹⁶Bullding, No. 889 Yishan Road Xuhui District, Shanghai China 200233

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t HL (86-21) 61402594 f HL (86-21) 61156899 e sgs.china@sgs.com



Test Report No. SHAEC1800689313 Date: 16 Jan 2018 Page 5 of 16

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>007</u>
Perfluorooctanesulfonate (PFOS)^	1000	mg/kg	10	ND
Perfluorooctanoic Acid (PFOA)	-	mg/kg	10	ND

Notes:

- (1) Max. limit specified by commission regulation (EU) No. 757/2010 amending regulation (EC) No
- (2)^ PFOS refer to Perfluorooctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.

Phthalates Content

Test Method: With reference to EN 14372:2004, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Unit	MDL	007
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND
Diisobutyl Phthalate (DIBP)	84-69-5	%	0.003	ND
Diisononyl Phthalate (DINP)	28553-12-0	%	0.01	ND
	/68515-48-0			
Diisodecyl Phthalate (DIDP)	26761-40-0	%	0.01	ND
	/68515-49-1			
Di-n-octyl Phthalate (DNOP)	117-84-0	%	0.003	ND
Di-n-hexyl Phthalate (DnHP)	84-75-3	%	0.003	ND

Notes:

- (1) DBP,BBP,DEHP Reference information: Entry 51 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC):
 - i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles.
 - ii) Toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information DINP, DNOP, DIDP Reference information: Entry 52 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive

i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excensive to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-75) 8307 1443.

3rd Building, No. 889 Yishan Road Xuhui District, Shenghai China 200233

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

e sgs.china@sgs.com



Test Report No. SHAEC1800689313 Date: 16 Jan 2018 Page 6 of 16

ii) Such toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

Polycyclic aromatic hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	007
Benzo(a)pyrene(BaP)	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	mg/kg	0.1	ND
Chrysene(CHR)	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	mg/kg	0.1	ND
Acenaphthylene(ANY)	mg/kg	0.1	ND
Acenaphthene(ANA)	mg/kg	0.1	ND
Fluorene(FLU)	mg/kg	0.1	ND
Phenanthrene(PHE)	mg/kg	0.1	ND
Pyrene(PYR)	mg/kg	0.1	ND
Anthracene(ANT)	mg/kg	0.1	ND
Fluoranthene(FLT)	mg/kg	0.1	ND
Sum of Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene,	mg/kg	-	ND
Anthracene, Fluoranthene			
Naphthalene(NAP)	mg/kg	0.1	ND
Sum of 18 PAHs	mg/kg	-	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

3¹⁶Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 †E&E (86-21) 61402553 | fE&E (86-21)64953679 | www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



No. SHAEC1800689313

Date: 16 Jan 2018 Page 7 of 16

AfPS (German commission for Product Safety): GS PAHs requirements

Parameter	Category 1	Category 2 Materials not falling under category 1 with foreseeable contact to skin for longer than 30 s (long-term skin) or frequent contact.		Category 3	
	Material indented to be put in the mouth or toys with intended skin contact (longer than 30 s).			Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 s (short-term skin contact).	
		Toy under 2009/48/EC	Other products under ProdSG	Toy under 2009/48/EC	Other products under ProdSG
Benzo(a)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(e)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(I,2,3-cd)pyrene mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Acenaphthylene, Acenaphthene, fluorene,phenanthrene, pyrene, anthracene, fluoranthene, mg/kg	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene, mg/kg	< 1	< 2		< 10	
Sum of 18 PAHs	<1	< 5	< 10	< 20	< 50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899




Test Report No. SHAEC1800689313 Date: 16 Jan 2018 Page 8 of 16

ATTACHMENTS

Pb/Cd/Hg/Cr⁶⁺/PBBs/PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Meria Jin/Gary Xu/ Xiaolong Yang/Sielina Song
- 2) Name of the person in charge of testing: Jan Shi/Myra Ma/Luna Xu/Shara Wang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3**Building,No.889 Yishan Road Xuhui District,Shanghal China 200233
中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



No. SHAEC1800689313


Page 9 of 16

Date: 16 Jan 2018

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Sherlock Gao
- 2) Name of the person in charge of testing: Jessy Huang







No. SHAEC1800689313

Page 10 of 16


Date: 16 Jan 2018

ATTACHMENTS

HBCDD Testing Flow Chart

1) Name of the person who made testing: Gary Xu

2) Name of the person in charge of testing: Myra ma







No. SHAEC1800689313


Page 11 of 16

Date: 16 Jan 2018

ATTACHMENTS

Halogen Testing (oxygen bomb) Flow Chart

- 1) Name of the person who made testing: Kevin Xu
- 2) Name of the person in charge of testing: Sisily Yin







No. SHAEC1800689313


Page 12 of 16

Date: 16 Jan 2018

ATTACHMENTS

PFOS/PFOA Testing Flow Chart

- 1) Name of the person who made testing: Jane Yang
- 2) Name of the person in charge of testing: Judy Li





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3¹⁶Bullding, No. 889 Yishan Road Xuhui District, Shanghai China 200233

中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



No. SHAEC1800689313


Page 13 of 16

Date: 16 Jan 2018

ATTACHMENTS

TBBP-A Testing Flow Chart

- 1) Name of the person who made testing: Gary Xu
- 2) Name of the person in charge of testing: Myra ma





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3¹⁶Bullding, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899



No. SHAEC1800689313


Page 14 of 16

Date: 16 Jan 2018

ATTACHMENTS

PAHs Testing Flow Chart

- 1) Name of the person who made testing: Sherlock Gao
- 2) Name of the person in charge of testing: Jessy Huang





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offlenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3¹⁶Bullding, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



No. SHAEC1800689313


Page 15 of 16

Date: 16 Jan 2018

ATTACHMENTS

Elements Testing Flow Chart

- 1) Name of the person who made testing: Meria Jin/Sielina Song
- 2) Name of the person in charge of testing: Luna Xu/Jan Shi








No. SHAEC1800689313

Page 16 of 16

Date: 16 Jan 2018

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

