

					文件编写: M65020121025 发放阶段: 量产 机 罕: HA-
E板PCBA BOM	编码: 01.01.0159 BOM版本: V2.	0A2		BOM编号: BOMO00113	M6502V2 0 友们日期: ZUI3-
	9/19/19 01:01:01:0		物料		10_95
号物料代码	物料型号		用量		厂家型号
02. 04. 0095	HX-M6502-MB-V2. 0-1. 0MM-L6	PCS	1		
2 02. 05. 0007	IC\CPU\MT8312VF_2G\双核 1.3GHZ\11*10.6*0.9MM\VFPGA475L	PCS	1	U201	MT8312V/F
02. 03. 0102	IC\中频\MT6166\TD-SCDMA\4.6*4.6\TFBGA104\R	PCS	1	U400	MT6166
1 02. 03. 0104	IC\电源管理\MT6323A\3.4-4.5V\VFBGA-145L\R	PCS	1	U301	MT6323
5 02. 03. 0112	IC\锂充电+0TG\FAN54015UCX\4-6V\1.45A\WLCSP20\R	PCS	1	U402	FAN54015UCX
6 02. 03. 0113	IC\LCD驱动\MT8193\VFBGA150\6. 2*6. 2*0. 9MM\R	PCS	1	U3	MT8193
7 02. 03. 0106	IC\balun transformer\ RFBLN2012090BM5T25\2.0*1.2*0.9mm\R	PCS	1	U403	RFBLN2012090BM5T25
3 02. 03. 0019	IC\G-SENSOR\MMA7660\2. 4-3. 6V\3*3*0. 9mm\DFN-10\R	PCS			MMA7660FCR1
R 02. 03. 0176	IC\G-SENSOR\STK8312\2. 4-3. 6V\3*3*0. 9mm\DFN-10\R	PCS	S 1	U2532	STK8312
9 02. 03. 0007	IC\升压\TD2514WFA\2. 5-5. 5V\12V\SOT-23-6L\R	PCS	2	U802, U804	TD2514WFA
0 02. 03. 0093	电源IC\LD0\LP3992-33B5F\S0T23-5\R	PCS	1	U506	LP3992-33B5F
R 02. 03. 0149	电源IC\LD0\LP3992-33B5F\S0T23-5\R	PCS	1	U306	LP3992-33B5F
1 02. 03. 0116	电源IC\LD0\LP3992-12B5F\S0T23-5\R	PCS	1	U505	LP3992-12B5F
R 02. 03. 0151	电源IC\LD0\LP3992-12B5F\S0T23-5\R	PCS	1	U3U3	P3992-12B5F
2 02. 03. 0110	IC\TP驱动\AW5208\2.8_3.6V\6*6*0.75MM\QFN40L\R	PCS	1	U5	AW5208
3 02. 12. 0003	三极管\P沟道MOS管\A03423\2A\SOT-23\R	PCS	1	Q12	A03423
4 02.11.0021	稳压二极管\圆柱型\5. 1V\1206	PCS	1	D302	ZMM5V1
5 02. 09. 0076	贴片电容\NP0\1.5PF\0402\50V\±0.25PF\R	PCS	1	C470	C1005NP0159CGT
6 02. 09. 0003	贴片电容\NP0\25PF\0402\50V\±5%\R	PCS	5	C319, C324, C489, C1037, C1044	CL05C180JB5NNNC
7 02. 09. 0023	贴片电容\NP0\47PF\0402\50V\±5%\R	PCS	6	C400, C439, C441, C442, C443, C467	CL05C220JB5NNNC
8 02. 09. 0090	贴片电容\NP0\20PF\0402\50V\±5%\R	PCS	15	C253, C254, C420, C422, C433, C445, C446, C447 C526, C533, C704, C706, C709, C710, C826	CL05C330JB5NNNC
9 02. 09. 0101	贴片电容\NP0\10PF\0402\50V\±5%\R	PCS	1	C429	CL05C390JB5NNNC



JED	and nov					文件编与: M65020121025 发放阶段:量产 机 空: HX- W55022000
E板P	CBA BOM	编码: 01.01.0159 BOM版本:		物料	BOM编号: BOM000113 清单	10_25
号物		物料型号			位号	厂家型号
	2. 09. 0053	贴片电容\NP0\56PF\0402\50V\±5%\R	PCS	1	C490	C1005NP0560JGT
1 0:	2. 09. 0032	贴片电容\NP0\1000PF\0402\50V\±5%\R	PCS	10	C255, C534, C705, C708, C844, C845, C856, C222 C225, C1014	C1005NP0101JGTS
2 0:	2. 09. 0104	贴片电容\NP0\220PF\0402\50V\±5%\R	PCS	1	C435	C1005NP0221JGTS
3 0	2. 09. 0029	贴片电容\X7R\103\0402\50V\±10%\R	PCS	1	C219	C1005X7R103KGTS
4 0:	2. 09. 0080	贴片电容\Y5V\224\0402\25V\±10%\R	PCS	0	0171 0000	C1005Y5V224KFTS
R 0:	2. 09. 0106	贴片电容\Y5V\224\0402\16V\±10%\R	PCS	2	C171, C220	C1005Y5V224KETS
25 0.	2. 09. 0043	贴片电容\X7R\103\0402\16V\±20%\R	PCS	103	C54, C56, C58, C59, C60, C62, C63, C64, C67 C68, C70, C71, C72, C73, C74, C75, C76, C91 C104, C108, C109, C110, C111, C112, C113, C115, C116, C117, C120, C122, C123, C124, C125, C127, C128, C131, C138, C140, C142, C143, C144, C145, C148, C151, C156, C157, C158, C205, C206, C207, C241, C242, C243, C318, C320, C321, C403, C405, C407, C408, C409, C410, C411, C412, C413, C415, C416, C417, C425, C438, C444, C521, C522, C525, C535, C548, C620, C623, C624, C711, C712, C821, C822, C823, C824, C825, C829, C830, C831, C832, C834, C837, C838, C851, C852, C853, C1608, C828, C221, C224, R875, C827, C833	C1005X7R104MDTS
26 0	2. 09. 0073	贴片电容\X5R\474\0402\16V\±10%\R	PCS	7	C469, C474, C475, C476, C477, C484, C1601	C1005X5R474KETS
7 0	2. 09. 0009	贴片电容\X5R\105\0402\16V\±10%\R	PCS	32	C119, C152, C155, C213, C304, C307, C308, C316, C322, C331, C352, C353, C404, C418, C448, C482, C547, C685, C820, C835, C846, C847, C909,	C1005X5R105KETS
R 0	2. 09. 0109	贴片电容\X5R\105\0402\10V\±10%\R	PCS		C910, C915, C963, C1666, C216, C1022, C1031, C1051, R876	CL05A105KPNC
3 0:	2. 09. 0039	贴片电容\Y5V\105\0603\16V\±20%\R	PCS	6	C1, C2, C3, C4, C836, C336	C1608Y5V105METS
9 0:	2. 09. 0044	贴片电容\Y5V\225\0603\25V\±10%\R	PCS	21	C334, C545, C546, C804, C840, C841, C848, C1617, C1619, C1620, C1626, C1627, C1629, C1630, C1631, C1632	C1608Y5V225KFTS
R 0	2. 09. 0111	贴片电容\Y5V\225\0603\16V\±10%\R	PCS	21	, C1633, C1634, C1635, C1636, C218	CL10A225KONC



又件細写: M65020121025 发放阶段:量产 **机 空: IIX⁻** M6509V9 0 友们日期: ZUI3-主板PCBA BOM 编码: 01.01.0159 BOM版本: V2. 0A2 BOM编号: BOM000113 SMT物料清单 用量 位号 序号 物料代码 物料型号 单位 家型号 **30** 02. 09. 0012 贴片电容\Y5V\475\0603\10V\±10%\R **PCS** C1608Y5V475KDTS C130, C301, C302, C303, C309, C333, C335, C406, C426, C713, C223 OR 02, 09, 0112 贴片电容\Y5V\475\0603\6.3V\±10%\R PCS CL10A475KQNC **31** 02. 09. 0091 贴片电容\Y5V\475\0805\25V\±10%\R **PCS** C839, C850 CL21A475KANC **32** 02. 09. 0100 贴片电容\X5R\106\0603\25V\±20%\R **PCS** CL10A106MA8NNNC OR 02. 09. 0105 **PCS** 贴片电容\X5R\106\0603\10V\±20%\R C129, C132, C133, C134, C136, C153, C306, C311, C532 C1608X5R106MDTS OR 02. 09. 0120 **PCS** 贴片电容\X5R\106\0603\10V\±20%\R CL10A106MP8NNC **33** 02. 09. 0045 **PCS** 贴片电容\X5R\226\0805\6.3V\±20%\R C341, C519, C520, C437 C2012X5R226MCTS K070,K44,K3U1,K3ZZ,K34U,K4UZ,L4U3,K417,K4ZUK 421,R422,R423,R425,R428,R430,L430, R434,R435,R442,R443,R518,R676,R836,R856, R857,R883,R884,R885,R886,R887,R888, R889,R912,R916,R1623,R1624,R1659,R1661, **34** 02, 08, 0021 贴片电阻\OR\0402\±5%\1/16W\R PCS R1664,R1665,R859,R1006,R1008,C1011,R1019, R1021,R1022,R1023,R1024,R1025 R1027,C1043,R1072,R1208,VR302,R844 **35** 02, 08, 0225 贴片电阻\2.2R\0603\±1%\1/16W\R PCS 1 R850 **36** 02, 08, 0056 贴片电阻\10R\0402\±5%\1/12W\R **PCS** R216 1 **37** 02. 08. 0047 贴片电阻\10R\0603\±5%\1/8W\R **PCS** R1 **38** 02. 08. 0138 贴片电阻\27R\0402\±5%\1/16W\R **PCS** R521 **39** 02. 08. 0157 贴片电阻\47R\0402\±5%\1/16W\R **PCS** 2 R414, R437 **PCS** R909 **40** 02. 08. 0234 贴片电阻\47R\0603\±5%\1/10W\R **41** 02. 08. 0222 贴片电阻\51R\0402\±5%\1/16W\R **PCS** R439, R445, R446, R447 **42** 02. 08. 0123 贴片电阻\56R\0402\±1%\1/16W\R **PCS** R219 **43** 02. 08. 0027 |贴片电阻\100R\0402\±5%\1/16W\R **PCS** R507, R508, R535 **44** 02. 08. 0004 贴片电阻\240R\0402\±1%\1/16W\R **PCS** 2 R68, R69 **45** 02, 08, 0201 贴片电阻\470R\0402\±1%\1/16W\R **PCS** R221, R407, R408



又什细亏: M65020121025 发放阶段:量产 **机 空: IIX**-M6509V9 0 友们日期: ZUI3-主板PCBA BOM 编码: 01.01.0159 BOM版本: V2. 0A2 BOM编号: BOMO00113 SMT物料清单 单位 用量 位号 序号 物料代码 物料型号 家型号 R533, R95, R316, R332, R403, R410, R415, R441, **46** 02, 08, 0029 贴片电阻\1K\0402\±5%\1/16W\R **PCS** R516, R714, R717, R835, R843, R902, R903, R1011, R908, R97 **47** 02. 08. 0030 贴片电阻\1.8K\0402\±5%\1/16W\R **PCS** R716, R715, R203, R515 **48** 02. 08. 0031 贴片电阻\2.2K\0402\±5%\1/16W\R **PCS** R400 **49** 02. 08. 0208 R505 贴片电阻\2.49K\0402\±1%\1/16W\R **PCS 50** 02. 08. 0058 贴片电阻\3.3K\0402\±5%\1/16W\R **PCS** R339 **51** 02. 08. 0034 贴片电阻\4.7K\0402\±5%\1/16W\R **PCS** R217, R218, R220, R222, R223, R224, R849, R853 **52** 02. 08. 0198 贴片电阻\7.1K\0402\±1%\1/16W\R **PCS** 1 R201 **53** 02. 08. 0218 贴片电阻\8.06K\0402\±1%\1/12W\R **PCS** R209, R211 R840, R24, R214, R405, R406, R412, R831, R833, **54** 02. 08. 0037 贴片电阻\10K\0402\±5%\1/16W\R **PCS** R862, R863, R1643, R864 **55** 02. 08. 0230 **PCS** 贴片电阻\12.4K\0402\±1%\1/16W\R R1645 R318 **56** 02. 08. 0038 贴片电阻\20K\0402\±5%\1/16W\R **PCS 57** 02, 08, 0105 贴片电阻\27K\0402\±1%\1/16W\R **PCS** 1 R336 **58** 02. 08. 0161 **PCS** R440 贴片电阻\24K\0402\±5%\1/16W\R **59** 02, 08, 0043 贴片电阻\39K\0402\±5%\1/16W\R **PCS** R331, R325 **60** 02, 08, 0073 贴片电阻\39K\0402\±1%\1/16W\R **PCS** R1644 **61** 02. 08. 0041 贴片电阻\47K\0402\±5%\1/16W\R **PCS** 2 R456, R821, **62** 02. 08. 0202 贴片电阻\16.9K\0402\±1%\1/16W\R **PCS** R334 **63** 02, 08, 0090 R330 贴片电阻\330K\0402\±5%\1/16W\R **PCS 64** 02. 08. 0060 贴片电阻\470K\0402\±5%\1/16W\R **PCS** R404, R454 **65 0**2. 08. 0156 R502, L804 贴片电阻\OR\0603\±5%\1/10W\R **PCS 66** 02. 08. 0211 贴片电阻\0.056R\0805\±1%\1/8W\R **PCS** 1 R328 **67** 02. 10. 0058 电感\2.2nH\0402\±0.3nH\R **PCS** L418 LQG15HS2N2S02 1 **68** 02. 10. 0062 电感\3.0nH\0402\±0.3nH\R **PCS** 1 L422 LQG15HS3N0S02 **69** 02. 10. 0047 PCS 2 L423, L426 电感\6.2nH\0402\±0.3nH\R LQG15HS6N2S02



					X件编与: M65020121025 发放阶段: 量产 机 空: IIX-
E板PCBA BOM	编码: 01.01.0159 BOM版本: V2.	0A2		BOM编号: BOMO00113	及行日期: 2013-
		SMT	物料	清单	
5号 物料代码	物料型号	单位	用量	位号	厂家型号
70 02. 10. 0048	电感\7.5nH\0402\±5%\R	PCS	2	L425, L1008	LQG15HS7N5J02
71 02. 10. 0063	电感\12nH\0402\±5%\R	PCS	2	L400, L419	LQG15HS12NJ02
72 02. 10. 0064	电感\39nH\0402\±5%\R	PCS	1	L416	LQG15HS39NJ02
73 02. 10. 0059	磁珠\1.8K ohm\50mA\0402\高Q值\R	PCS	4	L212, L213, L1, BEAD1001	HZ1005K182TF
OR 02. 10. 0090	磁珠\1.8K ohm\50mA\0402\高Q值\R	PCS		222, 2210, 21, 2212 1001	BLM15BD182SN1D
74 02. 10. 0069	磁珠\82 R@100Mhz\50mA\0603\高Q值\R	PCS	6	L402, BEAD412, BEAD413 , BEAD414, BEAD410, BEAD411	SWEL1608C82NJ
75 02. 11. 0055	二极管\LED\双色Red, Green\ 0606-1-02 R/YGC\R	PCS	1	LED3	0606-1-02 R/YGC\R
OR 02. 11. 0057	二极管\LED\双色Red, Green\ 0606-1-02 R/YGC\R	PCS	1		K03528QWC
76 02. 11. 0056	二极管\LED闪光灯\白光\LEWWS30\YGC\R	PCS		L33	LEWWS30
OR 02. 11. 0058	二极管\LED闪光灯\白光\JLF-1311-3-01 WC\YGC\R	PCS	1		JLF-1311-3-01 WC
77 02. 12. 0001	三极管\NPN\MMBT3904\200mA\SOT-23\R	PCS	3	Q5, Q6, Q7	MMBT3904
78 02. 10. 0070	电感\0.68uH\3.3A\屏蔽\0.42R\± 20%\2.5*2.0*1.2mm\R	PCS	0	L301, L303	PMLT25201B-R68MS
OR 02. 10. 0097	电感\0.68uH\3.3A\屏蔽\0.42R\± 20%\2.5*2.0*1.2mm\R	PCS	2		MP2512R68M
79 02. 10. 0071	电感\1uH\2.2A\屏蔽\0.073R\±30%\2.5*2.0*1.1mm	PCS	1	L403	ELLYFJ1ROM
OR 02. 10. 0098	电感\1uH\2.2A\屏蔽\0.073R\±30%\2.5*2.0*1.1mm	PCS	1		MP25121ROM
80 02. 10. 0060	电感\2. 2uH\1. 5A\屏蔽\0. 13R\± 20%\2. 5*2. 0*1. 1mm\R	PCS	. 1	L302	ELLYFJ2R2M
OR 02. 10. 0099	电感\2. 2uH\1. 5A\屏蔽\0. 13R\± 20%\2. 5*2. 0*1. 1mm\R	PCS	1		MP25122R2M
81 02. 10. 0019	电感\22uH\0.57A\屏蔽\高Q值\± 20%\3.0*3.0*1.5mm\R	PCS	2	1000 1000	SPN3030220MPTE
OR 02. 10. 0100	电感\22uH\0.57A\屏蔽\高Q值\± 20%\3.0*3.0*1.5mm\R	PCS		L802, L803	ME3015220M
82 02. 11. 0040	二极管\肖特基二极管\RB160M-30\1A\S0D-123\R	PCS	2	D807, D802	RB160M-30
83 02. 11. 0001	二极管\双向二极管\BAT54S\200MA\SOT-23\R	PCS			LBAT54SLT1G



						文件编写: M65020121025 发放阶段: 量产
						机 空: HX-
主板	PCBA BOM	编码: 01.01.0159 BOM版本: V2. (0A2		BOM编号: BOMO00113	<u> </u>
			SMT	物料	清单	1111-176
序号	物料代码	物料型号	单位	用量	位号	厂家型号
OR	02. 11. 0034	二极管\双向二极管\BAT54S\SOT-23\200MA\SOT-23\R	PCS	2	D804, D805	BAT54S\SOT-23
84	02. 13. 0012	晶振\26MHz\7.5pF\± 10PPM\fundamenta1\3.2x2.5x0.7mm\R	PCS			7M26000028
OR	02. 13. 0014	10PPM\fundamental\3.2x2.5x0.7mm\R 晶振\26MHz\7.4pF\± 10PPM\fundamental\3.2x2.5x0.7mm\R	PCS	1	X400	X1E000021043400
OR	02. 13. 0015	10PPM\fundamental\3.2x2.5x0.7mm\R 晶振\26MHz\7.3pF\± 10PPM\fundamental\3.2x2.5x0.7mm\R	PCS			TZ11689A
85	02. 13. 0013	晶振\26MHz\11.0pF\± 10PPM\fundamental\3.2x2.5x0.7mm\R	PCS	1	X602	7M26000010
OR	02. 13. 0024	晶振\26MHz\11.0pF\± 10PPM\fundamenta1\3.2x2.5x0.7mm\R	PCS	1	1.002	E3SB26.0000FBES11M
86	02. 13. 0010	晶体\贴片方型\32. 768KHz_12. 5PF\6. 7*1. 4*1. 4\R	PCS	1	X301	MC- 146/7. 0*1. 5/32. 768KHZ /12. 5PF
OR	02. 13. 0028	晶体\贴片方型\32.768KHz_12.5PF\6.7*1.4*1.4\R	PCS			SSP-T7-F
87	02. 03. 0155	IC\2G-4频段\AP6682\3-4.8V\6*6*1.0mm_28PIN\R	PCS	1	U616	AP6682
88	02. 03. 0174	IC\DDR3-256*8\H5TQ2G83EFR-PBC\1.5V\FBGA-78\封装\R	PCS	2	U8, U9	H5TQ2G83EFR-PBC
89	02. 03. 0131	IC\EMMC\THGBM5G5A1JBAIR\4GB_19NM\VFBGA153\13*1 1.5*1.0MM\R	PCS	1	U504	THGBM5G5A1JBAIR
OR	02. 03. 0162	IC\EMMC\KLM4G1YE4C- B001\4GB 19NM\VFBGA153\13*11.5*1.0MM\R	PCS	1	0304	KLM4G1YE4C-B001
90	02. 08. 0213	贴片电阻\68K\0402\±1%\1/16W\R	PCS	1	R838	
91	02. 08. 0005	贴片电阻\2K\0402\±1%\1/16W\R	PCS	1	R842	
92	02. 08. 0228	贴片电阻\24K\0402\±1%\1/16W\R	PCS	1	R825	
93	02. 08. 0051	贴片电阻\15K\0402\±5%\1/16W\R	PCS	1	R828	
94	02. 08. 0183	贴片电阻\330R\0402\±1%\1/16W\R	PCS	2	R837, R841	
95	02. 08. 0215	贴片电阻\3K\0402\±1%\1/16W\R	PCS	1	R848	
96	02. 09. 0092	贴片电容\X7R\472\0402\50V\±10%\R	PCS	1	C217	C1005X7R472KGTS
97	02. 10. 0065	电感\82nH\0402\±5%\R	PCS	1	L1006	LQG15HS82NJ02D



					义计编号: M65020121025
					发放阶段: 量产机 至: пл-
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					M6509V2 0
主板PCBA BOM	编码: 01.01.0159 BOM版本: V2. 0			BOM编号: BOM000113	10_25
			物料		
序号 物料代码	物料型号	单位	用量	位号	厂家型号
98 02. 03. 0117	IC\双工器\LFD181G58DP8D754\1.6*0.8*0.7mm\R	PCS	in the second	F201	LFD181G58DP8D754
OR 02. 03. 0119	IC/双工器/DP1608-V1524CA/1.6*0.8*0.7mm/R	PCS	<u> </u>		DP1608-V1524CA
OR 02. 03. 0120	IC/双工器/RFDIP1608060TM7T62/1.6*0.8*0.7mm/R	PCS			RFDIP1608060TM7T62
OR 02. 03. 0121	IC/双工器/TDP-1608-125-GB/1.6*0.8*0.7mm/R	PCS	1		TDP-1608-125-GB
OR 02. 03. 0122	IC/双工器/DPX1608LL87R1524A/1.6*0.8*0.7mm/R	PCS			DPX1608LL87R1524A
OR 02. 03. 0159	IC\双工器\DPX165950DT-8144A1\1.6*0.8*0.7mm\R	PCS	ı		DPX165950DT-8144A1
99 02.03.0101	IC\4合1模块\MT6627\MQFN40\5*5*0.4mm\R	PCS	1	U2	MT6627
100 02. 13. 0023	晶振\26MHz\11. 0pF\± 0. 5PPM\TCX0\2. 5x2. 0x0. 6mm\R (贴片有方向要求)	PCS		U1005	7L26002009
OR 02. 13. 0016	晶振\28MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS			TG-5035CG
OR 02. 13. 0017	晶振\32MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS			DSB221SDA
OR 02. 13. 0018	晶振\26MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS			KT2520F26000ZAW18TAK
OR 02. 13. 0019	晶振\26MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS			ТХ0395В
OR 02. 13. 0022	晶振\26MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS			TG-5006CG-12H
OR 02. 13. 0020	晶振\26MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS	i i		ENG3216E
OR 02. 13. 0021	晶振\26MHz\11.0pF\± 0.5PPM\TCX0\2.5x2.0x0.6mm\R	PCS			CTC6W260000MU10N00
101 02. 03. 0085	IC\GPS滤波器\SAFEB1G57KE0F00\TSLP-6-2\R	PCS	1	****	SAFEB1G57KE0F00
OR 02. 03. 0105	IC\GPS滤波器\SFDG75BQ102\TSLP-6-2\R	PCS	1	U1006	SFDG75BQ102
102 02. 03. 0114	IC\低噪声放大器\BGA725L6\1.5-3.6V\TSLP-6-2\R	PCS	1	U1010	BGA725L6
103 02. 23. 0054	CON\SOCKET\24Pin\0.5mm\L*W*H=16.1*4.9*1.5MM\FPC拡盖\R	PCS	. 1	1602	FG0524P-1.5H



						文件编写: M65020121025 发放阶段: 量产 机 空: fix-
主板!	PCBA BOM	编码: 01.01.0159 BOM版本: V2.	0A2		BOM编号: BOM000113	M6502V2 0 发行日期: 2013- 10-25
			SMT	物料	清单	
亨号	物料代码	物料型号	单位	用量		厂家型号
OR	02. 23. 0062	CON\SOCKET\24Pin\0.5mm\L*W*H=16.1*4.9*1.5MM\FPC掀盖\R	PCS	1	J002	AFC30-S24FCA-HF
04	02. 23. 0055	CON\SOCKET\50Pin\0.5mm\L*W*H=29.1*4.9*1.5MM\FFC掀盖\R	PCS	1	U2520	0.5MM-50P掀盖H=1.5
OR	02. 23. 0063	CON\SOCKET\50Pin\0.5mm\L*W*H=29.1*4.9*1.5MM\FFC掀盖\R	PCS	1	02520	AFC30-S50FCA-HF
06	02. 23. 0053	CON\SOCKET\30Pin\0.5mm\19.1*4.5*1.5MM\FPC翻盖\R	PCS	1	Ј1102	0.5mm-30P翻盖H=1.5
OR	02. 23. 0064	CON\SOCKET\30Pin\0.5mm\19.1*4.5*1.5MM\FPC翻盖\R	PCS		J1102	AFC30-S30FCA-HF
05	02. 14. 0001	CON\卡座\9PIN_TF卡座\TF_PUSH\14.5*14.75*2	PCS	1	J504	FP090012
06	02. 24. 0056	USB连接器\Micro-USB-5pin-前插后贴5.65-有卷边- 有定柱	PCS	1	Ј804	UA01-T05GA-5ZL2
07	02. 24. 0057	SIM卡连接器\Push-Push\L*W*H= 26.88*19.23*1.85mm\6PIN\无检测PIN\SIM-PUSH- 6PIN-全贴无定位柱	PCS	1	Ј1108	CA11-B16GA-FZL2
80	02. 24. 0082	耳机插座\DIP\3.5MM\3+1\YH-AJR027A30G无头\沉板	PCS	1	Ј1109	YH-AJR027A30G
09	02. 25. 0017	开关\小侧按键\2*4带圆柱小侧按\3.5*4.5*1.7MM\R	PCS	4	K1, K2, K3, K4	TC-042
10	02. 20. 0041	ANT\天线弹片\812000619\L3.2*W1.5*H1.6mm\铍铜	PCS	2	ANT402, ANT403	812000619
11	02. 24. 0075	BB屏蔽盖\L*W*H=56.9*37.6*1.8MM \R	PCS	1		M6502_SHIELDING_BB
12	02. 24. 0060	RF屏蔽盖\L*W*H=29.6*12.2*1.8MM \R	PCS	1		M6502-shielding- cover-RF
13	02. 24. 0061	背光屏蔽盖\L*W*H=20*17.5*1.8MM \R	PCS	1		M6502-shielding- cover-TCM
14	02. 24. 0050	屏蔽夹\L6.5-W0.8-H1.28MM\镀金\R	PCS	9	PTC40, PTC34, PTC31, PTC27, PTC24, PTC20, PTC16, PTC11, PTC53	212000312