Cover Letter-Modular Approval

FCC ID: Z9G-EDF24 Data: 2015-6-29

Gentlemen:

There's an <u>5.8G Wireless Audio Transceiver Module</u>; <u>5.8G Wireless Audio Receiver Module</u> that would like to have your authorization as a modular approval.

The specific product as below, <u>5.8G Wireless Audio Transceiver Module</u>; <u>5.8G Wireless Audio Receiver Module</u> with its designed features and specified description, meets special requirements for <u>Full/Limit modular approval</u> on FCC KDB99369 by cross-reference list below.

	2
Company	Edifier International Limited
Model Name	5.8G Wireless Audio
	Transceiver Module ;5.8G
	Wireless Audio Receiver
	<u>Module</u>
Model Number	DWHP83
FCC ID	Z9G-EDF24

Requirement of FCC KDB99369	Comply (Y/N)
1. The modular transmitter must have its	Υ
own RF shielding.	The EUT provides the RF shielding. See EUT
own Rd sinciding.	photo.
2. The modular transmitter must have buffered	ү
	The EUT has its buffered modulation. Please
modulation/data inputs (if such inputs are	
provided) to ensure that the module will	see the Schematic Diagram.
comply with Part 15 requirements under	
conditions of excessive data rates or	
over-modulation.	
3. The modular transmitter must have its	Y
own power supply regulation.	The EUT has its own power supply
	regulation, please see the Schematic Diagram.
4. The modular transmitter must comply with the	Y
antenna and transmission system requirements	The EUT meets the FCC antenna
of Sections 15.203, 15.204(b) and 15.204(c).	requirements; unique antenna connector and
The antenna must either be permanently	photo of antenna are shown in the test report.
attached or employ a "unique" antenna coupler	
(at all connections between the module and the	
antenna, including the cable). The	
"professional installation" provision of Section	
15.203 is not applicable to modules but can	
apply to limited modular approvals under	
paragraph (b) of this section.	

Edifier International Limited
Room 2207-9 Tower Two, Lippo Centre,89 Queensway,
HongKong -- -- China

5. The modular transmitter must be teste

5. The modular transmitter must be tested in a stand - alone configuration, i.e., the module must not be inside another device	Y The EUT was tested with a test board, Please see test report and setup photo
during testing.	The state of the s
6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: Z9G-EDF24" or "Contains FCC ID: Z9G-EDF24" Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for	Y Please see exhibition label sample for the FCC ID of this module. And also in the exhibition Users manual, there are instructions give to the OEM on how to label the end product.
equipment authorization.7. The modular transmitter must comply	Y
with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	The EUT is compliant with all applicable FCC rules. Details instructions for maintaining compliance are give in the User Manual.
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure	Y The EUT complies with RF exposure requirement.

Edifier International Limited Room 2207-9 Tower Two, Lippo Centre,89 Queensway,

Telephone: 0769-88986868

HongKong China	
compliance in accordance with Section 15.247(b)(4).	
Thank you. Sincerely,	
By: Dingkun Sher (Signature1)	Dingkun Shen (Print name)
Title: Manager	
On behalf of: Edifier International Limited _ (Company Name)	