



# **Antenna Test Report**

Equipment : PCB antenna

Model Name : 69075

**Applicant**: Litestar Electronics Technology Co., Ltd. Manufacturer : Litestar Electronics Technology Co., Ltd.

: F3-4, Building 7, Xingchen Science & Technology Park,

Lianbi Road, Wulian Industry Area, Wulian Village, Address

Fenggang Town, Dongguan City, Guangdong Province,

China

### BTL INC.

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, Guangdong, China.

TEL: +86-769-8318-3000 FAX: +86-769-8319-6000





| Table of Contents        | Page |  |
|--------------------------|------|--|
| REPORT ISSUED HISTORY    | 3    |  |
| 1 . Genernal Information | 4    |  |
| 2 . Antenna Photo        | 5    |  |
| 3 . Gain & Pattern       | 6    |  |
| 4 Test Photos            | 9    |  |





#### **REPORT ISSUED HISTORY**

| Issued Version | Description     | Issued Date   |
|----------------|-----------------|---------------|
| 1.0            | Original Issue. | Aug. 16, 2018 |






#### 1. Genernal Information

| Item             | PCB antenna              |
|------------------|--------------------------|
| Model Name       | 69075                    |
| Model Difference | N/A                      |
| Antenna Type     | PCB Antenna              |
| Max. Gain (dBi)  | 1.66 (2400MHz~2483.5MHz) |





#### 2. Antenna Photo








#### 3. Gain & Pattern

|      | Frequency (MHz) | Efficiency (%) | Gain (dBi) |
|------|-----------------|----------------|------------|
|      | 2400            | 17.60          | -1.69      |
|      | 2405            | 18.35          | -1.80      |
|      | 2410            | 29.99          | 0.40       |
|      | 2415            | 26.44          | -0.28      |
|      | 2420            | 32.37          | 0.72       |
|      | 2425            | 17.80          | -2.01      |
|      | 2430            | 22.29          | -0.98      |
| 2.4G | 2435            | 12.55          | -3.41      |
|      | 2440            | 18.29          | -1.63      |
|      | 2445            | 13.52          | -2.83      |
|      | 2450            | 26.11          | -0.08      |
|      | 2455            | 23.57          | -0.23      |
|      | 2460            | 37.06          | 1.66       |
|      | 2465            | 30.29          | 0.98       |
|      | 2470            | 31.50          | 0.81       |
|      | 2475            | 20.29          | -1.06      |
|      | 2480            | 20.43          | -1.31      |
|      | 2485            | 16.22          | -2.06      |
|      | 2490            | 20.17          | -1.39      |
|      | 2495            | 19.94          | -1.14      |
|      | 2500            | 29.94          | 0.31       |











## **Total**












## **Total**







#### 4. Test Photos



