SHEN ZHEN SKY DRAGON AUDIO-VIDEO TECHNOLOGY CO.LTD

BILL OF MATERIAL

Product code: 900-00RS205-041 Version: $A\0$

product description: Bluetooth Speaker\RS205_CK405((BT4.0/NFC/USB/Built-in

Remarks:

Amazon customer order No.: SA16110001 RS205_CK405 production BOM (black

+ black mesh)

Page: 1 / 8

2016-11-2

2016 - 11 - 2

Issue date:

Effective

date:

				1.	age: 1 / 8
Tab (clerk):		Audit (Engineer): Appr	oval (supe	ervisor):	
Arrangement	Material code	Name / specification model	unit	amount	tag number
1	407-0205028-011	Outside the box\RS205_CK405\A=B\475*410*540mm(4pcs)\RoHS	PCS	0. 2500	
1	401-0020060-051	Kraft box\CK405\Kraft paper+A9\457*198*256mm\Silk screen CKY\RoHS	PCS	1. 0000	
1	404-0020014-001	Neto\BC20\foam \ about nested RoHS	SET	1.0000	
1	113-1230201-011	The switching power supply, output 12V, 3A (sig 2.5A, real 3A) \Flat plug \CCC certification \D flat plug plug diameter 5.5mm, DC plug 12mm\ longth 1.5m\ East Jiayuan \RoHS	C PCS	1.0000	
1	415-0205020-021	Specification \RS205_CK405\128g double copper, inner page 80g writing paper, four color printin \105*148mm\RoHS		1. 0000	
1	418-0098121-121	The switching power supply, black and white, single sticker sticker \36*44mm\RoHS	PCS	1. 0000	
1	118-0405009-001	Remote control BC20D\9, \BC20N key \ on the surface of light black \ silk screen brand CKY\02FF_MDK012-MP3-STL007\\RoHS	PCS	1. 0000	
1	109-0710000-101	USB data line $L=1m\$ both ends for the big USB 5 male plug $\$ black $\$ RoHS	P PCS	1. 0000	
1	109-0810200-001	Line in wire \L=1.0m\3.5mm dual channel plug black \RoHS	PCS	1. 0000	
1	412-0000004-071	Open pocket \130*185*0.04mm\ the use of environmentally friendly recyclable logo \PE of play two on more than 8mm air holes \RoHS	\ PCS	1. 0000	
1	411-0026011-011	Pearl cotton bags \MI26\360*550*0.5mm\PET \ screen printing the use of environmentally friendly recyclable signs and warning \ air holes play two on more than 8mm\ \RoHS	PCS	1. 0000	
1	620-00RS205-001	Baremetal \RS205_CK405 (Bluetooth 4.0/NFC/USB, built-in TF/AUX/0.5A mobile phone charging \5*2+12W) and black +YD-466 black mesh \RoHS	PCS	1. 0000	

	Gammond YD-466 black cloth \RoHS		1. 0000	
3 301-1002010-021	Shell \BC20\ molding \ABS\ black beer \RoHS	PCS	1. 0000	
. 2 302-1002010-001	mesochite \BC20\ shell molding \ABS\ black beer \RoHS	PCS	1. 0000	
. 2 303-1020310-001	Pan \BC203\ molding \ABS\ beer fine black lines with dumb \ passive basin hole \RoHS	PCS	1. 0000	
. 2 315-1002016-001	decorative lampshade injection\BC20\ABS\acrylic beer PT2935 translucent blue, high gloss surface \RoHS	PCS	1. 0000	
. 2 315-2002011-041	lamp light\BC20\ injection \ABS\spray silver \RoHS	PCS	1.0000	
. 2 315-1002010-001	The horn trim molding\BC20 \ABS\ black light beer\RoHS	PCS	1.0000	
. 2 313-1002010-021	Shell \BC20\Injection part\ABS\ black beer\RoHS	PCS	2. 0000	
. 2 315-2002010-291	The upper shell of the bracket \BC20\ silk screen parts \ABS\ silver plating, the internal coating of insulating oil \ silk screen black LOGO:CKY\RoHS	PCS	1.0000	
. 2 315-2002011-081	Bracket lower shell \BC20A, BC20D (USB play) \ electroplating parts \ABS\ silver plating, the character of the laser engraving \RoHS	PCS	1. 0000	
. 2 315-1002010-021	The upper part of the bracket shell \BC20\ molding \ABS\ black beer \RoHS	PCS	1. 0000	
. 2 313-1002010-031	The guide tube plug\BC203\ injection \ABS\ black beer phase \ diameter 41mm, thickness 5mm\RoHS	PCS	1. 0000	
. 2 315-2002010-121	Shell decoration \BC20\ printing \PC, 0.5mm\ thick black silk screen printed inside, with a hollowed out NFC and Bluetooth character symbol \RoHS	PCS	1.0000	
. 2 315-2002010-181	Lens \RS205\ screen printing \PC\ internal printing black, character, silk screen blue light transmission \RoHS	PCS	1. 0000	
. 2 324-3002090-031	Mat \BC20\ black belt machine \ \ silicone reticulate circular diameter 15mm, 3M glue back \RoHS	PCS	4. 0000	
. 2 116-0304150-011	Full frequency loudspeaker \CK405\3 inch \4 Omega \15W\ square 50 magnetic, global bright side black hat \S1610-25\ Rui Xiangtai \RoHS	PCS	2. 0000	
. 2 116-0100000-001	Bass passive basin \BC203\3 inch round, thick 4mm\ middle iron diameter 53mm, thick 1.7mm, rubber edge wide 11mm\ black \RoHS	PCS	1. 0000	
. 2 116-0406200-061	Bass horn \CK405\4 inch 6 European 20W\ square 70 magnetic, Rubber edge paper basin bronze cap \S1610-33\ Rui Xiangtai\RoHS	PCS	1. 0000	
. 2 200-0135018-001	screws\PA 3.5*18mm\ cap 5.5mm\ black \RoHS	PCS	4. 0000	Woofer

. 2	200-0103100-011	Screw\PA 3*10mm\Cap 5mm\black\RoHS	PCS	8. 0000	Upper shell pressing
. 2	200-0503080-081	Screw\PWA 3*8mm\W8\black\RoHS	PCS	12. 0000	Full frequency loudspeaker-8 Lamp fixed-2
. 2	200-0103120-551	Screw\PA 3*12mm\Cap5.5mm\black\Hard\RoHS	PCS	10.0000	Main board fixed-2; Fixed decoration8;
. 2	200-0135200-001	Screw\PA 3.5*20mm\Cap5.5mm\black\RoHS	PCS	7. 0000	Upper and lower shell fixation
. 2	200-0103160-501	Screw\PA 3*16mm\Cap5.5mm\black\RoHS	PCS	5. 0000	Speaker net fixed_4PCS; Upper and lower shell fixation_1PCS;
. 2	200-0302080-001	Screw\KA 2*8mm\Cap3mm\silvery\RoHS	PCS	7. 0000	The touch panel and the lamp cup-4, The lamp bracket-3
. 2	527-1802550-001	Single pasted sponge\180*25*5mm\RoHS	PCS	5. 0000	Horn wire-3, FFC line-2
. 2	527-3401006-001	Single side post EVA\340*10*0.6mm\black\RoHS	PCS	5. 0000	sound insulation
. 2	527-9010030-001	Single side post EVA\90*10*3mm\black\RoHS	PCS	1. 0000	Main board seal
. 2	527-3001010-001	Single side post EVA\300*10*1mm\black\RoHS	PCS	1. 0000	Woofer
. 2	527-2401010-001	Single side post EVA\240*10*1mm\black\RoHS	PCS	2. 0000	Full frequency loudspeaker
. 2	527-2010020-001	EVA Single side post\20*10*2mm\RoHS	PCS	2. 0000	The lamp board cable window seal
. 2	527-1501000-001	Sound-absorbing cotton\150*100*20mm\RoHS	PCS	2. 0000	Full frequency loudspeaker
. 2	501-1501200-001	3MDouble faced adhesive tape\wide 12mm, Total length 50000mm\RoHS	volume	0.0018	Round back light board(wide 40MM) Paste decorative pieces with KEY board FFC line(wide 50MM)
. 2	319-3000060-001	Heat shrinkable tube\∮3mm,L=6mm\RoHS	PCS	2. 0000	
. 2	505-1715005-001	Electrical adhesive\17*15*0.05MM\black\RoHS	PCS	1. 0000	Between the key decorative sheet and the back light board
. 2	109-0422031-021	PVC Line 22#\L=220mm\spacing 2.54mm\2P\A head opening another plug 3mm Soldering\The red line\RoHS	PCS	3. 0000	Horn wire
. 2	623-FW31872-001	Bluetooth\RS205\YD,CSR4.0,FW3817-30\Pairing name:CK405\RoHS	PCS	1. 0000	Main board U14
. 2	651-BC20NFC-011	Rectangle NFC module\BC20N\NT603A,25*15mm\RoHS	PCS	1. 0000	
. 2	603-0205102-001	Micro TF card\SD, MMC card\1G Memory capacity\Copy music\RoHS	PCS	1. 0000	Main board TF cassette,
. 2	600-00RS205-031	Main board component\RS205_CK405(Bluetooth 4.0/NFC/USB/Built-in TF/AUX/0.5A Mobile charge\5*2+12W)\RoHS	PCS	1. 0000	

3	600-00RS205-041	Main board component\RS205_CK405(Bluetooth 4.0/NFC/USB/Built-in TF/AUX/0.5A Mobile charge\5*2+12W)\SMT\RoHS	PCS	1. 0000	
4	101-S205351-001	PCB A main board\RS205\FR4 HASL(Double sided board), thickness 1.2mm\V01\211*71mm\20140421\RoHS	PCS	1. 0000	
4	106-1000004-221	chip resistor\0 Ω \1/16\\ \pm 5\\0603\RoHS	PCS	7. 0000	R26 R144 B3 C32 C35 R40 R41
4	106-1001004-221	chip resistor\1 Ω \1/16\\\ \pm 5\\0603\RoHS	PCS	3. 0000	R169 R221 R39
4	106-1002204-221	chip resistor\2.2 \Omega\1/16\W\\ \pm 5\%\0603\RoHS	PCS	2. 0000	R19 R62
4	106-1002202-231	chip resistor\2.2 $\Omega \1/2W \pm 5\%0805\$ RoHS	PCS	2. 0000	R6 R10
4	106-1004704-221	chip resistor\4.7 $\Omega \ 1/16 \ \pm 5\% \ 0603 \ RoHS$	PCS	3. 0000	R191 R192 R36
4	106-1100004-221	chip resistor\10 $\Omega \1/16W \pm 5\% \0603\$ RoHS	PCS	5. 0000	R13 R136 R154 R153 R32
4	106-1100004-231	chip resistor\10 Ω \1/16W\ \pm 5%\0805\RoHS	PCS	2. 0000	R166 R226
4	106-1470002-251	chip resistor\47 $\Omega \1/2W\\pm5\%\1206\$ RoHS	PCS	1. 0000	R127
4	106-1221004-221	chip resistor\220 $\Omega \ 1/16 \ \text{W} \pm 5\% \ \text{0603} \ \text{RoHS}$	PCS	1. 0000	R202
4	106-1331004-221	chip resistor\330 $\Omega \ 1/16 \text{W} \pm 5\% \ 0603 \ \text{RoHS}$	PCS	2. 0000	R74 R171
4	106-1561004-221	chip resistor\560 $\Omega \ 1/16 \ \pm 5\% \ 0603 \ RoHS$	PCS	5. 0000	R72 R78 R172 R188 R189
4	106-1102004-221	chip resistor\1K $\Omega \1/16W \\pm 5\% \0603\$ RoHS	PCS	8. 0000	R17 R158 R155 R156 R157 R68 R33 R37
4	106-1202004-221	chip resistor\2K\Q\1/16W\ \pm 5%\0603\RoHS	PCS	1. 0000	R126
4	106-1302004-121	chip resistor\3K $\Omega \ 1/16W \ \pm 1\% \ 0603 \ RoHS$	PCS	1. 0000	R4
4	106-1472004-221	chip resistor\4.7K $\Omega \1/16W \pm 5\% \0603\$ RoHS	PCS	4. 0000	R58 R65 R135 R224
4	106-1562004-221	chip resistor\5.6K $\Omega \1/16W \pm 5\% \0603\$ RoHS	PCS	6. 0000	R18 R129 R225 R125 R187 R190
4	106-1103004-221	chip resistor\10K\Q\1/16W\ \pm 5%\0603\RoHS	PCS	22. 0000	R1 R30 R123 R77 R209 R140 R31 R67 R20 R177 R195 R196 R197 R198 R203 R204 R205 R206 R208 R76 R12 R29
4	106-1123004-221	chip resistor\12K\Q\1/16W\ \pm 5%\0603\RoHS	PCS	5. 0000	R3 R5 R8 R199 R200
4	106-1153004-221	chip resistor\15K Ω \1/16W\ \pm 5%\0603\RoHS	PCS	9. 0000	R185 R186 R14 R15 R22 R27 R28 R46 R47
4	106-1203004-221	chip resistor\20K Ω \1/16W\ \pm 5%\0603\RoHS	PCS	1. 0000	R148
4	106-1243004-221	chip resistor\24K $\Omega \ 1/16 \ \pm 5\% \ 0603 \ RoHS$	PCS	2. 0000	R201 R207
4	106-1273004-221	chip resistor\27K $\Omega \1/16$ W\ $\pm 5\% \0603$ \RoHS	PCS	2. 0000	R180 R181
4	106-1473004-221	chip resistor\47K $\Omega \ 1/16W \ \pm 5\% \ 0603 \ RoHS$	PCS	8. 0000	R121 R122 R124 R132 R23 R57 R178 R179

4	106-1124004-221	chip resistor\120K\ Ω \1/16W\ \pm 5%\0603\RoHS	PCS	2. 0000	R7 R61
4	106-1154004-221	chip resistor\150K Ω \1/16W\ \pm 5%\0603\RoHS	PCS	1. 0000	R147
4	106-1224004-221	chip resistor\220K $\Omega \1/16W\\pm5\%\0603\$ RoHS	PCS	1. 0000	R11
4	106-1105004-221	chip resistor\1M Ω \1/16W\ \pm 5%\0603\RoHS	PCS	1. 0000	R141
4	107-1150053-021	Chip capacitor\15pF\50V\ \pm 5%\0603\RoHS	PCS	1. 0000	C206
4	107-1470053-021	Chip capacitor\47pF\50V\ \pm 5%\0603\RoHS	PCS	2. 0000	C194 C195
4	107-1101053-021	Chip capacitor\100pF\50V\ $\pm5\%$ \0603\RoHS	PCS	2. 0000	C182 C183
4	107-1121053-021	Chip capacitor\120pF\50V\ \pm 5%\0603\RoHS	PCS	2. 0000	C46 C57
4	107-1102054-021	Chip capacitor\1000pF\50V\ \pm 10%\0603\RoHS	PCS	4. 0000	C133 C202 C198 C41
4	107-1272054-021	Chip capacitor\2700pF\50V\ \pm 10%\0603\RoHS	PCS	2. 0000	C58 C67
4	107-1104054-021	Chip capacitor\0.1uF\50V\ \pm 10%\0603\RoHS	PCS	31.0000	C132 C147 C149 C151 C156 C16 C25 C34 C63 C43 C36 C59 C3 C4 C5 C6 C7 C189 C15 C27 C50 C62 C74 C61 C70 C73 C64 C215 C201 C209 C47
4	107-1683055-021	Chip capacitor\0.068uF\50V\ \pm 20%\0603\RoHS	PCS	1. 0000	C42
4	107-1103055-021	Chip capacitor\0.01uF\50V\ \pm 20%\0603\RoHS	PCS	2. 0000	C37 C158
4	107-1224055-021	Chip capacitor\0.22uF\50V\ \pm 20%\0603\RoHS	PCS	4. 0000	C44 C45 C55 C56
4	107-1563054-021	Chip capacitor\0.056UF\50V\ $\pm10\%$ \0603\RoHS	PCS	2. 0000	C184 C185
4	107-1105054-021	Chip capacitor\1uF\50V\ \pm 10%\0603\RoHS	PCS	17. 0000	C180 C181 C192 C193 C204 C76 C205 C31 C65 C75 C77 C90 C96 C118 C119 C179 C199
4	107-1225055-021	Chip capacitor\2.2uF\50V\ \pm 20%\0603\RoHS	PCS	5. 0000	C196 C197 C40 C30 C28
4	107-1106035-031	Chip capacitor\10uF\16V\ \pm 20%\0805\RoHS	PCS	11.0000	C200 C203 C18 C29 C24 C26 C33 C60 C8 C9 C14
4	108-2105003-061	Chip Bead\FB/22 \Q \100MHz\ \pm 10%\0603\RoHS	PCS	4. 0000	FB2 FB3 B1 B2
4	105-0558190-001	Patch diode\5819\1A\1206\RoHS	PCS	2. 0000	D1 D4
4	105-0310000-001	Chip voltage regulator diode\10V\1/4W\1206\RoHS	PCS	2. 0000	D2 D8
4	105-0306802-001	Chip voltage regulator diode\6.8V\0.5W\1206\RoHS	PCS	1. 0000	D3
4	104-1805000-041	Patch Transistor\S8050\HFE=160-300\S0T-23\RoHS	PCS	1. 0000	Q13
4	104-1901400-041	Patch Transistor\S9014\HFE=100-300\Pin BCE\S0T-23\RoHS	PCS	8. 0000	Q1 Q2 Q3 Q15 Q17 Q18 Q4 Q5
4	102-P231310-191	Patch IC\PT2313\SOP28\RoHS	PCS	1. 0000	U7

4	102-S811310-421	Patch IC\SY8113\SSOT23-6\RoHS	PCS	1.0000	U15
4	102-6206360-421	Regulator IC\6206-3.6V\Voltage 3.6V,Operating current500mA\SOT23\domestic\RoHS	PCS	1. 0000	U1
4	102-M455810-041	PatchIC\NJM4558\SMT\SOP-8\Audio amplifier IC\RoHS	PCS	3. 0000	U4 U18 U16
4	102-24C0210-041	Patch IC\CAT24C02(Alternative 24LC02)(Storage IC)\SOP8\RoHS	PCS	1. 0000	U10
4	121-1090000-001	Patch TF cassette\TFP09-2-12B\horizontal 9P\RoHS	PCS	1.0000	TF_CARD1
4	102-E212011-001	Patch MCU\RS205\ED2120\LQPF48\Electronic control technology\Software version:1028,20140814\RoHS	PCS	1. 0000	IC5
3	600-00RS205-051	Main board component\RS205_CK405(Bluetooth 4.0/NFC/USB/Built-in TF/AUX/0.5A Mobile charge\5*2+12W)\PCBA\RoHS	PCS	1. 0000	
4	107-2476035-051	Electrolytic capacitor\47uF\16V\±20%\5× 11mm\Shear pin 10mm\RoHS	PCS	1. 0000	C2
4	107-2107035-051	Electrolytic capacitor\100uF\16V\ \pm 20%\5x11\Shear pin 10mm\RoHS	PCS	14. 0000	C187 C19 C20 C21 C22 C23 C153 C186 C213 C154 C207 C208 C1
4	107-2227036-061	Electrolytic capacitor\220uF\16V\+80/-20%\6x12mm\Shear pin 10mm\RoHS	PCS	4. 0000	C152 C216 EC10 EC11
4	107-2477036-071	Electrolytic capacitor\470uF\16V\+80/-20%\8 \times 12mm\Shear pin 10mm\RoHS	PCS	6. 0000	C17 C148 C155 C159 C190 C191
4	107-2478046-201	Electrolytic capacitor\4700uF\25V\+80/-20%\16 $\times 26 mm\$ pin 10mm\RoH	PCS	1. 0000	C217
4	102-TIP4120-331	Plug in IC\TIP41\TO-220\RoHS	PCS	1. 0000	Q14
4	102-L780520-331	Plug in IC\L7805CV\T0220CP-3\Three terminal voltage regulator\RoHS	PCS	1. 0000	U12
4	102-A540S21-461	Plug in IC\STA540\4*13W\Multiwatt15\RoHS	PCS	1. 0000	IC6
4	108-1103240-071	Plug in inductor\10uH/3A\±10%\9*12mm\RoHS	PCS	1. 0000	L5
4	108-4203000-071	The plug-in magnetic inductors\2X20UH\2A\Four pins\RoHS	PCS	1. 0000	L1
4	122-0327683-121	Crystal oscillator\32.768KHz\±5PPM\2 Pin DIP\Circle type 3*8mm\RoHS	PCS	1. 0000	X2
4	121-1004002-001	USB Socket\4P\Compass(USB-1400)\T Band edge\RoHS	PCS	1. 0000	U17
4	121-1100112-001	DC Socket\6mm(DS-213)\Curved plug\RoHS	PCS	1. 0000	DC4
4	121-0211002-011	Earphone socket\PJ3507-1P2T\11P\Plastic jack, § 3.5mm\thin, With switch\RoHS	PCS	1.0000	JK1
4	121-1707021-001	FFC Socket\7P\spacing 1.0mm\Double pin, In line\RoHS	PCS	1. 0000	Ј3
4	121-1710021-001	FFC Socket\10P\spacing 1.0mm\Double pin, In line\black\RoHS	PCS	1. 0000	CN9

4	121-0802041-001	Socket outlet\2P\spacing 2.5mm\vertical\RoHS	PCS	3. 0000	CN1 CN2 CN14
4	200-0703080-011	Screw\PM 3*8mm\skullcap 5mm\black\RoHS	PCS	3. 0000	Heat sink
4	203-0020000-021	Heat sink\BC20A\75 aluminum\59*32*60mm\With 5 screw holes\Plus hole in the middle(With STA540\DIP-15 model of IC)\RoHS	PCS	1. 0000	
. 2	602-00BC20A-001	Touch button panel assembly\BC20A(Bluetooth 4.0/AUX/NFC/USB play, 0.5A Mobile charge/5W*2+12W)\RoHS	PCS	1. 0000	
3	602-00BC20A-011	Touch button panel assembly\BC20A(Bluetooth 4.0/AUX/NFC/USB play, 0.5A Mobile charge/5W*2+12W)\SMT\RoHS	PCS	1. 0000	
4	101-B20A351-021	PCB touch key board\BC20A\FR4 HASL(Double sided board), thickness 1.2mm\60*79mm\20131220\V01\RoHS	PCS	1. 0000	
4	106-1000004-221	chip resistor\0 Ω \1/16W\ \pm 5%\0603\RoHS	PCS	3. 0000	R2 R12 R14
4	106-1100004-221	chip resistor\10 Ω \1/16W\ \pm 5%\0603\RoHS	PCS	2. 0000	R5 R3
4	107-1272054-021	Chip capacitor\2700pF\50V\ \pm 10%\0603\RoHS	PCS	1. 0000	C5
4	107-1562054-021	Chip capacitor\5600PF\50V\ $\pm10\%$ \0603\RoHS	PCS	1.0000	C2
4	106-1102004-221	chip resistor\1K $\Omega \1/16W \pm 5\% \0603\$ RoHS	PCS	8. 0000	R6 R7 R8 R9 R13 R1 R4 R11
4	107-1104054-021	Chip capacitor\0.1uF\50V\±10%\0603\RoHS	PCS	1.0000	C4
4	107-1106035-031	Chip capacitor\10uF\16V\ $\pm20\%$ \0805\RoHS	PCS	2. 0000	C1 C7
4	102-TC33410-171	Patch touch IC\FTC334C, SOP16L\RoHS	PCS	1.0000	U1
3	602-00BC20A-021	Touch button panel assembly\BC20A(Bluetooth 4.0/AUX/NFC/USB play, 0.5A Mobile charge/5W*2+12W)\PCBA\RoHS	PCS	1. 0000	
4	103-0700020-001	Backlight panel\BC20\circular,With blue light\RoHS	PCS	1. 0000	LED3
4	109-1028020-101	FFC cable\L=280mm\spacing 1.0mm\10P\black\0ne plug Another welding\RoHS	PCS	1. 0000	CN1
4	105-1002010-001	light-emitting diode\Misty gray hair\Super bright (800MCD)\Φ3mm\RoHS	PCS	1.0000	LED8
. 2	606-00BC20A-001	Lamp panel assembly\BC20A(Bluetooth/AUX/USB 1A Mobile charge/5W*2+12W)\RoHS	PCS	1. 0000	
3	606-00BC20A-011	Lamp panel assembly\BC20A(Bluetooth/AUX/USB 1A Mobile charge/5W*2+12W)\SMT\RoHS	PCS	1. 0000	
4	101-B20A151-001	PCB lamp panel\BC20A\FR4 glass fiber board(Single panel), thickness 1.2mm\20*42mm\20131220\V01\RoHS	PCS	1. 0000	
4	106-1100004-221	chip resistor\10 Ω \1/16W\ \pm 5%\0603\RoHS	PCS	1. 0000	R10
4	107-1106035-031	Chip capacitor\10uF\16V\ \pm 20%\0805\RoHS	PCS	2. 0000	C3 C6
<u> </u>				<u> </u>	

3	606-00BC20A-021	Lamp panel assembly\BC20A(Bluetooth/AUX/USB 1A Mobile charge/5W*2+12W)\PCBA\RoHS	PCS	1. 0000	_
		IR receiver head\LF0038K(large)\T0-220\5V\long			
4	104 0000000 001	6.0*wide 6.2*high 6.7mm\3P pin long	PCS 1.0000 IR1		
4	104-2003806-001	26mm\Receiving distance≥8m\Voltage		IKI	
		2. 4V-5. 5V\RoHS			
	105-1000000-111	Double color luminous lamp\Misty white hair		1. 0000	
4		white. Double color light green\a	PCS		LED2
		common-cathode, circular, diameter 3mm\RoHS			
		Light lamp (dual color)\Misty white red, Blue			
4	105-0000003-001	double colour\3ARB9HWA\a common-cathode Φ	PCS	1.0000	LED1
		3mm\RoHS			
4	109-1025020-071	FFC line\L=250mm\distance 1.0mm\7P\0ne plug	PCS	1. 0000	
		Another welding\\RoHS	LC2	1. 0000	J1

Form NO:SKON-QR-Research and Development-012(AO)