BOM

Item	临时编码	描述	Qty	Reference	Manufacture1 P/N
1	99903496	MTK基带芯片 BGA 11.5x12mm 0.5mmPitch 305PIN, MT6252	1	U1	
2		2 in 1 saw; 900MHz&1800MHz; 2X1.6mm	1	U9	SAWEP942MCM0F00
	00001100		_	L601 R29 R5 R1 L101 R26 R85 R82 R100 R102	Simulated to
3	00001015	RES FILM;0;1A;0402	16	R1645-1646 R24 R25 R2 R35	
4		RES FILM; 100; +/-5%; 1/16W; 0402		R71 R72	
5		RES FILM; 1K; +/-5%; 1/16W; 0402		R50 R602 R31 R59–60 R69 R70 R73 R40	
6		RES FILM; 1. 5K; +/-5%; 1/16W; 0402		R76 R77 R212 R65–66 R68	
7		RES FILM; 4. 7K; +/-5%; 1/16W; 0402		R10 R11	
8		RES FILM; 7. 5K; +/-5%; 1/16W; 0402	1	R219	
9		RES FILM; 10K; +/-5%; 1/16W; 0402	_	R32	
10		RES FILM; 39K; +/-1%; 1/16W; 0402	1	R216	RC0402FR-0739KL
11		RES FILM; 47K; +/-5%; 1/16W; 0402	_	R1642-R1644	
12		RES FILM; 100K; +/-5%; 1/16W; 0402		R19 R12 R146 R148-149 R151	
13		RES FILM; 330K; +/-1%; 1/16W; 0402	1	R214	RC0402FR-07330KL
14		RES FILM; 0; +/-1%; 1/8W; 0603	1	R211	
15		RES FILM; 0. 2; +/-1%; 1/4W; 0805	1	R226	
16		CAP CER COG; 6PF; +/-0. 25PF; 50V; 0402	1	C77	
17	99901372	CAP CER COG; 18PF; +/-5%; 50V; 0402	3	C97 C229-230	
18					
	99901112	CAP CER COG; 22PF; +/-5%; 50V; 0402	5	C76 C75 C80 C10 C11	
19					
13		CAP CER COG; 33PF; +/-5%; 50V; 0402		C47 C49 C51-52 C57-58 C64-65 T6 T7	
20		CAP CER COG; 100PF; +/-5%; 50V; 0402		C43 C48 C62-63	
21		CAP CER COG; 220PF; +/-5%; 50V; 0402	1	C78	
22	99901043	CAP CER X7R;1000PF;+/-10%;50V;0402	1	C93	
23		CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402			
20		Chi CER Adr, 0. 1ti , 1/ 10%, 101, 0402			
	99901045		5	C41 C44 C46 C50 C73	
24				C40 C59 C68 C71 C103 C116-117 C201 C225	
	99901046	CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402	16	C227 C231 C1024 C1030 C69 C70 C14	
_	33301040	On Olk 151,1di', '00% 20%,0.51,0402	10	0227 0231 01024 01030 003 070 014	
25	99901053	CAP CER X5R;1uF;+/-10%;16V;0603	3	C206-207 C220	
26		CAP CER X5R; 2. 2uF; +/-10%; 6. 3V; 0603	1	C221	
27	99901383	CAP CER X5R; 4. 7uF; +/-10%; 6. 3V; 0603	7	C228 C203 C218 C1 C60 C85 C92	

11-5-25

Section Sec	
30 99901919 BEAD;75ohm;300mA;0.4ohm;0402 5 L5 L6 L9 L11 L12 BLM15BB750SN1 31 99901039 MLV;18V;90pf;0402 28 BLJ 13 H19-23 T25-27 U22 U50 U51 U4 AVL18K02200 (amotech) 32 99901238 TVS;7V;80pf;S0D523 1 FV1 TVS-ESD57, OT1 33 99901275 SSP-TJF (32, F68KHZ/20PPM/9, OPP) 1 U203 MSZV-TIS 32, T68kHz 9p + / 34 99902486 Crystal;26HHZ 7, SFP 3, 2x2, 5mm 1 X1 7M2600028 35 99904403 PM723T703E0-2 N-MOS H-0.5mm 1 Q202 PM723T703E0-2 36 99903499 PM723T703E0-2 N-MOS H-0.5mm 1 Q201 PT236T30E2 37 99901846 SolieldingBB+PA;cover;2029B 1 SHE1 38 99901846 SOCKET-SIM-1.9MMEICHT 2 J11 J6	
31 9990139	
9990139 MLV;18V;90pf;0402 28 U12 U13 U15-U21 U23-U24 AVL18K02200 (amotech)	
1	
33 99901275 SSP-TTF (32. 768KHZ/20PPM/9. 0PF)	
34 99902486 Crystal;26MHZ 7.5PF 3.2x2.5mm	
Section	-20ppm
36 99903492 PT236T30E2 SOT23-6L I=3A H=1.25mm	
SHE1	
38 99901846 SOCKET-SIM-1.9MMHEIGHT 2 J11 J6 R5190008-308	
39 9991115 CARDSOCKET; T=Flash; I. 93mm; 14. 6x15 1	
40 99903841 BATTERY CONNECEOR 3PIN, 3. 0mm pitch, 5. 4mm height, 无定位末	
41 99906707 pcb:2029-REV.S;4L 1 42 99902959 Zener Diode;5.1V;500mW;S0D323 PZ3D4V2H 1 43 99903498 1.8V CMOS SERIAL flash, 64Mb, 6x5mm, MX25U6435EZNI-10G 1 U1005 44 99901015 RES FILM;0;1A;0402 1 R1647 45 99901978 CAP CER Y5V;22uF;+80% -20%;10V;0805 1 C67 CA45A226M0JA 46 99903867 Ø3.5mm audio jack connector, 12X8.3X6.3mm 1 J20 WKUB1005-011P 47 99901928 BEAD;2500ohm;50mA;1.5ohm;6063 1 L13 BLM18BD252SN1 48 99902943 BEAD;1800ohm;200mA;2.2ohm;0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM;QFN20;3x3x0.9mm;RDA5802HS 1 U7 5802HS 50 99901045 CAP CER COG;100PF;+/-5%;50V;0402 1 C157 52 99901045 CAP CER X5R;0.1uF;+/-10%;10V;0402 2 C731 C155 53 99901046 CAP CER Y5V;1uF;+80% -20%;6.3V;0402 2 C154 C3	
42 99902959 Zener Diode; 5. 1V; 500mW; S0D323 PZ3D4V2H 1 D201 43 99903498 1. 8V CMOS SERIAL flash, 64Mb, 6x5mm, MX25U6435EZNI-10G 1 U1005 44 99901015 RES FILM; 0; 1A; 0402 1 R1647 45 99901978 CAP CER Y5V; 22uF; +80% -20%; 10V; 0805 1 C67 CA45A226M0JA 46 99903867 ø3. 5mm audio jack connector; 12X8. 3X6. 3mm 1 J20 WKUB1005-011P 47 99901928 BEAD; 2500ohm; 50mA; 1. 5ohm; 0603 1 L13 BLM18BD252SN1 48 99902943 BEAD; 1800ohm; 200mA; 2. 2ohm; 0402 3 23 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM; QFN20; 3x3x0. 9mm; RD45802HS 1 U7 5802HS 50 99901015 RES FILM; 0; 1A; 0402 1 C2 51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
43 99903498 1. 8V CMOS SERIAL flash, 64Mb, 6x5mm, MX25U6435EZNI-10G 1 U1005 44 99901015 RES FILM;0;1A;0402 1 R1647 45 99901978 CAP CER Y5V;22uF;+80% -20%;10V;0805 1 C67 CA45A226M0JA 46 99903867 Ø3. 5mm audio jack connector, 12X8. 3X6. 3mm 1 J20 WKUB1005-011P 47 99901928 BEAD;2500ohm;50mA;1. 5ohm;0603 1 L13 BLM18BD252SN1 48 99902943 BEAD;1800ohm;200mA;2. 2ohm;0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM;QFN20;3x3x0. 9mm;RDA5802HS 1 U7 5802HS 50 99901015 RES FILM;0;1A;0402 1 C2 51 99901042 CAP CER COG;100PF;+/-5%;50V;0402 1 C157 52 99901045 CAP CER X5R;0. 1uF;+/-10%;10V;0402 2 C731 C155 53 99901046 CAP CER Y5V;1uF;+80% -20%;6. 3V;0402 2 C154 C3	
44 99901015 RES FILM;0;1A;0402 1 R1647 45 99901978 CAP CER Y5V;22uF;+80% -20%;10V;0805 1 C67 CA45A226M0JA 46 99903867 Ø3.5mm audio jack connector, 12X8. 3X6. 3mm 1 J20 WKUBI005-011P 47 99901928 BEAD;2500ohm;50mA;1.5ohm;0603 1 L13 BLM18BD252SN1 48 99902943 BEAD;1800ohm;200mA;2.2ohm;0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM;QFN20;3x3x0.9mm;RDA5802HS 1 U7 5802HS 50 99901015 RES FILM;0;1A;0402 1 C2 51 99901042 CAP CER COG;100PF;+/-5%;50V;0402 1 C157 52 99901045 CAP CER X5R;0.1uF;+/-10%;10V;0402 2 C731 C155 53 99901046 CAP CER Y5V;1uF;+80% -20%;6.3V;0402 2 C154 C3	
45 99901978 CAP CER Y5V; 22uF; +80% -20%; 10V; 0805 1 C67 CA45A226M0JA 46 99903867 Ø3. 5mm audio jack connector, 12X8. 3X6. 3mm 1 J20 WKUBI005-011P 47 99901928 BEAD; 2500ohm; 50mA; 1. 5ohm; 0603 1 L13 BLM18BD252SN1 48 99902943 BEAD; 1800ohm; 200mA; 2. 2ohm; 0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM; QFN20; 3x3x0. 9mm; RDA5802HS 1 U7 5802HS 50 99901015 RES FILM; 0; 1A; 0402 1 C2 51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
46 99903867 Ø3. 5mm audio jack connector, 12X8. 3X6. 3mm 1 J20 WKUBI005-011P 47 99901928 BEAD; 2500ohm; 50mA; 1. 5ohm; 0603 1 L13 BLM18BD252SN1 48 99902943 BEAD; 1800ohm; 200mA; 2. 2ohm; 0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM; QFN20; 3x3x0. 9mm; RDA5802HS 1 U7 5802HS 50 99901015 RES FILM; 0; 1A; 0402 1 C2 51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
47 99901928 BEAD; 2500ohm; 50mA; 1. 5ohm; 0603 1 L13 BLM18BD252SN1 48 99902943 BEAD; 1800ohm; 200mA; 2. 2ohm; 0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM; QFN20; 3x3x0. 9mm; RDA5802HS 1 U7 5802HS 50 99901015 RES FILM; 0; 1A; 0402 1 C2 51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
48 99902943 BEAD; 1800ohm; 200mA; 2. 2ohm; 0402 3 Z3 Z4 Z1 BLM15HD102SN1 (murata) 49 99904412 FM; QFN20; 3x3x0. 9mm; RDA5802HS 1 U7 5802HS 50 99901015 RES FILM; 0; 1A; 0402 1 C2 51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
49 99904412 FM;QFN20;3x3x0.9mm;RDA5802HS 1 U7 5802HS 50 99901015 RES FILM;0;1A;0402 1 C2 51 99901042 CAP CER COG;100PF;+/-5%;50V;0402 1 C157 52 99901045 CAP CER X5R;0.1uF;+/-10%;10V;0402 2 C731 C155 53 99901046 CAP CER Y5V;1uF;+80% -20%;6.3V;0402 2 C154 C3	
50 99901015 RES FILM; 0; 1A; 0402 1 C2 51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
51 99901042 CAP CER COG; 100PF; +/-5%; 50V; 0402 1 C157 52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
52 99901045 CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402 2 C731 C155 53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
53 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 2 C154 C3	
54 99903879 B type Micro usb 5PIN connector, DIP+SMT type 1 18 UAF95-05254-1500	
55 99901015 RES FILM;0;1A;0402 2 R310 R311	
56 99901046 CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402 1 C66	
57 99901019 RES FILM; 100K; +/-5%; 1/16W; 0402 1 R41	
58 99903455 300M Bandwidth; DUAL SPDT SWITCH; QFN-10; 0. 6ohm; SGM4717E 1 U11 SGM4717EP	
59 99903404 蓝牙芯片 QFN40/P0. 4/5X5MM MT6612 1 U901 MT6612	
60 99903405 BT Balance filter 2.0x1.25mm 1 U902 FB2012-06N2R4M(ACX)	
61 99901164 CAP CER COG; 56PF; +/-5%; 50V; 0402 1 C901	
62 99901021 RES FILM; 15K; +/-5%; 1/16W; 0402 1 R901	
63 99901015 RES FILM; 0; 1A; 0402 1 C902	

11-5-25

Item	临时编码	描述	Qty	Reference	Manufacturel P/N
64	99901019	RES FILM;100K;+/-5%;1/16W;0402	2	R902 R62	
65		CAP CER Y5V; 22uF; +80% -20%; 10V; 0805	1	C94	
66	99901052	CAP CER X5R; 2. 2uF; +/-10%; 6. 3V; 0603	1	C903	
67	99901046	CAP CER Y5V; 1uF; +80% -20%; 6. 3V; 0402	2	C909 C906	
68	99901045	CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402	3	C904 C905 C907	
69	99901382	IND CER;18NH;+/-5%;0402	1	L902	
70	99901388	IND CER; 2. 7NH; +/-0. 3nh; 0402	1	C908	
71	99901379	IND CER; 1. 5NH; +/-0. 3nh; 0402	1	L901	
		RES FILM;0;1A;0402	1	R63	
		RES FILM;24;+/-5%;1/16W;0402	1	R57	-
74	99901365	RES FILM;30;+/-5%;1/8;0603		R45	
		RES FILM;47K;+/-5%;1/16W;0402		R44	
76	99901066	NPN;100mA;150mW;VMT3	1	T8	DTC143ZM
		RES FILM;0;1A;0402	2	R58 R61	
78	99903445	Audio-AMP;2.2~5.5;Sing1e;1.2W;DFN-8	1	U2	SGM4891YDE8G
79	99901015	RES FILM;0;1A;0402	1	R17	
80	99901019	RES FILM; 100K; +/-5%; 1/16W; 0402	2	R316 R314	
81	99901362	RES FILM;24K;+/-5%;1/16W;0402	1	R315	
82	99902943	BEAD; 1800ohm; 200mA; 2. 2ohm; 0402	2	L15 L16	BLM15HD102SN1(murata)
83	99901149	CAP CER COG;33PF;+/-5%;50V;0402	2	C19 C20	
84	99901045	CAP CER X5R; 0. 1uF; +/-10%; 10V; 0402	2	C324 C332	
85	99901376	CAP CER X7R; 22nF; +/-10%; 16V; 0402	1	C326	
86	99901383	CAP CER X5R; 4. 7uF; +/-10%; 6. 3V; 0603	1	C331	
87	99901015	RES FILM;0;1A;0402	2	R36 R37	
88	99901932	RES FILM; 51; +/-5%; 1/16W; 0402	2	R543 R541	
		LED; white; 3V; LED-0603	6	HL505 HL506 HL507 HL508 HL501 HL502	
90	99901392	IND CER; 5. 6NH; +/-0. 3nh; 0402	2	L21 L613	
91	99901382	IND CER;18NH;+/-5%;0402	2	L20 L607	
92	99901357	CAP CER COG; 1. 5PF; +/-0. 1PF; 50V; 0402	4	C79 C13 C622 C625	
93		CAP CER COG; 1. 8PF; ±0. 25PF; 50V; 0402		C12 C84	
94	99902430	SAW FILTER;850MHZ;1.4X1.1mm		U110	
		CAP CER COG; 22PF; +/-5%; 50V; 0402		C89 C4 C6	
96	99901470	SAW FILTER;1900MHZ;1.4X1.1mm		U106	
97	99901265	CAP CER COG; 6. 8PF; +/-0. 1PF; 50V; 0402	2	C635 C636	
98	99901393	IND CER; 6. 2NH; +/-0. 3nh; 0402	1	C7	
99	99901918	IND CER;3NH;+/-5%;0402	1	C87	

11-5-25

Item	临时编码	描述	Qty	Reference	Manufacture1 P/N
100	99903480	RFPA GLT2238	1	U601	GLT2238
101	99901388	IND CER; 2. 7NH; +/-0. 3nh; 0402	1	C617	
		RES FILM;51;+/-5%;1/16W;0402	1	C72	
		IND CER; 22NH; +/-5%; 0402	1	L605	

11-5-25 4/4