




Report No.: 190100007SHA-002 Appendix C


Appendix C: Test results of U-NII-2c Band

1 Occupied N dB Bandwidth


U-NII-2c Occupied N dB Bandwidth							
Mode	Test Frequency (MHz)	Ant Occupied Bandwidth (MHz)		Result			
802.11a	5500	Ant0	35.46	Pass			
802.11a	5600	Ant0	34.32	Pass			
802.11a	5700	Ant0	29.11	Pass			
802.11n (HT20)	5500	Ant0	33.38	Pass			
802.11n (HT20)	5600	Ant0	34.66	Pass			
802.11n (HT20)	5700	Ant0	29.48	Pass			
802.11n (HT40)	5510	Ant0	73.50	Pass			
802.11n (HT40)	5590	Ant0	76.84	Pass			
802.11n (HT40)	5670	Ant0	74.62	Pass			
802.11ac (VHT80)	5530	Ant0	118.27	Pass			
802.11ac (VHT80)	5610	Ant0	135.96	Pass			


















2 99% Occupied Bandwidth


U-NII-2c 99% Occupied Bandwidth							
Mode	Test Frequency (MHz)	Ant	99% Occupied Bandwidth (MHz)	Result			
802.11a	5500	Ant0	17.762	Pass			
802.11a	5600	Ant0	17.366	Pass			
802.11a	5700	Ant0	16.893	Pass			
802.11n (HT20)	5500	Ant0	18.140	Pass			
802.11n (HT20)	5600	Ant0	18.219	Pass			
802.11n (HT20)	5700	Ant0	17.772	Pass			
802.11n (HT40)	5510	Ant0	37.898	Pass			
802.11n (HT40)	5590	Ant0	37.883	Pass			
802.11n (HT40)	5670	Ant0	37.107	Pass			
802.11ac (VHT80)	5530	Ant0	77.245	Pass			
802.11ac (VHT80)	5610	Ant0	76.493	Pass			














3 Duty Cycle


U-NII-2c Duty Cycle							
Mode	Test Frequency (MHz)	Ant		Duty Cycle Factor (dB)			
802.11a	5500	Ant0	95.37	0.21			
802.11a	5600	Ant0	96.73	0.14			
802.11a	5700	Ant0	96.28	0.16			
802.11n (HT20)	5500	Ant0	97.46	0.11			
802.11n (HT20)	5600	Ant0	95.05	0.22			
802.11n (HT20)	5700	Ant0	97.46	0.11			
802.11n (HT40)	5510	Ant0	92.16	0.35			
802.11n (HT40)	5590	Ant0	92.16	0.35			
802.11n (HT40)	5670	Ant0	96.94	0.13			
802.11ac (VHT80)	5530	Ant0	82.88	0.82			
802.11ac (VHT80)	5610	Ant0	85.19	0.70			














4 AVGSA Output Power


	U-NII-2c AVGSA Output Power								
Mode	Test Frequency (MHz)	Ant	Duty Cycle Factor (dB)	Max Power (dBm)	Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Result	
802.11a	5500	Ant0	0.21	13.21	24	15.91	30	Pass	
802.11a	5600	Ant0	0.14	13.13	24	15.83	30	Pass	
802.11a	5700	Ant0	0.16	12.92	24	15.62	30	Pass	
802.11n (HT20)	5500	Ant0	0.11	12.42	24	15.12	30	Pass	
802.11n (HT20)	5600	Ant0	0.22	13.01	24	15.71	30	Pass	
802.11n (HT20)	5700	Ant0	0.11	12.63	24	15.33	30	Pass	
802.11n (HT40)	5510	Ant0	0.35	12.86	24	15.56	30	Pass	
802.11n (HT40)	5590	Ant0	0.35	13.35	24	16.05	30	Pass	
802.11n (HT40)	5670	Ant0	0.13	12.86	24	15.56	30	Pass	
802.11ac (VHT80)	5530	Ant0	0.82	12.94	24	15.64	30	Pass	
802.11ac (VHT80)	5610	Ant0	0.70	13.12	24	15.82	30	Pass	













5 AVGSA Power Spectral Density

U-NII-2c AVGSA Power Spectral Density							
Mode	Test Frequency (MHz)	Ant	Duty Cycle Factor (dB)	PSD (dBm/MHz)	RBW (kHz)	Limit (dBm/MHz)	Result
802.11a	5500	Ant0	0.21	1.973	1000	11	Pass
802.11a	5600	Ant0	0.14	1.968	1000	11	Pass
802.11a	5700	Ant0	0.16	2.004	1000	11	Pass
802.11n (HT20)	5500	Ant0	0.11	1.180	1000	11	Pass
802.11n (HT20)	5600	Ant0	0.22	1.878	1000	11	Pass
802.11n (HT20)	5700	Ant0	0.11	1.661	1000	11	Pass
802.11n (HT40)	5510	Ant0	0.35	-1.362	1000	11	Pass
802.11n (HT40)	5590	Ant0	0.35	-1.140	1000	11	Pass
802.11n (HT40)	5670	Ant0	0.13	-1.297	1000	11	Pass
802.11ac (VHT80)	5530	Ant0	0.82	-3.320	1000	11	Pass
802.11ac (VHT80)	5610	Ant0	0.70	-2.990	1000	11	Pass



