

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.


#### **TEST EQUIPMENT**

Description	Manufacturer	Model	ID	Last Cal.	Interval (mo)
Attenuator - 20db, 'SMA'	SM Electronics	SA26B-20	RFW	4/3/2014	12
Signal Generator MXG	Agilent	N5183A	TIK	6/7/2012	36
40 GHz DC block	Fairview Microwave	SD3379	AMI	9/26/2013	14
Spectrum Analyzer	Agilent	E4440A	AAX	4/28/2014	12

#### **TEST DESCRIPTION**


The 6dB occupied bandwidth was measured using 100 kHz resolution bandwidth and 300 kHz video bandwidth. The 99.9% (approximate 26 dB) emission bandwidth (EBW) was also measured at the same time.


The EUT was set to low, medium and high transmit frequencies. The measurement was made using a direct connection between the RF output of the EUT and the spectrum analyzer. The EUT was transmitting at the data rate(s) listed in the datasheet.




	T: ConnectCore i.MX6 WiFi/Bluetooth	Work Order:		
	or: 00409D 7C03B4		09/29/14	
	Etherios Design Solutions	Temperature:		
Attendees	ss: None	Humidity:		
	ct: None	Barometric Pres.:		
	y: Trevor Buls Power: 5VDC	Job Site:	MN08	
ST SPECIFICA				
CC 15.247:2014	ANSI C63.10:2009			
MATERITO				
OMMENTS				
one				
VIATIONS FRO	DM TEST STANDARD			
ne				
nfiguration #	1 Signature Trevor Buls			
_	Signature July Communication C			
			Limit	
		Value	(>)	Result
00 MHz - 2483.5				
	802.11(b) 1 Mbps			
	Low Channel 1, 2412 MHz	10.08 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	10.077 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	10.078 MHz	500 kHz	Pass
	802.11(b) 11 Mbps  Low Channel 1, 2412 MHz	10.038 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	10.384 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	10.27 MHz	500 kHz	Pass
	802.11(g) 6 Mbps	10.21 WHZ	000 KI IZ	1 433
	Low Channel 1, 2412 MHz	16.506 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	16.562 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	16.548 MHz	500 kHz	Pass
	802.11(g) 36 Mbps			
	Low Channel 1, 2412 MHz	16.512 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	16.503 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	16.529 MHz	500 kHz	Pass
	802.11(g) 54 Mbps			
	Low Channel 1, 2412 MHz	16.498 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	16.482 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	16.508 MHz	500 kHz	Pass
	802.11(n) MCS0 Low Channel 1, 2412 MHz	17.676 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	17.076 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	17.74 MHz	500 kHz	Pass
	802.11(n) MCS7	<u>-</u>		
	Low Channel 1, 2412 MHz	17.733 MHz	500 kHz	Pass
	Mid Channel 6, 2437 MHz	17.767 MHz	500 kHz	Pass
	High Channel 11, 2462 MHz	17.766 MHz	500 kHz	Pass
25 MHz - 5850 N				
	802.11(a) 6 Mbps			
	Low Channel 149, 5745 MHz	16.422 MHz	500 kHz	Pass
	Mid Channel 157, 5785 MHz	16.446 MHz 16.412 MHz	500 kHz 500 kHz	Pass Pass
	High Channel 165, 5825 MHz	16.412 MHZ	DUU KMZ	Pass
	802.11(a) 36 Mbps Low Channel 149, 5745 MHz	16.428 MHz	500 kHz	Pass
	Mid Channel 157, 5785 MHz	16.423 MHz	500 kHz	Pass
	High Channel 165, 5825 MHz	16.428 MHz	500 kHz	Pass
	802.11(a) 54 Mbps	10.720 WII IZ	000 M IL	. 455
	Low Channel 149, 5745 MHz	16.457 MHz	500 kHz	Pass
	Mid Channel 157, 5785 MHz	16.453 MHz	500 kHz	Pass
	High Channel 165, 5825 MHz	16.432 MHz	500 kHz	Pass
	802.11(n) MCS0 - UNII			
	Low Channel 149, 5745 MHz	17.636 MHz	500 kHz	Pass
	Mid Channel 157, 5785 MHz	17.619 MHz	500 kHz	Pass
	High Channel 165, 5825 MHz	17.587 MHz	500 kHz	Pass
	802.11(n) MCS7 - UNII		E001	-
	802.11(n) MCS7 - UNII Low Channel 149, 5745 MHz Mid Channel 157, 5785 MHz	17.662 MHz 17.61 MHz	500 kHz 500 kHz	Pass Pass










	2400 MHz - 2483.	5 MHz Band, 8	302.11(b) 1 Mb <sub>l</sub>	os, Mid Channel	6, 2437 MHz	
					Limit	
				Value	(>)	Result
				10 077 MHz	500 kHz	Pass










	2400 MHz - 24	483.5 MHz Band	, 802.11(b) 11 Mb	ps, Low Channel	1, 2412 MHz	
					Limit	
				Value	(>)	Result
				10 038 MHz	500 kHz	Pass










	2400 MHz - 248	3.5 MHz Band,	802.11(b) 11 Mb	ps, High Channel	11, 2462 MHz	
					Limit	
				Value	(>)	Result
				10 27 MHz	500 kHz	Pass










	2400 MHz - 2	2483.5 MHz Band	d, 802.11(g) 6 Mb	ps, Mid Channel	6, 2437 MHz	
					Limit	
				Value	(>)	Result
				16 562 MHz	500 kHz	Pass










	2400 MHz - 24	183.5 MHz Band	, 802.11(g) 36 Mb	ps, Low Channel	1, 2412 MHz	
					Limit	
				Value	(>)	Result
				16 512 MHz	500 kHz	Pass










ı		2400 MHz - 24	483.5 MHz Band,	802.11(g) 36 Mb	ps, High Channel	11, 2462 MHz		
						Limit		
					Value	(>)	Result	
					16.529 MHz	500 kHz	Pass	










	2400 MHz - 24	483.5 MHz Band	l, 802.11(g) 54 MI	ps, Mid Channel	6, 2437 MHz	
					Limit	
				Value	(>)	Result
				16 482 MHz	500 kHz	Pass










	2400 MHz - 2	2483.5 MHz Ban	d, 802.11(n) MCS	30, Low Channel	I, 2412 MHz	
					Limit	
				Value	(>)	Result
				17 676 MHz	500 kHz	Pass










	2400 MHz - 2	2483.5 MHz Band	I, 802.11(n) MCS	0, High Channel 1	1, 2462 MHz	
					Limit	
				Value	(>)	Result
				17 74 MHz	500 kHz	Pass









	2400 MHz -	2483.5 MHz Ban	d, 802.11(n) MCS	67, Mid Channel 6	6, 2437 MHz		
					Limit		
				Value	(>)	Result	
				17.767 MHz	500 kHz	Pass	












	5725 MHz - 5	850 MHz Band,	802.11(a) 6 Mbps	, Low Channel 14	19, 5745 MHz	
					Limit	
				Value	(>)	Result
				16 422 MHz	500 kHz	Pass












	5725 MHz - 5	5850 MHz Band, 8	302.11(a) 6 Mbps	, High Channel 16	65, 5825 MHz		
					Limit		
				Value	(>)	Result	
				16.412 MHz	500 kHz	Pass	












	5725 MHz - 58	50 MHz Band, 8	302.11(a) 36 Mbp	s, Mid Channel 15	57, 5785 MHz	
					Limit	
				Value	(>)	Result
				16 423 MHz	500 kHz	Pass












	5725 MHz - 58	350 MHz Band, 8	302.11(a) 54 Mbp	s, Low Channel 1	49, 5745 MHz	
					Limit	
				Value	(>)	Result
				16 457 MHz	500 kHz	Pass












	5725 MHz - 58	350 MHz Band, 8	02.11(a) 54 Mbps	s, High Channel 1	65, 5825 MHz	
					Limit	
				Value	(>)	Result
				16 432 MHz	500 kHz	Pass













	5725 MHz - 585	50 MHz Band, 80	2.11(n) MCS0 - U	NII, Mid Channel	157, 5785 MHz		
					Limit		
				Value	(>)	Result	
				17.619 MHz	500 kHz	Pass	










	5725 MHz - 585	0 MHz Band, 802	2.11(n) MCS7 - U	NII, Low Channel	149, 5745 MHz	
					Limit	
				Value	(>)	Result
				17 662 MHz	500 kHz	Pass







	5725 MHz - 5850	MHz Band, 802	2.11(n) MCS7 - U	NII, High Channel	165, 5825 MHz	
					Limit	
				Value	(>)	Result
				17.657 MHz	500 kHz	Pass





Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

#### **TEST EQUIPMENT**

Description	Manufacturer	Model	ID	Last Cal.	Interval (mo)
Signal Generator MXG	Agilent	N5183A	TIK	6/7/2012	36
40 GHz DC block	Fairview Microwave	SD3379	AMI	9/26/2013	14
Attenuator - 20db, 'SMA'	SM Electronics	SA26B-20	RFW	4/3/2014	12
Spectrum Analyzer	Agilent	E4440A	AAX	4/28/2014	12

#### **TEST DESCRIPTION**

The transmit frequency was set to the required channels in each band. The transmit power was set to its default maximum. A direct connection was made between the RF output of the EUT and a spectrum analyzer. Attenuation and a DC block were used. The reference level offset on the spectrum analyzer was adjusted to compensate for cable loss and the external attenuation used between the RF output and the spectrum analyzer input.

Prior to measuring peak transmit power; the emission bandwidth (B) and the transmission pulse duration (T) were measured. Both are required to determine the method of measuring Maximum Conducted Output Power. The transmission pulse duration (T) was measured using a zero span on the spectrum analyzer to see the pulses in the time domain.


The channel power integration method found in KDB 558074 DTS D01 Measurement Section 9.1.2 was used because the DTS Bandwidth of the radio was greater than the RBW on the analyzer.


De Facto EIRP Limit: Per 47 CFR 15.247 (b)(1-3), the EUT meets the de facto EIRP limit of +36 dBm.




EUT	: ConnectCore i.MX6 WiFi/Bluetooth	Work Ord	ler: ETHE0009
	: 00409D 7C03B4	Da	ate: 09/29/14
	Etherios Design Solutions		ire: 22.7°C
Attendees			ity: 47%
Project	None	Barometric Pro	
Tested by	: Trevor Buls Power: 5V		ite: MN08
TEST SPECIFICAT FCC 15.247:2014		st Method ISI C63.10:2009	
FCC 15.247:2014	AN	SI C63.10:2009	
COMMENTS			
None			
DEVIATIONS FRO None	M TEST STANDARD		
None		- 1	
Configuration #	1 Signature Treevor	Bullo	
	Signature Juleva C	v mile	
			Limit
		Value	(<) Result
2400 MHz - 2483.5			
	802.11(b) 1 Mbps Low Channel 1, 2412 MHz	19.426 mW	1 W Pass
	Mid Channel 6, 2437 MHz	20.086 mW	
	High Channel 11, 2462 MHz	22.517 mW	1 W Pass
	802.11(b) 11 Mbps		
	Low Channel 1, 2412 MHz	18.678 mW	
	Mid Channel 6, 2437 MHz	20.857 mW	
	High Channel 11, 2462 MHz	22.205 mW	1 W Pass
	802.11(g) 6 Mbps	04 000114	1 W Pass
	Low Channel 1, 2412 MHz Mid Channel 6, 2437 MHz	24.809 mW 22.83 mW	1 W Pass 1 W Pass
	High Channel 11, 2462 MHz	22.63 HW 24.337 mW	1 W Pass
	802.11(g) 36 Mbps	24.337 IIIVV	1 433
	Low Channel 1, 2412 MHz	25.011 mW	1 W Pass
	Mid Channel 6, 2437 MHz	21.955 mW	1 W Pass
	High Channel 11, 2462 MHz	23.29 mW	1 W Pass
	802.11(g) 54 Mbps		
	Low Channel 1, 2412 MHz	20.653 mW 18.142 mW	
	Mid Channel 6, 2437 MHz High Channel 11, 2462 MHz	18.142 mW 19.554 mW	
	802.11(n) MCS0	19.554 IIIVV	I W Fass
	Low Channel 1, 2412 MHz	21.959 mW	1 W Pass
	Mid Channel 6, 2437 MHz	22.286 mW	
	High Channel 11, 2462 MHz	23.591 mW	1 W Pass
	802.11(n) MCS7		
	Low Channel 1, 2412 MHz	10.225 mW	
	Mid Channel 6, 2437 MHz High Channel 11, 2462 MHz	8.917 mW 9.654 mW	1 W Pass 1 W Pass
5725 MHz - 5850 M		9.654 MW	i vv Pass
5. 25 WII IZ 5550 W	802.11(a) 6 Mbps		
	Low Channel 149, 5745 MHz	101.531 mV	1 W Pass
	Mid Channel 157, 5785 MHz	117.323 mW	
	High Channel 165, 5825 MHz	117.409 mW	1 W Pass
	802.11(a) 36 Mbps		
	Low Channel 149, 5745 MHz	100.653 mV	
	Mid Channel 157, 5785 MHz High Channel 165, 5825 MHz	115.195 mW 105.623 mW	
	802.11(a) 54 Mbps	103.823 IIIV	I VV FASS
	Low Channel 149, 5745 MHz	37.176 mW	1 W Pass
	Mid Channel 157, 5785 MHz	41.592 mW	
	High Channel 165, 5825 MHz	38.055 mW	
	802.11(n) MCS0 - UNII		
	Low Channel 149, 5745 MHz	102.463 mW	
	Mid Channel 157, 5785 MHz	112.595 mW	
	High Channel 165, 5825 MHz	112.652 mW	1 W Pass
	802.11(n) MCS7 - UNII Low Channel 149, 5745 MHz	29.201 mW	1 W Pass
	Mid Channel 157, 5785 MHz	29.201 mW 35.438 mW	
	High Channel 165, 5825 MHz	35.675 mW	
	J	00.010 1111	








	2400 MHz -	2483.5 MHz Band	d, 802.11(b) 1 Mb	ps, Mid Channel 6	6, 2437 MHz	
					Limit	
				Value	(<)	Result
				20 086 mW	1 W	Pass












	2400 MHz - 24	483.5 MHz Band	, 802.11(b) 11 Mb	ops, Low Channel	1, 2412 MHz	
					Limit	
				Value	(<)	Result
				18.678 mW	1 W	Pass










	2400 MHz - 24	83.5 MHz Band,	802.11(b) 11 Mb	ps, High Channel 1	11, 2462 MHz	
					Limit	
				Value	(<)	Result
				22 205 mW	1 W	Pass









	2400 MHz - 248	3.5 MHz Band	d, 802.11(g) 6 Mb	ps, Mid Channel 6	, 2437 MHz	
					Limit	
				Value	(<)	Result
				22 83 mW	1 W	Pass




# NORTHWEST OUTPUT







	2400 MHz - 2483.5 MHz	: Band, 802.11(g) 36 N	Ibps, Low Channel 1	, 2412 MHz		
				Limit		
			Value	(<)	Result	
			25 011 mW	1 W	Pass	













	2400 MHz - 2483.	5 MHz Band,	802.11(g) 36 Mb	os, High Channel	11, 2462 MHz	
					Limit	
				Value	(<)	Result
				23 29 mW	1 W	Pass









	2400 MHz - 24	483.5 MHz Band	l, 802.11(g) 54 MI	ops, Mid Channel 6	6, 2437 MHz	
					Limit	
				Value	(<)	Result
				18 142 mW	1 W	Pass













	2400 MHz - 2	483.5 MHz Ban	d, 802.11(n) MCS	0, Low Channel 1	, 2412 MHz	
					Limit	
				Value	(<)	Result
				21 959 mW	1 W	Pass










	2400 MHz - 2	483.5 MHz Band	, 802.11(n) MCS	0, High Channel 1	1, 2462 MHz	
					Limit	
				Value	(<)	Result
				23 591 mW	1 W	Pass









	2400 MHz - 2483.5 M	//Hz Band, 802.11(n) N	MCS7, Mid Channel 6,	2437 MHz	
				Limit	
			Value	(<)	Result
			8 917 mW	1 W	Pass












	5725 MHz - 5	850 MHz Band,	802.11(a) 6 Mbps	, Low Channel 149	9, 5745 MHz	
					Limit	
				Value	(<)	Result
				101 531 mW	1 W	Pass









	5725 MHz - 5850 MHz E	Band, 802.11(a) 6 Mbp	s, High Channel 165	, 5825 MHz		
				Limit		
			Value	(<)	Result	
			117 409 mW	1 W	Pass	













	5725 MHz - 5850 MH	Iz Band, 802.11(a) 3	6 Mbps, Mid Channel 157,	, 5785 MHz		
				Limit		
			Value	(<)	Result	
			115 195 mW	1 W	Pass	)









	5725 MHz - 58	350 MHz Band, 8	02.11(a) 54 Mbps	s, Low Channel 14	9, 5745 MHz	
					Limit	
				Value	(<)	Result
				37 176 mW	1 W	Pass












	5725 MHz - 58	350 MHz Band, 8	02.11(a) 54 Mbps	s, High Channel 1	65, 5825 MHz	
					Limit	
				Value	(<)	Result
				38 055 mW	1 W	Pass












	5725 MHz - 5850 N	MHz Band, 802	2.11(n) MCS0 - L	INII, Mid Channel	157, 5785 MHz	
					Limit	
				Value	(<)	Result
				112.595 mW	1 W	Pass












	5725 MHz - 5850 MHz E	Band, 802.11(n) MCS	67 - UNII, Low Channel 14	19, 5745 MHz	
				Limit	
			Value	(<)	Result
			29 201 mW	1 W	Pass










	5725 MHz - 585	0 MHz Band, 802	2.11(n) MCS7 - U	VII, High Channel	165, 5825 MHz	
					Limit	
				Value	(<)	Result
				35 675 mW	1 W	Pass





Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

#### **TEST EQUIPMENT**

Description	Manufacturer	Model	ID	Last Cal.	Interval (mo)
Signal Generator MXG	Agilent	N5183A	TIK	6/7/2012	36
Attenuator - 20db, 'SMA'	SM Electronics	SA26B-20	RFW	4/3/2014	12
40 GHz DC block	Fairview Microwave	SD3379	AMI	9/26/2013	14
Spectrum Analyzer	Agilent	E4440A	AAX	4/28/2014	12

#### **TEST DESCRIPTION**

The maximum power spectral density measurements were measured with the EUT set to the required transmit frequencies in each band. The measurement was made using a direct connection between the RF output of the EUT and the spectrum analyzer. The EUT was transmitting at the lowest, middle, and maximum data rate for each modulation type available.

Per the procedure outlined in FCC KDB 558074 D01 DTS Measurement Section 5.3.1, the spectrum analyzer was used as follows:

≽RBW = 100 kHz

➤ VBW = 300 kHz

> Detector = Peak (to match method used for power measurement)

➤Trace = Max hold


The observed power level is then scaled to an equivalent value in 3 kHz by adding a Bandwidth Correction Factor (BWCF) where:


BWCF = 10\*LOG (3 kHz / 100 kHz) = -15.2 dB




	: ConnectCore i.MX6 WiFi/	Bluetooth				Work Order:		
Serial Number:							09/29/14	
Attendees	Etherios Design Solution	IS .				Temperature: Humidity:		
Project						Barometric Pres.:		
	: Trevor Buls		Power: 5VDC			Job Site:		
ST SPECIFICAT			Test Method					
CC 15.247:2014			ANSI C63.10:2009					
OMMENTS one								
VIATIONS FROI	M TEST STANDARD							
ne								
onfiguration #	1	Signature	Trevor Buls					
				Value dBm/100kHz	dBm/100kHz To dBm/3kHz	Value dBm/3kHz	Limit dBm/3kHz	Results
00 MHz - 2483.5								
	802.11(b) 1 Mbps	1, 2412 MHz		2.49	-15.2	-12.71	8	Pass
	Mid Channel			2.49	-15.2 -15.2	-12.71 -12.663	8	Pass
		I 11, 2462 MHz		2.708	-15.2	-12.492	8	Pass
	802.11(b) 11 Mbps							
	Low Channel	1, 2412 MHz		2.773	-15.2	-12.427	8	Pass
	Mid Channel			3.123	-15.2	-12.077	8	Pass
		l 11, 2462 MHz		4.025	-15.2	-11.175	8	Pass
	802.11(g) 6 Mbps	1, 2412 MHz		-1.336	-15.2	-16.536	8	Pass
	Mid Channel			-1.934	-15.2	-17.134	8	Pass
		I 11, 2462 MHz		-1.547	-15.2	-16.747	8	Pass
	802.11(g) 36 Mbps	,					-	
		1, 2412 MHz		-0.199	-15.2	-15.399	8	Pass
	Mid Channel			-0.95	-15.2	-16.15	8	Pass
		l 11, 2462 MHz		-0.66	-15.2	-15.86	8	Pass
	802.11(g) 54 Mbps	4 0440 MIL		0.400	45.0	45.000	0	Davis
	Mid Channel	1, 2412 MHz		-0.439 -1.132	-15.2 -15.2	-15.639 -16.332	8 8	Pass Pass
		6, 2437 MHZ I 11, 2462 MHz		-0.349	-15.2 -15.2	-15.549	8	Pass
	802.11(n) MCS0	1 11, 2402 WH IZ		-0.549	-13.2	-10.040	0	1 833
		1, 2412 MHz		-1.96	-15.2	-17.16	8	Pass
	Mid Channel	6, 2437 MHz		-0.153	-15.2	-15.353	8	Pass
		l 11, 2462 MHz		-1.576	-15.2	-16.776	8	Pass
	802.11(n) MCS7						_	_
		1, 2412 MHz		-4.156	-15.2	-19.356	8	Pass
	Mid Channel	6, 2437 MHZ I 11, 2462 MHz		-4.619 -4.355	-15.2 -15.2	-19.819 -19.555	8 8	Pass Pass
25 MHz - 5850 M	IHz Band	1 11, 2402 WHZ		-4.555	-13.2	-19.555	0	1 033
	802.11(a) 6 Mbps	440 E74E MUI-		4.600	45.0	10.502	0	Des -
		149, 5745 MHz 157, 5785 MHz		4.608 5.237	-15.2 -15.2	-10.592 -9.963	8 8	Pass Pass
		157, 5765 MHz		5.065	-15.2 -15.2	-9.963 -10.135	8	Pass
	802.11(a) 36 Mbps	,					-	
	Low Channel	149, 5745 MHz		5.807	-15.2	-9.393	8	Pass
		157, 5785 MHz		6.2	-15.2	-9	8	Pass
		l 165, 5825 MHz		5.762	-15.2	-9.438	8	Pass
	802.11(a) 54 Mbps	440 E74E MUI-		4.000	45.0	40.040		D
		149, 5745 MHz 157, 5785 MHz		1.888 2.547	-15.2 -15.2	-13.312 -12.653	8 8	Pass Pass
		157, 5765 MHz		1.867	-15.2 -15.2	-12.003	8	Pass
	802.11(n) MCS0 - UNII	, 0020 12			.5.2	.0.000		1 433
		149, 5745 MHz		4.548	-15.2	-10.652	8	Pass
		157, 5785 MHz		4.823	-15.2	-10.377	8	Pass
	High Channe	l 165, 5825 MHz		5.116	-15.2	-10.084	8	Pass
	802.11(n) MCS7 - UNII							
		149, 5745 MHz		0.308	-15.2	-14.892	8	Pass
		157, 5785 MHz I 165, 5825 MHz		1.182 1.012	-15.2 -15.2	-14.018 -14.188	8 8	Pass Pass









	2400 MHz -	2483.5 MHz Ban	d, 802.11(b) 1 Mb	ps, Mid Channel	6, 2437 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
1		2.537	-15.2	-12.663	Ω	Pass













	2400 MHz - 2	2483.5 MHz Band	, 802.11(b) 11 Mb	ps, Low Channe	l 1, 2412 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		2 773	-15.2	-12 427	8	Pass









	2400 MHz - 24	483.5 MHz Band,	802.11(b) 11 Mb	ps, High Channel	11, 2462 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		4.025	-15.2	-11 175	8	Pass












	2400 MHz -	2483.5 MHz Band	d, 802.11(g) 6 Mb	ps, Mid Channel	6, 2437 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
i		-1 934	-15.2	-17 134	8	Pass












	2400 MHz - 2	2483.5 MHz Band	, 802.11(g) 36 Mb	ps, Low Channe	l 1, 2412 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		-0 199	-15.2	-15 399	8	Pass









	2400 MHz - 24	483.5 MHz Band,	802.11(g) 36 Mb	os, High Channel	11, 2462 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
1		-0.66	-15.2	-15.86	8	Pass










	2400 MHz - 2	2483.5 MHz Band	l, 802.11(g) 54 Ml	ops, Mid Channel	6, 2437 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		-1.132	-15.2	-16.332	8	Pass










	2400 MHz -	2483.5 MHz Ban	d, 802.11(n) MCS	30, Low Channel	1, 2412 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		-1.96	-15.2	-17.16	8	Pass










	2400 MHz - 2	2483.5 MHz Band	l, 802.11(n) MCS(	), High Channel 1	I1, 2462 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		-1.576	-15.2	-16.776	8	Pass









	2400 MHz -	2483.5 MHz Ban	nd, 802.11(n) MCS	67, Mid Channel 6	6, 2437 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
i		-4 619	-15.2	-19 819	8	Pass











	5725 MHz - 9	5850 MHz Band,	802.11(a) 6 Mbps	, Low Channel 14	19, 5745 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
i		4 608	-15.2	-10 592	8	Pass









	5725 MHz - 5	5850 MHz Band, 8	302.11(a) 6 Mbps	, High Channel 16	65, 5825 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		5.065	-15.2	-10.135	8	Pass










	5725 MHz - 5	5850 MHz Band, 8	302.11(a) 36 Mbp	s, Mid Channel 1:	57, 5785 MHz		
		Value	dBm/100kHz	Value	Limit		
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results	
		6.2	-15.2	-9	8	Pass	












	5725 MHz - 5	850 MHz Band, 8	02.11(a) 54 Mbps	s, Low Channel 1	49, 5745 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		1 888	-15.2	-13 312	8	Pass










	5725 MHz - 5	850 MHz Band, 8	602.11(a) 54 Mbps	s, High Channel 1	65, 5825 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
		1.867	-15.2	-13.333	8	Pass









	5725 MHz - 58	50 MHz Band, 80	2.11(n) MCS0 - U	INII, Mid Channel	157, 5785 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
1		4.823	-15.2	-10.377	8	Pass











	5725 MHz - 585	50 MHz Band, 802	2.11(n) MCS7 - U	NII, Low Channel	149, 5745 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
i e		0.308	-15.2	-14.892	8	Pass










	5725 MHz - 585	60 MHz Band, 802	2.11(n) MCS7 - U	NII, High Channe	l 165, 5825 MHz	
		Value	dBm/100kHz	Value	Limit	
		dBm/100kHz	To dBm/3kHz	dBm/3kHz	dBm/3kHz	Results
•		1.012	-15.2	-14.188	8	Pass





## **DUTY CYCLE**

#### **TEST DESCRIPTION**

The Duty Cycle (x) were measured for each of the EUT operating modes. The measurements were made using a zero span on the spectrum analyzer to see the pulses in the time domain. The transmit power was set to its default maximum. A direct connection was made between the RF output of the EUT and a spectrum analyzer. Attenuation and a DC block were used

The duty cycle was calculated by dividing the transmission pulse duration (T) by the total period of a single on and total off time.

The EUT operates at 100% Duty Cycle.