PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-182C-01		PREPARED I	BY : _ [陆立彬	CHECKED	BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QTY	Z DESCRIPTION	UL FILE NO	.MODEL	NO.	MATERIAL	& SPECIFICATI	ON SUPPLIER
1	1	FILTER BOARD ASSY						
1	1	CHOKE COIL		TL-L1-12	07	¢ 40*15mm,	180°C,170uH, +/-10%	TAI LI
*	0	CHOKE COIL		QJ-T15726	5180171K	¢ 40*15mm,	180°C,170uH, +/-10%	QIAOJING
2	1	CHOKE COIL		TL-L2-12	08	¢ 36*15mm,	180°C,≥3.5mH	TAI LI
*	0	CHOKE COIL		QJ-T36231	5180352N	¢ 36*15mm,	180°C,≥3.5mH	QIAOJING
3	1	X2 CAPACITOR	E215893	MKPH		6.8uF/275VA	C, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2		6.8uF/275VA	C, +/-10%	CHUANG GE
4	1	X2 CAPACITOR	E215893	MKPH		4.7uF/275VA	C, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2		4.7uF/275VA	C, +/-10%	CHUANG GE
5	2	Y2 CAPACITOR	E208107	CE		3300PF/250V	AC	SHANTOU HIGH-NEW
*	0	Y2 CAPACITOR	E202835	CE		3300PF/250V	AC	CHYUN FUH
6	1	BNC CONNECTOR PLUG				250		OUXIER
7	1	LEAD WIRE	E211048	1015		AWG 16, 300 V	, 105 C,120 mm,WHITE	QIFURUI
*	0	LEAD WIRE	E137515	1015		AWG 16, 300 V	r, 105 C,120 mm,WHITE	LEE YUEN
8	1	LEAD WIRE	E211048	1015		AWG 16, 300 V	r, 105 C,120 mm,BLACK	QIFURUI
*	0	LEAD WIRE	E137515	1015		AWG 16, 300 V	r, 105 C,120 mm,BLACK	LEE YUEN
9	1	CORE		H75 RH		17.5*9.5*28.5	mm	MING CI
10	1	PCB	E199805	PC-2		T1.6*88.5*22	6.6mm 94V0 S/S	PROSPERITY
*	0	PCB	E337729	TY-1		T1.6*88.5*22	6.6mm 94V0 S/S	TONGYU
11	4	CONNECTOR				T1.0*8*12mm	n,COPPER	OUXIER
2	1	MAIN BOARD ASSY						
1	2	RESISTOR				820K Ohm,+/	-2% 1/2W	LEONIAN
2	1	RESISTOR				10 Ohm,+/-5%	% 1 W	LEONIAN
3	2	RESISTOR				820K Ohm,+/	-2% 1W	LEONIAN

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-182C-0)1	PREPARED BY : 陆	立彬	CHECKED	BY	: SYB	APPROVED	BY :	: 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO.MODEL N	10.	MATERIAL	& SP	ECIFICATION	SUPPLIER		
4		1 RESISTOR			100K Ohm,+	-/-1% 1/4V	V	LEONIAN		
5		1 RESISTOR			20K Ohm,+/-	-1% 1/4W	•	LEONIAN		
6		1 RESISTOR			12K Ohm,+/-	-1% 1/4W	•	LEONIAN		
7		2 RESISTOR			3K Ohm,+/-1	1% 1/4W		LEONIAN		
8		1 RESISTOR			1K Ohm,+/-5	5% 1/4W		LEONIAN		
9		1 RESISTOR			10K Ohm,+/-	-5% 1/4W	•	LEONIAN		
10		1 RESISTOR			3.3K Ohm,+/	/-5% 1/4W	V	LEONIAN		
11		1 RESISTOR			2K Ohm,+/-5	5% 1/4W		LEONIAN		
12		1 RESISTOR			10 Ohm,+/-59	% 1/4W		LEONIAN		
13		1 RESISTOR			1.4K Ohm,+/	/-5% 1/4W	V	LEONIAN		
14		1 RESISTOR			39K Ohm,+/-	-5% 1/4W	,	LEONIAN		
15		1 RESISTOR			2.5K Ohm,+/	/-1% 1/4W	V	LEONIAN		
16		1 RESISTOR			2.7K Ohm,+/	/-1% 1/4W	V	LEONIAN		
17		1 VARIABLE RESISTOR			500 Ohm,+/-2	20% 1/4W	V	LEONIAN		
18		2 E.CAPACITOR			4.7uF/450VD	OC +/-20%	o	JIN JIA		
19		1 E.CAPACITOR			6.8uF/50VDC	C +/-20%		JIN JIA		
20		2 E.CAPACITOR			220uF/25VD	OC +/-20%)	JIN JIA		
21		1 E.CAPACITOR			220uF/16VD	OC +/-20%)	JIN JIA		
22		1 E.CAPACITOR			220uF/10VD	OC +/-20%)	JIN JIA		
23		1 E.CAPACITOR			470uF/10VD	OC +/-20%)	JIN JIA		
24		1 E.CAPACITOR			10uF/50VDC	C +/-20%		JIN JIA		
25		1 E.CAPACITOR			2.2uF/50VDC	C +/-20%		JIN JIA		
26		8 CERAMIC CAPACITOR	221		220PF/25V			JUHONG		
27		1 CERAMIC CAPACITOR	223		0.022uF/25V	7		JUHONG		
28		1 CERAMIC CAPACITOR	821		820PF/25V			JUHONG		
29		2 CERAMIC CAPACITOR	103		0.01uF/25V			JUHONG		
30		9 CERAMIC CAPACITOR	104		0.1uF/25V			JUHONG		

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-182C-01	L		PREPARED I	BY : <u>陆立彬</u>	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO	QTY	DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
31		1	POLYESTER FILM CAPAC	CITOR	102	1000PF/630V	JUHONG
32		1	CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	FONGMING
*		0	CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	CHUANG GE
33		1	X2 CAPACITOR	E215893	MKPH	10uF/275VAC, +/-10%	FONGMING
*		0	X2 CAPACITOR	E318999	MKP-X2	10uF/275VAC, +/-10%	CHUANG GE
34		1	VARISTOR	E330837	10D271K		SHANTOU HIGH-NEW
*		0	VARISTOR	E317616	10D271K		CERGLASS MFG INC
35		4	DIODE		1N4007	1000V, 1A	MINKAY
36		2	DIODE		1N4148		MINKAY
37			DIODE		UF4007	1000V, 1A	MINKAY
38			DIODE		BYV26C		MINKAY
39			ZENER		BZX55C18	18 V ,1/2 W	MINKAY
40		1			78L05	5V TO-92	QIAO AN
*			IC		LM78L05ACZ	5V TO-92	NATIONAL SEMICONDUCTOR
*		0	IC		MC78L05ACP	5V TO-92	ON SEMICONDUCTOR
41			BUZZER			φ12*8mm,2KHz	XU SHENG
42			IC		VIPER12A	DIP-8	ST
*			IC		VIPER22A	DIP-8	ST
43		1	TRANSISTOR		SS8050	TO-92	QIAO AN
44			TRANSISTOR		S8050	TO-92	QIAO AN
45		1	TRANSISTOR		3904	TO-92	QIAO AN
46			TRANSISTOR		3906	TO-92	QIAO AN
47			RECTIFIER		D25SB80	25A/800V	SHARE
48			IGBT		IHW30N120R2	30A/1200V	INFINEON
49		1			DKE002	DIP-20	HOLTEK
50			CURRENT SENSOR			ø1.2*25MM	YI JIA
51		1	TRANSFORMER		TL/EE10	EE10	TAI LI

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO.:SR-182C RVISION NO : 0

FILENAME	:SR-182C-01		PREPARED :	BY : <u></u> 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO Q	TY DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*		0 TRANSFORMER		DKE-006	EE10	ZHUO YI
*		0 TRANSFORMER		QJ-EE10H-064	EE10	QIAOJING
52		1 FLAT CABLE	E314069	2468	AWG26,300V,80C,8PIN,300mm	ZHONGSHAN NANTOU BOYU WIRE MFR
53		1 JACK		CKM3961	2PIN PITCH:2.54mm	OUXIER
54		1 JACK		CKM3961	3PIN PITCH:2.54mm	OUXIER
55		9 JUMPER			10mm DIA0.5	DIKAIR
56		2 JUMPER			7mm DIA0.5	DIKAIR
57		1 JUMPER			20mm DIA0.5	DIKAIR
58		4 CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
59		1 CHOKE COIL		TL-L1-1207	⊄ 40*15mm,180°C,170uH, +/-10%	TAI LI
*		0 CHOKE COIL		QJ-T15726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
60		1 INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
61		2 NTC		MJD-104	100K	MINJIE
*		0 NTC		MF58-104	100K	AMPRON
62		2 NTC LEAD WIRE	E137515	1332	AWG 26, 300 V, 200 C,120 mm	LEE YUEN
*		0 NTC LEAD WIRE	E211048	1332	AWG 26, 300 V, 200 C,120 mm	QIFURUI
63		1 NTC HOLDER			SILICON RUBBER	DONGJUE
64		1 HEAT SINK			26*68*57mm, AL	HONG YI
65		1 HEAT SINK			26*99*80mm, AL	HONG YI
66		1 PCB	E199805	PC-2	T1.6*188*246mm 94V0 S/S	PROSPERITY
*		0 PCB	E337729	TY-1	T1.6*188*246mm 94V0 S/S	TONGYU
67		1 CORE		MRC-0933-1B	22*9.5*42mm	MING CI
3		1 DISPLAY BOARD ASSY				
<i>3</i>					34K Ohm,+/-1% 1/4W	LEONIAN
1		1 RESISTOR			2K Ohm,+/-5% 1/4W	LEONIAN LEONIAN
2		1 RESISTOR			•	
3		4 RESISTOR			2.2M Ohm,+/-5% 1/4W	LEONIAN

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO.:SR-182C RVISION NO : 0

FILENAME	:SR-182C-0	01		PREPARED	BY : _ 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO	QTY	Y DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
4		2	RESISTOR			10K Ohm,+/-5% 1/4W	LEONIAN
5		4	RESISTOR			20K Ohm,+/-5% 1/4W	LEONIAN
6		6	CERAMIC CAPACITOR		221	220PF/25V	JUHONG
7		7	CERAMIC CAPACITOR		104	0.1uF/25V	JUHONG
8		4	CERAMIC CAPACITOR			18PF/25V	JUHONG
9		2	E.CAPACITOR			470uF/10VDC +/-20%	JIN JIA
10		1	INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
11		5	LED			⊄ 5,RED,HI-BRIGHT	JIAXING
12		1	LEDDISPLAY			3-DIGIT	LANG MEI NUO
13		1	IC		1668	SOP-24	TITAN
14		1	IC		EM78P5841N	DIP20	ELAN
15		1	POTENTIOMETER WITH SWITE	CH	WH148-K4-5115	B50K	JIANGSU GUOKE XINCHANG
16		3	JUMPER			10mm DIA0.5	DIKAIR
17		4	DIODE		1N4148		ST
18		4	TOUCH SWITCH			⊄ 15*12mm	CHEN XING
19		1	PCB	E199805	PC-2	T1.6*56*220mm 94V0 S/S	PROSPERITY
*		0	PCB	E337729	TY-1	T1.6*56*220mm 94V0 S/S	TONGYU
20		1	JACK			8PIN, PITCH:2.54mm	OUXIER
4		1	FAN	E342799	JY-Z	18V	JINGYI
*		0		E254836	YHWF=118	18V	YUHONG MICROMOTOR
5		1	ELECTRIC-MAGNETIC HEA		6060B	60uH	SHIYU
6		3			*****	¢ 10*7mm , SILICON	SHIYU
7		1	BAFFLE PLATE	E203955	FR-500A	T1.0*120*126mm	NINGBO LG YONGXING CHEMICAL CO LTD
8		1	POWER CORD	E162604	SJTO	3*14AWG,105C,300V	CHING CHENG
*		0		E162604	SJT	3*14AWG,105C,300V	CHING CHENG
9		1	CORD SETS	CSA:E88446	EL302	15A/125VAC	CHING CHENG

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO.:SR-182C RVISION NO : 0

FILENAME	:SR-182C-0)1	PREPARED	BY : <u>陆立彬</u>	_CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO	O.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*		0 CORD SETS	CSA:E88446	EL601	15A/125VAC	CHING CHENG
10		1 FUSE	E213695	RTI-30	15A/250VAC	LANBAO
11		1 FUSE HOLDER	E300256	CFH052S	20A/250VAC	LESHENG ELECTRIC
12		4 LEG			¢ 17* ¢ 24*34mm , SILICON	DONGJUE
13		22 SCREW			⊄3*8mm ,IRON	ZHI YE
14		9 SCREW			⊄3*8mm ,STEEL	ZHI YE
15		5 SCREW			⊄3*12mm ,IRON	ZHI YE
16		8 SCREW			⊄3*10mm ,IRON	ZHI YE
17		5 SCREW			⊄3*12mm ,IRON	ZHI YE
18		17 SCREW			⊄4*8mm ,STEEL	ZHI YE
19		2 SCREW			⊄3*6mm ,STEEL	ZHI YE
20		8 SCREW			⊄4*6mm ,IRON	ZHI YE
21		3 SPRING			⊄ 10*24mm ,STEEL	ZHI YE
22		4 NUT			⊄8*5mm,IRON	ZHI YE
23		1 SCREW BOLT			⊄4*12mm ,STEEL	ZHI YE
24		1 WASHER			⊄4	ZHI YE
25		1 NUT			⊄ 4*3mm	ZHI YE
26		1 SPRING PAD			⊄4	ZHI YE
27		1 FILTER BOARD BOX			95*265*51mm,AL	DONGMING
28		1 FILTER PCB BRACKET	E41613	6485+(f1)	230*92*37mm,94V0	BAYER MATERIAL SCIENCE AG
29		1 DISPLAY BOARD BRACKET	E203955	FR-500A	8*82*272mm,94V0	NINGBO LG YONGXING CHEMICAL CO LTD
30		1 MAIN PCB BRACKET	E302314	Lupol GP-3152F(#)	262*231*55mm,94V0	LG CHEM (TIANJIN) ENGINEERING PLASTICS CO LTD
31		1 COOKTOP			T5.0*275*275mm,GLASS	KANG ER
32		1 UPPER COVER		304#	T1.0*81*320*385mm,STEEL	PU XIANG
33		1 BOTTOM COVER			T1.0*318*383mm,IRON	DONGMING
34		1 CONTROL PLATE			T4.0*70*259mm,GLASS	KANG ER
35		1 KNOB			¢ 40*18mm , AL	DECHENG ACOUSTIC KNOB

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-182C-	01	PREPARED	BY :	陆立彬	_CHECKED	BY	:_SYB	APPROVED	BY	:	宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE N	NO.MODEL	NO.	MATERIAL	&	SPECIFICATION	SUPPLIER			
36		1 SEAL RING				¢ 25*9mm ,	SILI	CON	DONGJUE			
37		1 PROTECTING CAP			•	T1.0*48*23*	18mi	n,IRON	DONGMING	ř		

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-183C-01		PREPARED :	BY : 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QTY	Y DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
1	1	FILTER BOARD ASSY				-
1	1	CHOKE COIL		TL-L1-1207	⊄ 40*15mm,180°C,170uH, +/-10%	TAI LI
*	0	CHOKE COIL		QJ-T15726180171K	\emptyset 40*15mm,180°C,170uH, +/-10%	QIAOJING
2	1	CHOKE COIL		TL-L2-1208	⊄ 36*15mm,180°C,≥3.5mH	TAI LI
*	0	CHOKE COIL		QJ-T362315180352N	⊄ 36*15mm,180°C,≥3.5mH	QIAOJING
3	1	X2 CAPACITOR	E215893	MKPH	6.8uF/275VAC, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2	6.8uF/275VAC, +/-10%	CHUANG GE
4	1	X2 CAPACITOR	E215893	MKPH	4.7uF/275VAC, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2	4.7uF/275VAC, +/-10%	CHUANG GE
5	2	Y2 CAPACITOR	E208107	CE	3300PF/250VAC	SHANTOU HIGH-NEW
*	0	Y2 CAPACITOR	E202835	CE	3300PF/250VAC	CHYUN FUH
6	1	BNC CONNECTOR PLUG			250	OUXIER
7	1	LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	QIFURUI
*	0	LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	LEE YUEN
8	1	LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	QIFURUI
*	0	LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	LEE YUEN
9	1	CORE		H75 RH	17.5*9.5*28.5mm	MING CI
10	1	PCB	E199805	PC-2	T1.6*88.5*226.6mm 94V0 S/S	PROSPERITY
*	0	PCB	E337729	TY-1	T1.6*88.5*226.6mm 94V0 S/S	TONGYU
11	4	CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
2	1	MAIN BOARD ASSY				
ے 1	2	RESISTOR			820K Ohm,+/-2% 1/2W	LEONIAN
2	1	RESISTOR			10 Ohm,+/-5% 1 W	LEONIAN
3	2	RESISTOR			820K Ohm,+/-2% 1W	LEONIAN
J	2	KL5151 OK			0201x Omii, 1/-2/0 1 W	DEOI III II I

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-183C-01		PREPARED BY	: _陆立彬	CHECKED	BY : SYB	APPROVED	BY :	宋贻彬
NO.	PART NO QT	TY DESCRIPTION	UL FILE NO.MODE	EL NO.	MATERIAL	& SPECIFICATION	SUPPLIER	_	
4		1 RESISTOR			100K Ohm,+/-	-1% 1/4W	LEONIAN		
5		1 RESISTOR			20K Ohm,+/-1	1% 1/4W	LEONIAN		
6		1 RESISTOR			12K Ohm,+/-1	1% 1/4W	LEONIAN		
7		2 RESISTOR			3K Ohm,+/-19	% 1/4W	LEONIAN		
8		1 RESISTOR			1K Ohm,+/-5%	% 1/4W	LEONIAN		
9		1 RESISTOR			10K Ohm,+/-5	5% 1/4W	LEONIAN		
10		1 RESISTOR			3.3K Ohm,+/-	·5% 1/4W	LEONIAN		
11		1 RESISTOR			2K Ohm,+/-5%	% 1/4W	LEONIAN		
12		1 RESISTOR			10 Ohm,+/-5%	√o 1/4W	LEONIAN		
13		1 RESISTOR			1.4K Ohm,+/-	·5% 1/4W	LEONIAN		
14		1 RESISTOR			39K Ohm,+/-5	5% 1/4W	LEONIAN		
15		1 RESISTOR			2.5K Ohm,+/-	·1% 1/4W	LEONIAN		
16		1 RESISTOR			2.7K Ohm,+/-	·1% 1/4W	LEONIAN		
17		1 VARIABLE RESISTOR			500 Ohm,+/-2	20% 1/4W	LEONIAN		
18		2 E.CAPACITOR			4.7uF/450VD	C +/-20%	JIN JIA		
19		1 E.CAPACITOR			6.8uF/50VDC	C +/-20%	JIN JIA		
20	,	2 E.CAPACITOR			220uF/25VDC	C +/-20%	JIN JIA		
21		1 E.CAPACITOR			220uF/16VDC	C +/-20%	JIN JIA		
22		1 E.CAPACITOR			220uF/10VDC	C +/-20%	JIN JIA		
23		1 E.CAPACITOR			470uF/10VDC	C +/-20%	JIN JIA		
24		1 E.CAPACITOR			10uF/50VDC	+/-20%	JIN JIA		
25		1 E.CAPACITOR			2.2uF/50VDC	C +/-20%	JIN JIA		
26	:	8 CERAMIC CAPACITOR	221		220PF/25V		JUHONG		
27		1 CERAMIC CAPACITOR	223		0.022uF/25V		JUHONG		
28		1 CERAMIC CAPACITOR	821		820PF/25V		JUHONG		
29		2 CERAMIC CAPACITOR	103		0.01uF/25V		JUHONG		
30	9	9 CERAMIC CAPACITOR	104		0.1uF/25V		JUHONG		

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

FILENAME	:SR-183C-0)1	PREPARED	BY : <u></u> 陆立彬	_CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
31		1 POLYESTER FILM CAPA	CITOR	102	1000PF/630V	JUHONG
32		1 CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	FONGMING
*		0 CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	CHUANG GE
33		1 X2 CAPACITOR	E215893	MKPH	10uF/275VAC, +/-10%	FONGMING
*		0 X2 CAPACITOR	E318999	MKP-X2	10uF/275VAC, +/-10%	CHUANG GE
34		1 VARISTOR	E330837	10D271K		SHANTOU HIGH-NEW
*		0 VARISTOR	E317616	10D271K		CERGLASS MFG INC
35		4 DIODE		1N4007	1000V, 1A	MINKAY
36		2 DIODE		1N4148		MINKAY
37		2 DIODE		UF4007	1000V, 1A	MINKAY
38		1 DIODE		BYV26C		MINKAY
39		1 ZENER		BZX55C18	18 V ,1/2 W	MINKAY
40		1 IC		78L05	5V TO-92	QIAO AN
*		0 IC		LM78L05ACZ	5V TO-92	NATIONAL SEMICONDUCTOR
*		0 IC		MC78L05ACP	5V TO-92	ON SEMICONDUCTOR
41		1 BUZZER			φ12*8mm,2KHz	XU SHENG
42		1 IC		VIPER12A	DIP-8	ST
*		0 IC		VIPER22A	DIP-8	ST
43		1 TRANSISTOR		SS8050	TO-92	QIAO AN
44		1 TRANSISTOR		S8050	TO-92	QIAO AN
45		1 TRANSISTOR		3904	TO-92	QIAO AN
46		1 TRANSISTOR		3906	TO-92	QIAO AN
47		1 RECTIFIER		D25SB80	25A/800V	SHARE
48		1 IGBT		IHW30N120R2	30A/1200V	INFINEON
49		1 IC		DKE002	DIP-20	HOLTEK
50		1 CURRENT SENSOR			ø1.2*25MM	YI JIA
51		1 TRANSFORMER		TL/EE10	EE10	TAI LI

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO.:SR-183C RVISION NO : 0

FILENAME	:SR-183C-01		PREPARED	BY : _陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QTY	Y DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*	0	TRANSFORMER		DKE-006	EE10	ZHUO YI
*	0	TRANSFORMER		QJ-EE10H-064	EE10	QIAOJING
52	1	FLAT CABLE	E314069	2468	AWG26,300V,80C,6PIN,300mm	ZHONGSHAN NANTOU BOYU WIRE MFR
53	1	JACK		CKM3961	2PIN PITCH:2.54mm	OUXIER
54	1	JACK		CKM3961	3PIN PITCH:2.54mm	OUXIER
55	9	JUMPER			10mm DIA0.5	DIKAIR
56	2	JUMPER			7mm DIA0.5	DIKAIR
57	1	JUMPER			20mm DIA0.5	DIKAIR
58	4	CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
59	1	CHOKE COIL		TL-L1-1207	⊄ 40*15mm,180°C,170uH, +/-10%	TAI LI
*	0	CHOKE COIL		QJ-T15726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
60	1	INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
61	2	NTC		MJD-104	100K	MINJIE
*	0	NTC		MF58-104	100K	AMPRON
62	2	NTC LEAD WIRE	E137515	1332	AWG 26, 300 V, 200 C,120 mm	LEE YUEN
*	0	NTC LEAD WIRE	E211048	1332	AWG 26, 300 V, 200 C,120 mm	QIFURUI
63		NTC HOLDER			SILICON RUBBER	DONGJUE
64		HEAT SINK			26*68*57mm, AL	HONG YI
65		HEAT SINK			26*99*80mm, AL	HONG YI
66	1	PCB	E199805	PC-2	T1.6*188*246mm 94V0 S/S	PROSPERITY
*	0		E337729	TY-1	T1.6*188*246mm 94V0 S/S	TONGYU
67	1	CORE		MRC-0933-1B	22*9.5*42mm	MING CI
3	1	DISPLAY BOARD ASSY				
1	1	RESISTOR			34K Ohm,+/-1% 1/4W	LEONIAN
2	1	RESISTOR			2K Ohm,+/-5% 1/4W	LEONIAN
3	6	RESISTOR			2.2M Ohm,+/-5% 1/4W	LEONIAN

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO. :SR-183C RVISION NO : 0

FILENAME	:SR-183C-01	-	PREPARED	BY : <u>陆立彬</u>	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO (QTY DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
4		1 RESISTOR			10K Ohm,+/-5% 1/4W	LEONIAN
5		6 RESISTOR			20K Ohm,+/-5% 1/4W	LEONIAN
6		5 CERAMIC CAPACITOR		221	220PF/25V	JUHONG
7		7 CERAMIC CAPACITOR		104	0.1uF/25V	JUHONG
8		6 CERAMIC CAPACITOR			18PF/25V	JUHONG
9		2 E.CAPACITOR			470uF/10VDC +/-20%	JIN JIA
10		1 INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
11		5 LED			⊄ 5,RED,HI-BRIGHT	JIAXING
12		1 LEDDISPLAY			4-DIGIT	LANG MEI NUO
13		1 IC		1668	SOP-24	TITAN
14		1 IC		EM78P5841N	DIP20	ELAN
15		4 JUMPER			10mm DIA0.5	DIKAIR
16		6 DIODE		1N4148		ST
17		6 TOUCH SWITCH			⊄ 15*12mm	CHEN XING
18		1 PCB	E199805	PC-2	T1.6*50.5*240mm 94V0 S/S	PROSPERITY
*		0 PCB	E337729	TY-1	T1.6*50.5*240mm 94V0 S/S	TONGYU
19		1 JACK			6PIN, PITCH:2.54mm	OUXIER
4		1 FAN	E242700	IV 7	1017	INICVI
4		1 FAN	E342799	JY-Z	18V	JINGYI
·		0 FAN1 ELECTRIC-MAGNETIC HEA	E254836	YHWF=118 6060B	18V 60uH	YUHONG MICROMOTOR SHIYU
5				0000B		
6		3 ORIENTATING FUNCTION1 BAFFLE PLATE		FR-500A	¢ 10*7mm , SILICON T1.0*120*126mm	SHIYU
9			E203955			NINGBO LG YONGXING CHEMICAL CO LTD
8		1 POWER CORD 0 POWER CORD	E162604 E162604	SJTO SJT	3*14AWG,105C,300V 3*14AWG,105C,300V	CHING CHENG CHING CHENG
9		1 CORD SETS	CSA:E88446	EL302	15A/125VAC	CHING CHENG CHING CHENG
y *		0 CORD SETS	CSA:E88446 CSA:E88446	EL302 EL601	15A/125VAC 15A/125VAC	CHING CHENG CHING CHENG
*		U COKD SEIS	CSA.E00440	ELOUI	13A/123 V AC	CHING CHENG

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO.:SR-183C RVISION NO : 0

FILENAME	:SR-183C-01		PREPARED	BY : <u></u> 陆立彬	_CHECKED BY :_SYB	APPROVED BY : 宋贻彬
NO.	PART NO QTY	Y DESCRIPTION	UL FILE NO	.MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
10	1	FUSE	E213695	RTI-30	15A/250VAC	LANBAO
11	1	FUSE HOLDER	E300256	CFH052S	20A/250VAC	LESHENG ELECTRIC
12	4	LEG			¢ 17* ¢ 24*34mm , SILICON	DONGJUE
13	22	SCREW			⊄3*8mm ,IRON	ZHI YE
14	9	SCREW			⊄3*8mm ,STEEL	ZHI YE
15	5	SCREW			⊄3*12mm ,IRON	ZHI YE
16	8	SCREW			⊄3*10mm ,IRON	ZHI YE
17	5	SCREW			⊄3*12mm ,IRON	ZHI YE
18	17	SCREW			⊄4*8mm ,STEEL	ZHI YE
19	2	SCREW			⊄3*6mm ,STEEL	ZHI YE
20	8	SCREW			⊄4*6mm ,IRON	ZHI YE
21	3	SPRING			⊄ 10*24mm ,STEEL	ZHI YE
22	4	NUT			⊄8*5mm,IRON	ZHI YE
23	1	SCREW BOLT			⊄4*12mm ,STEEL	ZHI YE
24	1	WASHER			⊄ 4	ZHI YE
25	1	NUT			⊄ 4*3mm	ZHI YE
26	1	SPRING PAD			⊄ 4	ZHI YE
27	3	SCREW			⊄5*6mm ,STEEL	ZHI YE
28	1	FILTER BOARD BOX			95*265*51mm,AL	DONGMING
29	1	FILTER PCB BRACKET	E41613	6485+(f1)	230*92*37mm,94V0	BAYER MATERIALSCIENCE AG
30	1	DISPLAY BOARD BRACKET	E203955	FR-500A	8*71*283mm,94V0	NINGBO LG YONGXING CHEMICAL CO LTD
31	1	MAIN PCB BRACKET	E302314	Lupol GP-3152F(#)	262*231*55mm,94V0	LG CHEM (TIANJIN) ENGINEERING PLASTICS CO LTD
32	1	COOKTOP			T5.0*272*272mm,GLASS	KANG ER
33	1	UPPER COVER		304#	T1.0*80*325*382mm,STEEL	PU XIANG
34	1	BOTTOM COVER			T1.5*380*320mm,AL	DONGMING
35	1	CONTROL PLATE			T4.0*63*275mm,GLASS	KANG ER
36	1	PROTECTING CAP			T1.0*48*23*18mm,IRON	DONGMING

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 1800W

MODEL NO.:SR-183C RVISION NO : 0

FILENAME :SR-183C-01 PREPARED BY : 陆立彬 CHECKED BY : SYB APPROVED BY : 宋贻彬

NO. PART NO QTY DESCRIPTION UL FILE NO.MODEL NO. MATERIAL & SPECIFICATION SUPPLIER

1 REAR BRACKET 304# T1.0*30*325*15mm,STEEL PU XIANG

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 650W

FILENAME	:SR-652C-01		PREPARED	BY : _ 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QTY	Y DESCRIPTION	UL FILE NO	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
1	1	FILTER BOARD ASSY				
1	1	CHOKE COIL		TL-L1-1207	⊄40*15mm,180°C,170uH, +/-10%	TAI LI
*	0	CHOKE COIL		QJ-T15726180171K	⊄40*15mm,180°C,170uH, +/-10%	QIAOJING
2	1	CHOKE COIL		TL-L2-1208	⊄36*15mm,180°C,≥3.5mH	TAI LI
*	0	CHOKE COIL		QJ-T362315180352N	⊄36*15mm,180°C,≥3.5mH	QIAOJING
3	1	X2 CAPACITOR	E215893	MKPH	6.8uF/275VAC, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2	6.8uF/275VAC, +/-10%	CHUANG GE
4	1	X2 CAPACITOR	E215893	MKPH	4.7uF/275VAC, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2	4.7uF/275VAC, +/-10%	CHUANG GE
5	2	Y2 CAPACITOR	E208107	CE	3300PF/250VAC	SHANTOU HIGH-NEW
*	0	Y2 CAPACITOR	E202835	CE	3300PF/250VAC	CHYUN FUH
6	1	BNC CONNECTOR PLUG			250	OUXIER
7	1	LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	QIFURUI
*	0	LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm,WHITE	LEE YUEN
8	1	LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	QIFURUI
*	0	LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	LEE YUEN
9	1	CORE		H75 RH	17.5*9.5*28.5mm	MING CI
10	1	PCB	E199805	PC-2	T1.6*88.5*226.6mm 94V0 S/S	PROSPERITY
*	0	PCB	E337729	TY-1	T1.6*88.5*226.6mm 94V0 S/S	TONGYU
11	4	CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
2	1	MAIN BOARD ASSY				
1	2	RESISTOR			820K Ohm,+/-2% 1/2W	LEONIAN
2	1	RESISTOR			10 Ohm,+/-5% 1 W	LEONIAN
3	2	RESISTOR			820K Ohm,+/-2% 1W	LEONIAN

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 650W

FILENAME	:SR-652C-01		PREPARED BY :	陆立彬	CHECKED	BY	: SYB	APPROVED	BY :	宋贻彬
NO.	PART NO Q'	TY DESCRIPTION	UL FILE NO MODEL	NO.	MATERIAL	& S	PECIFICATION	SUPPLIER	_	
4		1 RESISTOR			100K Ohm,+/	/-1% 1/4	4W	LEONIAN		
5		1 RESISTOR			20K Ohm,+/-	-1% 1/4V	W	LEONIAN		
6		1 RESISTOR			12K Ohm,+/-	1% 1/4	W	LEONIAN		
7		2 RESISTOR			3K Ohm,+/-19	% 1/4W	<i>I</i>	LEONIAN		
8		1 RESISTOR			1K Ohm,+/-59	5% 1/4W	<i>I</i>	LEONIAN		
9		1 RESISTOR			10K Ohm,+/-	·5% 1/4V	W	LEONIAN		
10		1 RESISTOR			3.3K Ohm,+/-	-5% 1/4	W	LEONIAN		
11		1 RESISTOR			2K Ohm,+/-59	5% 1/4W	<i>I</i>	LEONIAN		
12		1 RESISTOR			10 Ohm,+/-5%	% 1/4W		LEONIAN		
13		1 RESISTOR			1.4K Ohm,+/-	-5% 1/4	W	LEONIAN		
14		1 RESISTOR			39K Ohm,+/-	·5% 1/4V	W	LEONIAN		
15		1 RESISTOR			2.5K Ohm,+/-	-1% 1/4	W	LEONIAN		
16		1 RESISTOR			2.7K Ohm,+/-	-1% 1/4	W	LEONIAN		
17		1 VARIABLE RESISTOR			500 Ohm,+/-2	20% 1/4	·W	LEONIAN		
18		2 E.CAPACITOR			4.7uF/450VD	OC +/-20)%	JIN JIA		
19		1 E.CAPACITOR			6.8uF/50VDC	C +/ -20 %	6	JIN JIA		
20		2 E.CAPACITOR			220uF/25VD0	C +/-209	%	JIN JIA		
21		1 E.CAPACITOR			220uF/16VD0	C +/-20°	%	JIN JIA		
22		1 E.CAPACITOR			220uF/10VD0	C +/-209	%	JIN JIA		
23		1 E.CAPACITOR			470uF/10VD0	C +/-20°	%	JIN JIA		
24		1 E.CAPACITOR			10uF/50VDC	+/-20%	0	JIN JIA		
25		1 E.CAPACITOR			2.2uF/50VDC	C +/ -20 %	6	JIN JIA		
26		8 CERAMIC CAPACITOR	221		220PF/25V			JUHONG		
27		1 CERAMIC CAPACITOR	223		0.022uF/25V			JUHONG		
28		1 CERAMIC CAPACITOR	821		820PF/25V			JUHONG		
29		2 CERAMIC CAPACITOR	103		0.01uF/25V			JUHONG		
30		9 CERAMIC CAPACITOR	104		0.1uF/25V			JUHONG		

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 650W

FILENAME	:SR-652C-01		PREPARED	BY : _ 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QT	Y DESCRIPTION	UL FILE NO	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
31	1	POLYESTER FILM CAPAC	ITOR	102	1000PF/630V	JUHONG
32	1	CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	FONGMING
*	0	CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	CHUANG GE
33	1	X2 CAPACITOR	E215893	MKPH	10uF/275VAC, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2	10uF/275VAC, +/-10%	CHUANG GE
34	1	VARISTOR	E330837	10D271K		SHANTOU HIGH-NEW
*	0) VARISTOR	E317616	10D271K		CERGLASS MFG INC
35	4	DIODE		1N4007	1000V, 1A	MINKAY
36	2	2 DIODE		1N4148		MINKAY
37	2	2 DIODE		UF4007	1000V, 1A	MINKAY
38	1	DIODE		BYV26C		MINKAY
39	1	ZENER		BZX55C18	18 V ,1/2 W	MINKAY
40	1	IC .		78L05	5V TO-92	QIAO AN
*	0) IC		LM78L05ACZ	5V TO-92	NATIONAL SEMICONDUCTOR
*	0) IC		MC78L05ACP	5V TO-92	ON SEMICONDUCTOR
41	1	BUZZER			φ12*8mm,2KHz	XU SHENG
42	1	IC IC		VIPER12A	DIP-8	ST
*	0) IC		VIPER22A	DIP-8	ST
43	1	TRANSISTOR		SS8050	TO-92	QIAO AN
44	1	TRANSISTOR		S8050	TO-92	QIAO AN
45	1	TRANSISTOR		3904	TO-92	QIAO AN
46	1	TRANSISTOR		3906	TO-92	QIAO AN
47	1	RECTIFIER		D25SB80	25A/800V	SHARE
48	1	IGBT		IHW30N120R2	30A/1200V	INFINEON
49	1	IC		DKE002	DIP-20	HOLTEK
50	1	CURRENT SENSOR			ø1.2*25MM	YI JIA
51	1	TRANSFORMER		TL/EE10	EE10	TAI LI

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE: RATING : 120VAC/60HZ 650W

MODEL NO.:SR-652C RVISION NO : 0

FILENAME	:SR-652C-01		PREPARED	BY : 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QT	Y DESCRIPTION	UL FILE NO	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*	0	TRANSFORMER		DKE-006	EE10	ZHUO YI
*	0	TRANSFORMER		QJ-EE10H-064	EE10	QIAOJING
52	1	FLAT CABLE	E314069	2468	AWG26,300V,80C,6PIN,300mm	ZHONGSHAN NANTOU BOYU WIRE MFR
53	1	JACK		CKM3961	2PIN PITCH:2.54mm	OUXIER
54	1	JACK		CKM3961	3PIN PITCH:2.54mm	OUXIER
55	9	JUMPER			10mm DIA0.5	DIKAIR
56	2	JUMPER			7mm DIA0.5	DIKAIR
57	1	JUMPER			20mm DIA0.5	DIKAIR
58	4	CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
59	1	CHOKE COIL		TL-L1-1207	⊄ 40*15mm,180°C,170uH, +/-10%	TAI LI
*	0	CHOKE COIL		QJ-T15726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
60	1	INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
61	2	NTC		MJD-104	100K	MINJIE
*	0	NTC		MF58-104	100K	AMPRON
62	2	NTC LEAD WIRE	E137515	1332	AWG 26, 300 V, 200 C,120 mm	LEE YUEN
*	0	NTC LEAD WIRE	E211048	1332	AWG 26, 300 V, 200 C,120 mm	QIFURUI
63	1	NTC HOLDER			SILICON RUBBER	DONGJUE
64	1	HEAT SINK			26*68*57mm, AL	HONG YI
65	1	HEAT SINK			26*99*80mm, AL	HONG YI
66	1	PCB	E199805	PC-2	T1.6*188*246mm 94V0 S/S	PROSPERITY
*	0	PCB	E337729	TY-1	T1.6*188*246mm 94V0 S/S	TONGYU
67	1	CORE		MRC-0933-1B	22*9.5*42mm	MING CI
3	1	DISPLAY BOARD ASSY				
1	1	RESISTOR			34K Ohm,+/-1% 1/4W	LEONIAN
2	1	RESISTOR			2K Ohm,+/-5% 1/4W	LEONIAN
3	5				2.2M Ohm,+/-5% 1/4W	LEONIAN
J	J	KL0101OK			2.2111 (1111), 1/ 3/0 1/ 7 11	LLOI III II I

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE : RATING : 120VAC/60HZ 650W

MODEL NO.:SR-652C RVISION NO : 0

FILENAME	:SR-652C-01		PREPARED	BY : _ 陆立彬	CHECKED BY : SYB	APPROVED BY : 宋贻彬
NO.	PART NO QT	TY DESCRIPTION	UL FILE NO	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
4		1 RESISTOR			10K Ohm,+/-5% 1/4W	LEONIAN
5		5 RESISTOR			20K Ohm,+/-5% 1/4W	LEONIAN
6		5 CERAMIC CAPACITOR		221	220PF/25V	JUHONG
7		6 CERAMIC CAPACITOR		104	0.1uF/25V	JUHONG
8		5 CERAMIC CAPACITOR			18PF/25V	JUHONG
9		2 E.CAPACITOR			470uF/10VDC +/-20%	JIN JIA
10		1 INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
11		2 LED			⊄ 5,RED,HI-BRIGHT	JIAXING
12		1 LEDDISPLAY			3-DIGIT	LANG MEI NUO
13		1 IC		1668	SOP-24	TITAN
14		1 IC		EM78P5841N	DIP20	ELAN
15		3 JUMPER			10mm DIA0.5	DIKAIR
16		5 DIODE		1N4148		ST
17		5 TOUCH SWITCH			⊄ 15*12mm	CHEN XING
18		1 PCB	E199805	PC-2	T1.6*56*220mm 94V0 S/S	PROSPERITY
*		0 PCB	E337729	TY-1	T1.6*56*220mm 94V0 S/S	TONGYU
19		1 JACK			6PIN, PITCH:2.54mm	OUXIER
4		1 FAN	F2.42700	N. 7	1077	IDICVI
4		1 FAN	E342799	JY-Z	18V	JINGYI
~ -	1	0 FAN	E254836	YHWF=118	18V	YUHONG MICROMOTOR
5		1 ELECTRIC-MAGNETIC HEA		6060B	60uH	SHIYU
6		3 ORIENTATING FUNCTION		ED 500 A	¢ 10*7mm , SILICON	SHIYU
/		1 BAFFLE PLATE	E203955	FR-500A	T1.0*120*126mm	NINGBO LG YONGXING CHEMICAL CO LTD
8		1 POWER CORD	E162604	SJTO	3*14AWG,105C,300V	CHING CHENG
•		0 POWER CORD	E162604	SJT	3*14AWG,105C,300V	CHING CHENG
9		1 CORD SETS	CSA:E88446	EL302	15A/125VAC	CHING CHENG
*		0 CORD SETS	CSA:E88446	EL601	15A/125VAC	CHING CHENG

PARTLIST

PRODUCT :INDUCTION OVEN DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER :ALL REVISED DATE : RATING : 120VAC/60HZ 650W

FILENAME	:SR-652C-0	1	PREPARED	BY : <u>陆立彬</u>	_CHECKED BY :_SYB	APPROVED BY : 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO	O MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
10		1 FUSE	E213695	RTI-30	15A/250VAC	LANBAO
11		1 FUSE HOLDER	E300256	CFH052S	20A/250VAC	LESHENG ELECTRIC
12		4 LEG			¢ 17* ¢ 24*34mm , SILICON	DONGJUE
13		22 SCREW			⊄3*8mm ,IRON	ZHI YE
14		9 SCREW			⊄3*8mm ,STEEL	ZHI YE
15		5 SCREW			⊄3*12mm ,IRON	ZHI YE
16		8 SCREW			⊄3*10mm ,IRON	ZHI YE
17		5 SCREW			⊄3*12mm ,IRON	ZHI YE
18		17 SCREW			⊄4*8mm ,STEEL	ZHI YE
19		2 SCREW			⊄3*6mm ,STEEL	ZHI YE
20		8 SCREW			⊄4*6mm ,IRON	ZHI YE
21		3 SPRING			⊄ 10*24mm ,STEEL	ZHI YE
22		4 NUT			⊄8*5mm,IRON	ZHI YE
23		1 SCREW BOLT			⊄4*12mm ,STEEL	ZHI YE
24		1 WASHER			⊄4	ZHI YE
25		1 NUT			⊄ 4*3mm	ZHI YE
26		1 SPRING PAD			⊄4	ZHI YE
27		1 FILTER BOARD BOX			95*265*51mm,AL	DONGMING
28		1 FILTER PCB BRACKET	E41613	6485+(f1)	230*92*37mm,94V0	BAYER MATERIAL SCIENCE AG
29		1 DISPLAY BOARD BRACKET	E203955	FR-500A	8*82*272mm,94V0	NINGBO LG YONGXING CHEMICAL CO LTD
30		1 MAIN PCB BRACKET	E302314	Lupol GP-3152F(#)	262*231*55mm,94V0	LG CHEM (TIANJIN) ENGINEERING PLASTICS CO LTD
31		1 COOKTOP			T5.0*275*275mm,GLASS	KANG ER
32		1 UPPER COVER		304#	T1.0*81*320*385mm,STEEL	PU XIANG
33		1 BOTTOM COVER			T1.0*318*383mm,IRON	DONGMING
34		1 CONTROL PLATE		•	T4.0*70*259mm,GLASS	KANG ER
35		1 PROTECTING CAP			T1.0*48*23*18mm,IRON	DONGMING

PARTLIST

:12/4/2011

PRODUCT : INDUCTION OVEN DATE

STANDARD: UL/CUL/ETL/CETL

CUSTOMER: ALL

REVISED DATE:

RATING : 120VAC/60HZ 1800W

MODEL NO.: SR-182R RVISION NO: 0

FILENAME	:SR-182R-01			PREPARED	BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO)TY	DESCRIPTION	UL FILE NO.	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
1		1	FILTER BOARD ASSY				
1		1	CHOKE COIL		TL-L1-1207	⊄ 40*15mm,180°C,170uH, +/-10%	TAI LI
*		0	CHOKE COIL		QJ-T15726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
2		1	CHOKE COIL		TL-L2-1208	⊄36*15mm,180°C,≥3.5mH	TAI LI
*		0	CHOKE COIL		QJ-T362315180352N	⊄ 36*15mm,180°C,≥3.5mH	QIAOJING
3		1	X2 CAPACITOR	E215893	MKPH	6.8uF/275VAC, +/-10%	FONGMING
*		0	X2 CAPACITOR	E318999	MKP-X2	6.8uF/275VAC, +/-10%	CHUANG GE
4		1	X2 CAPACITOR	E215893	MKPH	4.7uF/275VAC, +/-10%	FONGMING
*		0	X2 CAPACITOR	E318999	MKP-X2	4.7uF/275VAC, +/-10%	CHUANG GE
5		2	Y2 CAPACITOR	E208107	CE	3300PF/250VAC	SHANTOU HIGH-NEW
*		0	Y2 CAPACITOR	E202835	CE	3300PF/250VAC	CHYUN FUH
6		1	BNC CONNECTOR PLU	G		250	OUXIER
7		1	LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	QIFURUI
*		0	LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	LEE YUEN
8		1	LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	QIFURUI
*		0	LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	LEE YUEN
9		1	CORE		H75 RH	17.5*9.5*28.5mm	MING CI
10		1	PCB	E199805	PC-2	T1.6*88.5*226.6mm 94V0 S/S	PROSPERITY
*		0	PCB	E337729	TY-1	T1.6*88.5*226.6mm 94V0 S/S	TONGYU
11		4	CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
2		1	MAIN BOARD ASSY				
1		2	RESISTOR			820K Ohm,+/-2% 1/2W	LEONIAN
2		1	RESISTOR			10 Ohm,+/-5% 1 W	LEONIAN
3		2	RESISTOR			820K Ohm,+/-2% 1W	LEONIAN

PRODUCT :INDUCTION OVEN

DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE : RATING : 120VAC/60HZ 1800W

FILENAME	E:SR-182R-01		PREPARED BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO. MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
4		1 RESISTOR		100K Ohm,+/-1% 1/4W	LEONIAN
5		1 RESISTOR		20K Ohm,+/-1% 1/4W	LEONIAN
6		1 RESISTOR		12K Ohm,+/-1% 1/4W	LEONIAN
7		2 RESISTOR		3K Ohm,+/-1% 1/4W	LEONIAN
8		1 RESISTOR		1K Ohm,+/-5% 1/4W	LEONIAN
9		1 RESISTOR		10K Ohm,+/-5% 1/4W	LEONIAN
10		1 RESISTOR		3.3K Ohm,+/-5% 1/4W	LEONIAN
11		1 RESISTOR		2K Ohm,+/-5% 1/4W	LEONIAN
12		1 RESISTOR		10 Ohm,+/-5% 1/4W	LEONIAN
13		1 RESISTOR		1.4K Ohm,+/-5% 1/4W	LEONIAN
14		1 RESISTOR		39K Ohm,+/-5% 1/4W	LEONIAN
15		1 RESISTOR		2.5K Ohm,+/-1% 1/4W	LEONIAN
16		1 RESISTOR		2.7K Ohm,+/-1% 1/4W	LEONIAN
17		1 VARIABLE RESIST	OR	500 Ohm,+/-20% 1/4W	LEONIAN
18		2 E.CAPACITOR		4.7uF/450VDC +/-20%	JIN JIA
19		1 E.CAPACITOR		6.8uF/50VDC +/-20%	JIN JIA
20		2 E.CAPACITOR		220uF/25VDC +/-20%	JIN JIA
21		1 E.CAPACITOR		220uF/16VDC +/-20%	JIN JIA
22		1 E.CAPACITOR		220uF/10VDC +/-20%	JIN JIA
23		1 E.CAPACITOR		470uF/10VDC +/-20%	JIN JIA
24		1 E.CAPACITOR		10uF/50VDC +/-20%	JIN JIA
25		1 E.CAPACITOR		2.2uF/50VDC +/-20%	JIN JIA
26		8 CERAMIC CAPACIT	TOR 221	220PF/25V	JUHONG
27		1 CERAMIC CAPACIT	TOR 223	0.022uF/25V	JUHONG
28		1 CERAMIC CAPACIT	TOR 821	820PF/25V	JUHONG
29		2 CERAMIC CAPACIT	TOR 103	0.01uF/25V	JUHONG
30		9 CERAMIC CAPACIT	TOR 104	0.1uF/25V	JUHONG

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT : INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER: ALL

REVISED DATE:

RATING : 120VAC/60HZ 1800W

FILENAME :SR-182F	4-01	PREPARED	BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO. PART N	O QTY DESCRIPTION	UL FILE NO	o. MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
31	1 POLYESTER FILM CA	APACITOR	102	1000PF/630V	JUHONG
32	1 CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	FONGMING
*	0 CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	CHUANG GE
33	1 X2 CAPACITOR	E215893	MKPH	10uF/275VAC, +/-10%	FONGMING
*	0 X2 CAPACITOR	E318999	MKP-X2	10uF/275VAC, +/-10%	CHUANG GE
34	1 VARISTOR	E330837	10D271K		SHANTOU HIGH-NEW
*	0 VARISTOR	E317616	10D271K		CERGLASS MFG INC
35	4 DIODE		1N4007	1000V, 1A	MINKAY
36	2 DIODE		1N4148		MINKAY
37	2 DIODE		UF4007	1000V, 1A	MINKAY
38	1 DIODE		BYV26C		MINKAY
39	1 ZENER		BZX55C18	18 V ,1/2 W	MINKAY
40	1 IC		78L05	5V TO-92	QIAO AN
*	0 IC		LM78L05ACZ	5V TO-92	NATIONAL SEMICONDUCTOR
*	0 IC		MC78L05ACP	5V TO-92	ON SEMICONDUCTOR
41	1 BUZZER			φ12*8mm,2KHz	XU SHENG
42	1 IC		VIPER12A	DIP-8	ST
*	0 IC		VIPER22A	DIP-8	ST
43	1 TRANSISTOR		SS8050	TO-92	QIAO AN
44	1 TRANSISTOR		S8050	TO-92	QIAO AN
45	1 TRANSISTOR		3904	TO-92	QIAO AN
46	1 TRANSISTOR		3906	TO-92	QIAO AN
47	1 RECTIFIER		D25SB80	25A/800V	SHARE
48	1 IGBT		IHW30N120R2	30A/1200V	INFINEON
49	1 IC		DKE002	DIP-20	HOLTEK
50	1 CURRENT SENSOR			ø1.2*25MM	ҮІ ЛА
51	1 TRANSFORMER		TL/EE10	EE10	TAI LI

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE:

RATING : 120VAC/60HZ 1800W

MODEL NO.: SR-182R RVISION NO : 0

FILENAME	:SR-182R-01			PREPARED	BY:	陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QΤΥ	DESCRIPTION	UL FILE NO.	MOD	DEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*		0	TRANSFORMER		DKE-	-006		ZHUO YI
*		0	TRANSFORMER		QJ-E	E10H-064		QIAOJING
52		1	JACK		CKM	[3961	8PIN, PITCH:2.54mm	OUXIER
53		1	JACK		CKM	[3961	2PIN PITCH:2.54mm	OUXIER
54		1	JACK		CKM	[3961	3PIN PITCH:2.54mm	OUXIER
55		9	JUMPER				10mm DIA0.5	DIKAIR
56		2	JUMPER				7mm DIA0.5	DIKAIR
57		1	JUMPER				20mm DIA0.5	DIKAIR
58		4	CONNECTOR				T1.0*8*12mm,COPPER	OUXIER
59		1	CHOKE COIL		TL-L	1-1207	⊄40*15mm,180°C,170uH, +/-10%	TAI LI
*		0	CHOKE COIL		QJ-T1	15726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
60		1	INDUCTOR		QJ09	1085	100uH, +/-10%	QIAOJING
61		2	NTC		MJD-	-104	100K	MINJIE
*		0	NTC		MF58	8-104	100K	AMPRON
62		2	NTC LEAD WIRE	E137515	1332		AWG 26, 300 V, 200 C,120 mm	LEE YUEN
*		0	NTC LEAD WIRE	E211048	1332		AWG 26, 300 V, 200 C,120 mm	QIFURUI
63		1	NTC HOLDER				SILICON RUBBER	DONGJUE
64		1	HEAT SINK				26*68*57mm, AL	HONG YI
65		1	HEAT SINK				26*99*80mm, AL	HONG YI
66		1	PCB	E199805	PC-2		T1.6*188*246mm 94V0 S/S	PROSPERITY
*		0	PCB	E337729	TY-1		T1.6*188*246mm 94V0 S/S	TONGYU
67		1	CORE		MRC	2-0933-1B	22*9.5*42mm	MING CI
68		1	CABLE	E317793	2464		300V,80C, 8PIN, 500mm	JIA DA TAI WIRE & CABLE SHEN ZHEN CO LTD
3		1	DISPLAY BOARD ASSY	•				
1		1	RESISTOR				34K Ohm,+/-1% 1/4W	LEONIAN
2		1	RESISTOR				2K Ohm,+/-5% 1/4W	LEONIAN

PRODUCT :INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE:

RATING : 120VAC/60HZ 1800W

MODEL NO.: SR-182R RVISION NO : 0

FILENAME	:SR-182R-01			PREPARED	BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QТY	DESCRIPTION	UL FILE NO.	MODEL NO.	MATERIAL & SPECIFICATION	N SUPPLIER
3		3	RESISTOR			2.2M Ohm,+/-5% 1/4W	LEONIAN
4		2	RESISTOR			10K Ohm,+/-5% 1/4W	LEONIAN
5		3	RESISTOR			20K Ohm,+/-5% 1/4W	LEONIAN
6		5	CERAMIC CAPACITOR		221	220PF/25V	JUHONG
7		6	CERAMIC CAPACITOR		104	0.1uF/25V	JUHONG
8		3	CERAMIC CAPACITOR			18PF/25V	JUHONG
9		2	E.CAPACITOR			470uF/10VDC +/-20%	JIN JIA
10		1	INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
11		5	LED			⊄ 5,RED,HI-BRIGHT	JIAXING
12		1	LEDDISPLAY			3-DIGIT	LANG MEI NUO
13		1	IC		1668	SOP-24	TITAN
14		1	IC		EM78P5841N	DIP20	ELAN
15		1	POTENTIOMETER WITH S	SWITCH	WH148-K4-5115	B50K	JIANGSU GUOKE XINCHANG
16		7	JUMPER			10mm DIA0.5	DIKAIR
17		3	DIODE		1N4148		ST
18		3	TOUCH SWITCH			⊄ 15*12mm	CHEN XING
19		1	PCB	E199805	PC-2	T1.6*59*117mm 94V0 S/S	PROSPERITY
*		0	PCB	E337729	TY-1	T1.6*59*117mm 94V0 S/S	TONGYU
20		1	CABLE	E317793	2464	300V,80C, 8PIN, 700mm	JIA DA TAI WIRE & CABLE SHEN ZHEN CO LTD
4		1	FAN	E342799	JY-Z	18V	JINGYI
*		0	FAN	E254836	YHWF=118	18V	YUHONG MICROMOTOR
5		1	ELECTRIC-MAGNETIC HI	EATER	6060B	60uH	SHIYU
6		3	ORIENTATING FUNCTION	N CYLINDER		¢ 10*7mm, SILICON	SHIYU
7		1	BAFFLE PLATE	E203955	FR-500A	T1.0*120*126mm	NINGBO LG YONGXING CHEMICAL CO LTD
8		1	POWER CORD	E162604	SJTO	3*14AWG,105C,300V	CHING CHENG
*		0	POWER CORD	E162604	SJT	3*14AWG,105C,300V	CHING CHENG

PRODUCT :INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE:

RATING : 120VAC/60HZ 1800W

MODEL NO.: SR-182R RVISION NO : 0

FILENAME	:SR-182R-01			PREPARED	BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QТY	DESCRIPTION	UL FILE NO.	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
9		1	CORD SETS	CSA:E88446	EL302	15A/125VAC	CHING CHENG
*		0	CORD SETS	CSA:E88446	EL601	15A/125VAC	CHING CHENG
10		1	FUSE	E213695	RTI-30	15A/250VAC	LANBAO
11		1	FUSE HOLDER	E300256	CFH052S	20A/250VAC	LESHENG ELECTRIC
12		4	LEG			¢ 20* ¢ 23*20mm , SILICON	DONGJUE
13		20	SCREW			⊄3*8mm ,IRON	ZHI YE
14		9	SCREW			⊄3*8mm ,STEEL	ZHI YE
15		5	SCREW			⊄3*12mm ,IRON	ZHI YE
16		8	SCREW			⊄3*10mm ,IRON	ZHI YE
17		5	SCREW			⊄3*12mm ,IRON	ZHI YE
18		21	SCREW			⊄4*8mm ,STEEL	ZHI YE
19		2	SCREW			⊄3*6mm ,STEEL	ZHI YE
20		8	SCREW			⊄4*6mm ,IRON	ZHI YE
21		3	SPRING			⊄ 10*24mm ,STEEL	ZHI YE
22		4	NUT			⊄ 8*5mm	ZHI YE
23		1	SCREW BOLT			⊄4*12mm ,STEEL	ZHI YE
24		1	WASHER			¢ 4	ZHI YE
25		1	NUT			⊄ 4*3mm	ZHI YE
26		1	SPRING PAD			¢ 4	ZHI YE
27		1	FILTER BOARD BOX			95*265*51mm,AL	DONGMING
28		1	CONTROL PLATE BRAC	CKET	304#	7*95*166mm,STEEL	PU XIANG
29		1	FILTER PCB BRACKET	E41613	6485+(f1)	230*92*37mm,94V0	BAYER MATERIALSCIENCE AG
30		1	DISPLAY BOARD BOX	E41613	6485+(f1)	76*39*131mm,94V0	BAYER MATERIALSCIENCE AG
31		1	MAIN PCB BRACKET	E302314	Lupol GP-3152F(#)	262*231*55mm,94V0	LG CHEM (TIANJIN) ENGINEERING PLASTICS CO LTD
32		1	HEATER PLATE			T5.0*320*340mm,GLASS	KANG ER
33		1	UPPER COVER			T1.0*72*320*340mm,IRON	DONGMING
34		1	BOTTOM COVER			T1.0*318*338mm,IRON	DONGMING

PARTLIST

PRODUCT :INDUCTION OVEN

MODEL NO.: SR-182R

NDUCTION OVEN

CUSTOMER : ALL

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

REVISED DATE:

RATING : 120VAC/60HZ 1800W

RVISION NO : 0

FILENAME	E :SR-182R-01		PREPARED BY: 陆立彬	CHECKED_BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO. MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
35		1 CONTROL PLATE		T4.0*68*124mm,GLASS	KANG ER
36		1 KNOB		¢ 40*18mm , AL	DECHENG ACOUSTIC KNOB
37		1 SEAL RING		¢ 25*9mm, SILICON	DONGJUE
38		1 PROTECTING CAP		T1.0*48*23*18mm,IRON	DONGMING

PARTLIST

PRODUCT : INDUCTION OVEN DATE :12/4/2011 STANDARD: UL/CUL/ETL/CETL RATING: 120VAC/60HZ 650W CUSTOMER: ALL REVISED DATE:

MODEL NO.: SR-652R RVISION NO: 0

FILENAME :SR-652R-01		PREPARED	BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO. PART NO	QTY DESCRIPTION	UL FILE NO	. MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
1	1 FILTER BOARD ASSY				
1	1 CHOKE COIL		TL-L1-1207	⊄ 40*15mm,180°C,170uH, +/-10%	TAI LI
*	0 CHOKE COIL		QJ-T15726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
2	1 CHOKE COIL		TL-L2-1208	⊄ 36*15mm,180°C,≥3.5mH	TAI LI
*	0 CHOKE COIL		QJ-T362315180352N	⊄ 36*15mm,180°C,≥3.5mH	QIAOJING
3	1 X2 CAPACITOR	E215893	MKPH	6.8uF/275VAC, +/-10%	FONGMING
*	0 X2 CAPACITOR	E318999	MKP-X2	6.8uF/275VAC, +/-10%	CHUANG GE
4	1 X2 CAPACITOR	E215893	MKPH	4.7uF/275VAC, +/-10%	FONGMING
*	0 X2 CAPACITOR	E318999	MKP-X2	4.7uF/275VAC, +/-10%	CHUANG GE
5	2 Y2 CAPACITOR	E208107	CE	3300PF/250VAC	SHANTOU HIGH-NEW
*	0 Y2 CAPACITOR	E202835	CE	3300PF/250VAC	CHYUN FUH
6	1 BNC CONNECTOR PLU	JG		250	OUXIER
7	1 LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	QIFURUI
*	0 LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm, WHITE	LEE YUEN
8	1 LEAD WIRE	E211048	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	QIFURUI
*	0 LEAD WIRE	E137515	1015	AWG 16, 300 V, 105 C,120 mm,BLACK	LEE YUEN
9	1 CORE		H75 RH	17.5*9.5*28.5mm	MING CI
10	1 PCB	E199805	PC-2	T1.6*88.5*226.6mm 94V0 S/S	PROSPERITY
*	0 PCB	E337729	TY-1	T1.6*88.5*226.6mm 94V0 S/S	TONGYU
11	4 CONNECTOR			T1.0*8*12mm,COPPER	OUXIER
2	1 MAIN BOARD ASSY				
1	2 RESISTOR			820K Ohm,+/-2% 1/2W	LEONIAN
2	1 RESISTOR			10 Ohm,+/-5% 1 W	LEONIAN
3	2 RESISTOR			820K Ohm,+/-2% 1W	LEONIAN

PRODUCT :INDUCTION OVEN

DATE :12/4/2011 STANDARD : UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE : RATING : 120VAC/60HZ 650W

NO.	PART NO	TY	DECORDED				
		<	Z DESCRIPTION	UL FILE NO. M	IODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
4		1	RESISTOR			100K Ohm,+/-1% 1/4W	LEONIAN
5		1	RESISTOR			20K Ohm,+/-1% 1/4W	LEONIAN
6		1	RESISTOR			12K Ohm,+/-1% 1/4W	LEONIAN
7		2	RESISTOR			3K Ohm,+/-1% 1/4W	LEONIAN
8		1	RESISTOR			1K Ohm,+/-5% 1/4W	LEONIAN
9		1	RESISTOR			10K Ohm,+/-5% 1/4W	LEONIAN
10		1	RESISTOR			3.3K Ohm,+/-5% 1/4W	LEONIAN
11		1	RESISTOR			2K Ohm,+/-5% 1/4W	LEONIAN
12		1	RESISTOR			10 Ohm,+/-5% 1/4W	LEONIAN
13		1	RESISTOR			1.4K Ohm,+/-5% 1/4W	LEONIAN
14		1	RESISTOR			39K Ohm,+/-5% 1/4W	LEONIAN
15		1	RESISTOR			2.5K Ohm,+/-1% 1/4W	LEONIAN
16		1	RESISTOR			2.7K Ohm,+/-1% 1/4W	LEONIAN
17		1	VARIABLE RESISTOR			500 Ohm,+/-20% 1/4W	LEONIAN
18		2	E.CAPACITOR			4.7uF/450VDC +/-20%	JIN JIA
19		1	E.CAPACITOR			6.8uF/50VDC +/-20%	JIN JIA
20		2	E.CAPACITOR			220uF/25VDC +/-20%	JIN JIA
21		1	E.CAPACITOR			220uF/16VDC +/-20%	JIN JIA
22		1	E.CAPACITOR			220uF/10VDC +/-20%	JIN JIA
23		1	E.CAPACITOR			470uF/10VDC +/-20%	JIN JIA
24		1	E.CAPACITOR			10uF/50VDC +/-20%	JIN JIA
25		1	E.CAPACITOR			2.2uF/50VDC +/-20%	JIN JIA
26		8	CERAMIC CAPACITOR	22	21	220PF/25V	JUHONG
27		1	CERAMIC CAPACITOR	22	23	0.022uF/25V	JUHONG
28		1	CERAMIC CAPACITOR	82	21	820PF/25V	JUHONG
29		2	CERAMIC CAPACITOR	10	03	0.01uF/25V	JUHONG
30		9	CERAMIC CAPACITOR	10	04	0.1uF/25V	JUHONG

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$ 按加工要求而選擇

PARTLIST

PRODUCT : INDUCTION OVEN DATE :12/4/2011 STANDARD: UL/CUL/ETL/CETL CUSTOMER: ALL REVISED DATE: RATING: 120VAC/60HZ 650W

FILENAME :SR-	652R-01		PREPARED	BY: 陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO. PAF	RT NO QTY	Y DESCRIPTION	UL FILE NO.	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
31	1	POLYESTER FILM CAP	ACITOR	102	1000PF/630V	JUHONG
32	1	CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	FONGMING
*	0	CAPACITOR		MKPH	0.4uF/1200VDC, +/-10%	CHUANG GE
33	1	X2 CAPACITOR	E215893	MKPH	10uF/275VAC, +/-10%	FONGMING
*	0	X2 CAPACITOR	E318999	MKP-X2	10uF/275VAC, +/-10%	CHUANG GE
34	1	VARISTOR	E330837	10D271K		SHANTOU HIGH-NEW
*	0	VARISTOR	E317616	10D271K		CERGLASS MFG INC
35	4	DIODE		1N4007	1000V, 1A	MINKAY
36	2	DIODE		1N4148		MINKAY
37	2	DIODE		UF4007	1000V, 1A	MINKAY
38	1	DIODE		BYV26C		MINKAY
39	1	ZENER		BZX55C18	18 V ,1/2 W	MINKAY
40	1	IC		78L05	5V TO-92	QIAO AN
*	0	IC		LM78L05ACZ	5V TO-92	NATIONAL SEMICONDUCTOR
*	0	IC		MC78L05ACP	5V TO-92	ON SEMICONDUCTOR
41	1	BUZZER			φ12*8mm,2KHz	XU SHENG
42	1	IC		VIPER12A	DIP-8	ST
*	0	IC		VIPER22A	DIP-8	ST
43	1	TRANSISTOR		SS8050	TO-92	QIAO AN
44	1	TRANSISTOR		S8050	TO-92	QIAO AN
45	1	TRANSISTOR		3904	TO-92	QIAO AN
46	1	TRANSISTOR		3906	TO-92	QIAO AN
47	1	RECTIFIER		D25SB80	25A/800V	SHARE
48	1	IGBT		IHW30N120R2	30A/1200V	INFINEON
49	1	IC		DKE002	DIP-20	HOLTEK
50	1	CURRENT SENSOR			ø1.2*25MM	YI JIA
51	1	TRANSFORMER		TL/EE10	EE10	TAI LI

^{*} ALTERNATIVE # REVISED ITEM @ ATTACHMENT \$按加工要求而選擇

PARTLIST

PRODUCT :INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE:

RATING: 120VAC/60HZ 650W

MODEL NO.: SR-652R RVISION NO : 0

FILENAME	:SR-652R-01			PREPARED	BY:	陆立彬	CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QТY	DESCRIPTION	UL FILE NO.	MOD	EL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*		0	TRANSFORMER		DKE-	006		ZHUO YI
*		0	TRANSFORMER		QJ-EI	E10H-064		QIAOJING
52		1	JACK		CKM	3961	8PIN, PITCH:2.54mm	OUXIER
53		1	JACK		CKM	3961	2PIN PITCH:2.54mm	OUXIER
54		1	JACK		CKM	3961	3PIN PITCH:2.54mm	OUXIER
55		9	JUMPER				10mm DIA0.5	DIKAIR
56		2	JUMPER				7mm DIA0.5	DIKAIR
57		1	JUMPER				20mm DIA0.5	DIKAIR
58		4	CONNECTOR				T1.0*8*12mm,COPPER	OUXIER
59		1	CHOKE COIL		TL-L	1-1207	⊄40*15mm,180°C,170uH, +/-10%	TAI LI
*		0	CHOKE COIL		QJ-T1	5726180171K	⊄ 40*15mm,180°C,170uH, +/-10%	QIAOJING
60		1	INDUCTOR		QJ091	1085	100uH, +/-10%	QIAOJING
61		2	NTC		MJD-	104	100K	MINJIE
*		0	NTC		MF58	3-104	100K	AMPRON
62		2	NTC LEAD WIRE	E137515	1332		AWG 26, 300 V, 200 C,120 mm	LEE YUEN
*		0	NTC LEAD WIRE	E211048	1332		AWG 26, 300 V, 200 C,120 mm	QIFURUI
63		1	NTC HOLDER				SILICON RUBBER	DONGJUE
64		1	HEAT SINK				26*68*57mm, AL	HONG YI
65		1	HEAT SINK				26*99*80mm, AL	HONG YI
66		1	PCB	E199805	PC-2		T1.6*188*246mm 94V0 S/S	PROSPERITY
*		0	PCB	E337729	TY-1		T1.6*188*246mm 94V0 S/S	TONGYU
67		1	CORE		MRC-	-0933-1B	22*9.5*42mm	MING CI
68		1	CABLE	E317793	2464		300V,80C, 8PIN, 500mm	JIA DA TAI WIRE & CABLE SHEN ZHEN CO LTD
3		1	DISPLAY BOARD ASSY	7				
1		1	RESISTOR				34K Ohm,+/-1% 1/4W	LEONIAN
2		1	RESISTOR				2K Ohm,+/-5% 1/4W	LEONIAN

PRODUCT : INDUCTION OVEN

DATE :12/4/2011 STANDARD: UL/CUL/ETL/CETL

CUSTOMER: ALL

REVISED DATE:

RATING: 120VAC/60HZ 650W

MODEL NO.: SR-652R RVISION NO: 0

FILENAME	E:SR-652R-01			PREPARED	BY: <u>陆立彬</u>	_CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QТY	DESCRIPTION	UL FILE NO.	MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
3		5	RESISTOR			2.2M Ohm,+/-5% 1/4W	LEONIAN
4		1	RESISTOR			10K Ohm,+/-5% 1/4W	LEONIAN
5		5	RESISTOR			20K Ohm,+/-5% 1/4W	LEONIAN
6		5	CERAMIC CAPACITOR		221	220PF/25V	JUHONG
7		6	CERAMIC CAPACITOR		104	0.1uF/25V	JUHONG
8		5	CERAMIC CAPACITOR			18PF/25V	JUHONG
9		2	E.CAPACITOR			470uF/10VDC +/-20%	JIN JIA
10		1	INDUCTOR		QJ091085	100uH, +/-10%	QIAOJING
11		2	LED			⊄ 5,RED,HI-BRIGHT	JIAXING
12		1	LEDDISPLAY			3-DIGIT	LANG MEI NUO
13		1	IC		1668	SOP-24	TITAN
14		1	IC		EM78P5841N	DIP20	ELAN
15		4	JUMPER			10mm DIA0.5	DIKAIR
16		5	DIODE		1N4148		ST
17		5	TOUCH SWITCH			⊄ 15*12mm	CHEN XING
18		1	PCB	E199805	PC-2	T1.6*59*117mm 94V0 S/S	PROSPERITY
*		0	PCB	E337729	TY-1	T1.6*59*117mm 94V0 S/S	TONGYU
19		1	CABLE	E317793	2464	300V,80C, 8PIN, 700mm	JIA DA TAI WIRE & CABLE SHEN ZHEN CO LTD
4		1	FAN	E342799	JY-Z	18V	JINGYI
*		0	FAN	E254836	YHWF=118	18V	YUHONG MICROMOTOR
5		1	ELECTRIC-MAGNETIC H	EATER	6060B	60uH	SHIYU
6		3	ORIENTATING FUNCTIO	N CYLINDER		¢ 10*7mm, SILICON	SHIYU
7		1	BAFFLE PLATE	E203955	FR-500A	T1.0*120*126mm	NINGBO LG YONGXING CHEMICAL CO LTD
8		1	POWER CORD	E162604	SJTO	3*14AWG,105C,300V	CHING CHENG
*		0	POWER CORD	E162604	SJT	3*14AWG,105C,300V	CHING CHENG
9		1	CORD SETS	CSA:E88446	EL302	15A/125VAC	CHING CHENG

PRODUCT : INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE:

RATING: 120VAC/60HZ 650W

MODEL NO.: SR-652R

RVISION NO: 0

FILENAME	:SR-652R-01		PREPARED	BY : <u>陆立彬</u>	_CHECKED BY : SYB	APPROVED BY: 宋贻彬
NO.	PART NO	QTY DESCRIPTION	UL FILE NO	O. MODEL NO.	MATERIAL & SPECIFICATION	SUPPLIER
*		0 CORD SETS	CSA:E8844	6 EL601	15A/125VAC	CHING CHENG
10		1 FUSE	E213695	RTI-30	15A/250VAC	LANBAO
11		1 FUSE HOLDER	E300256	CFH052S	20A/250VAC	LESHENG ELECTRIC
12		4 LEG			¢ 20* ¢ 23*20mm , SILICON	DONGJUE
13		20 SCREW			⊄3*8mm ,IRON	ZHI YE
14		9 SCREW			⊄3*8mm ,STEEL	ZHI YE
15		5 SCREW			⊄3*12mm ,IRON	ZHI YE
16		8 SCREW			⊄3*10mm ,IRON	ZHI YE
17		5 SCREW			⊄3*12mm ,IRON	ZHI YE
18		21 SCREW			⊄4*8mm ,STEEL	ZHI YE
19		2 SCREW			⊄3*6mm ,STEEL	ZHI YE
20		8 SCREW			⊄4*6mm ,IRON	ZHI YE
21		3 SPRING			⊄ 10*24mm ,STEEL	ZHI YE
22		4 NUT			⊄ 8*5mm	ZHI YE
23		1 SCREW BOLT			⊄4*12mm ,STEEL	ZHI YE
24		1 WASHER			¢ 4	ZHI YE
25		1 NUT			⊄ 4*3mm	ZHI YE
26		1 SPRING PAD			¢ 4	ZHI YE
27		1 FILTER BOAR	D BOX		95*265*51mm,AL	DONGMING
28		1 CONTROL PLA	ATE BRACKET	304#	7*95*166mm,STEEL	PU XIANG
29		1 FILTER PCB B	RACKET E41613	6485+(f1)	230*92*37mm,94V0	BAYER MATERIALSCIENCE AG
30			RD BOX E41613	6485+(f1)	76*39*131mm,94V0	BAYER MATERIALSCIENCE AG
31		1 MAIN PCB BRA		Lupol GP-3152F(#)	*	LG CHEM (TIANJIN) ENGINEERING PLASTICS CO LTD
32		1 HEATER PLAT			T5.0*320*340mm,GLASS	KANG ER
33		1 UPPER COVER			T1.0*72*320*340mm,IRON	DONGMING
34		1 BOTTOM COV			T1.0*318*338mm,IRON	DONGMING
35		1 CONTROL PLA	ATE		T4.0*68*124mm,GLASS	KANG ER

PARTLIST

陆立彬

PRODUCT : INDUCTION OVEN

DATE

:12/4/2011

STANDARD: UL/CUL/ETL/CETL

CUSTOMER : ALL

REVISED DATE:

RATING: 120VAC/60HZ 650W

MODEL NO.: SR-652R

RVISION NO: 0

FILENAME :SR-652R-01

PREPARED BY:

CHECKED BY: SYB

APPROVED BY: 宋贻彬

NO. PART NO 36

TY DESCRIPTION 1 PROTECTING CAP UL FILE NO. MODEL NO.

MATERIAL & SPECIFICATION T1.0*48*23*18mm,IRON

SUPPLIER

DONGMING