1			T			T
Number	P/A	Materiel Code	Specification	Unit	Quantity	Part Reference
1	Р	Н-0502-000ЈВ0-В00	Resistance, 0 ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	17	C617, L101, L601, R217, R218, R223, R600, R602, R616, R68 2, R685, R215, R401, R710, C716, R328, R329
2	Р	H-0502-02FFC0-D00	Resistance, 0.2 ohm, $\pm$ 1%, 1/8W, 0805	PCS	1	R226
3	Р	H-0502-51FJB0-B00	Resistance, 5.1 ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	3	R313, R322, R323
4	Р	H-0502-150JF0-C00	Resistance, 15 ohm, $\pm$ 5%, $1/10$ W, $0603$	PCS	1	R422
5	Р	Н-0502-330ЈВ0-В00	Resistance, 33 ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	1	R421
6	Р	Н-0502-101ЈВ0-В00	Resistance, 100 ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	14	R304, R305, R407, R408, R533, R534, R535, R536, R537, R53 8, R539, R540, R541, R542
7	Р	Н-0502-102ЈВ0-В00	Resistance, 1K ohm, $\pm$ 5%, 1/16W, 0402	PCS	28	R222, R303, R306, R308, R316, R317, R550, R607, R610, R82 3, R824, R825, R826, R608, R324, R551, R552, R553, R554, R 555, R556, R557, R558, R559, R560, R561, R562, R563
8	Р	H-0502-103JB0-B00	Resistance, 10K ohm, $\pm$ 5%, 1/16W, 0402	PCS	7	R312, R604, R707, R708, R830, R221, R420
9	Р	H-0502-393JB0-B00	Resistance, 39K ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	1	R216
10	Р	H-0502-104JB0-B00	Resistance, 100K ohm, $\pm$ 5%, 1/16W, 0402	PCS	10	R146, R148, R149, R151, R311, R402, R403, R404, R706, R73
11	Р	H-0502-334JB0-B00	Resistance, 330K ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	1	R214
12	Р	H-0502-152JB0-B00	Resistance, 1.5K ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	4	R212, R301, R307, R318
13	Р	H-0502-153JB0-B00	Resistance, 15K ohm, $\pm$ 5%, 1/16W, 0402	PCS	1	R713
14	Р	H-0502-472JB0-B00	Resistance, 4.7K ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	2	R314, R315
15	Р	H-0502-243JB0-B00	Resistance, 24K ohm, $\pm$ 5%, 1/16W, 0402	PCS	1	R606
16	Р	Н-0502-473ЈВ0-В00	Resistance, 47K ohm, $\pm$ 5%, 1/16W, 0402	PCS	3	R517, R518, R519

17	Р	H-0502-512JB0-B00	Resistance, 5.1K ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	1	C705
18	Р	Н-0502-752ЈВ0-В00	Resistance, 7.5K ohm, $\pm$ 5%, $1/16$ W, $0402$	PCS	1	R219
19	Р	H-0504-950500-001	Diode, TVS, 5V, 1. 5PF, 0402, ESD9X5VL-2/TR, WILLSEMI	PCS	2	T801, T802
20	Р	H-0504-100555-400	ESD Resistance, 5.5V, 0402, SDV1005E5R5C400NPTF, Sunlord	PCS	13	T246, T301, T302, T305, T306, T307, T308, T309, T310, T31 1, T312, T313, T314
21	A	H-0504-502050-B00	ESD Resistance, 5. 5V, 0402, AVLC5S02050, AMOTECH	PCS	13	T246, T301, T302, T305, T306, T307, T308, T309, T310, T31 1, T312, T313, T314
22	A	H-0504-050550-000	ESD Resistance, 5. 5V, 0402, ICVS0505500FR, ICT	PCS	13	T246, T301, T302, T305, T306, T307, T308, T309, T310, T31 1, T312, T313, T314
23	Р	H-0602-060D8A-B00	Resistance, 6pF, $\pm 0.5$ pF, 50V, COG, 0402	PCS	2	C601, C650
24	Р	H-0602-101J8A-B00	Resistance, 100pF, $\pm$ 5%, 50V, COG, 0402	PCS	5	C313, C329, C330, C350, C352
25	Р	H-0602-102K8D-B00	Resistance, 1nF, $\pm$ 10%, 50V, X7R, 0402	PCS	3	C693, R818, C805
26	Р	H-0602-103K4D-B00	Resistance, 10nF, $\pm$ 10%, 16V, X7R, 0402	PCS	3	C738, C826, C827
27	Р	H-0602-104K3C-B00	Resistance, 100nF, $\pm$ 10%, 10V, X5R, 0402	PCS	29	C233, C234, C303, C304, C311, C312, C318, C319, C320, C32 1, C401, C521, C605, C703, C704, C731, C732, C737, C822, C 823, C905, C906, C814, C816, C818, C819, C820, C828, C829
28	Р	H-0602-105K2C-B00	Resistance, 1uF, $\pm$ 10%, 6. 3V, X5R, 0402	PCS	20	C103, C201, C206, C207, C225, C227, C231, C232, C235, C23 6, C402, C668, C671, C702, C736, C739, C801, C815, C817, C 821
29	Р	H-0602-105K4D-D00	Resistance, 1uF, $\pm$ 10%, 16V, X7R, 0805	PCS	1	C220
30	Р	H-0602-106M2C-D00	Resistance, 10uF, ±20%, 6.3V, X5R, 0805	PCS	4	C305, C306, C307, C310
31	Р	H-0602-05FC8A-B00	Resistance, 0. 5pF, $\pm$ 0. 25pF, 50V, COG, 0402	PCS	1	C651
32	Р	H-0602-10FC8A-B00	Resistance, 1pF, $\pm 0.25$ pF, 50V, COG, 0402	PCS	1	C804
33	Р	H-0602-15FC8A-B00	Resistance, 1. 5pF, $\pm$ 0. 25pF, 50V, COG, 0402	PCS	1	C830
34	Р	H-0602-120J8A-B00	Resistance, 12pF, $\pm$ 5%, 50V, COG, 0402	PCS	1	C245

35	Р	H-0602-220J8A-B00	Resistance, 22pF, $\pm$ 5%, 50V, COG, 0402	PCS	7	C602, C608, C609, C612, C614, C623, C735
36	Р	H-0602-221J8A-B00	Resistance, 220pF, $\pm$ 5%, 50V, COG, 0402	PCS	1	C610
37	Р	H-0602-223K3D-B00	Resistance, 22nF, $\pm$ 10%, 16V, X7R, 0402	PCS	3	C803, C824, C825
38	Р	H-0602-225K2C-C00	Resistance, 2. 2uF, $\pm$ 10%, 6. 3V, X5R, 0603	PCS	5	C221, C224, C226, C228, C404
39	Р	H-0602-226M2C-D00	Resistance, 22uF, $\pm$ 20%, 6. 3V, X5R, 0805	PCS	1	C606
40	Р	H-0602-22FC8A-B00	Resistance, 2. 2pF, $\pm 0.25$ pF, 50V, COG, 0402	PCS	5	C628, C629, C641, C642, C631
41	Р	H-0602-27FJ8A-B00	Resistance, 2. 7pF, $\pm$ 0. 25pF, 50V, COG, 0402	PCS	2	C630, C633
42	Р	H-0602-180J8A-B00	Resistance, 18pF, $\pm$ 5%, 50V, COG, 0402	PCS	3	C229, C230, C697
43	Р	H-0602-330J8A-B00	Resistance, 33pF, $\pm$ 5%, 50V, COG, 0402	PCS	1 17	C308, C309, C314, C315, C327, C344, C346, C347, C615, C61 6, C105, C106
44	Р	H-0602-39FC8A-B00	Resistance, 3. 9pF, $\pm 0.25$ pF, 50V, COG, 0402	PCS	2	C639, C640
45	Р	H-0602-475K2C-C00	Resistance, 4. 7uF, $\pm$ 10%, 6. 3V, X5R, 0603	PCS	8	C104, C203, C219, C244, C316, C317, C701, C802
46	Р	H-0602-560J8A-B00	Resistance, 56pF, $\pm$ 5%, 50V, COG, 0402	PCS	2	C613, C740
47	Р	H-0602-224K3C-B00	Resistance, 220nF, $\pm$ 10%, 10V, X5R, 0402	PCS	1	C422
48	Р	H-0701-91FSB1-001	Inductance, 9. 1nH, $\pm$ 5%, 0402, SDCL1005C9N1JTF, SUNLORD	PCS	1	L806
49	A	H-0701-91FSB1-000	Inductance, 9. 1nH, $\pm 0$ . 3nH, 0402, LQG15HS9N1J02D, Murata	PCS	1	L806
50	Р	H-0701-43FJB1-001	Inductance, 4. 3nH, $\pm 0$ . 3nH, 0402, SDCL1005C4N3STDF, Sunlord	PCS	3	C632, L614, L611
51	A	H-0701-43FJB0-000	Inductance, 4. 3nH, $\pm$ 5%, 0402, HK10054N3S-T, Taiyo-yuden	PCS	3	C632, L614, L611
52	A	H-0701-43FJB1-000	Inductance, 4. 3nH, $\pm$ 5%, 0402, LQG15HS4N3S02D, Murata	PCS	3	C632, L614, L611
53	Р	Н-0701-100ЈВ1-001	Inductance, 10nH, $\pm$ 5%, 0402, SDCL1005C10NJTDF, Sun1ord	PCS	2	C635, L613

54	A	Н-0701-100ЈВ0-000	Inductance, 10nH, $\pm$ 5%, 0402, , HK100510NJ-T, Taiyo-yuden	PCS	2	C635, L613
55	A	H-0701-100JB1-000	Inductance, 10nH, $\pm$ 5%, 0402, LQG15HS10NJ02D, Murata	PCS	2	C635, L613
56	Р	Н-0701-180ЈВ1-001	Inductance, 18nH, $\pm$ 5%, 0402, SDCL1005C18NJTDF, Sunlord	PCS	2	L609, L612
57	A	Н-0701-180ЈВ0-000	Inductance, 18nH, $\pm$ 5%, 0402, , HK100518NJ-T, Taiyo-yuden	PCS	2	L609, L612
58	A	H-0701-180JB1-000	Inductance, 18nH, $\pm$ 5%, 0402, LQG15HS18NJ02D, Murata	PCS	2	L609, L612
59	Р	H-0701-220JB1-001	Inductance, 22nH, $\pm$ 5%, 0402, SDCL1005C22NJTDF, Sunlord	PCS	1	L616
60	A	H-0701-220JB1-000	Inductance, 22nH, $\pm$ 5%, 0402, LQG15HS22NJ02D, Murata	PCS	1	L616
61	A	Н-0701-220ЈВ0-000	Inductance, 22nH, $\pm$ 5%, 0402, HK100522NJ, Taiyo-yuden	PCS	1	L616
62	Р	H-0701-101JB1-001	Inductance, 100nH, $\pm$ 5%, 0402, SDCL1005CR10JTDF, SUNLORD	PCS	1	B322
63	A	H-0701-101JB1-000	Inductance, 100nH, $\pm$ 5%, 0402, LQG15HSR10J, MURATA	PCS	1	B322
64	Р	H-0801-100510-201	Bead, 1000 ohm, 250mA, 0402, HZ1005K102TFB01, SUNLORD	PCS	5	B301, B302, B303, B304, B305
65	A	H-0801-15102S-000	Bead, 1000 ohm, 250mA, 0402, BLM15HD102SN1, MURATA	PCS	5	B301, B302, B303, B304, B305
66	Р	H-0801-100518-200	Bead, 1.8K ohm, 50mA, 0402, HZ1005K182TF, SUNLORD	PCS	6	L306, L307, L313, L314, L102, L103
67	A	H-0801-151821-000	Bead, 1.8K ohm, 50mA, 0402, BLM15HD182SN1, Murata	PCS	6	L306, L307, L313, L314, L102, L103
68	Р	H-0801-100575-000	Bead, 75 ohm, 600mA, 0402, SZ1005G750TF, SUNLORD	PCS	2	L810, L811
69	A	H-0801-15750S-000	Bead, 75 ohm, 300mA, 0402, BLM15BB750SN1D, MURATA	PCS	2	L810, L811
70	Р	H-1100-542000-000	Diode, ZENER, 5. 1V, SOD523, PZ5D4V2H, PRISEMI	PCS	1	D202
71	Р	H-1200-005853-000	Semiconductor Diode, PNP, TSOP-6, SBT5853PT1G, SIG	PCS	1	Q201
72	Р	H-1200-005833-000	Semiconductor Diode, NPN, SC-75, SBT5833T1G, SIG	PCS	1	Q202

Р	H-1401-MT6252-A00	IC, BB, MT6252A/C, MTK	PCS	1	U1
Р	H-1401-064000-001	IC, Serial Flash (64Mb), WSON8L, MX25U6435EZNI-10G, MACRONIX	PCS	1	U401
Р	H-1401-MT6622-000	IC, BT, QFN40, MT6622N, MTK	PCS	1	U701
Р	H-1401-RF7176-D00	IC, RFPA, GSM/DCS, RF7176D, RFMD	PCS	1	U602
Р	H-1401-120228-000	IC, LDO, 2. 8V, SOT23-5, RP1202-28GB, RICHPOWER	PCS	1	U801
Р	H-1401-NMI601-B00	IC, ATV, QFN-48, NMI601B/ATV168H, NMI	PCS	1	U802
Р	H-1501-HZ336G-L80	LED, 0603, BL-HZ336G-L8-TRB, BIN: 5-4~5-7, BRIGHT	PCS	7	D503, D504, D505, D506, D507, D508, D509
P	H-1800-009418-600	SAW, EGSM/DCS RX, EFCH9418TDL6, PANASONIC	PCS	1	Z603
A	H-1800-900180-000	SAW, EGSM/DCS RX, SAWEN942MCM0F00, MURATA	PCS	1	Z603
A	H-1800-009418-005	SAW, EGSM/DCS RX, SFW942PY002, WISOL	PCS	1	Z603
Р	H-1800-141960-550	SAW, PCS1900-RX, SF14-1960M5UB50/A1, KYOCERA	PCS	1	Z601
P	H-1800-140881-550	SAW, 850-RX, SF14-0881M5UB50/A1, KYOCERA	PCS	1	Z602
P	H-1800-201206-000	BPF, 2.45GHz, 0805, RFBPF2012060AM2T62, Walsin	PCS	1	U702
P	H-1200-2SC461-700	Semiconductor Diode, NPN, SC-75, 2SC4617TLQ, ROHM	PCS	1	U407
Р	H-2108-005031-000	Earphone Jack(Φ3.5mm), WKUBI005-031P, CONN	PCS	1	J307
Р	H-2105-990619-315	SIM, 6PIN, 1.80mmH, CAF99-06193-1504, LCN	PCS	2	J505, J506
Р	H-2103-650525-000	MICRO USB(DIP+SMT), 0. 65PITCH, 5PIN, 2. 45mmH, UAF95-05254- 1500, LCN	PCS	1	10901
Р	H-2112-110819-000	T-FLASH Jack, 14.5x13.6x1.9mmH, CAH11-08193-SF03, LCN	PCS	1	J504
A	H-2112-110819-001	T-FLASH Jack, 1.93mmH, WKTFH010-S01, JTCONN	PCS	1	J504
	P P P P A A P P P P P P P P P P P P P P	P H-1401-064000-001 P H-1401-MT6622-000 P H-1401-RF7176-D00 P H-1401-NMI601-B00 P H-1501-HZ336G-L80 P H-1800-009418-600 A H-1800-900180-000 A H-1800-141960-550 P H-1800-140881-550 P H-1800-201206-000 P H-1200-2SC461-700 P H-2108-005031-000 P H-2105-990619-315 P H-2103-650525-000 P H-2112-110819-000	P H-1401-064000-001 IC, Serial Flash (64Mb), WSONSL, MX25U6435EZNI-10G, MACRONIX P H-1401-MT6622-000 IC, BT, QFN40, MT6622N, MTK P H-1401-RF7176-D00 IC, RFPA, GSM/DCS, RF7176D, RFMD P H-1401-NMI601-B00 IC, ATV, QFN-48, NMI601B/ATV168H, NMI P H-1501-HZ336G-L80 LED, 0603, BL-HZ336G-L8-TRB, BIN:5-4~5-7, BRIGHT P H-1800-009418-600 SAW, EGSM/DCS RX, EFCH9418TDL6, PANASONIC A H-1800-900180-000 SAW, EGSM/DCS RX, SAWEN942MCM0F00, MURATA A H-1800-009418-005 SAW, EGSM/DCS RX, SFW942PY002, WISOL P H-1800-141960-550 SAW, PCS1900-RX, SF14-1960M5UB50/A1, KYOCERA P H-1800-201206-000 BPF, 2. 45GHz, 0805, RFBPF2012060AM2T62, Walsin P H-1200-2SC461-700 Semiconductor Diode, NPN, SC-75, 2SC4617TLQ, ROHM P H-2108-005031-000 Earphone Jack (Φ3.5mm), WKUBI005-031P, CONN P H-2105-990619-315 SIM, 6PIN, 1. 80mmH, CAF99-06193-1504, LCN P H-2103-650525-000 MICRO USB (DIP+SMT), 0. 65PITCH, 5PIN, 2. 45mmH, UAF95-05254-1500, LCN P H-2112-110819-000 T-FLASH Jack, 14. 5x13. 6x1. 9mmH, CAH11-08193-SF03, LCN	P         H-1401-064000-001         IC, Serial Flash (64Mb), WSON8L, MX25U6435EZNI-10G, MACRONIX         PCS           P         H-1401-MT6622-000         IC, BT, QFN40, MT6622N, MTK         PCS           P         H-1401-RF7176-D00         IC, RFPA, GSM/DCS, RF7176D, RFMD         PCS           P         H-1401-120228-000         IC, LDO, 2. 8V, SOT23-5, RP1202-28GB, RICHPOWER         PCS           P         H-1401-NMI601-B00         IC, ATV, QFN-48, NMI601B/ATV168H, NMI         PCS           P         H-1501-HZ336G-L80         LED, 0603, BL-HZ336G-L8-TRB, BIN:5-4^5-7, BRIGHT         PCS           P         H-1800-009418-600         SAW, EGSM/DCS RX, EFCH9418TDL6, PANASONIC         PCS           A         H-1800-900180-000         SAW, EGSM/DCS RX, SAWEN942MCM0F00, MURATA         PCS           A         H-1800-009418-005         SAW, EGSM/DCS RX, SFW942PY002, WISOL         PCS           P         H-1800-141960-550         SAW, PCS1900-RX, SF14-1960M5UB50/A1, KYOCERA         PCS           P         H-1800-201206-000         BPF, 2. 45GHz, 0805, RFBPF2012060AM2T62, Walsin         PCS           P         H-1200-2SC461-700         Semiconductor Diode, NPN, SC-75, 2SC4617TLQ, ROHM         PCS           P         H-2108-005031-000         Earphone Jack (Φ 3. 5mm), WKUB1005-031P, CONN         PCS           P	P         H-1401-064000-001         IC, Serial Flash (64Mb), WSONSL, MX25U6435EZNI-10G, MACRONIX         PCS         1           P         H-1401-MT6622-000         IC, BT, QFN40, MT6622N, MTK         PCS         1           P         H-1401-RF7176-D00         IC, RFPA, GSM/DCS, RF7176D, RFMD         PCS         1           P         H-1401-120228-000         IC, LDO, 2. 8V, SOT23-5, RP1202-28GB, RICHPOWER         PCS         1           P         H-1401-NM1601-B00         IC, ATV, QFN-48, NM1601B/ATV168H, NMI         PCS         1           P         H-1501-HZ336G-L80         LED, 0603, BL-HZ336G-L8-TRB, BIN:5-4°5-7, BRIGHT         PCS         7           P         H-1800-009418-000         SAW, EGSM/DCS RX, SFCH9418TDL6, PANASONIC         PCS         1           A         H-1800-900180-000         SAW, EGSM/DCS RX, SFW942PY002, WISOL         PCS         1           P         H-1800-141960-550         SAW, PCS1900-RX, SF14-1960M5UB50/A1, KY0CERA         PCS         1           P         H-1800-201206-000         BPF, 2. 45GHz, 0805, RFBPF2012060AM2T62, Walsin         PCS         1           P         H-1800-205606031-000         Earphone Jack (Φ3. 5mm), WKUB1005-031P, CONN         PCS         1           P         H-2105-990619-315         SIM, 6PIN, 1. 80mmH, CAP99-06193-1504, LCN         P

92	Р	H-2107-019D31-000	Battery Jack, WKBAV019-D31, LCN	PCS	1	BT203
93	Р	H-2106-ECT818-001	RF Jack, 6PIN, 3x3x1.75mmH, ECT818000001, ECT	PCS	1	J601
94	Р	H-2200-000261-021	Crystal, 26MHz, $\pm$ 10ppm, 7.4pF, 3225, X1E000021043400, EPSON	PCS	1	X600
95	A	H-2200-000261-022	Crystal, 26MHz, $\pm 10$ ppm, 7.5pF, 3225, 7M26000028, TXC	PCS	1	X600
96	Р	H-2200-32K768-002	Crystal, 32.768KHz, ± 20ppm, 12.5pF, Q13MC1462000200 (Q13MC1461000200), EPSON	PCS	1	X200
97	A	H-2200-32K768-001	Crystal, 32.768KHz, ±20ppm, 12.5pF, SSP-T7-F, SII	PCS	1	X200
98	A	H-2200-32K768-000	Crystal, 32.768KHz, ±20ppm, 12.5pF, MS3V-T1R, MICRO	PCS	1	X200
99	Р	H-2302-X32120-000	PCB MB, X321-MB-V0.2	PCS	1	
100	Р	H-5303-X22100-000	BB Shield, 34. 14x24. 08x1. 55mmH, X221	PCS	1	