Report No: T120720D01-RP1 FCC ID: ZTGLX7228A Date of Issue: Aug. 9, 2012

8 RADIO FREQUENCY EXPOSURE

LIMIT

According to §15.247(i), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the Commission's guidelines. See § 1.1307(b)(1) of this chapter.

EUT SPECIFICATION

EUT	Bluetooth Foldable Keyboard
Frequency band (Operating)	 □ WLAN: 2.412GHz ~ 2.462GHz □ WLAN: 5.18GHz ~ 5.32GHz / 5.50GHz ~ 5.70GHz □ WLAN: 5.745GHz ~ 5.825GHz
() () ()	Others Bluetooth: 2.402GHz ~ 2.480GHz
Device category	☐ Portable (<20cm separation)☐ Mobile (>20cm separation)☐ Others
Exposure classification	 ☐ Occupational/Controlled exposure (S = 5mW/cm²) ☐ General Population/Uncontrolled exposure (S=1mW/cm²)
Antenna diversity	 Single antenna Multiple antennas ☐ Tx diversity ☐ Rx diversity ☐ Tx/Rx diversity
Max. output power	-1.90 dBm (0.646 mW)
Antenna gain (Max)	3.58dBi (Numeric gain: 2.28)
Evaluation applied	
Remark:	
1. The maximum output power is <u>-1.90 dBm (0.646 mW) a</u> t <u>2402MHz</u> (with <u>1.12</u> <u>numeric antenna gain</u> .)	

TEST RESULTS

No non-compliance noted.

(SAR evaluation is not required for the PORTABLE device while its maximum output power is lower than the general population low threshold: $60/f_{(GHz)}=60/2.441=24.58mW$) even if the calculation indicates that the power density would be larger.)