inearicons Designed by Perxis - March 2015 黑 ₩ 3 B É \triangle <u></u>_ 0 P å €% 1 $\langle \rangle_{\!\!/}$ 2 <u>^</u> <<u>\</u>} \emptyset K *** J. \tilde{\t 3 9 **(B)** 유 <u></u> हैं; \bigcirc **(3)** \mathbb{G} (\text{\xi}}\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\texi}\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\texitt{\texi}\text{\texi}\text{\texi}\text{\texi}\text{\tex \mathbb{C} % $\mathcal{C}_{\mathcal{S}}$ (B) \varnothing 2 \bigcirc \bigotimes \bigcirc (<u>a</u>) É A. R (A) Q ₹ ₩, K **\$** 3 000 \Diamond + % \approx ₽ \approx (Q) 2-5 \approx \bigcirc M 4 £ **₩** • $rac{1}{2}$ \bigcirc + વિ \bigoplus $\begin{bmatrix} - \end{bmatrix}$ \triangle \bigcirc lacksquare[A Ĥ A **■** 小 ∇ ____ 1 J J **₩** \mathcal{L} 쏗 | | | **→** <u></u> F ್ರಾ <u>ტ</u>ეე \square 0 \sim 皿 (4)) 2 <u>_</u> 2 <u>_</u> B 29 <u>2€</u> 2≣ (i) j. z° <u>%</u> ٩ 8 (XX) 飍 鰮 12243516 ہڑ Ë <u>•••</u> * ** <u>=</u> € £ &¥ **®**; (\$) $\stackrel{\text{(f)}}{=}$ **(E)** ٩ **₹** SIP. €R \mathscr{C}_{x} &+ <u></u> 000 \$ <u></u> 9 \bigcirc $\sqrt{}$ # 8 **@** 0 $\Theta^{'}$ **\(\)** $\langle X \rangle$ 4:3 ...0 ...00_ 0 000__ 00___ Ē . Q G 4 H 7 **600** \mathcal{L}_{A} 凸 Ţ. \times **₹** ? \bigcirc 0 哪 B 9 M <u>(8)</u> (66) **@** 66 $\widehat{\mathscr{N}}$ **@** 99 \$ È \oplus 00 M Q W. ₫ 1 念 <u></u> Ï 44 48 G Y**♦** Linkar 5 Ø Y Q, D **%** B Œ(\bigcirc ©;÷ @ Z Ø 靣 ÔÔ 2 Ħ 135R 낚산 246 /¦\ -JE <u>-Ö</u>--+ 41/0 6 P چ ĘŘ Ů 4 (m) ο̈́ο <u>\$\$</u> Q. Ŵ *_*%-°° **\$** <u>\$</u> Ø \bigoplus (8) 000 000 000 000 000 000 0 000 **%** (3) Œ, 謔 坓 \bigcirc (P) 0 \bigcirc 0 8 6 000 () 6 (T) $z \bigcirc^{Z}$ **∞** 3 \Box <u></u> ∞ 뭄 \mathbb{Q} ₫, \emptyset **(√**) <u>څ</u> ٩٩ 03 **څ** ر چ ((1)) Š 030 o))((o 9))((0 ()<u>;</u>% ((°)) 0 AZ 0 0 1 \bigcirc \emptyset 100% \bigcirc \bigcirc 1 ٥ \oplus \bigcirc \bigotimes \bigcirc \bigcirc (\bigcirc Û 不 中 \rightarrow \leftarrow \longrightarrow T \longleftarrow \longmapsto >_ </> P 6 兴 Q B T.

(2)

**

8

2

.oo [hy

1

€

[-@-]

8

26

T

Ë

¥

9

X

abc

Ų,

凸

-√~

 \triangle

£

٥٥٥ څ

O

₩,

 \mathbb{Q}_{p}

(学)

 \sim

 \bigcirc

*

4.))

 \equiv

 \triangle

 \bigcirc

 \equiv

픨

₩

Ę)]

 \mathbb{H}

 \square

ů

 $\langle \rangle$

U

-\\

(A)

£

23

8

Q.

9

2

(4)

翻

常

E

S

10

Ō

帥

赋〕

(B)

₽

N

0

8

°°°

00

((·))

() () ()

Ŕ

0

 \odot

 \triangle

 $\to \hspace{-0.1cm} \downarrow \hspace{-0.1cm} \vdash$

@:

8

B

also

₽

 \bigcirc

Q

<>

 \otimes

Q

Ě

 \oplus

**

4

-\\\\-\

₩

0

(

4

 $\bigcap \rightarrow$

90

2

*

2

E.

€

(<u>A</u>)

9

•

岎

8

0

₫

愈

Q

00

2

(°°)

RIP

M3

() ()

Ŷ

 $\overline{\bot}$

 $\rightarrow \hspace{-0.1cm} \mid$

?

(6))

-\\\;\-

G

0

5

(C)

(a)

 \rightarrow

9

[0]

<u>ه</u> که

 $\mathring{\mathbb{P}}\,\bar{\underline{\mathbb{I}}}$

2

#

\$

69

0

IE

5

贮

(<u>a</u>)

4

6

 \bigcirc

於

5

(P)

RIP

FD

1.EV

Ø

 \bigcirc

 \bigcirc

(4)

 \vdash

B

<u>:</u>

 $\sqrt{}$

M

 \bigcirc \bigcirc (14) 00 (N) KK (N) [+] # + 翢 \rightarrow ∇ ٦ ر ۲ ر \otimes \otimes سس \mathbb{X} 4 ... 串 <u>k</u> <u>√</u>x° % \uparrow < + \downarrow \leftarrow \rightarrow \bigcirc 一 A $\underline{T}_{\mathsf{x}}$ I \underline{A} ΑА \mathbb{T} ¶ — TP 圖 $\updownarrow \equiv$ \equiv ≥≣ ₫≣ $\overline{\mathbb{R}}$ M Sh (m) 13 16 \sum

₩

₹lm

[™]K

ď

Q

 \mathbb{N}

 \bigcirc

X

 \leftarrow

←[↑]→

 \bigcirc

 \bigoplus

 \rightarrow

7

 \nearrow

7

 \bigcirc

||

4

 \bigoplus

4

000

 \times

%

1

 \bigcirc

 \Rightarrow

 $[\times]$

 $\downarrow Z$

7

 \oplus

?

 \uparrow

 \Longrightarrow

%

₩

₩

@

><

 \Leftrightarrow