

Remaining Time: 19 minutes, 54 seconds.

Question Completion Status:

Question 1

What is the output of this code?

```
int var1 = 5;
int var2 = 6;
if ((var2 = 1) == var1)
    System.out.println(var2);
else
    System.out.println(++var2);
```

- ☐ 1
- ☒ 2
- ☐ 3
- ☐ 4

⚠ Moving to the next question prevents changes to this answer.

Remaining Time: 18 minutes, 09 seconds.

Question Completion Status:

Question 2

What is the value of salary after executing the following code?

```
int salary = 3000;
int bonus = 100;

if (salary >= 2000)
    salary += bonus;
if (salary > 2000 && salary < 4000)
    salary += bonus;
```

- ☐ 3000
- ☐ 3100
- ☒ 3200
- ☐ None of above

⚠ Moving to the next question prevents changes to this answer.

ترجمة

ترجمة

Remaining Time: 16 minutes, 29 seconds.

Question Completion Status:

Question 3

What is the value of salary after executing the following code?

```
int salary = 3000;
int bonus = 100;

if (salary >= 2000)
    salary += bonus;
else if (salary > 2000 && salary < 4000)
    salary += bonus;
```

- ☐ 3000
- ☒ 3100
- ☐ 3200
- ☐ None of above

⚠ Moving to the next question prevents changes to this answer.

Remaining Time: 15 minutes, 19 seconds.

Question Completion Status:

Question 4

What is the value of salary after executing the following code?

```
int salary = 3000;
int bonus = 100;
if (salary >= 2000 || salary <= 2500)
    salary += bonus;
if (salary > 2000 && salary < 4000)
    salary += bonus;
```

- ☐ 3000
- ☐ 3100
- ☒ 3200
- ☐ None of above

⚠ Moving to the next question prevents changes to this answer.

aining Time: 14 minutes, 06 seconds.

Question Completion Status:

⚠ Moving to the next question prevents changes to this answer.

Question 5

What is the output of the following code?

```
int hight = 170;  
boolean allow = (hight >=150) ? true : false;  
System.out.println(allow);
```

☒ true

☐ false

☐ 150

☐ 170

⚠ Moving to the next question prevents changes to this answer.

Question 6

What is the output of the following code?

```
int x = 1;  
switch (x)  
{  
    case 1: x++;  
    case 2: x++;  
}  
System.out.println(x);
```

☐ 1

☐ 2

☒ 3

☐ None of above

⚠ Moving to the next question prevents changes to this answer.

Collaborate Ultra Virtual
Classroom

Question Completion Status:

```
int salary = 3000;  
int bonus = 100;  
if (salary >= 2000 && salary <=2500)  
{  
    salary +=bonus;  
    System.out.println("Salarty = " + salary + " SAR");  
}  
else if (salary >1000 && salary <2000)  
{  
    salary +=bonus;  
    System.out.println("Salarty = " + salary + " SAR");  
}  
else  
    System.out.println("Conditions are not met");
```

☐ Salary = 3000 SAR

☐ Salary = 3100 SAR

☐ Salary = 3200 SAR

☒ Conditions are not met

Remaining Time: 09 minutes, 56 seconds.

Question Completion Status:

Question 8

What is the output of the following code?

```
int x = 1;
switch (x)
{
    case 1: x++; break;
    case 2: x++; break;
}
System.out.println(x);
```

- ☐ 1
- ☒ 2
- ☐ 3
- ☐ None of above

⚠ Moving to the next question prevents changes to this answer.

⚠ Moving to the next question prevents changes to this answer.

Question 9

Assume x=5, what is the output after executing this statement System.out.println(++x);

- ☐ 5
- ☒ 6
- ☐ 7
- ☐ None of above

⚠ Moving to the next question prevents changes to this answer.

⚠ Click **Submit** to complete this assessment.

Question 10

Assume x=5, what will be the output after executing this statement System.out.println(x++);

- ☒ 5
- ☐ 6
- ☐ 7
- ☐ None of above

⚠ Click **Submit** to complete this assessment.

